Document FP12 Appl. No.: 10/567,381

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 11 April 2002 (11.04.2002)

PCT

(10) International Publication Number WO 02/29059 A2

(51) International Patent Classification7: C12N 15/12, C07K 14/705

(21) International Application Number: PCT/US01/31488

(22) International Filing Date: 6 October 2001 (06.10.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data: 60/238,361 6 October 2000 (06.10.2000) US

(71) Applicants (for all designated States except US): YALE UNIVERSITY [US/US]; 541 College Street, New Haven, CT 06520 (US). BIOGEN, INC. [US/US]; 14 Cambridge Center, Cambridge, MA 02142 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): STRITTMATTER, Stephen, M. [US/US]; 96 Tulip Tree Drive, Guilford, CT 06437 (US). CATE, Richard, L. [US/US]; 40B Nichols Road, Cohasset, MA 02025 (US). SAH, Dinah, W., Y. [US/US]; 4 Longfellow Place, Apt. 2608, Boston, MA 02114 (US).

(74) Agents: HALEY, James, F. et al.; Fish & Neave, 1251 Avenue of the Americas, New York, NY 10020 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: NOGO RECEPTOR HOMOLOGS

	1				50
Human NOGO-R1		~~MKRASA	GGSRLLAWVL	WLQAWQVAAP	CPGACVCYNE
Murine NOGO-R1		~~~~MKRASS	GGSRLLAWVL	WLQAWRVATP	CPGACVCYNE
Murine NOGO-R3	MSWQSGTTVT	QSPVQAAQVS	GCCVELLLLL	LAGELPLGGG	CPRDCVCYPA
Human NOGO-R3	~~~~~~				
Human NOGO-R2		MLPGLRRLLQ	APASACLLLM	LLALPLAAPS	CPMLCTCYSS
Consensus					CPC-CY
	LRR N	-		I DD .	
	51 LKKN	1		LRR I	100
Human NOGO-R1	PKVTTSCPQQ	GLQAVPVGIP	AASQRIFLHG	NRISHVPAAS	FRACRNLTIL
Murine NOGO-R1	PKVTTSCPQQ	GLQAVPTGIP	ASSORIFLHG	NRISHVPAAS	FOSCRNLTIL
Murine NOGO-R3	P.MTVSCQAH	NFAAIPEGIP	EDSERIFLON	NRITPLQQGH	FSP. AMVTL
Human NOGO-R3		EGIP	VDSERVFLQN	NRIGLLQPGH	FSP. AMVTL
Human NOGO-R2	P.PTVSCQAN	NFSSVPLSLP	PSTORLFLON	NLIRTLRPGT	FGSNLLTL
Consensus	PT-SC	PP	R-FL	N-I	FL
LRR 2 1.RR 3					
	101 LRR 2		LKK 3		150
Human NOGO-R1	WLHSNVLARI	DAAAFTGLAL	LEQUDLSDNA	QLRSVDPATF	HGLGRLHTLH
Murine NOGO-R1				QLHVVDPTTF	
Murine NOGO-R3	wiysnnitfi	APNTFEGFVH	LEELDLGDNR	QLRTLAPETF	QGLVKLHALY
Human NOGO-R3	WIYSNNITYI	HPSTFEGFVH	LEELDLGDNR	QLRTLAPETF	QGLVKLHALY
Human NOGO-R2				HLRSLEPDTF	
Consensus	WSNI	P	LE-LDL-DN-	-LP-TF	-GLLL-
	LRR		LRR 5		
	151				200
Human NOGO-R1				QALPDDTFRD	
Murine NOGO-R1				QALPDNTFRD	
Murine NOGO-R3				EYLQDDIFVD	
Human NOGO-R3				EYLQDDIFVD	
Human NOGO-R2	-			LHLQDDLFAD	
Consensus	LC-LL-	P-GLL	QYLYLQ-N	L-DF-D	L-NL-HLFLH
	•	· · · · · · · · · · · · · · · · · · ·			

(57) Abstract: The invention relates generally to genes that encode proteins that inhibit axonal growth. The invention relates specifically to genes encodign NgR protein homologs in humans and mice. The invention also includes compositions and methods for modulating the expression and activity of Nogo and the NgR proteins. Specifically, the invention includes peptides, proteins and antibodies that block Nogo-mediated inhibition of axonal extension. The compositions and methods of the invention are useful in the treatment of cranial o cerebral trauma, sprial cord injury, stroke or a demyelinating disease.



T AVAILABLE COPY

BNSDOCID: <WO_____0229059A2_1 >

WO 02/29059 A2



Published:

 without international search report and to be republished upon receipt of that report For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

BNSDCCID: <WO____0229059A2_1_>

WO 02/29059 PCT/US01/31488

NOGO RECEPTOR HOMOLOGS

FIELD OF THE INVENTION

The invention relates to neurology and molecular biology. More particularly, the invention relates to CNS neurons and axonal growth

BACKGROUND

Among the mechanisms through which the cells of an organism communicate with each other and obtain information and stimuli from their environment is through cell membrane receptor molecules expressed on the cell surface. Many such receptors have been identified, characterized, and sometimes classified into major receptor superfamilies based on structural motifs and signal transduction features. The receptors are a first essential link for translating an extracellular signal into a cellular physiological response.

Receptors on neurons are particularly important in the development of the nervous system during embryogenesis. The neurons form connections with target cells during development through axonal extension of the neurons toward the target cells in a receptor-mediated process. Axons and dendrites have a specialized region of their distal tips known as the growth cone. Growth cones enable the neuron to sense the local environment through a receptor-mediated process and direct the movement of the axon or dendrite of the neuron toward the neuron's target cell. This process is known as elongation. Growth cones can be sensitive to several guidance cues, for example, surface adhesiveness, growth factors, neurotransmitters and electric fields. The guidance of growth at the cone depends on various classes of adhesion molecules, intercellular signals, as well as factors that stimulate and inhibit growth cones.

Interestingly, damaged neurons do not elongate in the central nervous system (CNS) following injury due to trauma or disease, whereas axons in the peripheral nervous system (PNS) regenerate readily. The fact that damaged CNS neurons fail to elongate is not due to an intrinsic property of CNS axons, but rather due to the CNS environment that is not permissive for axonal elongation. Classical grafting experiments by Aguayo and colleagues (e.g., Richardson et al., (1980) Nature 284,

BNSDOCID: <WO_____0229059A2_I_>

5

10

15

20

25

30

264-265) demonstrated that CNS axons can in fact elongate over substantial distances within peripheral nerve grafts, and that CNS myelin inhibits CNS axon elongation. Therefore, given the appropriate environment, CNS axons can regenerate, implying that CNS axonal injury can potentially be addressed by appropriate manipulation of the CNS environment.

The absence of axon regeneration following injury can be attributed to the presence of axon growth inhibitors. These inhibitors are predominantly associated with myelin and constitute an important barrier to regeneration. Axon growth inhibitors are present in CNS-derived myelin and the plasma membrane of oligodendrocytes that synthesize myelin in the CNS (Schwab et al., (1993) Annu. Rev. Neurosci. 16, 565-595). Myelin-associated inhibitors appear to be a primary contributor to the failure of CNS axon regeneration in vivo after an interruption of axonal continuity, whereas other non-myelin associated axon growth inhibitors in the CNS may play a lesser role. These inhibitors block axonal regeneration following neuronal injury due to trauma, stroke or viral infection.

Numerous myelin-derived axon growth inhibitors have been characterized (see, for review, David et al., (1999) WO995394547; Bandman et al., (1999) U.S. Patent No. 5,858,708; Schwab, (1996) Neurochem. Res. 21, 755-761). Several components of CNS white matter, NI35, NI250 (Nogo) and Myelin-associated glycoprotein (MAG), which have inhibitory activity for axonal extension, have been described as well (Schwab et al., (1990) WO9005191; Schwab et al., (1997) U.S. Patent No. 5,684,133). In particular, Nogo is a 250 kDa myelin-associated axon growth inhibitor that was originally characterized based on the effects of the purified protein in vitro and monoclonal antibodies that neutralize the protein's activity (Schwab (1990) Exp. Neurol. 109, 2-5). The Nogo cDNA was first identified through random analysis of brain cDNA and had no suggested function (Nagase et al., (1998) DNA Res. 5, 355-364). The identification of this Nogo cDNA as the cDNA encoding the 250 kDa myelin-associated axon growth inhibitor was discovered only recently (GrandPre et al., (2000) Nature 403, 439-444; Chen et al., (2000) Nature 403, 434-439, Prinjha at al., (2000) Nature 403, 383-384).

Importantly, Nogo has been shown to be the primary component of CNS myelin responsible for inhibiting axonal elongation and regeneration. Nogo's selective

5

10

15

20

25

30

10

15

20

25

30

expression by oligodendrocytes and not by Schwann cells (the cells that myelinate P.S. axons) is consistent with the inhibitory effects of CNS myelin, in contrast to P.S. myelin (GrandPre et al., (2000) Nature 403, 434-439). In culture, Nogo inhibits axonal elongation and causes growth cone collapse (Spillmann et al., (1998) J. Biol. Chem. 272, 19283-19293). Antibodies (e.g., IN-1) against Nogo have been shown to block most of the inhibitory action of CNS myelin on neurite growth in vitro (Spillmann et al., (1998) J. Biol. Chem. 272:19283-19293). These experiments indicate that Nogo is the main component of CNS myelin responsible for inhibition of axonal elongation in culture. Furthermore, in vivo, the IN-1 antibody has been shown to enhance axonal regeneration after spinal cord injury, resulting in recovery of behaviors such as contact placing and stride length (Schnell and Schwab (1990) Nature 343, 269-272; Bregman et al., (1995) Nature 378, 498-501). Thus, there is substantial evidence that Nogo is a disease-relevant molecular target. Agents that interfere with the binding of Nogo to its receptor would be expected to improve axonal regeneration in clinical states in which axons have been damaged, and improve patient outcome.

Modulation of Nogo has been described as a means for treatment of regeneration for neurons damaged by trauma, infarction and degenerative disorders of the CNS (Schwab et al., (1994) WO9417831; Tatagiba et al., (1997) Neurosurgery 40, 541-546) as well as malignant tumors in the CNS such as glioblastoma (Schwab et al., (1993) U.S. Patent No. 5,250,414); Schwab et al., (2000) U.S. Patent No. 6,025,333).

Antibodies which recognize Nogo have been suggested to be useful in the diagnosis and treatment of nerve damage resulting from trauma, infarction and degenerative disorders of the CNS (Schnell & Schwab, (1990) Nature 343, 269-272; Schwab et al., (1997) U.S. Patent No. 5,684,133). For CNS axons, there is a correlation between the presence of myelin and the inhibition of axon regeneration over long distances (Savio and Schwab (1990) Proc. Natl. Acad. Sci. 87, 4130-4133; Keirstead et al., (1992) Proc. Natl. Acad. Sci. 89, 11664-11668). After Nogo is blocked by antibodies, neurons can again extend across lesions caused by nerve damage (Schnell and Schwab (1990) Nature 343, 269-272).

SUMMARY OF THE INVENTION

Genes encoding homologs (NgR2 and NgR3) of a Nogo receptor (NgR1) in mice and humans have been discovered. Various domains in the polypeptides encoded by the NgR2 and NgR3 genes have been identified and compared to domains in mouse and human NgR1 polypeptides. This comparison has led to identification of a consensus sequence (NgR consensus sequence) that characterizes a family of proteins (NgR family). Based on these and other discoveries, the invention features molecules and methods for modulating axonal growth in CNS neurons.

The invention provides a polypeptide that contains a polypeptide containing a tryptophan rich LRRCT domain consisting of the amino acid sequence:

$$X_{12} C X_{13} X_{14} P X_{15} X_{16} X_{17} X_{18} X_{19} X_{20} D L X_{21} X_{22} L X_{23} X_{24} X_{25} D \\$$

15

20

25

30

10

5

wherein X is any protein amino acid or a gap, and the polypeptide does not include amino acid sequence from residue 260 to 309 of SEQ ID NO: 5 (human NgR1) or SEQ ID NO: 17 (mouse NgR1).

Preferably, X17 and X23 are (independently) arginine or lysine. In some embodiments, the amino acid sequence of the LRRCT domain is residues 261-310 of SEQ ID NO:2, or residues 261-310 of SEQ ID NO: 2 with up to 10 conservative amino acid substitutions. In some embodiments, the polypeptide contains the following NTLRRCT amino acid sequence:

$$C\ P\ X_{1}\ X_{2}\ C\ X_{3}\ C\ Y\ X_{4}\ X_{5}\ P\ X_{6}\ X_{7}\ T\ X_{8}\ S\ C\ X_{9}\ X_{10}\ X_{11}\ X_{12}\ X_{13}\ X_{14}\ X_{15}\ X_{16}\ P$$

$$X_{17}\ X_{18}\ X_{19}\ P\ X_{20}\ X_{21}\ X_{22}\ X_{23}\ R\ X_{24}\ F\ L\ X_{25}\ X_{26}\ N\ X_{27}\ I\ X_{28}\ X_{29}\ X_{30}\ X_{31}\ X_{32}\ X_{33}$$

$$X_{34}\ F\ X_{35}\ X_{36}\ X_{37}\ X_{38}\ X_{39}\ X_{40}\ X_{41}\ X_{42}\ L\ W\ X_{43}\ X_{44}\ S\ N\ X_{45}\ X_{46}\ X_{47}\ X_{48}\ I\ X_{49}$$

$$X_{50}\ X_{51}\ X_{52}\ F\ X_{53}\ X_{54}\ X_{55}\ X_{56}\ X_{57}\ L\ E\ X_{58}\ L\ D\ L\ X_{59}\ D\ N\ X_{60}\ X_{61}\ L\ X_{62}\ X_{63}\ X_{64}$$

$$X_{65}\ P\ X_{66}\ T\ F\ X_{67}\ G\ L\ X_{68}\ X_{69}\ L\ X_{70}\ X_{71}\ L\ X_{72}\ L\ X_{73}\ X_{74}\ C\ X_{75}\ L\ X_{76}\ X_{77}\ L\ X_{78}$$

$$X_{79}\ X_{80}\ X_{81}\ F\ X_{82}\ G\ L\ X_{83}\ X_{84}\ L\ Q\ Y\ L\ Y\ L\ Q\ X_{85}\ N\ X_{86}\ X_{87}\ X_{88}\ X_{89}\ L\ X_{90}\ D$$

10

15

20

25

30

 $\begin{array}{l} X_{91} \ X_{92} \ F \ X_{93} \ D \ L \ X_{94} \ N \ L \ X_{95} \ H \ L \ F \ L \ H \ G \ N \ X_{96} \ X_{97} \ X_{98} \ X_{99} \ X_{100} \ X_{101} \ X_{102} \\ X_{103} \ X_{104} \ F \ R \ G \ L \ X_{105} \ X_{106} \ L \ D \ R \ L \ L \ L \ H \ X_{107} \ N \ X_{108} \ X_{109} \ X_{110} \ X_{111} \ V \ H \ X_{112} \\ X_{113} \ A \ F \ X_{114} \ X_{115} \ L \ X_{116} \ R \ L \ X_{117} \ X_{118} \ L \ X_{119} \ L \ F \ X_{120} \ N \ X_{121} \ L \ X_{122} \ X_{123} \ L \\ X_{124} \ X_{125} \ X_{126} \ X_{127} \ L \ X_{128} \ X_{129} \ L \ X_{130} \ X_{131} \ L \ X_{132} \ X_{133} \ L \ R \ L \ N \ X_{134} \ N \ X_{135} \ W \\ X_{136} \ C \ X_{137} \ C \ R \ X_{138} \ R \ X_{139} \ L \ W \ X_{140} \ W \ X_{141} \ X_{142} \ X_{143} \ X_{144} \ R \ X_{145} \ S \ S \ S \ X_{146} \\ V \ X_{147} \ C \ X_{148} \ X_{149} \ P \ X_{150} \ X_{151} \ X_{152} \ X_{153} \ X_{154} \ X_{155} \ D \ L \ X_{156} \ X_{157} \ L \ X_{158} \ X_{159} \ X_{160} \\ D \ X_{161} \ X_{162} \ X_{163} \ C \ [SEQ ID NO:18] \end{array}$

wherein X is any amino acid residue or a gap and wherein the polypeptide is not the polypeptide of SEQ ID NO: 5 (human NgR1) or SEQ ID NO: 17 (mouse NgR1). For example, X₆, X₃₇ and X₃₈ may represent a gap. Specific examples of polypeptides of the invention are SEQ ID NO: 2 (human NgR2), SEQ ID NO: 4 (mouse NgR3), and SEQ ID NO: 14 (human NgR3). In some embodiments, the polypeptide contains: (a) a NTLRRCT domain, and (b) less than a complete CTS domain, provided that a partial CTS domain, if present, consists of no more than the first 39 amino acids of the CTS domain. While the polypeptide may contain a functional GPI domain, a functional GPI domain may be absent, e.g., when a soluble polypeptide is desired. A polypeptide of the invention optionally includes an amino acid sequence of a heterologous polypeptide, e.g., an Fc portion of an antibody.

The invention also provides a nucleic acid encoding an above-described polypeptide; a vector containing the nucleic acid, which nucleic acid may be operably linked to an expression control sequence; and a transformed host cell containing the vector. A method of producing a polypeptide of the invention is also provided. The method includes introducing a nucleic acid encoding the above-described polypeptide into a host cell, culturing the cell under conditions suitable for expression of the polypeptide, and recovering the polypeptide.

The invention also provides an antisense molecule whose nucleotide sequence is complementary to a nucleotide sequence encoding a polypeptide selected from the group consisting of: a polypeptide consisting of residues 311-395 of SEQ ID NO: 2, a polypeptide consisting of residues 256-396 of SEQ ID NO:14 and a polypeptide consisting of residues 321-438 of SEQ ID NO: 4, wherein the nucleic acid is from 8 to

100 nucleotides in length, e.g., about 20, 30, 40, 50, 60, 70, 80 or 90 nucleotides. The invention also provides a nucleic acid encoding such an antisense molecule.

The invention also provides an antibody that binds to an above-described polypeptide. Polypeptides or antibodies of the invention can be formulated into pharmaceutical compositions containing the polypeptide or antibody and a pharmaceutically acceptable carrier.

The invention also provides a method for decreasing inhibition of axonal growth of a CNS neuron. The method includes the step of contacting the neuron with an effective amount of a polypeptide or antibody of the invention.

The invention also provides a method for treating a central nervous system disease, disorder or injury. The method includes administering to a mammal, e.g., a human, an effective amount of a polypeptide or antibody of the invention. Exemplary diseases, disorders and injuries that may be treated using molecules and methods of the invention include, but are not limited to, cerebral injury, spinal cord injury, stroke, demyelinating diseases, e.g., multiple sclerosis, monophasic demyelination, encephalomyelitis, multifocal leukoencephalopathy, panencephalitis, Marchiafava-Bignami disease, Spongy degeneration, Alexander's disease, Canavan's disease, metachromatic leukodystrophy and Krabbe's disease.

The invention also provides a method for identifying a molecule that binds a polypeptide of the invention. The method includes the steps of: (a) providing a polypeptide of the invention; (b) contacting the polypeptide with the candidate molecule; and (c) detecting binding of the candidate molecule to the polypeptide.

Unless otherwise defined, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which the invention belongs. In case of conflict, the present application, including definitions, will control. All publications, patent and other references mentioned herein are incorporated by reference.

The materials, methods and examples presented below are illustrative only, and not intended to be limiting. Other features and advantages of the invention will be apparent from the detail description and from the claims.

BRIEF DESCRIPTION OF THE FIGURES

5

10

15

201

25

30

Fig. 1A-1B shows an alignment of NgR2 (SEQ ID NO:2) and NgR3 (SEQ ID NO:4) with the known NgR, NgR1 (SEQ ID NO:5) and the Consensus Sequence (SEQ ID NO:6).

5

Fig. 2. mNgR3 does not bind hNogoA(1055-1120). COS-7 cells were transfected with vectors encoding myc-NgR1 or myc-NgR3, fixed, and stained with anti-myc antibodies or AP-hNogoA(1055-1120).

10

Fig.3. An alignment of the amino acid sequences of human NgR1, murine NgR1, murine NgR3, human NgR3 and human NgR2. Numbering begins with amino acid #1 of murine NgR3. The consensus sequence is listed below. The LRR NT domain is indicated by a shaded box; domains LLR 1, LLR 3, LLR 5, and LLR 7 are indicated by open boxes; LLR 2, LLR 4, LLR 6 and LLR 8 are indicated by shaded boxes; and the LLR CT domain is indicated by a shaded box. Amino acids in bold in LLR 8 indicate a conserved glycosylation sites. A dot indicates conserved cystine residue in LRR4. Box at C terminus indicates putative GPI signals.

20

25

30

or in part.

15

DETAILED DESCRIPTION OF THE INVENTION

The present invention provides purified and isolated polynucleotides (e.g., DNA sequences and RNA transcripts, both sense and complementary antisense strands, both single- and double-stranded, including splice variants thereof) encoding NgR homologs, referred to herein as NgR. Unless indicated otherwise, as used herein, the abbreviation in lower case (NgR) refers to a gene, cDNA, RNA or nucleic acid sequence, whereas the upper case version (NgR) refers to a protein, polypeptide, peptide, oligopeptide, or amino acid sequence. Specific proteins are designated by number, e.g., "NgR2" is a human NgR homolog, "NgR3" is a murine-derived NgR homolog, and "NgR1" is the known NgR identified by Dr. Stephen Strittmatter. Known NgRs are herein referred to as "NgRs." DNA polynucleotides of the invention include genomic DNA, cDNA and DNA that has been chemically synthesized in whole

10

15

20

25

30

Standard reference works setting forth the general principles of recombinant DNA technology known to those of skill in the art include Ausubel et al., CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, John Wiley & Sons, New York (1998); Sambrook et al., MOLECULAR CLONING: A LABORATORY MANUAL, 2d Ed., Cold Spring Harbor Laboratory Press, Plainview, New York (1989); Kaufman et al., Eds., HANDBOOK OF MOLECULAR AND CELLULAR METHODS IN BIOLOGY AND MEDICINE, CRC Press, Boca Raton (1995); McPherson, Ed., DIRECTED MUTAGENESIS: A PRACTICAL APPROACH, IRL Press, Oxford (1991).

As used herein, the term "axon" refers to a long cellular protrusion from a neuron, whereby action potentials are conducted, either to or from the cell body.

As used herein, the term "axonal growth" refers to an extension of the long process or axon, originating at the cell body and proceeded by the growth cone.

As used herein, the term "central nervous system disorder" refers to any pathological state associated with abnormal function of the central nervous system (CNS). The term includes, but is not limited to, altered CNS function resulting from physical trauma to cerebral tissue, viral infection, autoimmune machanisms and genetic mutation.

As used herein, the term "demyelinating disease" refers to a pathological disorder characterized by the degradation of the myelin sheath of the oligodendrocyte cell membrane.

As used herein, the term "growth cone" refers to a specialized region at the tip of a growing neurite that is responsible for sensing the local environment and moving the axon toward its appropriate synaptic target cell.

As used herein, the term "growth cone movement" refers to the extension or collapse of the growth cone toward a neuron's target cell.

As used herein, the term "neurite" refers to a process growing out of a neuron.

As it is sometimes difficult to distinguish a dendrite from in axon in culture, the term "neurite" is used for both.

As used herein, the term "oligodendrocyte" refers to a neuroglial cell of the CNS whose function is to myelinate CNS axons.

"Synthesized" as used herein and understood in the art, refers to polynucleotides produced by purely chemical, as opposed to enzymatic, methods.

10

15

20

25

30

"Wholly" synthesized DNA sequences are therefore produced entirely by chemical means, and "partially" synthesized DNAs embrace those wherein only portions of the resulting DNA were produced by chemical means. By the term "region" is meant a physically contiguous portion of the primary structure of a bicmolecule. In the case of proteins, a region is defined by a contiguous portion of the amino acid sequence of that protein. The term "domain" is herein defined as referring to a structural part of a biomolecule that contributes to a known or suspected function of the biomolecule. Domains may be co-extensive with regions or portions thereof, domains may also incorporate a portion of a biomolecule that is distinct from a particular region, in addition to all or part of that region. Examples of NgR protein domains include, but are not limited to, the signal peptide, extracellular (i.e., N-terminal) domain, and leucine-rich repeat domains.

As used herein, the term "activity" refers to a variety of measurable indicia suggesting or revealing binding, either direct or indirect; affecting a response, *i.e.*, having a measurable affect in response to some exposure or stimulus, including, for example, the affinity of a compound for directly binding a polypeptide or polynucleotide of the invention, or, for example, measurement of amounts of upstream or downstream proteins or other similar functions after some stimulus or event. Such activities may be measured by assays such as competitive inhibition of NgR1 binding to Nogo assays wherein, for example, unlabeled, soluble NgR2 is added to an assay system in increasing concentrations to inhibit the binding of Nogo to NgR1 expressed on the surface of CHO cells. As another example, one may assess the ability of neurons to extend across lesions caused by nerve damage (as in Schnell and Schwab (1990) *Nature* 343, 269-272) following inhibition of Nogo by various forms of NgR2 and/or NgR3 as a biological indicator of NgR function.

As used herein, the term "antibody" is meant to refer to complete, intact antibodies, and Fab, Fab', F(ab)2, and other fragments thereof. Complete, intact antibodies include monoclonal antibodies such as murine monoclonal antibodies, chimeric antibodies, anti-idiotypic antibodies, and humanized antibodies.

As used herein, the term "binding" means the physical or chemical interaction between two proteins or compounds or associated proteins or compounds or

10

15

combinations thereof. Binding includes ionic, non-ionic, hydrogen bonds, Van der Waals, hydrophobic interactions, etc. The physical interaction, the binding, can be either direct or indirect, indirect being through or due to the effects of another protein or compound. Direct binding refers to interactions that do not take place through or due to the effect of another protein or compound but instead are without other substantial chemical intermediates.

As used herein, the term "compound" means any identifiable chemical or molecule, including, but not limited to, small molecules, peptides, proteins, sugars, nucleotides or nucleic acids, and such compound can be natural or synthetic.

As used herein, the term "complementary" refers to Watson-Crick basepairing between nucleotide units of a nucleic acid molecule.

As used herein, the term "contacting" means bringing together, either directly or indirectly, a compound into physical proximity to a polypeptide or polynucleotide of the invention. The polypeptide or polynucleotide can be in any number of buffers, salts, solutions etc. Contacting includes, for example, placing the compound into a beaker, microtiter plate, cell culture flask, or a microarray, such as a gene chip, or the like, which contains the nucleic acid molecule, or polypeptide encoding the NgR or fragment thereof.

As used herein, the phrase "homologous nucleotide sequence," or "homologous 20 amino acid sequence," or variations thereof, refers to sequences characterized by an identity at the nucleotide level, or a homology at the amino acid level, of at least the specified percentage. Homologous nucleotide sequences include those sequences coding for isoforms of proteins. Such isoforms can be expressed in different tissues of the same organism as a result of, for example, alternative splicing of RNA. Alternatively, isoforms can be encoded by different genes. Homologous nucleotide 25 sequences include nucleotide sequences encoding for a protein of a species other than humans, including, but not limited to, mammals. Homologous nucleotide sequences also include, but are not limited to, naturally occurring allelic variations and mutations of the nucleotide sequences set forth herein. A homologous nucleotide sequence does 30 not, however, include the nucleotide sequence encoding NgR1. Homologous amino acid sequences include those amino acid sequences which contain conservative amino acid substitutions and which polypeptides have the same binding and/or activity. A

10

15

20

25

30

homologous amino acid sequence does not, however, include the amino acid sequence encoding other known NgRs. Percent homology can be determined by, for example, the Gap program (Wisconsin Sequence Analysis Package, Version 8 for Unix, Genetics Computer Group, University Research Park, Madison WI), using the default settings, which uses the algorithm of Smith and Waterman (Adv. Appl. Math., 1981, 2, 482-489, which is incorporated herein by reference in its entirety).

As used herein, the term "isolated" nucleic acid molecule refers to a nucleic acid molecule (DNA or RNA) that is substantially free of nucleic acids encoding other proteins with which it is associated in nature, i.e., a nucleic acid that has been removed from its native environment. Examples of isolated nucleic acid molecules include, but are not limited to, recombinant DNA molecules contained in a vector, recombinant DNA molecules maintained in a heterologous host cell, partially or substantially purified nucleic acid molecules, and synthetic DNA or RNA molecules. Preferably, an "isolated" nucleic acid is free of sequences which naturally flank the nucleic acid (i.e., sequences located at the 5' and 3' ends of the nucleic acid) in the genomic DNA of the organism from which the nucleic acid is derived. For example, in various embodiments, the isolated NgR nucleic acid molecule can contain less than about 50 kb, 25 kb, 5 kb, 4 kb, 3 kb, 2 kb, 1 kb, 0.5 kb or 0.1 kb of nucleotide sequences which naturally flank the nucleic acid molecule in genomic DNA of the cell from which the nucleic acid is derived. Moreover, an "isolated" nucleic acid molecule, such as a cDNA molecule, can be substantially free of other cellular material or culture medium when produced by recombinant techniques, or of chemical precursors or other chemicals when chemically synthesized.

As used herein, the term "heterologous" refers to a nucleotide or amino acid sequence that is a different, or non-corresponding sequence, or a sequence derived from a different species. For example, a mouse NgR nucleotide or amino acid sequence is heterologous to a human NgR nucleotide or amino acid sequence, and a human NgR nucleic or amino acid sequence is heterologous to a human immunoglobulin nucleotide or amino acid sequence.

As used herein, a "soluble NgR polypeptide" is a NgR polypeptide that does not anchor itself in a membrane. Such soluble polypeptides include, for example, NgR2 and NgR3 polypeptides that lack a sufficient portion of their GPI anchor signal

10

15

20

25

30

to anchor the polypeptide or are modified such that the GPI anchor signal is not adequate to result in replacement of the peptide with a GPI anchor. In preferred embodiments, up to 5, 10, 20 or 25 amino acids are removed from the C-terminus of NgR2 or NgR3 to make the respective proteins soluble. As used herein soluble NgR polypeptides include full-length or truncated (e.g., with internal deletions) NgR.

Soluble NgR polypeptides may include the entire NgR protein up to the putative GPI signal sequence (e.g., amino acid 1 to about amino acid 395 of NgR2, and from amino acid 1 to about amino acid 438 of NgR3). In other embodiments, the signal peptide of the proteins may be removed or truncated (e.g., all or part of the signal sequence of NgR2, which spans amino acid 1 to about amino acid 30 of SEQ ID NO:2, may be removed; all or part of the signal sequence of NgR3, which spans amino acid 1 to about amino acid 40 of SEQ ID NO:4, may be removed). In some embodiments, the mature NgR2 (SEQ ID NO:8) and the mature NgR3 (SEQ ID NO:9) are used.

Soluble NgR polypeptides include at least one of the putative ligand-binding portions of NgR, including the first cysteine-rich region (SEQ ID NO:10, the leucine repeat region (SEQ ID NO:12) and the second cysteine-rich region (SEQ ID NO:11). In some embodiments, soluble NgR polypeptides consist of amino acid 1 through about amino acid 395 of SEQ ID NO:2, or amino acid 1 through about amino acid 438 of SEQ ID NO:4.

In other embodiments, the soluble NgR polypeptides are fusion proteins that contain amino acids 30 through about amino acid 395 of mature NgR2 or amino acid 40 through about amino acid 438 of NgR3, the C-terminal 10 amino acids of a human IgG 1 hinge region containing the two cysteine residues thought to participate in interchain disulfide bonding, and the CH2 and CH3 regions of a human IgGI heavy chain constant domain. This type of recombinant protein is designed to modulate inhibition of axonal elongation through inhibition of the Nogo ligand binding to NgR1, or by inhibiting the ligand of the NgR from interacting with cell surface NgR. The NgR portion of the fusion binds to the Nogo ligand and the IgG1 portion binds to the FcγRI (macrophage) and FcγIII (NK cells and neutrophils) receptors.

The production of the soluble polypeptides useful in this invention may be achieved by a variety of methods known in the art. For example, the polypeptides may

10

15

20

25

30

be derived from intact transmembrane NgR molecules by proteolysis using specific endopeptidases in combination with exopeptidases, Edman degradation, or both. The intact NgR molecule, in turn, may be purified from its natural source using conventional methods. Alternatively, the intact NgR may be produced by known recombinant DNA techniques using cDNAs, expression vectors and well-known techniques for recombinant gene expression.

Preferably, the soluble polypeptides useful in the present invention are produced directly, thus eliminating the need for an entire NgR as a starting material. This may be achieved by conventional chemical synthesis techniques or by well-known recombinant DNA techniques wherein only those DNA sequences which encode the desired peptides are expressed in transformed hosts. For example, a gene which encodes the desired soluble NgR polypeptide may be synthesized by chemical means using an oligonucleotide synthesizer. Such oligonucleotides are designed based on the amino acid sequence of the desired soluble NgR polypeptide. Specific DNA sequences coding for the desired peptide also can be derived from the full- length DNA sequence by isolation of specific restriction endonuclease fragments or by PCR synthesis of the specified region from cDNA.

A nucleic acid molecule of the present invention, e.g., a nucleic acid molecule having the nucleotide sequence of SEQ ID NOs:1, 3 or a complement of either of these nucleotide sequences, can be isolated using standard molecular biology techniques and the sequence information provided herein. Using all or a portion of the nucleic acid sequences of SEQ ID NOs:1 or 3 as a hybridization probe, NgR nucleic acid sequences can be isolated using standard hybridization and cloning techniques (e.g., as described in Sambrook et al., eds., Molecular Cloning: a Laboratory Manual 2nd Ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989; and Ausubel, et al., eds., Current Protocols in Molecular Biology, John Wiley & Sons, New York, NY, 1993).

A nucleic acid of the invention can be amplified using cDNA, mRNA or alternatively, genomic DNA, as a template and appropriate oligonucleotide primers according to standard PCR amplification techniques. The nucleic acid so amplified can be cloned into an appropriate vector and characterized by DNA sequence analysis.

10

15

20

25

30

Furthermore, oligonucleotides corresponding to NgR nucleotide sequences can be prepared by standard synthetic techniques, e.g., using an automated DNA synthesizer.

As used herein, the terms "modulates" or "modifies" means an increase or decrease in the amount, quality, or effect of a particular activity or protein.

As used herein, the term "oligonucleotide" refers to a series of linked nucleotide residues which has a sufficient number of bases to be used in a polymerase chain reaction (PCR). This short sequence is based on (or designed from) a genomic or cDNA sequence and is used to amplify, confirm or reveal the presence of an identical, similar or complementary DNA or RNA in a particular cell or tissue. Oligonucleotides comprise portions of a DNA sequence having at least about 10 nucleotides and as many as about 50 nucleotides, preferably about 15 to 30 nucleotides. They are chemically synthesized and may be used as probes.

As used herein, the term "probe" refers to nucleic acid sequences of variable length, preferably between at least about 10 and as many as about 6,000 nucleotides, depending on use. They are used in the detection of identical, similar or complementary nucleic acid sequences. Longer length probes are usually obtained from a natural or recombinant source, are highly specific and much slower to hybridize than oligomers. They may be single- or double-stranded and carefully designed to have specificity in PCR, hybridization membrane-based, or ELISA-like technologies.

The term "preventing" refers to decreasing the probability that an organism contracts or develops an abnormal condition.

The term "treating" refers to having a therapeutic effect and at least partially alleviating or abrogating an abnormal condition in the organism.

The term "therapeutic effect" refers to the inhibition or activation factors causing or contributing to the abnormal condition. A therapeutic effect relieves to some extent one or more of the symptoms of the abnormal condition. In reference to the treatment of abnormal conditions, a therapeutic effect can refer to one or more of the following: (a) an increase in the proliferation, growth, and/or differentiation of cells; (b) inhibition (i.e., slowing or stopping) of cell death; (c) inhibition of degeneration; (d) relieving to some extent one or more of the symptoms associated with the abnormal condition; and (e) enhancing the function of the affected population

10

15

20

25

30

of cells. Compounds demonstrating efficacy against abnormal conditions can be identified as described herein.

The term "abnormal condition" refers to a function in the cells or tissues of an organism that deviates from their normal functions in that organism. An abnormal condition can relate to cell proliferation, cell differentiation, cell signaling, or cell survival. An abnormal condition may also include obesity, diabetic complications such as retinal degeneration, and irregularities in glucose uptake and metabolism, and fatty acid uptake and metabolism.

Abnormal cell proliferative conditions, for example, include cancers such as fibrotic and mesangial disorders, abnormal angiogenesis and vasculogenesis, wound healing, psoriasis, diabetes mellitus and inflammation.

Abnormal differentiation conditions include, for example, neurodegenerative disorders, slow wound healing rates and slow tissue grafting healing rates.

Abnormal cell signaling conditions include, for example, psychiatric disorders involving excess neurotransmitter activity.

Abnormal cell survival conditions may also relate to conditions in which programmed cell death (apoptosis) pathways are activated or abrogated. A number of protein kinases are associated with the apoptosis pathways. Aberrations in the function of any one of the protein kinases could lead to cell immortality or premature cell death.

The term "administering" relates to a method of incorporating a compound into cells or tissues of an organism. The abnormal condition can be prevented or treated when the cells or tissues of the organism exist within the organism or outside of the organism. Cells existing outside the organism can be maintained or grown in cell culture dishes. For cells harbored within the organism, many techniques exist in the art to administer compounds, including (but not limited to) oral, parenteral, dermal, injection, and aerosol applications. For cells outside of the organism, multiple techniques exist in the art to administer the compounds, including (but not limited to) cell microinjection techniques, transformation techniques and carrier techniques.

The abnormal condition can also be prevented or treated by administering a compound to a group of cells having an aberration in a signal transduction pathway to an organism. The effect of administering a compound on organism function can then

be monitored. The organism is preferably a mouse, rat, rabbit, guinea pig or goat, more preferably a monkey or ape, and most preferably a human.

By "amplification" it is meant increased numbers of DNA or RNA in a cell compared with normal cells. "Amplification" as it refers to RNA can be the detectable presence of RNA in cells, since in some normal cells there is no basal expression of RNA. In other normal cells, a basal level of expression exists, therefore in these cases amplification is the detection of at least 1–2-fold, and preferably more, compared to the basal level.

The amino acid sequences are presented in the amino to carboxy direction, from left to right. The amino and carboxy groups are not presented in the sequence. The nucleotide sequences are presented by single strand only, in the 5' to 3' direction, from left to right. Nucleotides and amino acids are represented in the manner recommended by the IUPAC-IUB Biochemical Nomenclature Commission or (for amino acids) by three letters code.

15

20

25

30

10

5

Nucleic Acids

Genomic DNA of the invention comprises the protein-coding region for a polypeptide of the invention and is also intended to include allelic variants thereof. It is widely understood that, for many genes, genomic DNA is transcribed into RNA transcripts that undergo one or more splicing events wherein intron (*i.e.*, non-coding regions) of the transcripts are removed, or "spliced out." RNA transcripts that can be spliced by alternative mechanisms, and therefore be subject to removal of different RNA sequences but still encode a NgR polypeptide, are referred to in the art as splice variants which are embraced by the invention. Splice variants comprehended by the invention therefore are encoded by the same original genomic DNA sequences but arise from distinct mRNA transcripts. Allelic variants are modified forms of a wild-type gene sequence, the modification resulting from recombination during chromosomal segregation or exposure to conditions which give rise to genetic mutation. Allelic variants, like wild-type genes, are naturally occurring sequences (as opposed to non-naturally occurring variants arising from in vitro manipulation).

The invention also comprehends cDNA that is obtained through reverse transcription of an RNA polynucleotide encoding NgR (conventionally followed by

10

15

20

25

30

second-strand synthesis of a complementary strand to provide a double-stranded DNA).

Preferred DNA sequences encoding a human NgR polypeptide is set out in SEQ ID NOs:1 and 13. A preferred DNA of the invention comprises a double stranded molecule comprising the coding molecule (i.e., the "coding strand") along with the complementary molecule (the "non-coding strand" or "complement") having a sequence unambiguously deducible from the coding strand according to Watson-Crick base-pairing rules for DNA. Also preferred are other polynucleotides encoding NgR polypeptides, as shown in SEQ ID NO:3, which comprises murine NgR homolog, NgR3.

Also preferred are nucleotide sequences that encode at least a portion of a NgR polypeptide that has at least one biological function of a NgR. More preferred are nucleotide sequences that encode a portion of NgR that encodes at least the mature NgR without the hydrophobic C-terminal GPI signal. Also preferred are nucleotide sequences that encode the portion of NgR that encodes at least the ligand-binding region of NgR.

The invention further embraces other species, preferably mammalian, homologs of the human NgR DNA. Species homologs, sometimes referred to as "orthologs," in general, share at least 35%, at least 40%, at least 45%, at least 50%, at least 60%, at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, at least 90%, at least 95%, at least 98%, or at least 99% homology with human DNA of the invention. Generally, percent sequence "homology" with respect to polynucleotides of the invention may be calculated as the percentage of nucleotide bases in the candidate sequence that are identical to nucleotides in the NgR sequences set forth in SEQ ID NOs:1, 3 or 13, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity.

The polynucleotide sequence information provided by the invention makes possible large-scale expression of the encoded polypeptide by techniques well known and routinely practiced in the art. Polynucleotides of the invention also permit identification and isolation of polynucleotides encoding related NgR polypeptides, such as human allelic variants and species homologs, by well-known techniques including Southern and/or Northern hybridization, and polymerase chain reaction (PCR).

10

15

20

25

30

Examples of related polynucleotides include human and non-human genomic sequences, including allelic variants, as well as polynucleotides encoding polypeptides homologous to NgR and structurally related polypeptides sharing one or more biological, immunological, and/or physical properties of NgR. Non-human species genes encoding proteins homologous to NgR can also be identified by Southern and/or PCR analysis and are useful in animal models for NgR disorders. Knowledge of the sequence of a human NgR DNA also makes possible through use of Southern hybridization or polymerase chain reaction (PCR) the identification of genomic DNA sequences encoding NgR expression control regulatory sequences such as promoters, operators, enhancers, repressors, and the like. Polynucleotides of the invention are also useful in hybridization assays to detect the capacity of cells to express NgR. Polynucleotides of the invention may also provide a basis for diagnostic methods useful for identifying a genetic alteration(s) in a NgR locus that underlies a disease state or states, which information is useful both for diagnosis and for selection of therapeutic strategies.

The disclosure herein of a full-length polynucleotide encoding a NgR polypeptide makes readily available to the worker of ordinary skill in the art every possible fragment of the full-length polynucleotide. The invention, therefore, provides fragments of NgR-encoding polynucleotides comprising at least 6, and preferably at least 14, 16, 18, 20, 25, 50, or 75 consecutive nucleotides of a polynucleotide encoding NgR. Preferably, fragments of polynucleotides of the invention comprise sequences unique to the NgR-encoding polynucleotide sequence, and therefore hybridize under highly stringent or moderately stringent conditions only (i.e., "specifically") to polynucleotides encoding NgR (or fragments thereof). Polynucleotide fragments of genomic sequences of the invention comprise not only sequences unique to the coding region, but also include fragments of the full-length sequence derived from introns, regulatory regions, and/or other non-translated sequences. Sequences unique to polynucleotides of the invention are recognizable through sequence comparison to other known polynucleotides, and can be identified through use of alignment programs routinely utilized in the art, e.g., those made available in public sequence databases. Such sequences also are recognizable from Southern hybridization analyses to determine the number of fragments of genomic

10

15

20

25

DNA to which a polynucleotide will hybridize. Polynucleotides of the invention can be labeled in a manner that permits their detection, including radioactive, fluorescent and enzymatic labeling.

Fragments of polynucleotides are particularly useful as probes for detection of full-length or fragment of NgR polynucleotides. One or more polynucleotides can be included in kits that are used to detect the presence of a polynucleotide encoding NgR, or used to detect variations in a polynucleotide sequence encoding NgR.

The invention also embraces DNAs encoding NgR polypeptides that hybridize under moderately stringent or high stringency conditions to the noncoding strand, or complement, of the polynucleotide in any of SEQ ID NOs:1 or 3.

Stringent conditions are known to those skilled in the art and can be found in CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, John Wiley & Sons, N.Y. (1989), 6.3.1?6.3.6. Preferably, the conditions are such that sequences at least about 65%, 70%, 75%, 85%, 90%, 95%, 98% or 99% homologous to each other typically remain hybridized to each other. A non-limiting example of stringent hybridization conditions is hybridization in a high salt buffer comprising 6X SSC, 50 mM Tris-HCl (pH 7.5), 1 mM EDTA, 0.02% PVP, 0.02% Ficoll, 0.02% BSA and 500 mg/ml denatured salmon sperm DNA at 65°C. This hybridization is followed by one or more washes in 0.2X SSC, 0.01% BSA at 50°C. An isolated nucleic acid molecule of the invention that hybridizes under stringent conditions to the sequence of SEQ ID NOs:1 or 3 corresponds to a naturally occurring nucleic acid molecule. As used herein, a "naturally-occurring" nucleic acid molecule refers to an RNA or DNA molecule having a nucleotide sequence that occurs in nature (e.g., encodes a natural protein). As used herein, "stringent hybridization conditions" means: 42°C in a hybridization solution comprising 50% formamide, 1% SDS, 1 M NaCl, 10% (wt/vol) dextran sulfate, and washing twice for 30 minutes at 60°C in a wash solution comprising 0.1 X SSC and 1% SDS.

Vectors

Another aspect of the present invention is directed to vectors, or recombinant expression vectors, comprising any of the nucleic acid molecules described above.

Vectors are used herein either to amplify DNA or RNA encoding NgR and/or to

PCT/US01/31488

express DNA which encodes NgR. As used herein, the term "vector" refers to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. One type of vector is a "plasmid", which refers to a circular double stranded DNA loop into which additional DNA segments can be ligated. Another type of vector is a viral vector, wherein additional DNA segments can be ligated into the viral genome. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (e.g., bacterial vectors having a bacterial origin of replication and episomal mammalian vectors). Other vectors (e.g., non-episomal mammalian vectors) are integrated into the genome of a host cell upon introduction into the host cell, and thereby are replicated along with the host genome. Moreover, certain vectors are capable of directing the expression of genes to which they are operatively linked. Such vectors are referred to herein as "expression vectors". In general, expression vectors of utility in recombinant DNA techniques are often in the form of plasmids. In the present specification, "plasmid" and "vector" can be used interchangeably as the plasmid is the most commonly used form of vector. However, the invention is intended to include such other forms of expression vectors, such as viral vectors (e.g., replication defective retroviruses, adenoviruses and adenoassociated viruses), that serve equivalent functions.

Expression of proteins in prokaryotes is most often carried out in *E. coli* with vectors containing constitutive or inducible promoters directing the expression of either fusion or non-fusion proteins. Fusion vectors add a number of amino acids to a protein encoded therein, usually to the amino terminus of the recombinant protein. Such fusion vectors typically serve three purposes: (1) to increase expression of recombinant protein; (2) to increase the solubility of the recombinant protein; and (3) to aid in the purification of the recombinant protein by acting as a ligand in affinity purification. Often, in fusion expression vectors, a proteolytic cleavage site is introduced at the junction of the fusion moiety and the recombinant protein to enable separation of the recombinant protein from the fusion moiety subsequent to purification of the fusion protein. Such enzymes, and their cognate recognition sequences, include Factor Xa, thrombin and enterokinase. Typical fusion expression vectors include pGEX (Pharmacia Biotech Inc; Smith and Johnson (1988) *Gene* 67, 31-40), pMAL (New England Biolabs, Beverly, Mass.) and pRIT5 (Pharmacia,

5

10

15

20

25

30

20

25

30

Piscataway, N.J.) that fuse glutathione-S-transferase (GST), maltose E binding protein, or protein A, respectively, to the target recombinant protein.

Examples of suitable inducible non-fusion *E. coli* expression vectors include pTrc (Amrann *et al.*, (1988) *Gene* 69, 301-315) and pET 11d (Studier *et al.*, GENE EXPRESSION TECHNOLOGY: METHODS IN ENZYMOLOGY 185, Academic Press, San Diego, CA. (1990) 60-89).

One strategy to maximize recombinant protein expression in *E. coli* is to express the protein in host bacteria with an impaired capacity to proteolytically cleave the recombinant protein. See, Gottesman, GENE EXPRESSION TECHNOLOGY:

METHODS IN ENZYMOLOGY 185, Academic Press, San Diego, CA. (1990) 119-128.

Another strategy is to alter the nucleic acid sequence of the nucleic acid to be inserted into an expression vector so that the individual codons for each amino acid are those preferentially utilized in E. coli (Wada et al., (1992) Nucleic Acids Res. 20, 2111-2118). Such alteration of nucleic acid sequences of the invention can be carried out by standard DNA synthesis techniques.

In another embodiment, the NgR expression vector is a yeast expression vector. Examples of vectors for expression in yeast *S. cerevisiae* include pYepSec1 (Baldari, *et al.*, (1987) *EMBO J.* 6, 229-234), pMFa (Kurjan and Herskowitz (1982) *Cell* 30, 933-943), pJRY88 (Schultz *et al.*, (1987) *Gene* 54, 113-123), pYES2 (Invitrogen Corporation, San Diego, CA), and picZ (InVitrogen Corp, San Diego, CA).

Alternatively, NgR can be expressed in insect cells using baculovirus expression vectors. Baculovirus vectors available for expression of proteins in cultured insect cells (e.g., SF9 cells) include the pAc series (Smith et al., (1983) Mol. Cell. Biol. 3, 2156-2165) and the pVL series (Lucklow and Summers (1989) Virology 170, 31-39).

In yet another embodiment, a nucleic acid of the invention is expressed in mammalian cells using a mammalian expression vector. Examples of mammalian expression vectors include pCDM8 (Seed (1987) Nature 329, 840) and pMT2PC (Kaufman et al. (1987) EMBO J. 6, 187-195). When used in mammalian cells, the expression vector's control functions are often provided by viral regulatory elements. For example, commonly used promoters are derived from polyoma, adenovirus 2, cytomegalovirus and Simian Virus 40. For other suitable expression systems for both

WO 02/29059 PCT/US01/31488

- 22 -

prokaryotic and eukaryotic cells. See, e.g., Chapters 16 and 17 of Sambrook et al., (Eds.) MOLECULAR CLONING: A LABORATORY MANUAL. 2nd Ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989.

In another embodiment, the recombinant mammalian expression vector is capable of directing expression of the nucleic acid preferentially in a particular cell type (e.g., tissue-specific regulatory elements are used to express the nucleic acid). Tissuespecific regulatory elements are known in the art. Non-limiting examples of suitable tissue-specific promoters include the albumin promoter (liver-specific; Pinkert et al. (1987) Genes Dev. 1, 268-277), lymphoid-specific promoters (Calame and Eaton (1988) Adv. Immunol. 43, 235-275), in particular promoters of T cell receptors (Winoto and Baltimore (1989) EMBO J. 8, 729-733) and immunoglobulins (Banerji et al. (1983) Cell 33, 729-740; Queen and Baltimore (1983) Cell 33, 741-748), neuronspecific promoters (e.g., the neurofilament promoter; Byrne and Ruddle (1989) Proc. Natl. Acad. Sci. USA 86, 5473-5477), pancreas-specific promoters (Edlund et al. (1985) Science 230, 912-916), and mammary gland-specific promoters (e.g., milk whey promoter; U.S. Pat. No. 4,873,316 and European Application Publication No. 264,166). Developmentally-regulated promoters are also encompassed, e.g., the murine hox promoters (Kessel and Gruss (1990) Science 249, 374-379) and the α-fetoprotein promoter (Campes and Tilghman (1989) Genes Dev. 3, 537-546).

The invention further provides a recombinant expression vector comprising a DNA molecule of the invention cloned into the expression vector in an antisense orientation. That is, the DNA molecule is operatively linked to a regulatory sequence in a manner that allows for expression (by transcription of the DNA molecule) of an RNA molecule that is antisense NgR mRNA. Regulatory sequences operatively linked to a nucleic acid cloned in the antisense orientation can be chosen that direct the continuous expression of the antisense RNA molecule in a variety of cell types, for instance viral promoters and/or enhancers, or regulatory sequences can be chosen that direct constitutive, tissue-specific or cell-type-specific expression of antisense RNA. The antisense expression vector can be in the form of a recombinant plasmid, phagemid or attenuated virus in which antisense nucleic acids are produced under the control of a high efficiency regulatory region, the activity of which can be determined by the cell type into which the vector is introduced. For a discussion of the regulation

5

10

15

20

25

30

10

15

20

25

30

of gene expression using antisense genes see Weintraub et al., Antisense RNA as a molecular tool for genetic analysis, REVIEWS--TRENDS IN GENETICS, Vol. 1(1) 1986.

Preferred vectors include, but are not limited to, plasmids, phages, cosmids, episomes, viral particles or viruses and integratable DNA fragments (*i.e.*, fragments integratable into the host genome by homologous recombination). Preferred viral particles include, but are not limited to, adenoviruses, baculoviruses, parvoviruses, herpesviruses, poxviruses, adeno-associated viruses, Semliki Forest viruses, vaccinia viruses and retroviruses. Preferred expression vectors include, but are not limited to, pcDNA3 (Invitrogen) and pSVL (Pharmacia Biotech). Other expression vectors include, but are not limited to, pSPORTTM vectors, pGEMTM vectors (Promega), pPROEXvectorsTM (LTI, Bethesda, MD), BluescriptTM vectors (Stratagene), pQETM vectors (Qiagen), pSE420TM (Invitrogen) and pYES2TM (Invitrogen).

Preferred expression vectors are replicable DNA constructs in which a DNA sequence encoding NgR is operably linked or connected to suitable control sequences capable of effecting the expression of the NgR in a suitable host. DNA regions are operably linked or connected when they are functionally related to each other. For example, a promoter is operably linked or connected to a coding sequence if it controls the transcription of the sequence. Amplification vectors do not require expression control domains, but rather need only the ability to replicate in a host, usually conferred by an origin of replication, and a selection gene to facilitate recognition of transformants. The need for control sequences in the expression vector will vary depending upon the host selected and the transformation method chosen. Generally, control sequences include, but are not limited to a transcriptional promoter, enhancers, an optional operator sequence to control transcription, polyadenylation signals, a sequence encoding suitable mRNA ribosomal binding and sequences which control the termination of transcription and translation. Such regulatory sequences are described, for example, in Goeddel, GENE EXPRESSION TECHNOLOGY: METHODS IN ENZYMOLOGY 185, Academic Press, San Diego, CA (1990). Regulatory sequences include those that direct constitutive expression of a nucleotide sequence in many types of host cell and those that direct expression of the nucleotide sequence only in certain host cells (e.g., tissue-specific regulatory sequences). It will be appreciated by those skilled in the art that the design of the expression vector can depend on such factors as

WO 02/29059 PCT/US01/31488

- 24 -

the choice of the host cell to be transformed, the level of expression of protein desired, etc. The expression vectors of the invention can be introduced into host cells to thereby produce proteins or peptides, including fusion proteins or peptides, encoded by nucleic acids as described herein (e.g., NgR proteins, mutant forms of NgR, fusion proteins, etc.).

Preferred vectors preferably contain a promoter that is recognized by the host organism. The promoter sequences of the present invention may be prokaryotic, eukaryotic or viral. Examples of suitable prokaryotic sequences include the PR and PL promoters of bacteriophage lambda (The Bacteriophage Lambda, Hershey, A.D. (Ed.), Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY (1973), which is incorporated herein by reference in its entirety; Lambda II, Hendrix, R.W. (Ed.), Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY (1980), which is incorporated herein by reference in its entirety); the trp, recA, heat shock, and lacZ promoters of *E. coli* and the SV40 early promoter (Benoist *et al.*, (1981) *Nature* 290, 304-310, which is incorporated herein by reference in its entirety). Additional promoters include, but are not limited to, mouse mammary tumor virus, long terminal repeat of human immunodeficiency virus, maloney virus, cytomegalovirus immediate early promoter, Epstein Barr virus, Rous sarcoma virus, human actin, human myosin, human hemoglobin, human muscle creatine and human metallothionein.

Additional regulatory sequences can also be included in preferred vectors. Preferred examples of suitable regulatory sequences are represented by the Shine-Dalgarno sequence of the replicase gene of the phage MS-2 and of the gene cII of bacteriophage lambda. The Shine-Dalgarno sequence may be directly followed by DNA encoding NgR and result in the expression of the mature NgR protein.

Moreover, suitable expression vectors can include an appropriate marker that allows the screening of the transformed host cells. The transformation of the selected host is carried out using any one of the various techniques well known to the expert in the art and described in Sambrook *et al.*, *supra*.

An origin of replication can also be provided either by construction of the vector to include an exogenous origin or may be provided by the host cell chromosomal replication mechanism. If the vector is integrated into the host cell chromosome, the latter may be sufficient. Alternatively, rather than using vectors

5

10

15

20

25

30

which contain viral origins of replication, one skilled in the art can transform mammalian cells by the method of co-transformation with a selectable marker and NgR DNA. An example of a suitable marker is dihydrofolate reductase (DHFR) or thymidine kinase (see, U.S. Patent No. 4,399,216).

Nucleotide sequences encoding NgR may be recombined with vector DNA in accordance with conventional techniques, including blunt-ended or staggered-ended termini for ligation, restriction enzyme digestion to provide appropriate termini, filling in of cohesive ends as appropriate, alkaline phosphatase treatment to avoid undesirable joining and ligation with appropriate ligases. Techniques for such manipulation are disclosed by Sambrook et al., supra and are well known in the art. Methods for construction of mammalian expression vectors are disclosed in, for example, Okayama et al., (1983) Mol. Cell. Biol. 3:280, Cosman et al. (1986) Mol. Immunol. 23:935, Cosman et al., (1984) Nature 312:768, EP-A-0367566, and WO 91/18982, each of which is incorporated herein by reference in its entirety.

15

20

25

30

10

5

Host Cells and Transformed Host Cells

According to another aspect of the invention, host cells are provided, including prokaryotic and eukaryotic cells, comprising a polynucleotide of the invention (or vector of the invention) in a manner that permits expression of the encoded NgR polypeptide. Preferably, the cell produces little or no endogenous NgR polypeptide. Polynucleotides of the invention may be introduced into the host cell as part of a circular plasmid, or as linear DNA comprising an isolated protein coding region or a viral vector. Methods for introducing DNA into the host cell that are well known and routinely practiced in the art include transformation, transfection, electroporation, nuclear injection, or fusion with carriers such as liposomes, micelles, ghost cells and protoplasts. Expression systems of the invention include bacterial, yeast, fungal, plant, insect, invertebrate, vertebrate and mammalian cells systems.

Host cells of the invention are a valuable source of immunogen for development of antibodies specifically immunoreactive with NgR. Host cells of the invention are also useful in methods for the large-scale production of NgR polypeptides wherein the cells are grown in a suitable culture medium and the desired polypeptide products are isolated from the cells, or from the medium in which the cells

10

15

20

25

30

are grown, by purification methods known in the art, e.g., conventional chromatographic methods including immunoaffinity chromatography, receptor affinity chromatography, hydrophobic interaction chromatography, lectin affinity chromatography, size exclusion filtration, cation or anion exchange chromatography, high pressure liquid chromatography (HPLC), reverse phase HPLC, and the like. Still other methods of purification include those methods wherein the desired protein is expressed and purified as a fusion protein having a specific tag, label or chelating moiety that is recognized by a specific binding partner or agent. The purified protein can be cleaved to yield the desired protein, or can be left as an intact fusion protein. Cleavage of the fusion component may produce a form of the desired protein having additional amino acid residues as a result of the cleavage process.

Knowledge of NgR DNA sequences allows for modification of cells to permit, or increase, expression of endogenous NgR. Cells can be modified (e.g., by homologous recombination) to provide increased expression by replacing, in whole or in part, the naturally occurring NgR promoter with all or part of a heterologous promoter so that the cells express NgR at higher levels. The heterologous promoter is inserted in such a manner that it is operatively linked to endogenous NgR encoding sequences. (See, for example, PCT International Publication No. WO 94/12650, PCT International Publication No. WO 92/20808, and PCT International Publication No. WO 91/09955.) It is also contemplated that, in addition to heterologous promoter DNA, amplifiable marker DNA (e.g., ada, dhfr, and the multifunctional CAD gene which encodes carbamoyl phosphate synthase, aspartate transcarbamylase, and dihydroorotase) and/or intron DNA may be inserted along with the heterologous promoter DNA. If linked to the NgR coding sequence, amplification of the marker DNA by standard selection methods results in co-amplification of the NgR coding sequences in the cells.

The DNA sequence information provided by the present invention also makes possible the development (e.g., by homologous recombination or "knock-out" strategies; see Capecchi, Science 244:1288-1292 (1989)) of animals that fail to express functional NgR or that express a variant of NgR. Such animals (especially small laboratory animals such as rats, rabbits and mice) are useful as models for studying the in vivo activities of NgR and modulators of NgR.

10

15

20

25

30

Suitable host cells for expression of the polypeptides of the invention include, but are not limited to, prokaryotes, yeast, and eukaryotes. If a prokaryotic expression vector is employed, then the appropriate host cell would be any prokaryotic cell capable of expressing the cloned sequences. Suitable prokaryotic cells include, but are not limited to, bacteria of the genera *Escherichia*, *Bacillus*, *Salmonella*, *Pseudomonas*, *Streptomyces and Staphylococcus*.

If a eukaryotic expression vector is employed, then the appropriate host cell would be any eukaryotic cell capable of expressing the cloned sequence. Preferably, eukaryotic cells are cells of higher eukaryotes. Suitable eukaryotic cells include, but are not limited to, non-human mammalian tissue culture cells and human tissue culture cells. Preferred host cells include, but are not limited to, insect cells, HeLa cells, Chinese hamster ovary cells (CHO cells), African green monkey kidney cells (COS cells), human 293 cells, and murine 3T3 fibroblasts. Propagation of such cells in cell culture has become a routine procedure (see, Tissue Culture, Academic Press, Kruse and Patterson, Eds. (1973), which is incorporated herein by reference in its entirety).

In addition, a yeast cell may be employed as a host cell. Preferred yeast cells include, but are not limited to, the genera Saccharomyces, Pichia and Kluveromyces. Preferred yeast hosts are S. cerevisiae and P. pastoris. Preferred yeast vectors can contain an origin of replication sequence from a 2T yeast plasmid, an autonomously replication sequence (ARS), a promoter region, sequences for polyadenylation, sequences for transcription termination and a selectable marker gene. Shuttle vectors for replication in both yeast and E. coli are also included herein.

Alternatively, insect cells may be used as host cells. In a preferred embodiment, the polypeptides of the invention are expressed using a baculovirus expression system (see, Luckow et al., Bio/Technology, 1988, 6, 47; BACULOVIRUS EXPRESSION VECTORS: A LABORATORY MANUAL, O'Rielly et al. (Eds.), W.H. Freeman and Company, New York, 1992; and U.S. Patent No. 4,879,236, each of which is incorporated herein by reference in its entirety). In addition, the MAXBACTM complete baculovirus expression system (Invitrogen) can, for example, be used for production in insect cells.

Suitable host cells are discussed further in Goeddel, GENE EXPRESSION
TECHNOLOGY: METHODS IN ENZYMOLOGY 185, Academic Press, San Diego, CA

10

15

20

25

30

(1990). Alternatively, the recombinant expression vector can be transcribed and translated *in vitro*, for example using T7 promoter regulatory sequences and T7 polymerase.

Vector DNA can be introduced into prokaryotic or eukaryotic cells via conventional transformation or transfection techniques. As used herein, the terms "transformation" and "transfection" are intended to refer to a variety of art-recognized techniques for introducing foreign nucleic acid (e.g., DNA) into a host cell, including calcium phosphate or calcium chloride co-precipitation, DEAE-dextran-mediated transfection, lipofection, or electroporation. Suitable methods for transforming or transfecting host cells can be found in Sambrook, et al. (MOLECULAR CLONING: A LABORATORY MANUAL. 2nd ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., 1989), and other laboratory manuals.

For stable transfection of mammalian cells, it is known that, depending upon the expression vector and transfection technique used, only a small fraction of cells may integrate the foreign DNA into their genome. In order to identify and select these integrants, a gene that encodes a selectable marker (e.g., resistance to antibiotics) is generally introduced into the host cells along with the gene of interest. Various selectable markers include those that confer resistance to drugs, such as G418, hygromycin, dihydrofolate reductase (DHFR) and methotrexate. Nucleic acid encoding a selectable marker can be introduced into a host cell on the same vector as that encoding NgR or can be introduced on a separate vector. Cells stably transfected with the introduced nucleic acid can be identified by drug selection (e.g., cells that have incorporated the selectable marker gene will survive, while the other cells die).

In a preferred embodiment, the polypeptides of the invention, including forms of NgR2 and NgR3, soluble forms of NgR, chimeric NgR polypeptides, NgR/Ig fusions and fragments and variations of each of the above are expressed in Chinese Hamster Ovary (CHO) cells.

In order to introduce the DNA fragment coding for the NgR protein or polypeptide into the CHO cell to express the recombinant NgR protein or polypeptide, it is necessary to construct the expression vector.

The vectors for CHO expression include, but are not limited to, pA1-11, pXT1, pRc/CMV, pRc/RSV and pcDNAINeo. The promoter is not specifically limited

10

..15

20

25

30

provided it effectively promotes expression in CHO cells. Examples of suitable promoters are: SR α , SV40, LTR, CMV, and HSV-TK. Of these, CMV and Sr α promoters are preferred.

In addition to the above-mentioned promoters, the expression vectors may contain enhancers, splicing signals, polyadenylation signals, selectable markers and an SV40 replication origin. Suitable selectable markers include, but are not limited to the dihydrofolate reductase (DHFR) gene which provides resistance to methotrexate (MTX), the ampicillin resistance gene, and the neomycin resistance gene.

Examples of the expression vectors each containing the DNA coding for NgR, portions, fragments and soluble constructs thereof, include the vector (such as one described above), into which the promoter is operably linked (preferably upstream) to the nucleotide sequence encoding the desired NgR construct; a polyadenylation signal downstream from the nucleotide sequence encoding the NgR construct; and, preferably, the vector includes an operable DHFR gene. Preferably, the ampicillin resistant gene is also operably contained in the vector.

CHO cell lacking the DHFR gene (Urlaub, G. et al., (1980) Proc. Natl. Acad. Sci. USA 77, 4216-4220) and CHO-K1 (Proc. Natl. Acad. Sci. USA 60, 1275 (1968)) are suitable for use.

The NgR expression vectors prepared as above are introduced into CHO cells by any known method, including, but not limited to the calcium phosphate method (Graham and van der Eb (1973) *Virol*. 52, 456-467) and electroporation (Nuemann *et al.*, (1982) *EMBO J.* 1, 841-845).

Transformants carrying the expression vectors are selected based on the above-mentioned selectable markers. Repeated clonal selection of the transformants using the selectable markers allows selection of stable cell lines having high expression of the NgR constructs. Increased MTX concentrations in the selection medium allows gene amplification and greater expression of the desired protein. The CHO cell containing the recombinant NgR can be produced by cultivating the CHO cells containing the NR expression vectors constitutively expressing the NgR constructs.

Media used in cultivating CHO cells includes DMEM medium supplemented with about 0.5 to 20% fetal calf serum, DMEM medium and RPMI1640 medium. The

WO 02/29059

5

10

15

20

25

30

pH of the medium is preferably about 6 to 8. Cultivation is preferably at about 30 to 40°C for about 15 to 72 hours with aeration.

A host cell of the invention, such as a prokaryotic or eukaryotic host cell in culture, can be used to produce (i.e., express) NgR protein. Accordingly, the invention further provides methods for producing NgR protein using the host cells of the invention. In one embodiment, the method comprises culturing the host cell of invention (into which a recombinant expression vector encoding NgR has been introduced) in a suitable medium such that NgR protein is produced. In another embodiment, the method further comprises isolating NgR from the medium or the host cell.

In situations where the NgR polypeptide will be found primarily intracellularly, intracellular material (including inclusion bodies for Gram-negative bacteria) can be extracted from the host cell using any standard technique known to one of ordinary skill in the art. Such methods would encompass, by way of example and not by way of limitation, lysing the host cells to release the contents of the periplasm/cytoplasm by French press, homogenization and/or sonication followed by centrifugation.

If the NgR polypeptide has formed inclusion bodies in the cytosol, such inclusion bodies may frequently bind to the inner and/or outer cellular membranes. Upon centrifugation, the inclusion bodies will be found primarily in the pellet material. The pellet material can then be treated at pH extremes or with one or more chaotropic agents such as a detergent, guanidine, guanidine derivatives, urea, or urea derivatives in the presence of a reducing agent such as dithiothreitol at alkaline pH or tris-carboxyethyl phosphine at acid pH to release, break apart and solubilize the inclusion bodies. Once solubilized, NgR polypeptide can be analyzed using gel electrophoresis, immunoprecipitation or the like. Various methods of isolating the NgR polypeptide would be apparent to one of ordinary skill in the art, for example, isolation may be accomplished using standard methods such as those set forth below and in Marston et al (1990) Meth. Enzymol. 182, 264-275 (incorporated by reference herein in its entirety).

If isolated NgR polypeptide is not biologically active following the isolation procedure employed, various methods for "refolding" or converting the polypeptide to its tertiary structure and generating disulfide linkages, can be used to restore biological

activity. Methods known to one of ordinary skill in the art include adjusting the pH of the solubilized polypeptide to a pH usually above 7 and in the presence of a particular concentration of a chaotrope. The selection of chaotrope is very similar to the choices used for inclusion body solubilization but usually at a lower concentration and is not necessarily the same chaotrope as used for the solubilization. It may be required to employ a reducing agent or the reducing agent plus its oxidized form in a specific ratio, to generate a particular redox potential allowing for disulfide shuffling to occur in the formation of the protein's cysteine bridge(s). Some of the commonly used redox couples include cysteine/cystamine, glutathione (GSH)/dithiobis GSH, cupric chloride, dithiothreitol (DTT)/dithiane DTT, 2-mercaptoethanol (bME)/dithio-b(ME). To increase the efficiency of the refolding, it may be necessary to employ a cosolvent, such as glycerol, polyethylene glycol of various molecular weights and arginine.

Transgenic Animals

5

10

15

20

25

30

The host cells of the invention can also be used to produce non-human transgenic animals. For example, in one embodiment, a host cell of the invention is a fertilized oocyte or an embryonic stem cell into which NgR-coding sequences have been introduced. Such host cells can then be used to create non-human transgenic animals in which exogenous NgR sequences have been introduced into their genome or homologous recombinant animals in which endogenous NgR sequences have been altered. Such animals are useful for studying the function and/or activity of NgR and for identifying and/or evaluating modulators of NgR activity. As used herein, a "transgenic animal" is a non-human animal, preferably a mammal, more preferably a rodent such as a rat or mouse, in which one or more of the cells of the animal includes a transgene. Other examples of transgenic animals include non-human primates, sheep, dogs, cows, goats, chickens, amphibians, etc. A transgene is exogenous DNA that is integrated into the genome of a cell from which a transgenic animal develops and that remains in the genome of the mature animal, thereby directing the expression of an encoded gene product in one or more cell types or tissues of the transgenic animal. As used herein, a "homologous recombinant animal" is a non-human animal, preferably a mammal, more preferably a mouse, in which an endogenous NgR gene has been altered by homologous recombination between the endogenous gene and an exogenous DNA

WO 02/29059

- 32 -

PCT/US01/31488

molecule introduced into a cell of the animal, e.g., an embryonic cell of the animal, prior to development of the animal.

A transgenic animal of the invention can be created by introducing NgRencoding nucleic acid into the male pronuclei of a fertilized oocyte, e.g., by microinjection, retroviral infection, and allowing the oocyte to develop in a pseudopregnant female foster animal. The human NgR DNA sequence of SEQ ID NOs:1 or 3 can be introduced as a transgene into the genome of a non-human animal. Alternatively, a nonhuman homolog of the human NgR gene, such as a mouse NgR gene, can be isolated based on hybridization to the human NgR cDNA (described further above) and used as a transgene. Intronic sequences and polyadenylation signals can also be included in the transgene to increase the efficiency of expression of the transgene. A tissue-specific regulatory sequence(s) can be operably linked to the NgR transgene to direct expression of NgR protein to particular cells. Methods for generating transgenic animals via embryo manipulation and microinjection, particularly animals such as mice, have become conventional in the art and are described, for example, in U.S. Pat. Nos. 4,736,866; 4,870,009; and 4,873,191; and Hogan 1986, in MANIPULATING THE MOUSE EMBRYO, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY. Similar methods are used for production of other transgenic animals. A transgenic founder animal can be identified based upon the presence of the NgR transgene in its genome and/or expression of NgR mRNA in tissues or cells of the animals. A transgenic founder animal can then be used to breed additional animals carrying the transgene. Moreover, transgenic animals carrying a transgene encoding NgR can further be bred to other transgenic animals carrying other transgenes.

To create a homologous recombinant animal, a vector is prepared which contains at least a portion of a NgR gene into which a deletion, addition or substitution has been introduced to thereby alter, e.g., functionally disrupt, the NgR gene. The NgR gene can be a human gene (e.g., SEQ ID NOs:1 or 13), but more preferably, is a non-human homolog of a human NgR gene. For example, a mouse homolog of human NgR gene of SEQ ID NOs:1 or 13 can be used to construct a homologous recombination vector suitable for altering an endogenous NgR gene in the mouse genome. In one embodiment, the vector is designed such that, upon homologous

5

10

15

20

25

30

10

15

20

25

30

recombination, the endogenous NgR gene is functionally disrupted (i.e., no longer encodes a functional protein; also referred to as a "knock out" vector).

Alternatively, the vector can be designed such that, upon homologous recombination, the endogenous NgR gene is mutated or otherwise altered but still encodes functional protein (e.g., the upstream regulatory region can be altered to thereby alter the expression of the endogenous NgR protein). In the homologous recombination vector, the altered portion of the NgR gene is flanked at its 5' and 3' ends by additional nucleic acid of the NgR gene to allow for homologous recombination to occur between the exogenous NgR gene carried by the vector and an endogenous NgR gene in an embryonic stem cell. The additional flanking NgR nucleic acid is of sufficient length for successful homologous recombination with the endogenous gene. Typically, several kilobases of flanking DNA (both at the 5' and 3' ends) are included in the vector. See e.g., Thomas et al. (1987) Cell 51:503 for a description of homologous recombination vectors. The vector is introduced into an embryonic stem cell line (e.g., by electroporation) and cells in which the introduced NgR gene has homologously recombined with the endogenous NgR gene are selected (see e.g., Li et al. (1992) Cell 69:915).

The selected cells are then injected into a blastocyst of an animal (e.g., a mouse) to form aggregation chimeras. See e.g., Bradley 1987, In:

TERATOCARCINOMAS AND EMBRYONIC STEM CELLS: A Practical Approach, Robertson, ed. IRL, Oxford, pp. 113-152. A chimeric embryo can then be implanted into a suitable pseudopregnant female foster animal and the embryo brought to term. Progeny harboring the homologously recombined DNA in their germ cells can be used to breed animals in which all cells of the animal contain the homologously recombined DNA by germline transmission of the transgene. Methods for constructing homologous recombination vectors and homologous recombinant animals are described further in Bradley (1991) *Curr. Opin. Biotechnol.* 2:823-829; PCT International Publication Nos.: WO 90/11354; WO 91/01140; WO 92/0968; and WO 93/04169.

In another embodiment, transgenic non-humans animals can be produced that contain selected systems that allow for regulated expression of the transgene. One example of such a system is the cre/loxP recombinase system of bacteriophage P1. For

a description of the cre/loxP recombinase system, see, e.g., Lakso et al. (1992) Proc. Natl. Acad. Sci. USA 89:6232-6236. Another example of a recombinase system is the FLP recombinase system of Saccharomyces cerevisiae (O'Gorman et al. (1991) Science 251:1351-1355. If a cre/loxP recombinase system is used to regulate expression of the transgene, animals containing transgenes encoding both the Cre recombinase and a selected protein are required. Such animals can be provided through the construction of "double" transgenic animals, e.g., by mating two transgenic animals, one containing a transgene encoding a selected protein and the other containing a transgene encoding a recombinase.

10

15

5

Clones of the non-human transgenic animals described herein can also be produced according to the methods described in Wilmut *et al.* (1997) *Nature* 385:810-813. In brief, a cell, *e.g.*, a somatic cell, from the transgenic animal can be isolated and induced to exit the growth cycle and enter G_0 phase. The quiescent cell can then be fused, *e.g.*, through the use of electrical pulses, to an enucleated oocyte from an animal of the same species from which the quiescent cell is isolated. The reconstructed oocyte is then cultured such that it develops to morula or blastocyte and then transferred to pseudopregnant female foster animal. The offspring borne of this female foster animal will be a clone of the animal from which the cell, *e.g.*, the somatic cell, is isolated.

20

25

30

Antisense

Also provided by the invention are antisense polynucleotides that recognize and hybridize to NgR polynucleotides. Full-length and fragment antisense polynucleotides are provided. Fragment antisense molecules of the invention include (i) those that specifically recognize and hybridize to NgR RNA (as determined by sequence comparison of DNA encoding NgR to DNA encoding other known molecules). Identification of sequences unique to NgR encoding polynucleotides can be deduced through use of any publicly available sequence database, and/or through use of commercially available sequence comparison programs. After identification of the desired sequences, isolation through restriction digestion or amplification using any of the various polymerase chain reaction techniques well known in the art can be

10

15

20

25

30

performed. Antisense polynucleotides are particularly relevant to regulating expression of NgR by those cells expressing NgR mRNA.

Antisense oligonucleotides, or fragments of a nucleotide sequence set forth in SEQ ID NO:1, 3, 13 or sequences complementary or homologous thereto, derived from the nucleotide sequences of the present invention encoding NgR are useful as diagnostic tools for probing gene expression in various tissues. For example, tissue can be probed *in situ* with oligonucleotide probes carrying detectable groups by conventional autoradiography techniques to investigate native expression of this enzyme or pathological conditions relating thereto. In specific aspects, antisense nucleic acid molecules are provided that comprise a sequence complementary to at least about 10, 25, 50, 100, 250 or 500 nucleotides or an entire NgR coding strand, or to only a portion thereof. Nucleic acid molecules encoding fragments, homologs, derivatives and analogs of a NgR protein of SEQ ID NO:2, 4 or 14 or antisense nucleic acids complementary to a NgR nucleic acid sequence of SEQ ID NOs:1, 3 or 13 are additionally provided.

In one embodiment, an antisense nucleic acid molecule is antisense to a "coding region" of the coding strand of a nucleotide sequence encoding NgR. The term "coding region" refers to the region of the nucleotide sequence comprising codons which are translated into amino acid residues (e.g., the protein coding region of human NgR corresponds to the coding region SEQ ID NO:1, 3 or 13). In another embodiment, the antisense nucleic acid molecule is antisense to a "noncoding region" of the coding strand of a nucleotide sequence encoding NgR. The term "noncoding region" refers to 5' and 3' sequences which flank the coding region that are not translated into amino acids (i.e., also referred to as 5' and 3' untranslated regions).

Antisense oligonucleotides are preferably directed to regulatory regions of a nucleotide sequence of SEQ ID NO:1, 3, 13 or mRNA corresponding thereto, including, but not limited to, the initiation codon, TATA box, enhancer sequences, and the like. Given the coding strand sequences encoding NgR disclosed herein (e.g., SEQ ID NO:1, 3 or 13), antisense nucleic acids of the invention can be designed according to the rules of Watson and Crick or Hoogsteen base pairing. The antisense nucleic acid molecule can be complementary to the entire coding region of NgR mRNA, but more preferably is an oligonucleotide that is antisense to only a portion of the coding

or noncoding region of NgR mRNA. For example, the antisense oligonucleotide can be complementary to the region surrounding the translation start site of NgR mRNA. An antisense oligonucleotide can be, for example, about 5, 10, 15, 20, 25, 30, 35, 40, 45 or 50 nucleotides in length. An antisense nucleic acid of the invention can be constructed using chemical synthesis or enzymatic ligation reactions using procedures known in the art. For example, an antisense nucleic acid (e.g., an antisense oligonucleotide) can be chemically synthesized using naturally occurring nucleotides or variously modified nucleotides designed to increase the biological stability of the molecules or to increase the physical stability of the duplex formed between the antisense and sense nucleic acids, e.g., phosphorothioate derivatives and acridine substituted nucleotides can be used.

Examples of modified nucleotides that can be used to generate the antisense nucleic acid include: 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xanthine, 4-acetylcytosine, 5-(carboxyhydroxylmethyl) uracil, 5carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-Dmannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6diaminopurine. Alternatively, the antisense nucleic acid can be produced biologically using an expression vector into which a nucleic acid has been subcloned in an antisense orientation (i.e., RNA transcribed from the inserted nucleic acid will be of an antisense orientation to a target nucleic acid of interest, described further in the following subsection).

The antisense nucleic acid molecules of the invention (preferably oligonucleotides of 10 to 20 nucleotides in length) are typically administered to a subject or generated *in situ* such that they hybridize with or bind to cellular mRNA

5

10

15

20

25

10

15

20

25

30

and/or genomic DNA encoding a NgR protein to thereby inhibit expression of the protein, e.g., by inhibiting transcription and/or translation. Suppression of NgR expression at either the transcriptional or translational level is useful to generate cellular or animal models for diseases/conditions characterized by aberrant NgR expression. The hybridization can be by conventional nucleotide complementarity to form a stable duplex, or, for example, in the case of an antisense nucleic acid molecule that binds to DNA duplexes, through specific interactions in the major groove of the double helix.

Phosphorothioate and methylphosphonate antisense oligonucleotides are specifically contemplated for therapeutic use by the invention. The antisense oligonucleotides may be further modified by adding poly-L-lysine, transferrin polylysine or cholesterol moieties at their 5' end.

An example of a route of administration of antisense nucleic acid molecules of the invention includes direct injection at a tissue site. Alternatively, antisense nucleic acid molecules can be modified to target selected cells and then administered systemically. For example, for systemic administration, antisense molecules can be modified such that they specifically bind to receptors or antigens expressed on a selected cell surface, e.g., by linking the antisense nucleic acid molecules to peptides or antibodies that bind to cell surface receptors or antigens. The antisense nucleic acid molecules can also be delivered to cells using the vectors described herein. To achieve sufficient intracellular concentrations of antisense molecules, vector constructs in which the antisense nucleic acid molecule is placed under the control of a strong pol II or pol III promoter are preferred.

In yet another embodiment, the antisense nucleic acid molecule of the invention is an α-anomeric nucleic acid molecule. An α-anomeric nucleic acid molecule forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual β-units, the strands run parallel to each other (Gaultier *et al.*, (1987) *Nucleic Acids Res.* 15, 6625-6641). The antisense nucleic acid molecule can also comprise a 2'-o-methylribonucleotide (Inoue *et al.*, (1987) *Nucleic Acids Res.* 15, 6131-6148) or a chimeric RNA-DNA analogue (Inoue *et al.*, (1987) *FEBS Lett.* 215, 327-330).

The NgR sequences taught in the present invention facilitate the design of novel transcription factors for modulating NgR expression in native cells and animals,

. 5

10

15

20

25

and cells transformed or transfected with NgR polynucleotides. For example, the Cys2-His2 zinc finger proteins, which bind DNA via their zinc finger domains, have been shown to be amenable to structural changes that lead to the recognition of different target sequences. These artificial zinc finger proteins recognize specific target sites with high affinity and low dissociation constants, and are able to act as gene switches to modulate gene expression. Knowledge of the particular NgR target sequence of the present invention facilitates the engineering of zinc finger proteins specific for the target sequence using known methods such as a combination of structure-based modeling and screening of phage display libraries (Segal et al., (1999) Proc. Natl. Acad. Sci. USA 96, 2758-2763; Liu et al., (1997) Proc. Natl. Acad. Sci. USA 94, 5525-5530; Greisman et al. (1997) Science 275, 657-661; Choo et al., (1997) J. Mol. Biol. 273, 525-532). Each zinc finger domain usually recognizes three or more base pairs. Since a recognition sequence of 18 base pairs is generally sufficient in length to render it unique in any known genome, a zinc finger protein consisting of 6 tandem repeats of zinc fingers would be expected to ensure specificity for a particular sequence (Segal et al., (1999), above). The artificial zinc finger repeats, designed based on the promoter of NgR sequences, are fused to activation or repression domains to promote or suppress NgR expression (Liu et al., (1997), above). The promoter of NgR may be obtained by standard methods known to one of ordinary skill in the art with the disclosure contained herein and knowledge of the NgR sequence. Alternatively, the zinc finger domains can be fused to the TATA box-binding factor (TBP) with varying lengths of linker region between the zinc finger peptide and the TBP to create either transcriptional activators or repressors (Kim et al., (1997) Proc. Natl. Acad. Sci. USA 94, 3616-3620. Such proteins and polynucleotides that encode them, have utility for modulating NgR expression in vivo in both native cells, animals and humans; and/or cells transfected with NgR-encoding sequences. The novel transcription factor can be delivered to the target cells by transfecting constructs that express the transcription factor (gene therapy), or by introducing the protein. Engineered zinc finger proteins can also be designed to bind RNA sequences for use in therapeutics as alternatives to antisense or catalytic RNA methods (McColl et al., 30 (1997) Proc. Natl. Acad. Sci. USA 96, 9521-9526); Wu et al., (1995) Proc. Natl. Acad. Sci. USA 92, 344-348). The present invention contemplates methods of

15

20

25

30

designing such transcription factors based on the gene sequence of the invention, as well as customized zinc finger proteins, that are useful to modulate NgR expression in cells (native or transformed) whose genetic complement includes these sequences.

5 Ribozymes and PNA moieties

In still another embodiment, an antisense nucleic acid of the invention is a ribozyme. Ribozymes are catalytic RNA molecules with ribonuclease activity that are capable of cleaving a single-stranded nucleic acid, such as an mRNA, to which they have a complementary region. Thus, ribozymes (e.g., hammerhead ribozymes, described in Haselhoff and Gerlach (1988) Nature 334, 585-591) can be used to catalytically cleave NgR mRNA transcripts to thereby inhibit translation of NgR mRNA. A ribozyme having specificity for a NgR-encoding nucleic acid can be designed based upon the nucleotide sequence of a NgR DNA disclosed herein (i.e., SEQ ID NOs:1, 3 or 13). For example, a derivative of a Tetrahymena L-19 IVS RNA can be constructed in which the nucleotide sequence of the active site is complementary to the nucleotide sequence to be cleaved in a NgR-encoding mRNA. See, e.g., Cech et al. U.S. Patent No. 4,987,071; and Cech et al. U.S. Patent No. 5,116,742. Alternatively, NgR mRNA can be used to select a catalytic RNA having a specific ribonuclease activity from a pool of RNA molecules. See, e.g., Bartel et al., (1993) Science 261, 1411-1418.

Alternatively, NgR gene expression can be inhibited by targeting nucleotide sequences complementary to the regulatory region of the NgR (e.g., the NgR promoter and/or enhancers) to form triple helical structures that prevent transcription of the NgR gene in target cells. See generally, Helene (1991) Anticancer Drug Des. 6: 569-584; Helene. et al., (1992) Ann. N.Y. Acad. Sci. 660:27-36; and Maher (1992) BioEssays 14, 807-815.

In various embodiments, the nucleic acids of NgR can be modified at the base moiety, sugar moiety or phosphate backbone to improve, e.g., the stability, hybridization, or solubility of the molecule. For example, the deoxyribose phosphate backbone of the nucleic acids can be modified to generate peptide nucleic acids (see Hyrup et al., (1996) Bioorg. Med. Chem. Lett. 4, 5-23). As used herein, the terms "peptide nucleic acids" or "PNAs" refer to nucleic acid mimics, e.g., DNA mimics, in

WO 02/29059

5

10

15

20

25

30

- 40 -

PCT/US01/31488

which the deoxyribose phosphate backbone is replaced by a pseudopeptide backbone and only the four natural nucleobases are retained. The neutral backbone of PNAs has been shown to allow for specific hybridization to DNA and RNA under conditions of low ionic strength. The synthesis of PNA oligomers can be performed using standard solid phase peptide synthesis protocols as described in Hyrup *et al.*, (1996) above; Perry-O'Keefe *et al.*, (1996) *Proc. Natl. Acad. Sci. USA* 93,14670-14675.

PNAs of NgR can be used in therapeutic and diagnostic applications. For example, PNAs can be used as antisense or antigene agents for sequence-specific modulation of gene expression by, e.g., inducing transcription or translation arrest or inhibiting replication. PNAs of NgR can also be used, e.g., in the analysis of single base pair mutations in a gene by, e.g., PNA directed PCR clamping; as artificial restriction enzymes when used in combination with other enzymes, e.g., S1 nucleases (Hyrup (1996), above); or as probes or primers for DNA sequence and hybridization (Hyrup et al., (1996), above; Perry-O'Keefe (1996), above).

In another embodiment, PNAs of NgR can be modified, e.g., to enhance their stability or cellular uptake, by attaching lipophilic or other helper groups to PNA, by the formation of PNA-DNA chimeras, or by the use of liposomes or other techniques of drug delivery known in the art. For example, PNA-DNA chimeras of NgR can be generated that may combine the advantageous properties of PNA and DNA. Such chimeras allow DNA recognition enzymes, e.g., RNase H and DNA polymerases, to interact with the DNA portion while the PNA portion would provide high binding affinity and specificity. PNA-DNA chimeras can be linked using linkers of appropriate lengths selected in terms of base stacking, number of bonds between the nucleobases, and orientation (Hyrup (1996), above). The synthesis of PNA-DNA chimeras can be performed as described in Hyrup (1996), above and Finn et al. (1996) Nucleic Acids Res. 24, 3357-3363. For example, a DNA chain can be synthesized on a solid support using standard phosphoramidite coupling chemistry, and modified nucleoside analogs, e.g., 5'-(4-methoxytrityl) amino-5'-deoxy-thymidine phosphoramidite, can be used between the PNA and the 5' end of DNA (Mag et al. (1989) Nucleic Acids Res. 17, 973-988). PNA monomers are then coupled in a stepwise manner to produce a chimeric molecule with a 5' PNA segment and a 3' DNA segment (Finn et al. (1996), above). Alternatively, chimeric molecules can be synthesized with a 5' DNA segment

10

15

20

25

30

and a 3' PNA segment. See, Petersen et al. (1975) Bioorg. Med. Chem. Lett. 5:1119-1124.

In other embodiments, the oligonucleotide may include other appended groups such as peptides (e.g., for targeting host cell receptors in vivo), or agents facilitating transport across the cell membrane (see Letsinger et al., (1989) Proc. Natl. Acad. Sci. USA 86, 6553-6556; Lemaitre et al., (1987) Proc. Natl. Acad. Sci. USA 84, 648-652; PCT Publication No. WO 88/09810) or the blood-brain barrier (see, e.g., PCT Publication No. WO 89/10134). In addition, oligonucleotides can be modified with hybridization triggered cleavage agents (see, e.g., Krol et al., (1988) Biotechniques 6, 958-976) or intercalating agents (see, e.g., Zon (1988) Pharm. Res. 5, 539-549). To this end, the oligonucleotide may be conjugated to another molecule, e.g., a peptide, a hybridization triggered cross-linking agent, a transport agent, a hybridization-triggered cleavage agent, etc.

Automated sequencing methods can be used to obtain or verify the nucleotide sequence of NgR. The NgR nucleotide sequences of the present invention are believed to be 100% accurate. However, as is known in the art, nucleotide sequence obtained by automated methods may contain some errors. Nucleotide sequences determined by automation are typically at least about 90%, more typically at least about 95% to at least about 99.9% identical to the actual nucleotide sequence of a given nucleic acid molecule. The actual sequence may be more precisely determined using manual sequencing methods, which are well known in the art. An error in a sequence which results in an insertion or deletion of one or more nucleotides may result in a frame shift in translation such that the predicted amino acid sequence will differ from that which would be predicted from the actual nucleotide sequence of the nucleic acid molecule, starting at the point of the mutation.

Polypeptides

The invention also provides purified and isolated mammalian NgR polypeptides encoded by a polynucleotide of the invention. Presently preferred is a human NgR polypeptide comprising the amino acid sequence set forth in SEQ ID NO:2 or SEQ ID NO:14. Another preferred embodiment is a mouse NgR polypeptide comprising the amino acid sequence of NgR3, as set forth in SEQ ID NO:4.

10

15

20

25

30

One aspect of the invention pertains to isolated NgR proteins, and biologically active portions thereof, or derivatives, fragments, analogs or homologs thereof. Also provided are polypeptide fragments suitable for use as immunogens to raise anti-NgR antibodies. Preferably, fragments of NgR proteins comprise at least one biological activity of NgR. In one embodiment, native NgR proteins can be isolated from cells or tissue sources by an appropriate purification scheme using standard protein purification techniques. In another embodiment, NgR proteins are produced by recombinant DNA techniques. Alternative to recombinant expression, a NgR protein or polypeptide can be synthesized chemically using standard peptide synthesis techniques.

The invention also embraces polypeptides that have at least 99%, at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 65%, at least 60%, at least 55%, at least 50% or at least 45% identity and/or homology to the preferred polypeptide of the invention. In addition, the invention embraces polypeptides having the consensus sequence shown in SEQ ID NO:6, shown in Table 5) excluding the previously characterized NgR ("NgR1"), and polypeptides comprising at least about 90% of the consensus sequence.

The term "percentage of sequence identity" is calculated by comparing two optimally aligned sequences over that region of comparison, determining the number of positions at which the identical nucleic acid base (e.g., A, T, C, G, U, or I, in the case of nucleic acids) occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the region of comparison (i.e., the window size), and multiplying the result by 100 to yield the percentage of sequence identity. The term "substantial identity" as used herein denotes a characteristic of a polynucleotide sequence, wherein the polynucleotide comprises a sequence that has at least 80 percent sequence identity, preferably at least 85 percent identity and often 90 to 95 percent sequence identity, more usually at least 99 percent sequence identity as compared to a reference sequence over a comparison region.

In one aspect, percent homology is calculated as the percentage of amino acid residues in the smaller of two sequences which align with identical amino acid residue in the sequence being compared, when four gaps in a length of 100 amino acids may be introduced to maximize alignment (Dayhoff, in ATLAS OF PROTEIN SEQUENCE AND

10

15

20

25

30

STRUCTURE, Vol. 5, p. 124, National Biochemical Research Foundation, Washington, D.C. (1972), incorporated herein by reference).

A determination of homology or identity is typically made by a computer homology program known in the art. An exemplary program is the Gap program (Wisconsin Sequence Analysis Package, Version 8 for UNIX, Genetics Computer Group, University Research Park, Madison, WI) using the default settings, which uses the algorithm of Smith and Waterman (Adv. Appl. Math., 1981, 2, 482-489, which in incorporated herein by reference in its entirety). Employing the GAP software provided in the GCG program package, (see Needleman and Wunsch (1970) J. Mol. Biol. 48, 443-453) the following settings for nucleic acid sequence comparison may be used: GAP creation penalty of 5.0 and GAP extension penalty of 0.3, the coding region of the analogous nucleic acid sequences referred to above exhibits a degree of identity preferably of at least 70%, 75%, 80%, 85%, 90%, 95%, 98%, or 99%, with the CDS (encoding) part of the DNA sequence shown in SEQ ID NOs:1, 3 or 13. BestFit was originally written for Version 1.0 by Paul Haeberli from a careful reading of the papers by Needleman and Wunsch (1970), above, and Smith and Waterman (1981), above. The following Bestfit settings for nucleic acid sequence comparison may be used: GAP creation penalty of 8.0 and GAP extension penalty of 2, the coding region of the analogous nucleic acid sequences referred to above exhibits a degree of identity preferably of at least 70%, 75%, 80%, 85%, 90%, 95%, 98% or 99%, with the CDS (encoding) part of the amino acid sequence shown in SEQ ID NOs:2, 4 or 14.

Alternatively, homology may be determined by hybridization analysis wherein a nucleic acid sequence is hybridized to the complement of a sequence encoding the aforementioned proteins under stringent, moderately stringent, or low stringent conditions. See *e.g.* Ausubel, *et al.*, (Eds.) CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, John Wiley & Sons, New York, NY, 1993, and below.

Polypeptides of the invention may be isolated from natural cell sources or may be chemically synthesized, but are preferably produced by recombinant procedures involving host cells of the invention.

An "isolated" or "purified" protein or biologically active portion thereof is substantially free of cellular material or other contaminating proteins from the cell or tissue source from which the NgR protein is derived, or substantially free from

WO 02/29059

5

10

15

20

25

30

- 44 -

PCT/US01/31488

chemical precursors or other chemicals when chemically synthesized. The language "substantially free of cellular material" includes preparations of NgR protein in which the protein is separated from cellular components of the cells from which it is isolated or recombinantly produced. In one embodiment, the language "substantially free of cellular material" includes preparations of NgR protein having less than about 30% (by dry weight) of non-NgR protein (also referred to herein as a "contaminating protein"), more preferably less than about 20% of non-NgR protein, still more preferably less than about 10% of non-NgR protein, and most preferably less than about 5% non-NgR protein. When the NgR protein or biologically active portion thereof is recombinantly produced, it is also preferably substantially free of culture medium, *i.e.*, culture medium represents less than about 20%, more preferably less than about 10%, and most preferably less than about 5% of the volume of the protein preparation.

The language "substantially free of chemical precursors or other chemicals" includes preparations of NgR protein in which the protein is separated from chemical precursors or other chemicals that are involved in the synthesis of the protein. In one embodiment, the language "substantially free of chemical precursors or other chemicals" includes preparations of NgR protein having less than about 30% (by dry weight) of chemical precursors or non-NgR chemicals, more preferably less than about 20% chemical precursors or non-NgR chemicals, still more preferably less than about 10% chemical precursors or non-NgR chemicals, and most preferably less than about 5% chemical precursors or non-NgR chemicals.

Biologically active portions of a NgR protein include peptides comprising amino acid sequences sufficiently homologous to or derived from the amino acid sequence of the NgR protein, e.g., the amino acid sequence shown in SEQ ID NO:2, 4 or 14 that include fewer amino acids than the full length NgR proteins, and exhibit at least one activity of a NgR protein. Typically, biologically active portions comprise a domain or motif with at least one activity of the NgR protein. A biologically active portion of a NgR protein can be a polypeptide which is, for example, 10, 25, 50, 100 or more amino acids in length.

A biologically active portion of a NgR protein of the present invention may contain at least one of the features that is conserved between the NgR proteins (e.g., a conserved cysteine as the N-terminus of the mature protein, four conserved cysteines

10

15

20

25

30

in the N-terminus before a leucine-rich region, four conserved cysteines C-terminal with respect to a leucine repeat region, eight leucine-rich repeats, and a hydrophobic C-terminus). An alternative biologically active portion of a NgR protein may contain at least two of the above-identified domains. Another biologically active portion of a NgR protein may contain at least three of the above-identified domains. Yet another biologically active portion of a NgR protein of the present invention may contain at least four of the above-identified domains.

Moreover, other biologically active portions, in which other regions of the protein are deleted, can be prepared by recombinant techniques and evaluated for one or more of the functional activities of a native NgR protein.

In an embodiment, the NgR protein has an amino acid sequence shown in SEQ ID NO:2, 4 or 14. In other embodiments, the NgR protein is substantially homologous to SEQ ID NO:2, 4 or 14 and retains the functional activity of the protein of SEQ ID NO:2, 4 or 14, yet differs in amino acid sequence due to natural allelic variation or mutagenesis, as described in detail below.

Accordingly, in another embodiment, the NgR protein is a protein that comprises an amino acid sequence at least about 45% homologous to the amino acid sequence of SEQ ID NO:2 or SEQ ID NO:4 or SEQ ID NO:14 and retains the functional activity of the NgR proteins of SEQ ID NO:2, 4 or 14.

Use of mammalian host cells is expected to provide for such post-translational modifications (e.g., glycosylation, truncation, lipidation and phosphorylation) as may be needed to confer optimal biological activity on recombinant expression products of the invention. Glycosylated and non-glycosylated forms of NgR polypeptides are embraced by the invention.

The invention also embraces variant (or analog) NgR polypeptides. In one example, insertion variants are provided wherein one or more amino acid residues supplement a NgR amino acid sequence. Insertions may be located at either or both termini of the protein, or may be positioned within internal regions of the NgR amino acid sequence. Insertional variants with additional residues at either or both termini can include, for example, fusion proteins and proteins including amino acid tags or labels.

WO 02/29059

5

10

15

20

25

30

Insertion variants include NgR polypeptides wherein one or more amino acid residues are added to a NgR acid sequence or to a biologically active fragment thereof.

Variant products of the invention also include mature NgR products, *i.e.*, NgR products wherein leader or signal sequences are removed, with additional amino terminal residues. The additional amino terminal residues may be derived from another protein, or may include one or more residues that are not identifiable as being derived from specific proteins. NgR products with an additional methionine residue at position -1 (Met⁻¹-NgR) are contemplated, as are variants with additional methionine and lysine residues at positions -2 and -1 (Met⁻²-Lys⁻¹-NgR). Variants of NgR with additional Met, Met-Lys, Lys residues (or one or more basic residues in general) are particularly useful for enhanced recombinant protein production in bacterial host cells.

Polypeptide Variants

The invention also embraces NgR variants having additional amino acid residues which result from use of specific expression systems.

As used herein, a NgR "chimeric protein" or "fusion protein" comprises a NgR polypeptide operatively linked to a non-NgR polypeptide. A "NgR polypeptide" refers to a polypeptide having an amino acid sequence corresponding to NgR, whereas a "non-NgR polypeptide" refers to a polypeptide having an amino acid sequence corresponding to a protein that is not homologous to the NgR protein, e.g., a protein that is different from the NgR protein and that is derived from the same or a different organism. Within a NgR fusion protein the NgR polypeptide can correspond to all or a portion of a NgR protein. In one embodiment, a NgR fusion protein comprises at least one biologically active portion of a NgR protein. In another embodiment, a NgR fusion protein comprises at least two biologically active portions of a NgR protein. In yet another embodiment, a NgR fusion protein comprises at least three biologically active portions of a NgR protein. Within the fusion protein, the term "operatively linked" is intended to indicate that the NgR polypeptide and the non-NgR polypeptide are fused in-frame to each other. The non-NgR polypeptide can be fused to the N-terminus or C-terminus of the NgR polypeptide.

For example, in one embodiment a NgR fusion protein comprises a NgR domain operably linked to the extracellular domain of a second protein. Such fusion

10

∵15

20

25

30

proteins can be further utilized in screening assays for compounds which modulate NgR activity (such assays are described in detail below).

For example, use of commercially available vectors that express a desired polypeptide as part of a glutathione-S-transferase (GST) fusion product provides the desired polypeptide having an additional glycine residue at position -1 after cleavage of the GST component from the desired polypeptide.

In another embodiment, the fusion protein is a NgR protein containing a heterologous signal sequence at its N-terminus. For example, the native NgR signal sequence (i.e., amino acids 1-30 of SEQ ID NO:2 and amino acids 1-40 of SEQ ID NO:4) can be removed and replaced with a signal sequence from another protein. In certain host cells (e.g., mammalian host cells), expression and/or secretion NgR can be increased through use of a heterologous signal sequence.

In yet another embodiment, the fusion protein is a NgR-immunoglobulin fusion protein in which the NgR sequences comprising one or more domains are fused to sequences derived from a member of the immunoglobulin protein family. The NgR-immunoglobulin fusion proteins of the invention can be incorporated into pharmaceutical compositions and administered to a subject to inhibit an interaction between NgR ligand and a NgR protein on the surface of a cell, to thereby suppress NgR-mediated signal transduction *in vivo*. NgR-immunoglobulin fusion proteins can be used to affect the bioavailability of a NgR cognate ligand. Inhibition of the NgR ligand/NgR interaction may be useful therapeutically for both the treatment of proliferative and differentiative disorders, as well as modulating (e.g., promoting or inhibiting) cell survival. Moreover, the NgR-immunoglobulin fusion proteins of the invention can be used as immunogens to produce anti-NgR antibodies in a subject, to purify NgR ligands, and in screening assays to identify molecules that inhibit the interaction of NgR with NgR ligand.

A NgR chimeric or fusion protein of the invention can be produced by standard recombinant DNA techniques. For example, DNA fragments coding for the different polypeptide sequences are ligated together in-frame in accordance with conventional techniques, e.g., by employing blunt-ended or stagger-ended termini for ligation, restriction enzyme digestion to provide for appropriate termini, filling-in of cohesive ends as appropriate, alkaline phosphatase treatment to avoid undesirable joining and

10

15

20

25

30

enzymatic ligation. In another embodiment, the fusion gene can be synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of gene fragments can be carried out using anchor primers that give rise to complementary overhangs between two consecutive gene fragments that can subsequently be annealed and reamplified to generate a chimeric gene sequence (see, for example, Ausubel *et al.* (Eds.) CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, John Wiley & Sons, 1992). Moreover, many expression vectors are commercially available that already encode a fusion moiety (*e.g.*, a GST polypeptide). A NgR-encoding nucleic acid can be cloned into such an expression vector such that the fusion moiety is linked in-frame to the NgR protein.

Variants resulting from expression in other vector systems are also contemplated.

Insertional variants also include fusion proteins wherein the amino terminus and/or the carboxy terminus of NgR is/are fused to another polypeptide.

In another aspect, the invention provides deletion variants wherein one or more amino acid residues in a NgR polypeptide are removed. Deletions can be effected at one or both termini of the NgR polypeptide, or with removal of one or more non-terminal amino acid residues of NgR. Deletion variants, therefore, include all fragments of a NgR polypeptide.

The invention also embraces polypeptide fragments of the sequence set forth in SEQ ID NO:2, 4 or 14 wherein the fragments maintain biological (e.g., ligand binding and/or intracellular signaling) immunological properties of a NgR polypeptide. Fragments comprising at least 4, 5, 10, 15, 20, 25, 30, 35, or 40 consecutive amino acids of SEQ ID NO:2, 4 or 14 are contemplated by the invention. Preferred polypeptide fragments display antigenic properties unique to, or specific for, human NgR and its allelic and species homologs. Fragments of the invention having the desired biological and immunological properties can be prepared by any of the methods well known and routinely practiced in the art.

In still another aspect, the invention provides substitution variants of NgR polypeptides. Substitution variants include those polypeptides wherein one or more amino acid residues of a NgR polypeptide are removed and replaced with alternative residues. In one aspect, the substitutions are conservative in nature; however, the

- 49 -

invention embraces substitutions that are also non-conservative. Conservative substitutions for this purpose may be defined as set out in Tables 2, 3, or 4 below. Table 1.

	X _{aa} #	Column I	Column II
5	(based on a NTLRRCT	(R1, R2, R3)	(R2+R3 only)
	domain)		
	X ₁	G, R, M	
	X_2	A, D, C	
	X_3	V, T	
10	X_4	N, P, S	
	X _s	E, A, S	
	X_6	nothing, K	nothing
	X ₇	V, M, P	
	X ₈	T, V	V
15	Х,	Q, P	Q
	X ₁₀	Q, A	Q
	X ₁₁	Q, H, N	
	X ₁₂	G, N	N .
	X ₁₃	L, F	F
20	X ₁₄	Q, A, S	
	X ₁₅	A, S	
	X ₁₆	V, I	
	X ₁₇	V, T, E, L	
	X ₁₈	S, G	
25	X ₁₉	L, I	
	X_{20}	A, E, V, P	
	X ₂₁	A, S, D	
	X ₂₂	S, T	
	X ₂₃	Q, E	

BNSDOCID: <WO____0229059A2_I_>

- 50 -

$\mathbf{X}_{\mathbf{a}\mathbf{a}}$ #	Column I	Column II
(based on a NTLRRCT	(R1, R2, R3)	(R2+R3 only)
domain)		
X ₂₄	IVL	
, X ₂₅	Q,H	Q
X ₂₆	N,G	N
X ₂₇	R,L	
X ₂₈	T,G,R,S	
X ₂₉	F,L,T,H	
X ₃₀	L,V	L
X ₃₁	Q,R,P	
X ₃₂	Q,P,A	P
X ₃₃	G,A	G
X ₃₄	H,T,S	
X ₃₅	S,G,R	
X ₃₆	P,S,A	
X ₃₇	C, nothing	nothing
X ₃₈	R, nothing	nothing
X ₃₉	A,N	
X ₄₀	M,L	
X ₄₁	V,L,T	
· X ₄₂	T, I	T
X ₄₃	L,I	
X ₄₄	Y,F,H	
X ₄₅	N,V	N
X ₄₆	I,L	
X ₄₇	T,S,A	
X ₄₈	F,Y,T,R	
X ₄₉	A,H,Y,D	

BNSDOCID: <WO____0229059A2_I_>

- 51 -

$\mathbf{X}_{aa}\!\#$	Column I	Column II
(based on a NTLRRCT	(R1, R2, R3)	(R2+R3 only)
domain)		
X ₅₀	P,A	P
X ₅₁	N,S,G,A	
X_{s_2}	T,A	Т
X ₅₃	E,R,T	
X ₅₄	G,H	
X_{ss}	F,L	
X ₅₆	V,Q,H	
X ₅₇	H,A,L	
X ₅₈	E,Q	E
X ₅₉	G,S	G
X ₆₀	R,A	R
X ₆₁	Q,H	Q
X ₆₂	R, H	Н
X ₆₃	T,S	
X ₆₄	L,V	L
X ₆₅	A,E,D	
X ₆₆	E,D,A	
X ₆₇	, Q,H	Q
X ₆₈	V,E,G	
X ₆₉	K,R	
X ₇₀	H,Q	
X ₇₁	A,S,T	
X ₇₂	Y,H	
X ₇₃	Y,D	Y
X ₇₄	K,R	
X ₇₅	G,Q	

BNSDOC!D: <WO____0229059A2_I_>

- 52 -

	X _{aa} #	Column I	Column II
	(based on a NTLRRCT	(R1, R2, R3)	(R2+R3 only)
	domain)		
	X ₇₆	S,Q	S
	X ₇₇	A,S,E	
	X ₇₈	P,G	P
	X ₇₉	A,G,P	
	X ₈₀	G,N	
	X ₈₁	I,V,L	
	X ₈₂	G,R	
	X ₈₃	H,V,A	
	X ₈₄	S,A	S
	X ₈₅	D,E	
	X ₈₆	H,S,A	
	X ₈₇	I,L	
	X ₈₈	E,L,Q	
	X ₈₉	Ү,Н,А	
	X ₉₀	Q,P	Q
	X ₉₁	D, N	
	X ₉₂	I, L, T	
	X_{93}	V,A,R	
	X_{94}	V,A,G	
	X ₉₅	S,T	S
	X ₉₆	K,R	
•	X ₉₇	L,I	L
	X_{98}	W,R,S	
	X ₉₉	S,L	
	X ₁₀₀	L,V	L
	X ₁₀₁	G,T,P	

BNSDOCID: <WO____0229059A2_I_>

	X _{aa} #	Column I	Column II
	(based on a NTLRRCT	(R1, R2, R3)	(R2+R3 only)
	domain)		
	X ₁₀₂	Q,P,E	
	X ₁₀₃	G,H,R	
	X ₁₀₄	I,T,V,A	
	X ₁₀₅	V,G,H	
5	X ₁₀₆	N,S	
	X ₁₀₇	E,G,Q	
	X ₁₀₈	Q,R	
	X ₁₀₉	L,V	
	X ₁₁₀	Q,A	
0	X ₁₁₁	W,G,H	
	X ₁₁₂	H,R,P	
	X ₁₁₃	K,A,H	
	X ₁₁₄	H,R	
	X ₁₁₅	D,G	
5	X ₁₁₆	H,R,S,G	
	X ₁₁₇	T,M	
	X ₁₁₈	T,I	
	X ₁₁₉	F,Y	
	X ₁₂₀	N,A	
0	X ₁₂₁	S,N	
	X ₁₂₂	T,A,S	
	X ₁₂₃	E,S,A	
	X ₁₂₄	Q,P	
	X ₁₂₅	G,T	
5	X ₁₂₆	D,E	D
	X ₁₂₇	C,A	

- 54 -

	X _{aa} #	Column I	Column II
(based on	a NTLRRCT	(R1, R2, R3)	(R2+R3 only)
do	main)		
	X ₁₂₈	P,D	
	X ₁₂₉	V,G,P,R	
	X ₁₃₀	A,S	
	X ₁₃₁	E,Q	Q
	X ₁₃₂	F,Y	F
	X ₁₃₃	G,A,D	
	X ₁₃₄	A,P	
	X ₁₃₅	D,A,V	
	X ₁₃₆	G,D	
	X ₁₃₇	A,E	
	X ₁₃₈	S,P	
	X ₁₃₉	E,A	
	X ₁₄₀	L,F	
	X ₁₄₁	R,Q	
	X ₁₄₂	R,K	R
	X ₁₄₃	R,K	R
	X ₁₄₄	F,A	
	X ₁₄₅	G,V	
	X ₁₄₆	A,D,E	
	X ₁₄₇	T,P	
	X ₁₄₈	A,V,S	·
	X ₁₄₉	T,S,L	
	X ₁₅₀	E,G,P,Q	
	X ₁₅₁	L,E,R	
	X ₁₅₂	R,L	R
	X ₁₅₃	G, D	

BNSDOCID: <WO____0229059A2_I_>

X _{aa} # (based on a NTLRRCT	Column I (R1, R2, R3)	Column II (R2+R3 only)	
domain)			
X ₁₅₄	Q,H,A		
X ₁₅₅	Q,R		
X ₁₅₆	K,R		
X ₁₅₇	L,A,R		
X ₁₅₈	R,A	R	
X ₁₅₉	V,A,E		
X ₁₆₀	E,A,N		
X ₁₆₁	F,L	F	
X ₁₆₂	R,Q		
X ₁₆₃	N,A,G		

5

Variant polypeptides include those wherein conservative substitutions have been introduced by modification of polynucleotides encoding polypeptides of the invention. Amino acids can be classified according to physical properties and contribution to secondary and tertiary protein structure. A conservative substitution is recognized in the art as a substitution of one amino acid for another amino acid that has similar properties. Exemplary conservative substitutions are set out in Table 2 (from WO 97/09433, page 10, published March 13, 1997 (PCT/GB96/02197, filed 9/6/96), immediately below.

20

15

Table 2

Conservative Substitutions I

SIDE CHAIN CHARACTERISTIC

AMINO ACID

Aliphatic Non-polar

GAP ILV

- 56 -

Polar - uncharged	C S T M N Q
Polar - charged	D E K R
Aromatic	HFWY
Other	NQDE

Alternatively, conservative amino acids can be grouped as described in Lehninger, [BIOCHEMISTRY, Second Edition; Worth Publishers, Inc. NY, NY (1975), pp.71-77] as set out in Table 3, immediately below.

Table 3

Conservative Substitutions II

10

5

10		
	SIDE CHAIN	
	CHARACTERISTIC	AMINO ACID
	Non-polar (hydrophobic)	
	A. Aliphatic:	ALIVP
	B. Aromatic:	F W
15	C. Sulfur-containing:	M
	D. Boderline:	G
	Uncharged-polar	
	A. Hydroxyl:	STY
	B. Amides:	NQ
	C. Sylfhydryl:	С
20	D. Boderline:	G
	Positively Charged (Basic):	KRH
	Negatively Charged (Acidic):	DE

As still another alternative, exemplary conservative substitutions are set out in Table 4, below.

Table 4
Conservative Substitutions III

	Original Residue	Exemplary Substitution
	Ala (A)	Val, Leu, Ile
30	Arg (R)	Lys, Gln, Asn
	Asn (N)	Gln, His, Lys, Arg
	Asp (D)	Glu
	Cys (C)	Ser
	Gln (Q)	Asn
35	Glu (E)	Asp .

	His (H)	Asn, Gln, Lys, Arg
	Ile (I)	Leu, Val, Met, Ala, Phe,
	Leu (L)	Ile, Val, Met, Ala, Phe
	Lys (K)	Arg, Gln, Asn
5	Met (M)	Leu, Phe, Ile
	Phe (F)	Leu, Val, Ile, Ala
	Pro (P)	Gly
	Ser (S)	Thr
	Thr (T)	Ser
10	Trp (W)	Tyr
	Tyr (Y)	Trp, Phe, Thr, Ser
	Val (V)	Ile, Leu, Met, Phe, Ala

In addition, amino acid residues that are conserved among family members of the NgR proteins of the present invention, as indicated by the alignment presented herein, are also predicted to be particularly unamenable to alteration. For example, NgR proteins of the present invention can contain at least one domain that is a typically conserved region in NgRs. Examples of these conserved domains include, *e.g.*, leucine-rich repeat domain. Amino acid residues that are not conserved or are only semi-conserved among members of the NgR proteins may be readily amenable to alteration.

Full-length NgRs have an LRR region characterized by the amino acid consensus sequence shown in SEQ ID NO: 19. At least some full-length NgRs also include a CT signaling (CTS) domain and a GPI domain.

The NgR domain designations used herein are defined as follows:

Domain	hNgR1	mNgR1	hNgR2	hNgR3	mNgR3
	SEQ ID: 5	SEQ ID	SEQ ID: 2	SEQ ID: 14	SEQ ID: 4
		NO:17			
Signal Seq.	1–26	1–26	1–30		1-40
LRRNT	27–56	27–56	31–59		41–69
LRR1	57–81	57–81	60-82	5–27	70–92 [′]
LRR2	82–105	82–105	83–106	28-51	93–106
LRR3	106–130	106–130	107–131	52-76	106–141
LRR4	131–154	131–154	132–155	77–100	142–165

30

15

20

LRR5	155–178	155–178	156–179	101–124	166–189
LRR6	179–202	179–202	180–203	125–148	190–213
LRR7	203–226	203–226	204–227	149–172	214–237
LRR8	227–250	227–250	228–251	173–196	238–261
LRRCT	260–309	260–309	261–310	206–255	271–320
CTS	310–445	310-445	311–395	256–396	321–438
(CT					
Signaling)					
GPI	446–473	456–473	396–420	370–392	439–462

15

20

25

30

5

In some embodiments of the invention, the above domains are modified. Modification can be in a manner that preserves domain functionality. Modification can include addition, deletion or substitution of certain amino acids. Exemplary modifications include conservative amino acid substitutions. Preferably such substitutions number 20 or fewer per 100 residues. More preferably, such substitutions number 10 or fewer per 100 residues. Further exemplary modifications include addition of flanking sequences of up to five amino acids at the N terminus and/or C terminus of one or more of the domains.

In some embodiments, the isolated nucleic acid molecule encodes a polypeptide at least about 70%, 80%, 90%, 95%, 98%, and most preferably at least about 99% homologous to SEQ ID NO:2, 4 or 14.

Mutations can be introduced into SEQ ID NOS:1, 3 or 13 by standard techniques, e.g., site-directed mutagenesis and PCR-mediated mutagenesis. Conservative amino acid substitutions can be made at one or more amino acid residues predicted to be non-essential. Alternatively, mutations can be introduced randomly along a NgR coding sequence. This can be accomplished, e.g., by saturation mutagenesis. The resulting mutants can be screened for NgR biological activity. Biological activities of NgR may include but are not limited to: (1) protein:protein interactions, e.g., with other NgRs or other cell-surface proteins involved in Nogorelated signaling; (2) complex formation with a NgR ligand; (3) binding to an anti-NgR antibody.

WO 02/29059

5

10

15

20

25

30

PCT/US01/31488

- 59 -

It should be understood that the definition of polypeptides of the invention is intended to include polypeptides bearing modifications other than insertion, deletion, or substitution of amino acid residues. By way of example, the modifications may be covalent in nature, and include for example, chemical bonding with polymers, lipids, other organic and inorganic moieties. Such derivatives may be prepared to increase circulating half-life of a polypeptide, or may be designed to improve the targeting capacity of the polypeptide for desired cells, tissues or organs. Similarly, the invention further embraces NgR polypeptides that have been covalently modified to include one or more water-soluble polymer attachments such as polyethylene glycol, polyoxyethylene glycol or polypropylene glycol. Variants that display ligand binding properties of native NgR and are expressed at higher levels, as well as variants that provide for constitutively active receptors, are particularly useful in assays of the invention; the variants are also useful in providing cellular, tissue and animal models of diseases/conditions characterized by aberrant NgR activity.

Chemically modified NgR polypeptide compositions in which the NgR polypeptide is linked to a polymer are included within the scope of the present invention. The polymer may be water soluble to prevent precipitation of the protein in an aqueous environment, such as a physiological environment. Suitable water-soluble polymers may be selected from the group consisting of, for example, polyethylene glycol (PEG), monomethoxypolyethylene glycol, dextran, cellulose, or other carbohydrate based polymers, poly-(N-vinyl pyrrolidone) polyethylene glycol, polypropylene glycol homopolymers, a polypropylene oxide/ethylene oxide copolymer polyoxyethylated polyols (e.g. glycerol) and polyvinyl alcohol. The selected polymer is usually modified to have a single reactive group, such as an active ester for acylation or an aldehyde for alkylation, so that the degree of polymerization may be controlled. Polymers may be of any molecular weight, and may be branched or unbranched, and mixtures of such polymers may also be used. When the chemically modified NgR polymer is destined for therapeutic use, pharmaceutically acceptable polymers will be selected for use.

When the polymer is to be modified by an acylation reaction, the polymer should have a single reactive ester group. Alternatively, if the polymer is to be modified by reductive alkylation, the polymer should have a single reactive aldehyde

10

15

20

25

30

group. A preferred reactive aldehyde is polyethylene glycol propionaldehyde, which is water stable, or mono Cl-ClO alkoxy or aryloxy derivatives thereof (see U.S. Patent No. 5,252,714, incorporated by reference herein in its entirety).

Pegylation of NgR polypeptides may be carried out by any of the pegylation reactions known in the art, as described, for example, in the following references: Focus on Growth Factors 3, 4-10 (1992); EP 0 154 316; and EP 0 401 384 (each of which is incorporated by reference herein in its entirety). Preferably, the pegylation is carried out via an acylation reaction or an alkylation reaction with a reactive polyethylene glycol molecule (or an analogous reactive water-soluble polymer). A preferred water-soluble polymer for pegylation of polypeptides such as NgR is polyethylene glycol (PEG). As used herein, "polyethylene glycol" is meant to encompass any of the forms of PEG that have been used to derivatize other proteins, such as mono (Cl-ClO) alkoxy- or aryloxy-polyethylene glycol.

Chemical derivatization of NgR polypeptides may be performed under any suitable conditions used to react a biologically active substance with an activated polymer molecule. Methods for preparing pegylated NgR polypeptides will generally comprise the steps of (a) reacting the polypeptide with polyethylene glycol, such as a reactive ester or aldehyde derivative of PEG, under conditions whereby NgR polypeptide becomes attached to one or more PEG groups, and (b) obtaining the reaction products. It will be apparent to one of ordinary skill in the art to select the optimal reaction conditions or the acylation reactions based on known parameters and the desired result.

Pegylated and other polymer:NgR polypeptides may generally be used to treat conditions that may be alleviated or modulated by administration of the NgR polypeptides described herein. However, the chemically-derivatized polymer:NgR polypeptide molecules disclosed herein may have additional activities, enhanced or reduced biological activity, or other characteristics, such as increased or decreased half-life, as compared to the nonderivatized molecules. The NgR polypeptides, fragments thereof, variants and derivatives, may be employed alone, together, or in combination with other pharmaceutical compositions. The cytokines, growth factors, antibiotics, antiinflammatories and/or chemotherapeutic agents as is appropriate for the indication being treated.

The present invention provides compositions comprising purified polypeptides of the invention. Preferred compositions comprise, in addition to the polypeptide of the invention, a pharmaceutically acceptable (*i.e.*, sterile and non-toxic) liquid, semisolid, or solid diluent that serves as a pharmaceutical vehicle, excipient or medium. Any diluent known in the art may be used. Exemplary diluents include, but are not limited to, water, saline solutions, polyoxyethylene sorbitan monolaurate, magnesium stearate, methyl- and propylhydroxybenzoate, talc, alginates, starches, lactose, sucrose, dextrose, sorbitol, mannitol, glycerol, calcium phosphate, mineral oil and cocoa butter.

Variants that display ligand binding properties of native NgR and are expressed at higher levels, as well as variants that provide for constitutively active receptors, are particularly useful in assays of the invention; the variants are also useful in assays of the invention and in providing cellular, tissue and animal models of diseases/conditions characterized by aberrant NgR activity.

With the knowledge of the nucleotide sequence information disclosed in the present invention, one skilled in the art can identify and obtain nucleotide sequences which encode NgR from different sources (i.e., different tissues or different organisms) through a variety of means well known to the skilled artisan and as disclosed by, for example, Sambrook et al., MOLECULAR CLONING: A LABORATORY MANUAL, Second Edition, Cold Spring Harbor Press, Cold Spring Harbor, NY (1989), which is incorporated herein by reference in its entirety.

For example, DNA that encodes NgR may be obtained by screening of mRNA, cDNA, or genomic DNA with oligonucleotide probes generated from the NgR gene sequence information provided herein. Probes may be labeled with a detectable group, such as a fluorescent group, a radioactive atom or a chemiluminescent group in accordance with procedures known to the skilled artisan and used in conventional hybridization assays, as described by, for example, Sambrook *et al.* (1989) above.

A nucleic acid molecule comprising any of the NgR nucleotide sequences described above can alternatively be synthesized by use of the polymerase chain reaction (PCR) procedure, with the PCR oligonucleotide primers produced from the nucleotide sequences provided herein. See U.S. Patent Nos. 4,683,195 to Mullis *et al.* and 4,683,202 to Mullis. The PCR reaction provides a method for selectively increasing the concentration of a particular nucleic acid sequence even when that

5

10

15

20

25

sequence has not been previously purified and is present only in a single copy in a particular sample. The method can be used to amplify either single- or double-stranded DNA. The essence of the method involves the use of two oligonucleotide probes to serve as primers for the template-dependent, polymerase-mediated replication of a desired nucleic acid molecule.

A wide variety of alternative cloning and *in vitro* amplification methodologies are well known to those skilled in the art. Examples of these techniques are found in, for example, Berger *et al.*, *Guide to Molecular Cloning Techniques*, METHODS IN ENZYMOLOGY 152 Academic Press, San Diego, CA, which is incorporated herein by reference in its entirety.

The nucleic acid molecules of the present invention, and fragments derived therefrom, are useful for screening for restriction fragment length polymorphism (RFLP) associated with certain disorders, as well as for genetic mapping.

15 Antibodies

5

10

20

25

30

Also comprehended by the present invention are antibodies (*e.g.*, monoclonal and polyclonal antibodies, single chain antibodies, chimeric antibodies, bifunctional/bispecific antibodies, humanized antibodies, human antibodies, and complementary determining region (CDR)-grafted antibodies, including compounds which include CDR sequences which specifically recognize a polypeptide of the invention) specific for NgR or fragments thereof. Preferred antibodies of the invention are human antibodies which are produced and identified according to methods described in WO93/11236, published June 20, 1993, which is incorporated herein by reference in its entirety. Antibody fragments, including Fab, Fab', F(ab')₂, and F_v, are also provided by the invention. The term "specific for," when used to describe antibodies of the invention, indicates that the variable regions of the antibodies of the invention recognize and bind NgR polypeptides exclusively (*i.e.*, are able to distinguish NgR polypeptides from other known NgR polypeptides by virtue of measurable differences in binding affinity, despite the possible existence of localized sequence identity, homology, or similarity between NgR and such polypeptides).

The antigenic peptide of NgR comprises at least 8 amino acid residues of the amino acid sequence shown in SEQ ID NO:2, 4 or 14 and encompasses an epitope of

- 63 -

NgR such that an antibody raised against the peptide forms a specific immune complex with NgR. Preferably, the antigenic peptide comprises at least 10 amino acid residues, more preferably at least 15 amino acid residues, even more preferably at least 20 amino acid residues, and most preferably at least 30 amino acid residues. Preferred epitopes encompassed by the antigenic peptide are regions of NgR that are located on the surface of the protein, e.g., hydrophilic regions.

It will be understood that specific antibodies may also interact with other proteins (for example, *S. aureus* protein A or other antibodies in ELISA techniques) through interactions with sequences outside the variable region of the antibodies, and, in particular, in the constant region of the molecule. Screening assays to determine binding specificity of an antibody of the invention are well known and routinely practiced in the art. For a comprehensive discussion of such assays, see Harlow *et al.* in ANTIBODIES: A LABORATORY MANUAL, Cold Spring Harbor Laboratory Press; Cold Spring Harbor, NY (1988), Chapter 6. Antibodies that recognize and bind fragments of the NgR polypeptides of the invention are also contemplated, provided that the antibodies are specific for NgR polypeptides. Antibodies of the invention can be produced using any method well known and routinely practiced in the art.

For the production of polyclonal antibodies, various suitable host animals (e.g., rabbit, goat, mouse or other mammal) may be immunized by injection with the native protein, or a synthetic variant thereof, or a derivative of the foregoing. An appropriate immunogenic preparation can contain, for example, recombinantly expressed NgR protein or a chemically synthesized NgR polypeptide. The preparation can further include an adjuvant. Various adjuvants used to increase the immunological response include, but are not limited to, Freund's (complete and incomplete), mineral gels (e.g., aluminum hydroxide), surface active substances (e.g., lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, dinitrophenol, etc.), human adjuvants such as Bacille Calmette-Guerin and Corynebacterium parvum or similar immunostimulatory agents. If desired, the antibody molecules directed against NgR can be isolated from the mammal (e.g., from the blood) and further purified by well known techniques, such as protein A chromatography to obtain the IgG fraction.

The term "monoclonal antibody" or "monoclonal antibody composition," as used herein, refers to a population of antibody molecules that contain only one species

5

10

15

20

25

- 64 -

of an antigen binding site capable of immunoreacting with a particular epitope of NgR. A monoclonal antibody composition thus typically displays a single binding affinity for a particular NgR protein with which it immunoreacts. For preparation of monoclonal antibodies directed towards a particular NgR protein, or derivatives, fragments, analogs or homologs thereof, any technique that provides for the production of antibody molecules by continuous cell line culture may be utilized. Such techniques include, but are not limited to, the hybridoma technique (see Kohler and Milstein (1975) *Nature* 256, 495-497); the trioma technique; the human B-cell hybridoma technique (see Kozbor *et al.*, (1983) *Immunol. Today* 4, 72) and the EBV hybridoma technique to produce human monoclonal antibodies (see Cole *et al.*, (1985) in MONOCLONAL ANTIBODIES AND CANCER THERAPY, Alan R. Liss, Inc., pp. 77-96). Human monoclonal antibodies may be utilized in the practice of the present invention and may be produced by using human hybridomas (see Cote *et al.*, (1983) *Proc. Natl. Acad. Sci. USA* 80, 2026-2030) or by transforming human B-cells with Epstein Barr Virus *in vitro* (see Cole *et al.*, (1985), above).

According to the invention, techniques can be adapted for the production of single-chain antibodies specific to a NgR protein (see e.g., U.S. Patent No. 4,946,778). In addition, methods can be adapted for the construction of Fab expression libraries (see e.g., Huse et al., (1989) Science 246, 1275-1281) to allow rapid and effective identification of monoclonal F_{ab} fragments with the desired specificity for a NgR protein or derivatives, fragments, analogs or homologs thereof. Non-human antibodies can be "humanized" by techniques well known in the art. See e.g., U.S. Patent No. 5,225,539. In one method, the non-human CDRs are inserted into a human antibody or consensus antibody framework sequence. Further changes can then be introduced into the antibody framework to modulate affinity or immunogenicity. Antibody fragments that contain the idiotypes to a NgR protein may be produced by techniques known in the art including, but not limited to: (i) an F(ab')₂ fragment produced by pepsin digestion of an antibody molecule; (ii) an Fab fragment generated by reducing the disulfide bridges of an F(ab')₂ fragment; (iii) an Fab fragment generated by the treatment of the antibody molecule with papain and a reducing agent and (iv) F v fragments.

5

10

15

20

25

WO 02/29059

5

10

15

20

25

30

Additionally, recombinant anti-NgR antibodies, such as chimeric and humanized monoclonal antibodies, comprising both human and non-human portions, which can be made using standard recombinant DNA techniques, are within the scope of the invention. Such chimeric and humanized monoclonal antibodies can be produced by recombinant DNA techniques known in the art, for example using methods described in PCT International Application No. PCT/US86/02269; European Patent Application No. 184,187; European Patent Application No. 171,496; European Patent Application No. 173,494; PCT International Publication No. WO 86/01533; U.S. Pat. No. 4,816,567; European Patent Application No. 125,023; Better et al., (1988) Science 240, 1041-1043; Liu et al., (1987) Proc. Natl. Acad. Sci. USA 84, 3439-3443; Liu et al., (1987) J. Immunol. 139, 3521-3526; Sun et al., (1987) Proc. Natl. Acad. Sci. USA 84, 214-218; Nishimura et al., (1987) Cancer Res. 47, 999-1005; Wood et al., (1985) Nature 314, 446-449; Shaw et al., (1988) J. Natl. Cancer Inst. 80, 1553-1559); Morrison (1985) Science 229, 1202-1207; Oi et al., (1986) BioTechniques 4, 214; U.S. Patent. No. 5,225,539; Jones et al., (1986) Nature 321, 552-525; Verhoeyan et al., (1988) Science 239, 1534; and Beidler et al., (1988) J. Immunol. 141, 4053-4060.

In a preferred embodiment of the invention a portion of a NgR is joined to an Fc portion of an antibody to form a NgR/Fc fusion protein. Preferably, the Ig fusion protein is soluble. The NgR/Fc fusion protein may be formed by recombinant techniques as described above. In one embodiment, a portion of a NgR including the entire amino acid sequence of NgR except the C-terminal hydrophobic region is fused to an Fc portion of an antibody. In preferred embodiments, the NgR is a human NgR and the Fc is also human. More preferably, the human Fc portion is derived from an IgG antibody. In other embodiments, the N-terminal signal sequence is omitted. Such antibodies are useful in binding Nogo to prevent Nogo signaling through the NgR.

In one embodiment, methods for the screening of antibodies that possess the desired specificity include, but are not limited to, enzyme-linked immunosorbent assay (ELISA) and other immunologically-mediated techniques known within the art. In a specific embodiment, selection of antibodies that are specific to a particular domain of a NgR protein is facilitated by generation of hybridomas that bind to the fragment of a NgR protein possessing such a domain. Antibodies that are specific for one or more

10

15

20

25

30

domains within a NgR protein, e.g., domains spanning the above-identified conserved regions of NgRs, or derivatives, fragments analogs or homologs thereof, are also provided herein.

Anti-NgR antibodies may be used in methods known within the art relating to the localization and/or quantitation of a NgR protein (e.g., for use in measuring levels of the NgR protein within appropriate physiological samples, for use in diagnostic methods, for use in imaging the protein, and the like). In a given embodiment, antibodies for NgR proteins, or derivatives, fragments analogs or homologs thereof, that contain the antibody derived binding domain, are utilized as pharmacologically-active compounds [hereinafter "Therapeutics"].

An anti-NgR antibody (e.g., monoclonal antibody) can be used to isolate NgR by standard techniques, such as affinity chromatography or immunoprecipitation. An anti-NgR antibody can facilitate the purification of natural NgR from cells and of recombinantly produced NgR expressed in host cells. Moreover, an anti-NgR antibody can be used to detect NgR protein (e.g., in a cellular lysate or cell supernatant) in order to evaluate the abundance and pattern of expression of the NgR protein. Anti-NgR antibodies can be used diagnostically to monitor protein levels in tissue as part of a clinical testing procedure, e.g., to, for example, determine the efficacy of a given treatment regimen. Detection can be facilitated by coupling (i.e., physically linking) the antibody to a detectable substance. Examples of detectable substances include various enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials and radioactive materials. Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, β-galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin and aequorin, and examples of suitable radioactive material include 125 L, 131 L, 35 S or 3 H.

Another aspect of the present invention is directed to methods of inducing an immune response in a mammal against a polypeptide of the invention by administering

10

15

20

25

30

to the mammal an amount of the polypeptide sufficient to induce an immune response. The amount will be dependent on the animal species, size of the animal, and the like but can be determined by those skilled in the art.

Another aspect of the invention is directed to anti-idiotypic antibodies and anti-anti-idiotypic antibodies. An anti-idiotypic antibody is an antibody that recognizes determinants of another antibody (a target antibody). Generally, the anti-idiotypic antibody recognizes determinants of the antigen-binding site of the target antibody. Typically, the target antibody is a monoclonal antibody. An anti-idiotypic antibody is generally prepared by immunizing an animal (particularly, mice) of the same species and genetic type as the source of the target monoclonal antibody, with the target monoclonal antibody. The immunized animal mounts an immune response to the idiotypic determinants of the target monoclonal antibody and produces antibodies against the idiotypic determinants of the target monoclonal antibody. Antibody-producing cells, such as splenic cells, of the immunized animal may be used to generate anti-idiotypic monoclonal antibodies. Furthermore, an anti-idiotypic antibody may also be used to immunize animals to produce anti-anti-idiotypic antibodies. These immunized animals may be used to generate anti-anti-idiotypic monoclonal antibodies using standard techniques. The anti-anti-idiotypic antibodies may bind to the same epitope as the original, target monoclonal antibody used to prepare the anti-idiotypic antibody. The anti-anti-idiotypic antibodies represent other monoclonal antibodies with the same antigen specificity as the original target monoclonal antibody.

If the binding of the anti-idiotypic antibody with the target antibody is inhibited by the relevant antigen of the target antibody, and if the anti-idiotypic antibody induces an antibody response with the same specificity as the target antibody, it mimics the antigen of the target antibody. Such an anti-idiotypic antibody is an "internal image anti-idiotype" and is capable of inducing an antibody response as if it were the original antigen. (Bona and Kohler (1984) ANTI-IDIOTYPIC ANTIBODIES AND INTERNAL IMAGE, IN MONOCLONAL AND ANTI-IDIOTYPIC ANTIBODIES: PROBES FOR RECEPTOR STRUCTURE AND FUNCTION, Venter J.C. et al. (Eds), Alan R. Liss, New York, NY, pp 141-149, 1984). Vaccines incorporating internal image anti-idiotype antibodies have been shown to induce protective responses against viruses, bacteria, and parasites (Kennedy

10

15

20

25

30

et al., (1986) 232, 220-223; 1047; McNamara et al., (1985) Science 226, 1325-1326). Internal image anti-idiotypic antibodies have also been shown to induce immunity to tumor related antigens (Raychauhuri et al., (1986) J. Immunol. 137, 1743-1749; Raychauhuri et al., (1987) J. Immunol. 139, 3902-3910; Bhattacharya-Chatterjee et al., (1987) J. Immunol. 139, 1354-1360; Bhattacharya-Chatterjee et al., (1988) J. Immunol. 141, 1398-1403; Herlyn. et al. (1989) Intern. Rev. Immunol. 4, 347-357; Chen et al. (1990) Cell Imm. Immunother. Cancer 351-359; Herlyn et al., (1991) in vivo 5, 615-624; Furuya et al. (1992) AntiCancer Res. 12, 27-32; Mittelman, A. et al. (1992) Proc. Natl. Acad. Sci., USA 89, 466-470; Durrant. et al., (1994) Cancer Res. 54, 4837-4840; Mittelman. et al. (1994) Cancer Res. 54, 415-421; Schmitt. et al. (1994) Hybridoma 13, 389-396; Chakrobarty. et al. (1995) J. Immunother. 18, 95-103; Chakrobarty. et al. (1995) Cancer Res. 55, 1525-1530; Foon, K. A. et al. (1995) Clin. Cancer Res. 1, 1205-1294; Herlyn et al. (1995) Hybridoma 14, 159-166; Sclebusch et al. (1995) Hybridoma 14, 167-174; Herlyn. et al. (1996) Cancer Immunol Immunother. 43, 65-76).

Anti-idiotypic antibodies for NgR may be prepared, for example, by immunizing an animal, such as a mouse, with a immunogenic amount of a composition comprising NgR2 (SEQ ID NO:2), NgR3 (SEQ ID NOs:4 or 14), or immunogenic portion thereof, containing at least one antigenic epitope of NgR. The composition may also contain a suitable adjuvant, and any carrier necessary to provide immunogenicity. Monoclonal antibodies recognizing NgR may be prepared from the cells of the immunized animal as described above. A monoclonal antibody recognizing an epitope of NgR is then selected and used to prepare a composition comprising an immunogenic amount of the anti-NgR monoclonal antibody. Typically, a 25 to 200 µg dose of purified anti-NgR monoclonal would be sufficient in a suitable adjuvant.

Animals may be immunized 2-6 times at 14 to 30 day intervals between doses. Typically, animals are immunized by any suitable route of administration, such as intraperitoneal, subcutaneous, intravenous or a combination of these. Anti-idiotypic antibody production may be monitored during the immunization period using standard immunoassay methods. Animals with suitable titers of antibodies reactive with the target monoclonal antibodies may be reimmunized with the monoclonal antibody used as the immunogen three days before harvesting the antibody producing cells.

10

15

20

Preferably, spleen cells are used, although other antibody producing cells may be selected. Antibody-producing cells are harvested and fused with myeloma cells to produce *Hybridoma*s, as described above, and suitable anti-idiotypic antibody-producing cells are selected.

Anti-anti-idiotypic antibodies are produced by another round of immunization and *Hybridoma* production by using the anti-idiotypic monoclonal antibody as the immunogen.

Antibodies of the invention are useful for, e.g., therapeutic purposes (by modulating activity of NgR), diagnostic purposes to detect or quantitate NgR, and purification of NgR. Therefore, kits comprising an antibody of the invention for any of the purposes described herein are also comprehended.

Kits

The present invention is also directed to kits, including pharmaceutical kits. The kits can comprise any of the nucleic acid molecules described above, any of the polypeptides described above, or any antibody which binds to a polypeptide of the invention as described above, as well appropriate controls, such as positive and/or negative controls. The kit preferably comprises additional components, such as, for example, instructions, solid support, reagents helpful for quantification, and the like. For example, the kit can comprise: a labeled compound or agent capable of detecting NgR protein or mRNA in a biological sample; means for determining the amount of NgR in the sample; and means for comparing the amount of NgR in the sample with a standard. The compound or agent can be packaged in a suitable container.

25 Screening Assays

The DNA and amino acid sequence information provided by the present invention also makes possible identification of binding partner compounds with which a NgR polypeptide or polynucleotide will interact. Methods to identify binding partner compounds include solution assays, *in vitro* assays wherein NgR polypeptides are immobilized and cell-based assays. Identification of binding partner compounds of NgR polypeptides provides candidates for therapeutic or prophylactic intervention in pathologies associated with NgR normal and aberrant biological activity.

- 70 -

The invention also provides a method (also referred to herein as a "screening assay") for identifying modulators, *i.e.*, candidate or test compounds or agents (*e.g.*, peptides, peptidomimetics, small molecules (*e.g.*, molecules of less than 1,000 Daltons) or other drugs) that bind to NgR proteins or have a stimulatory or inhibitory effect on, for example, NgR expression or NgR activity.

In one embodiment, the invention provides assays for screening candidate or test compounds which bind to or modulate the activity of a NgR protein or polypeptide or biologically active portion thereof. The test compounds of the present invention can be obtained using any of the numerous approaches in combinatorial library methods known in the art, including: biological libraries; spatially addressable parallel solid phase or solution phase libraries; synthetic library methods requiring deconvolution; the "one-bead one-compound" library method; and synthetic library methods using affinity chromatography selection. The biological library approach is limited to peptide libraries, while the other four approaches are applicable to peptide, non-peptide oligomer or small molecule libraries of compounds (Lam (1997) *Anticancer Drug Des.* 12, 145).

Examples of methods for the synthesis of molecular libraries can be found in the art, for example in: DeWitt et al., (1993) Proc. Natl. Acad. Sci. USA 90, 6909; Erb et al., (1994) Proc. Natl. Acad. Sci. USA 91,11422; Zuckermann et al. (1994) J. Med. Chem 37, 2678; Cho et al., (1993) Science 261, 1303; Carrell et al., (1994) Angew Chem. Int. Ed. Engl. 33, 2059; Carell et al., (1994) Angew Chem. Int. Ed. Engl. 33, 2061; and Gallop et al., (1994) J. Med. Chem 37, 1233.

Libraries of compounds may be presented in solution (e.g., Houghten (1992) BioTechniques 13, 412-421), or on beads (Lam (1991) Nature 354, 82-84), on chips (Fodor (1993) Nature 364, 555-556), bacteria (Ladner, U.S. Patent No. 5,223,409), spores (Ladner, above), plasmids (Cull et al. (1992) Proc. Natl. Acad. Sci. USA 89, 1865-1869) or on phage (Scott and Smith (1990) Science 249, 386-390; Devlin (1990) Science 249, 404-406; Cwirla et al. (1990) Proc. Natl. Acad. Sci. USA 87, 6378-6382; Felici (1991) J. Mol. Biol. 222, 301-310; Ladner, above).

30

5

10

15

20

10

15

20

25

30

1. Cell-based Assays

The invention also provides cell-based assays to identify binding partner compounds of a NgR polypeptide. In one embodiment, the invention provides a method comprising the steps of contacting a NgR polypeptide expressed on the surface of a cell with a candidate binding partner compound and detecting binding of the candidate binding partner compound to the NgR polypeptide. In another embodiment, an assay is a cell-based assay comprising contacting a cell expressing a membrane-bound form of NgR protein, or a biologically active portion thereof, on the cell surface with a test compound and determining the ability of the test compound to modulate (e.g., stimulate or inhibit) the activity of the NgR protein or biologically active portion thereof.

In one embodiment, an assay is a cell-based assay in which a cell which expresses a membrane-bound form of NgR protein, or a biologically active portion thereof, on the cell surface is contacted with a test compound and the ability of the test compound to bind to a NgR protein determined. The cell, for example, can be of mammalian origin or a yeast cell. Determining the ability of the test compound to bind to the NgR protein can be accomplished, for example, by coupling the test compound with a radioisotope or enzymatic label such that binding of the test compound to the NgR protein or biologically active portion thereof can be determined by detecting the labeled compound in a complex. For example, test compounds can be labeled with ¹²⁵I, ³⁵S, ¹⁴C, or ³H, either directly or indirectly, and the radioisotope detected by direct counting of radioemission or by scintillation counting. Alternatively, test compounds can be enzymatically labeled with, for example, horseradish peroxidase, alkaline phosphatase or luciferase, and the enzymatic label detected by determination of conversion of an appropriate substrate to product. In one embodiment, the assay comprises contacting a cell which expresses a membrane-bound form of NgR protein or a biologically active portion thereof, on the cell surface with a known compound which binds NgR to form an assay mixture, contacting the assay mixture with a test compound, and determining the ability of the test compound to interact with a NgR protein, wherein determining the ability of the test compound to interact with a NgR protein comprises determining the ability of the test compound to preferentially bind to NgR or a biologically active portion thereof as compared to the known compound.

10

15

20

Determining the ability of the test compound to modulate the activity of NgR or a biologically active portion thereof can be accomplished, for example, by determining the ability of the NgR protein to bind to or interact with a NgR target molecule. As used herein, a "target molecule" is a molecule with which a NgR protein binds or interacts in nature, for example, a molecule on the surface of a cell which expresses a NgR protein, a molecule on the surface of a second cell, a molecule in the extracellular milieu, a molecule associated with the internal surface of a cell membrane or a cytoplasmic molecule. A NgR target molecule can be a non-NgR molecule or a NgR protein or polypeptide of the present invention. In one embodiment, a NgR target molecule is a component of a signal transduction pathway that facilitates transduction of an extracellular signal (e.g., a signal generated by binding of a compound to a membrane-bound NgR molecule) through the cell membrane and into the cell. The target, for example, can be a second intercellular protein that has catalytic activity or a protein that facilitates the association of downstream signaling molecules with NgR. In a preferred embodiment, the detection comprises detecting a calcium flux or other physiological event in the cell caused by the binding of the molecule.

Specific binding molecules, including natural ligands and synthetic compounds, can be identified or developed using isolated or recombinant NgR products, NgR variants, or preferably, cells expressing such products. Binding partners are useful for purifying NgR products and detection or quantification of NgR products in fluid and tissue samples using known immunological procedures. Binding molecules are also manifestly useful in modulating (*i.e.*, blocking, inhibiting or stimulating) biological activities of NgR, especially those activities involved in signal transduction.

25

30

2. Cell-free Assays

(a) Direct binding:

The invention includes several assay systems for identifying NgR binding partners. In solution assays, methods of the invention comprise the steps of (a) contacting a NgR polypeptide with one or more candidate binding partner compounds and (b) identifying the compounds that bind to the NgR polypeptide. Identification of the compounds that bind the NgR polypeptide can be achieved by isolating the NgR

polypeptide/binding partner complex and separating the binding partner compound from the NgR polypeptide. An additional step of characterizing the physical, biological and/or biochemical properties of the binding partner compound is also comprehended in another embodiment of the invention. In one aspect, the NgR polypeptide/binding partner complex is isolated using an antibody immunospecific for either the NgR polypeptide or the candidate binding partner compound.

In still other embodiments, either the NgR polypeptide or the candidate binding partner compound comprises a label or tag that facilitates its isolation, and methods of the invention to identify binding partner compounds include a step of isolating the NgR polypeptide/binding partner complex through interaction with the label or tag. An exemplary tag of this type is a poly-histidine sequence, generally around six histidine residues, that permits isolation of a compound so labeled using nickel chelation. Other labels and tags, such as the FLAG® tag (Eastman Kodak, Rochester, NY), well known and routinely used in the art, are embraced by the invention.

15

20

25

30

10

5

(b) Immobilized NgR

In one variation of an in vitro assay, the invention provides a method comprising the steps of (a) contacting an immobilized NgR polypeptide, or a biologically active fragment thereof with a candidate binding partner compound and (b) detecting binding of the candidate compound to the NgR polypeptide. In an alternative embodiment, the candidate binding partner compound is immobilized and binding of NgR is detected. Immobilization is accomplished using any of the methods well known in the art, including covalent bonding to a support, a bead or a chromatographic resin, as well as non-covalent, high affinity interactions such as antibody binding, or use of streptavidin/biotin binding wherein the immobilized compound includes a biotin moiety. Binding of a test compound to NgR, or interaction of NgR with a target molecule in the presence and absence of a candidate compound, can be accomplished in any vessel suitable for containing the reactants. Examples of such vessels include microtiter plates, test tubes, and micro-centrifuge tubes. In one embodiment, a fusion protein can be provided that adds a domain that allows one or both of the proteins to be bound to a matrix. For example, and not by way of limitation, GST-NgR fusion proteins or GST-target fusion proteins can be

10

15

20

25

30

adsorbed onto glutathione sepharose beads (Sigma Chemical, St. Louis, MO) or glutathione derivatized microtiter plates, that are then combined with the test compound or the test compound and either the non-adsorbed target protein or NgR protein, and the mixture is incubated under conditions conducive to complex formation (e.g., at physiological conditions for salt and pH). Following incubation, the beads or microtiter plate wells are washed to remove any unbound components, the matrix immobilized in the case of beads, and the complexes determined either directly or indirectly, for example, as described above. Alternatively, the complexes can be dissociated from the matrix, and the level of NgR binding or activity determined using standard techniques.

Other techniques for immobilizing proteins on matrices can also be used in the screening assays of the invention. For example, either NgR or its target molecule can be immobilized utilizing conjugation of biotin and streptavidin. Biotinylated NgR or target molecules can be prepared from biotin-NHS (N-hydroxy-succinimide) using techniques well known in the art (e.g., biotinylation kit, Pierce Chemicals, Rockford, IL), and immobilized in the wells of streptavidin-coated 96 well plates (Pierce Chemical). Alternatively, antibodies reactive with NgR or target molecules, but which do not interfere with binding of the NgR protein to its target molecule, can be derivatized to the wells of the plate, and unbound target or NgR trapped in the wells by antibody conjugation. Methods for detecting such complexes, in addition to those described above for the GST-immobilized complexes, include immunodetection of complexes using antibodies reactive with the NgR or target molecule, as well as enzyme-linked assays that rely on detecting an enzymatic activity associated with the NgR or target molecule.

Detection of binding can be accomplished (i) using a radioactive label on the compound that is not immobilized, (ii) using of a fluorescent label on the non-immobilized compound, (iii) using an antibody immunospecific for the non-immobilized compound, (iv) using a label on the non-immobilized compound that excites a fluorescent support to which the immobilized compound is attached, (v) determining the activity of the NgR, as well as other techniques well known and routinely practiced in the art.

10

15

20

25

30

Determining the activity of the target molecule, for example, may be accomplished by detecting induction of a cellular second messenger of the target (i.e. intracellular Ca²⁺, diacylglycerol, IP₃, etc.), detecting catalytic/enzymatic activity of the target an appropriate substrate, detecting the induction of a reporter gene (comprising a NgR-responsive regulatory element operatively linked to a nucleic acid encoding a detectable marker, e.g., luciferase), or detecting a cellular response, for example, cell survival, cellular differentiation, or cell proliferation.

(c) Competition experiments

In yet another embodiment, the assay comprises contacting the NgR protein or biologically active portion thereof with a known compound which binds NgR to form an assay mixture, contacting the assay mixture with a test compound, and determining the ability of the test compound to interact with a NgR protein, wherein determining the ability of the test compound to interact with a NgR protein comprises determining the ability of the test compound to preferentially bind to NgR or biologically active portion thereof as compared to the known compound.

In yet another embodiment, the cell-free assay comprises contacting the NgR protein or biologically active portion thereof with a known compound which binds NgR to form an assay mixture, contacting the assay mixture with a test compound, and determining the ability of the test compound to interact with a NgR protein, wherein determining the ability of the test compound to interact with a NgR protein comprises determining the ability of the NgR protein to modulate the activity of a NgR target molecule.

The cell-free assays of the present invention are amenable to use of both the soluble form or the membrane-bound form of NgR. In the case of cell-free assays comprising the membrane-bound form of NgR, it may be desirable to utilize a solubilizing agent such that the membrane-bound form of NgR is maintained in solution. Examples of such solubilizing agents include non-ionic detergents such as noctylglucoside, n-dodecylglucoside, n-dodecylmaltoside, octanoyl-N-methylglucamide, decanoyl-N-methylglucamide, Triton[®] X-100, Triton[®] X-114, Thesit[®], Isotridecypoly(ethylene glycol ether)_n, 3-(3-cholamidopropyl)dimethylamminiol-1-propane sulfonate (CHAPS), 3-(3-cholamidopropyl)dimethylamminiol-2-hydroxy-1-

WO 02/29059 PCT/US01/31488

- 76 -

٠,,

propane sulfonate (CHAPSO), or N-dodecyl-N,N-dimethyl-3-ammonio-1-propane sulfonate.

Modulators

5

10

15

20

25

30

Agents that modulate (*i.e.*, increase, decrease, or block) NgR activity or expression may be identified by incubating a putative modulator with a cell containing a NgR polypeptide or polynucleotide and determining the effect of the putative modulator on NgR activity or expression. The selectivity of a compound that modulates the activity of NgR can be evaluated by comparing its effects on NgR to its effect on other NgR compounds. Selective modulators may include, for example, antibodies and other proteins, peptides or organic molecules which specifically bind to a NgR polypeptide or a NgR-encoding nucleic acid. Modulators of NgR activity will be therapeutically useful in treatment of diseases and physiological conditions in which normal or aberrant NgR activity is involved. NgR polynucleotides, polypeptides and modulators may be used in the treatment of such diseases and conditions associated with demyelination. NgR polynucleotides and polypeptides, as well as NgR modulators, may also be used in diagnostic assays for such diseases or conditions.

Methods of the invention to identify modulators include variations on any of the methods described above to identify binding partner compounds, the variations including techniques wherein a binding partner compound has been identified and the binding assay is carried out in the presence and absence of a candidate modulator. A modulator is identified in those instances where binding between the NgR polypeptide and the binding partner compound changes in the presence of the candidate modulator compared to binding in the absence of the candidate modulator compound. A modulator that increases binding between the NgR polypeptide and the binding partner compound is described as an enhancer or activator, and a modulator that decreases binding between the NgR polypeptide and the binding partner compound is described as an inhibitor.

In another embodiment, modulators of NgR expression may be identified in a method wherein a cell is contacted with a candidate compound and the expression of NgR mRNA or protein in the cell is determined. The level of expression of NgR mRNA or protein in the presence of the candidate compound is compared to the level

of expression of NgR mRNA or protein in the absence of the candidate compound. The candidate compound can then be identified as a modulator of NgR expression based on this comparison. For example, when expression of NgR mRNA or protein is greater (statistically significantly greater) in the presence of the candidate compound than in its absence, the candidate compound is identified as a stimulator of NgR mRNA or protein expression. Alternatively, when expression of NgR mRNA or protein is less (statistically significantly less) in the presence of the candidate compound than in its absence, the candidate compound is identified as an inhibitor of NgR mRNA or protein expression. The level of NgR mRNA or protein expression in the cells can be determined by methods described herein for detecting NgR mRNA or protein.

High Throughput Screening

5

10

15

20

25

30

The invention also comprehends high-throughput screening (HTS) assays to identify compounds that interact with or inhibit biological activity (*i.e.*, affect enzymatic activity, binding activity, etc.) of a NgR polypeptide. HTS assays permit screening of large numbers of compounds in an efficient manner. Cell-based HTS systems are contemplated to investigate NgR receptor-ligand interaction. HTS assays are designed to identify "hits" or "lead compounds" having the desired property, from which modifications can be designed to improve the desired property. Chemical modification of the "hit" or "lead compound" is often based on an identifiable structure/activity relationship between the "hit" and the NgR polypeptide.

Another aspect of the present invention is directed to methods of identifying compounds that bind to either NgR or nucleic acid molecules encoding NgR, comprising contacting NgR, or a nucleic acid molecule encoding the same, with a compound, and determining whether the compound binds NgR or a nucleic acid molecule encoding the same. Binding can be determined by binding assays which are well known to the skilled artisan, including, but not limited to, gel-shift assays, Western blots, radiolabeled competition assay, phage-based expression cloning, co-fractionation by chromatography, co-precipitation, cross linking, interaction trap/two-hybrid analysis, southwestern analysis, ELISA, and the like, which are described in, for example, Ausubel *et al.* (Eds.), CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, 1999, John Wiley & Sons, NY, which is incorporated herein by reference in

WO 02/29059 PCT/US01/31488

- 78 -

its entirety. The NgR proteins, for example, can be used as "bait proteins" in a two-hybrid assay or three hybrid assay (see, e.g., U.S. Patent No. 5,283,317; Zervos et al., (1993) Cell 72, 223-232; Madura et al., (1993) J. Biol. Chem. 268, 12046-12054; Bartel et al., (1993) BioTechniques 14, 920-924; Iwabuchi et al., (1993) Oncogene 8, 1693-1696; and Brent WO 94/10300), to identify other proteins that bind to or interact with NgR ("NgR-binding proteins" or "NgR-bp") and modulate NgR activity. Such NgR-binding proteins are also likely to be involved in the propagation of signals by the NgR proteins as, for example, upstream or downstream elements of the NgR pathway.

Other assays may be used to identify specific ligands of a NgR receptor, including assays that identify ligands of the target protein through measuring direct binding of test ligands to the target protein, as well as assays that identify ligands of target proteins through affinity ultrafiltration with ion spray mass spectroscopy/HPLC methods or other physical and analytical methods. Alternatively, such binding interactions are evaluated indirectly using the yeast two-hybrid system described in Fields et al., (1989) Nature 340, 245-246, and Fields et al., (1994) Trends Genet. 10, 286-292, both of which are incorporated herein by reference. The two-hybrid system is a genetic assay based on the modular nature of most transcription factors used for detecting interactions between two proteins or polypeptides. It can be used to identify proteins that bind to a known protein of interest, or to delineate domains or residues critical for an interaction. Variations on this methodology have been developed to clone genes that encode DNA binding proteins, to identify peptides that bind to a protein, and to screen for drugs. The two-hybrid system exploits the ability of a pair of interacting proteins to bring a transcription activation domain into close proximity with a DNA binding domain that binds to an upstream activation sequence (UAS) of a reporter gene, and is generally performed in yeast. The assay requires the construction of two hybrid genes encoding (1) a DNA-binding domain that is fused to a first protein and (2) an activation domain fused to a second protein. The DNA-binding domain targets the first hybrid protein to the UAS of the reporter gene; however, because most proteins lack an activation domain, this DNA-binding hybrid protein does not activate transcription of the reporter gene. The second hybrid protein, which contains the activation domain, cannot by itself activate expression of the reporter gene because it does not bind the UAS. However, when both hybrid proteins are present, the

5

10

15

20

25

noncovalent interaction of the first and second proteins tethers the activation domain to the UAS, activating transcription of the reporter gene. For example, when the first protein is a NgR gene product, or fragment thereof, that is known to interact with another protein or nucleic acid, this assay can be used to detect agents that interfere with the binding interaction. Expression of the reporter gene is monitored as different test agents are added to the system. The presence of an inhibitory agent results in lack of a reporter signal. The compounds to be screened include (which may include compounds that are suspected to bind NgR, or a nucleic acid molecule encoding the same), but are not limited to, extracellular, intracellular, biological or chemical origin.

10

15

5

The function of the NgR gene product is unclear and no ligands have yet been found which bind the gene product. The yeast two-hybrid assay is useful to identify proteins that bind to the gene product. In an assay to identify proteins that bind to a NgR receptor, or fragment thereof, a fusion polynucleotide encoding both a NgR receptor (or fragment) and a UAS binding domain (*i.e.*, a first protein) may be used. In addition, a large number of hybrid genes each encoding a different second protein fused to an activation domain are produced and screened in the assay. Typically, the second protein is encoded by one or more members of a total cDNA or genomic DNA fusion library, with each second protein-coding region being fused to the activation domain. This system is applicable to a wide variety of proteins, and it is not even necessary to know the identity or function of the second binding protein. The system is highly sensitive and can detect interactions not revealed by other methods; even transient interactions may trigger transcription to produce a stable mRNA that can be repeatedly translated to yield the reporter protein.

20

25

30

Other assays may be used to search for agents that bind to the target protein. One such screening method to identify direct binding of test ligands to a target protein is described in U.S. Patent No. 5,585,277, incorporated herein by reference. This method relies on the principle that proteins generally exist as a mixture of folded and unfolded states, and continually alternate between the two states. When a test ligand binds to the folded form of a target protein (*i.e.*, when the test ligand is a ligand of the target protein), the target protein molecule bound by the ligand remains in its folded state. Thus, the folded target protein is present to a greater extent in the presence of a test ligand which binds the target protein, than in the absence of a ligand. Binding of

10

15

20

25

30

the ligand to the target protein can be determined by any method which distinguishes between the folded and unfolded states of the target protein. The function of the target protein need not be known in order for this assay to be performed. Virtually any agent can be assessed by this method as a test ligand, including, but not limited to, metals, polypeptides, proteins, lipids, polysaccharides, polynucleotides and small organic molecules.

Another method for identifying ligands of a target protein is described in Wieboldt et al. (1997) Anal. Chem. 69:1683-1691, incorporated herein by reference. This technique screens combinatorial libraries of 20-30 agents at a time in solution phase for binding to the target protein. Agents that bind to the target protein are separated from other library components by simple membrane washing. The specifically selected molecules that are retained on the filter are subsequently liberated from the target protein and analyzed by HPLC and pneumatically assisted electrospray (ion spray) ionization mass spectroscopy. This procedure selects library components with the greatest affinity for the target protein, and is particularly useful for small molecule libraries.

The methods of the invention also embrace ligands, especially neuropeptides, that are attached to a label, such as a radiolabel (e.g., 125 I, 35 S, 32 P, 33 P, 3 H), a fluorescence label, a chemiluminescent label, an enzymic label and an immunogenic label. Modulators falling within the scope of the invention include, but are not limited to, non-peptide molecules such as non-peptide mimetics, non-peptide allosteric effectors, and peptides. The NgR polypeptide or polynucleotide employed in such a test may either be free in solution, attached to a solid support, borne on a cell surface or located intracellularly or associated with a portion of a cell. One skilled in the art can, for example, measure the formation of complexes between NgR and the compound being tested. Alternatively, one skilled in the art can examine the diminution in complex formation between NgR and its substrate caused by the compound being tested.

Another aspect of the present invention is directed to methods of identifying compounds which modulate (i.e., increase or decrease) activity of NgR comprising contacting NgR with a compound, and determining whether the compound modifies activity of NgR. The activity in the presence of the test compared is measured to the

10

15...

activity in the absence of the test compound. Where the activity of the sample containing the test compound is higher than the activity in the sample lacking the test compound, the compound will have increased activity. Similarly, where the activity of the sample containing the test compound is lower than the activity in the sample lacking the test compound, the compound will have inhibited activity.

The present invention is particularly useful for screening compounds by using NgR in any of a variety of drug screening techniques. The compounds to be screened include (which may include compounds which are suspected to modulate NgR activity), but are not limited to, extracellular, intracellular, biologic or chemical origin. The NgR polypeptide employed in such a test may be in any form, preferably, free in solution, attached to a solid support, borne on a cell surface or located intracellularly. One skilled in the art can, for example, measure the formation of complexes between NgR and the compound being tested. Alternatively, one skilled in the art can examine the diminution in complex formation between Nogo-R and its substrate caused by the compound being tested.

The activity of NgR polypeptides of the invention can be determined by, for example, examining the ability to bind or be activated by chemically synthesized peptide ligands. Alternatively, the activity of the NgR can be assayed by examining their ability to bind calcium ions, hormones, chemokines, neuropeptides, 20 neurotransmitters, nucleotides, lipids, odorants and photons. Alternatively, the activity of the NgR can be determined by examining the activity of effector molecules including, but not limited to, adenylate cyclase, phospholipases and ion channels. Thus, modulators of NgR activity may alter a NgR receptor function, such as a binding property of a receptor or an activity. In various embodiments of the method, the assay may take the form of an ion flux assay, a yeast growth assay, a non-hydrolyzable GTP 25 assay such as a [35S]-GTP S assay, a cAMP assay, an inositol triphosphate assay, a diacylglycerol assay, an Aequorin assay, a Luciferase assay, a FLIPR assay for intracellular Ca²⁺ concentration, a mitogenesis assay, a MAP Kinase activity assay, an arachidonic acid release assay (e.g., using [3H]-arachidonic acid) and an assay for 30 extracellular acidification rates, as well as other binding or function-based assays of NgR activity that are generally known in the art. NgR activity can be determined by methodologies that are used to assay for FaRP activity, which is well known to those

skilled in the art. Biological activities of NgR receptors according to the invention include, but are not limited to, the binding of a natural or an unnatural ligand, as well as any one of the functional activities of NgRs known in the art. Non-limiting examples of NgR activities include transmembrane signaling of various forms, which may involve phosphatidylinositol (PI) association and/or the exertion of an influence over PI; another exemplary activity of NgRs is the binding of accessory proteins or polypeptides that differ from known GPI proteins.

The modulators of the invention exhibit a variety of chemical structures, which can be generally grouped into non-peptide mimetics of natural NgR receptor ligands, peptide and non-peptide allosteric effectors of NgR receptors, and peptides that may function as activators or inhibitors (competitive, uncompetitive and non-competitive) (e.g., antibody products) of NgR receptors. The invention does not restrict the sources for suitable modulators, which may be obtained from natural sources such as plant, animal or mineral extracts, or non-natural sources such as small molecule libraries, including the products of combinatorial chemical approaches to library construction, and peptide libraries.

Other assays can be used to examine enzymatic activity including, but not limited to, photometric, radiometric, HPLC, electrochemical, and the like, which are described in, for example, ENZYME ASSAYS: A PRACTICAL APPROACH, Eisenthal and Danson (Eds.), 1992, Oxford University Press, which is incorporated herein by reference in its entirety.

The use of cDNAs in drug discovery programs is well-known; assays capable of testing thousands of unknown compounds per day in high-throughput screens (HTSs) are thoroughly documented. The literature is replete with examples of the use of radiolabelled ligands in HTS binding assays for drug discovery (see Williams (1991) *Med. Res. Rev.*, 11, 147-184; Sweetnam *et al.*, (1993) *J. Nat. Prod.* 56, 441-455 for review). Recombinant receptors are preferred for binding assay HTS because they allow for better specificity (higher relative purity), provide the ability to generate large amounts of receptor material, and can be used in a broad variety of formats (see Hodgson (1992) *Bio/Technology* 10, 973-980; each of which is incorporated herein by reference in its entirety).

5

10

15

20

25

WO 02/29059

- 83 -

PCT/US01/31488

A variety of heterologous systems is available for functional expression of recombinant receptors that are well known to those skilled in the art. Such systems include bacteria (Strosberg et al. (1992) Trends Pharmacol. Sci. 13, 95-98), yeast (Pausch (1997) Trends Biotechnol. 15, 487-494), several kinds of insect cells (Vanden Broeck (1996) Int. Rev. Cytol. 164, 189-268), amphibian cells (Jayawickreme et al. (1997) Curr. Opin. Biotechnol. 8, 629-634) and several mammalian cell lines (CHO, HEK293, COS, etc.; see Gerhardt et al. (1997) Eur. J. Pharmacol. 334, 1-23). These examples do not preclude the use of other possible cell expression systems, including cell lines obtained from nematodes (PCT application WO 98/37177).

In preferred embodiments of the invention, methods of screening for compounds which modulate NgR activity comprise contacting test compounds with NgR and assaying for the presence of a complex between the compound and NgR. In such assays, the ligand is typically labeled. After suitable incubation, free ligand is separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability of the particular compound to bind to NgR.

In another embodiment of the invention, high throughput screening for compounds having suitable binding affinity to NgR is employed. Briefly, large numbers of different small peptide test compounds are synthesized on a solid substrate. The peptide test compounds are contacted with NgR and washed. Bound NgR is then detected by methods well known in the art. Purified polypeptides of the invention can also be coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies can be used to capture the protein and immobilize it on the solid support.

Generally, an expressed NgR can be used for HTS binding assays in conjunction with its defined ligand. The identified peptide is labeled with a suitable radioisotope, including, but not limited to, ¹²⁵I, ³H, ³⁵S or ³²P, by methods that are well known to those skilled in the art. Alternatively, the peptides may be labeled by well-known methods with a suitable fluorescent derivative (Baindur *et al.* (1994) *Drug Dev. Res.* 33, 373-398; Rogers (1997) *Drug Discov. Today* 2, 156-160). Radioactive ligand specifically bound to the receptor in membrane preparations made from the cell line expressing the recombinant protein can be detected in HTS assays in one of several standard ways, including filtration of the receptor-ligand complex to separate

5

10

15

20

25

WO 02/29059

5

10

15

20

25

30

- 84 -

PCT/US01/31488

bound ligand from unbound ligand (Williams (1991) Med. Res. Rev. 11, 147-184; Sweetnam et al. (1993) J. Nat. Prod. 56, 441-455). Alternative methods include a scintillation proximity assay (SPA) or a FlashPlate format in which such separation is unnecessary (Nakayama (1998) Curr. Opin. Drug Disc. Dev. 1, 85-91 Possé et al. (1998) J. Biomol. Screening 3, 285-292). Binding of fluorescent ligands can be detected in various ways, including fluorescence energy transfer (FRET), direct spectrophotofluorometric analysis of bound ligand, or fluorescence polarization (Rogers (1997) Drug Discov. Today 2, 156-160; Hill (1998) Curr. Opin. Drug Disc. Dev. 1, 92-97).

Examples of such biological responses include, but are not limited to, the following: the ability to survive in the absence of a limiting nutrient in specifically engineered yeast cells (Pausch (1997) *Trends in Biotechnol*. 15, 487-494); changes in intracellular Ca²⁺ concentration as measured by fluorescent dyes (Murphy *et al.* (1998) *Cur. Opin. Drug Disc. Dev.* 1, 192-199). Fluorescence changes can also be used to monitor ligand-induced changes in membrane potential or intracellular pH; an automated system suitable for HTS has been described for these purposes (Schroeder *et al.* (1996) *J. Biomol. Screening* 1, 75-80). Melanophores prepared from *Xenopus laevis* show a ligand-dependent change in pigment organization in response to heterologous NgR activation; this response is adaptable to HTS formats (Jayawickreme *et al.* (1997) *Curr. Opin. Biotechnol.* 8, 629-634). Assays are also available for the measurement of common second messengers, including cAMP, phosphoinositides and arachidonic acid, but these are not generally preferred for HTS.

Preferred methods of HTS employing these receptors include permanently transfected CHO cells, in which agonists and antagonists can be identified by the ability to transduce the signal for the binding of Nogo in membranes prepared from these cells through the putative GPI anchor. In another embodiment of the invention, permanently transfected CHO cells could be used for the preparation of membranes which contain significant amounts of the recombinant receptor proteins; these membrane preparations would then be used in receptor binding assays, employing the radiolabelled ligand specific for the particular receptor. Alternatively, a functional assay, such as fluorescent monitoring of ligand-induced changes in internal Ca²⁺ concentration or membrane potential in permanently transfected CHO cells containing

10

15

20

25

30

each of these receptors individually or in combination would be preferred for HTS.

Equally preferred would be an alternative type of mammalian cell, such as HEK293 or COS cells, in similar formats. More preferred would be permanently transfected insect cell lines, such as *Drosophila* S2 cells. Even more preferred would be recombinant yeast cells expressing the *Drosophila melanogaster* receptors in HTS formats well known to those skilled in the art (e.g., Pausch (1997), above).

The invention contemplates a multitude of assays to screen and identify inhibitors of ligand binding to NgR receptors. In one example, the NgR receptor is immobilized and interaction with a binding partner is assessed in the presence and absence of a candidate modulator such as an inhibitor compound. In another example, interaction between the NgR receptor and its binding partner is assessed in a solution assay, both in the presence and absence of a candidate inhibitor compound. In either assay, an inhibitor is identified as a compound that decreases binding between the NgR receptor and its binding partner. Another contemplated assay involves a variation of the di-hybrid assay wherein an inhibitor of protein/protein interactions is identified by detection of a positive signal in a transformed or transfected host cell, as described in PCT publication number WO 95/20652, published August 3, 1995.

Candidate modulators contemplated by the invention include compounds selected from libraries of either potential activators or potential inhibitors. There are a number of different libraries used for the identification of small molecule modulators, including: (1) chemical libraries, (2) natural product libraries, and (3) combinatorial libraries comprised of random peptides, oligonucleotides or organic molecules. Chemical libraries consist of random chemical structures, some of which are analogs of known compounds or analogs of compounds that have been identified as "hits" or "leads" in other drug discovery screens, some of which are derived from natural products, and some of which arise from non-directed synthetic organic chemistry. Natural product libraries are collections of microorganisms, animals, plants, or marine organisms that are used to create mixtures for screening by: (1) fermentation and extraction of broths from soil, plant or marine microorganisms or (2) extraction of plants or marine organisms. Natural product libraries include polyketides, non-ribosomal peptides, and variants (non-naturally occurring) thereof. For a review, see Cane *et al.*, *Science* (1998) 282, 63-68. Combinatorial libraries are composed of

10

15

20

25

30

large numbers of peptides, oligonucleotides, or organic compounds as a mixture. These libraries are relatively easy to prepare by traditional automated synthesis methods, PCR, cloning, or proprietary synthetic methods. Of particular interest are non-peptide combinatorial libraries. Still other libraries of interest include peptide, protein, peptidomimetic, multiparallel synthetic collection, recombinatorial, and polypeptide libraries. For a review of combinatorial chemistry and libraries created therefrom, see Myers (1997) *Curr. Opin. Biotechnol.* 8, 701-707. Identification of modulators through use of the various libraries described herein permits modification of the candidate "hit" (or "lead") to optimize the capacity of the "hit" to modulate activity.

Still other candidate inhibitors contemplated by the invention can be designed and include soluble forms of binding partners, as well as such binding partners as chimeric, or fusion, proteins. A "binding partner" as used herein broadly encompasses non-peptide modulators, as well as such peptide modulators as neuropeptides other than natural ligands, antibodies, antibody fragments, and modified compounds comprising antibody domains that are immunospecific for the expression product of the identified NgR gene.

Other embodiments of the invention comprise using competitive screening assays in which neutralizing antibodies capable of binding a polypeptide of the invention specifically compete with a test compound for binding to the polypeptide. In this manner, the antibodies can be used to detect the presence of any peptide that shares one or more antigenic determinants with NgR. Radiolabeled competitive binding studies are described in Lin et al., (1997) Antimicrob. Agents Chemother. 41, 2127-2131, the disclosure of which is incorporated herein by reference in its entirety.

In other embodiments of the invention, the polypeptides of the invention are employed as a research tool for identification, characterization and purification of interacting, regulatory proteins. Appropriate labels are incorporated into the polypeptides of the invention by various methods known in the art and the polypeptides are used to capture interacting molecules. For example, molecules are incubated with the labeled polypeptides, washed to remove unbound polypeptides, and the polypeptide complex is quantified. Data obtained using different concentrations of

polypeptide are used to calculate values for the number, affinity, and association of polypeptide with the protein complex.

Labeled polypeptides are also useful as reagents for the purification of molecules with which the polypeptide interacts including, but not limited to, inhibitors. In one embodiment of affinity purification, a polypeptide is covalently coupled to a chromatography column. Cells and their membranes are extracted, and various cellular subcomponents are passed over the column. Molecules bind to the column by virtue of their affinity to the polypeptide. The polypeptide-complex is recovered from the column, dissociated and the recovered molecule is subjected to protein sequencing. This amino acid sequence is then used to identify the captured molecule or to design degenerate oligonucleotides for cloning the corresponding gene from an appropriate cDNA library.

Alternatively, compounds may be identified which exhibit similar properties to the ligand for the NgR of the invention, but which are smaller and exhibit a longer half time than the endogenous ligand in a human or animal body. When an organic compound is designed, a molecule according to the invention is used as a "lead" compound. The design of mimetics to known pharmaceutically active compounds is a well-known approach in the development of pharmaceuticals based on such "lead" compounds. Mimetic design, synthesis and testing are generally used to avoid randomly screening a large number of molecules for a target property. Furthermore, structural data deriving from the analysis of the deduced amino acid sequences encoded by the DNAs of the present invention are useful to design new drugs, more specific and therefore with a higher pharmacological potency.

Comparison of the protein sequence of the present invention with the sequences present in all the available databases showed a significant homology with the transmembrane portion of G protein coupled receptors. Accordingly, computer modeling can be used to develop a putative tertiary structure of the proteins of the invention based on the available information of the transmembrane domain of other proteins. Thus, novel ligands based on the predicted structure of NgR can be designed.

This invention further pertains to novel agents identified by the above-described screening assays and uses thereof for treatments as described herein.

5

10

15

20

25

WO 02/29059

5

10

15

20

25

30

Compositions and Pharmaceutical Compositions

In a particular embodiment, the novel molecules identified by the screening methods according to the invention are low molecular weight organic molecules, in which case a composition or pharmaceutical composition can be prepared thereof for oral or parenteral administration. The compositions, or pharmaceutical compositions, comprising the nucleic acid molecules, vectors, polypeptides, antibodies and compounds identified by the screening methods described herein, typically comprise the nucleic acid molecule, protein, or antibody and a pharmaceutically acceptable carrier. As used herein, "pharmaceutically acceptable carrier" is intended to include any and all solvents, dispersion media, coatings, antibacterial and antifungal agents, isotonic and absorption delaying agents, and the like, compatible with pharmaceutical administration. The nature of the carrier or other ingredients will depend on the specific route of administration and particular embodiment of the invention to be administered. Examples of techniques and protocols that are useful in this context are, inter alia, found in Remington's PHARMACEUTICAL SCIENCES, 16th ed., (1980) Osol, A (Ed.), which is incorporated herein by reference in its entirety. Preferred examples of such carriers or diluents include, but are not limited to, water, saline, Ringer's solution, dextrose solution and 5% human serum albumin. Liposomes and non-aqueous vehicles such as fixed oils may also be used. The use of such media and agents for pharmaceutically active substances is well known in the art. Except insofar as any conventional media or agent is incompatible with the active compound, use thereof in the compositions is contemplated. Supplementary active compounds can also be incorporated into the compositions.

A pharmaceutical composition of the invention is formulated to be compatible with its intended route of administration. Examples of routes of administration include oral and parenteral (e.g., intravenous, intradermal, subcutaneous, inhalation, transdermal (topical), transmucosal and rectal administration). Solutions or suspensions used for parenteral, intradermal or subcutaneous application can include the following components: a sterile diluent such as water for injection, saline solution, fixed oils, polyethylene glycols, glycerine, propylene glycol or other synthetic solvents; antibacterial agents such as benzyl alcohol or methyl parabens; antioxidants such as ascorbic acid or sodium bisulfite; chelating agents such as ethylenediaminetetraacetic

10

15

20

25

30

acid; buffers such as acetates, citrates or phosphates, and agents for the adjustment of tonicity such as sodium chloride or dextrose. The pH can be adjusted with acids or bases, such as hydrochloric acid or sodium hydroxide. The parenteral preparation can be enclosed in ampoules, disposable syringes or multiple dose vials made of glass or plastic.

Pharmaceutical compositions suitable for injectable use include sterile aqueous solutions (where water soluble) or dispersions and sterile powders for the extemporaneous preparation of sterile injectable solutions or dispersion. For intravenous administration, suitable carriers include physiological saline, bacteriostatic water, Cremophor EL[™] (BASF, Parsippany, NJ) or phosphate buffered saline (PBS). In all cases, the composition must be sterile and should be fluid to the extent that easy syringeability exists. It must be stable under the conditions of manufacture and storage and must be preserved against the contaminating action of microorganisms such as bacteria and fungi. The carrier can be a solvent or dispersion medium containing, for example, water, ethanol, polyol (for example, glycerol, propylene glycol and liquid polyethylene glycol, and the like), and suitable mixtures thereof. The proper fluidity can be maintained, for example, by the use of a coating such as lecithin, by the maintenance of the required particle size in the case of dispersion and by the use of surfactants. Prevention of the action of microorganisms can be achieved by various antibacterial and antifungal agents, for example, parabens, chlorobutanol, phenol, ascorbic acid, thimerosal, and the like. In many cases, it will be preferable to include isotonic agents, for example, sugars, polyalcohols such as manitol, sorbitol, sodium chloride in the composition. Prolonged absorption of the injectable compositions can be brought about by including in the composition an agent which delays absorption, for example, aluminum monostearate and gelatin.

Sterile injectable solutions can be prepared by incorporating the active compound (e.g., a NgR protein or anti-NgR antibody) in the required amount in an appropriate solvent with one or a combination of ingredients enumerated above, as required, followed by filtered sterilization. Generally, dispersions are prepared by incorporating the active compound into a sterile vehicle that contains a basic dispersion medium and the required other ingredients from those enumerated above. In the case of sterile powders for the preparation of sterile injectable solutions, methods of

WO 02/29059 PCT/US01/31488

- 90 -

preparation are vacuum drying and freeze-drying that yields a powder of the active ingredient plus any additional desired ingredient from a previously sterile-filtered solution thereof.

Oral compositions generally include an inert diluent or an edible carrier. They can be enclosed in gelatin capsules or compressed into tablets. For the purpose of oral therapeutic administration, the active compound can be incorporated with excipients and used in the form of tablets, troches or capsules. Oral compositions can also be prepared using a fluid carrier for use as a mouthwash, wherein the compound in the fluid carrier is applied orally and swished and expectorated or swallowed.

Pharmaceutically compatible binding agents, and/or adjuvant materials can be included as part of the composition. The tablets, pills, capsules, troches and the like can contain any of the following ingredients, or compounds of a similar nature: a binder such as microcrystalline cellulose, gum tragacanth or gelatin; an excipient such as starch or lactose, a disintegrating agent such as alginic acid, Primogel or corn starch; a lubricant such as magnesium stearate or Sterotes; a glidant such as colloidal silicon dioxide; a sweetening agent such as sucrose or saccharin; or a flavoring agent such as peppermint, methyl salicylate or orange flavoring.

For administration by inhalation, the compounds are delivered in the form of an aerosol spray from pressured container or dispenser which contains a suitable propellant, e.g., a gas such as carbon dioxide or a nebulizer.

Systemic administration can also be by transmucosal or transdermal means. For transmucosal or transdermal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art, and include, for example, for transmucosal administration, detergents, bile salts, and fusidic acid derivatives. Transmucosal administration can be accomplished through the use of nasal sprays or suppositories. For transdermal administration, the active compounds are formulated into ointments, salves, gels or creams as generally known in the art.

The compounds can also be prepared in the form of suppositories (e.g., with conventional suppository bases such as cocoa butter and other glycerides) or retention enemas for rectal delivery.

5

10

15

20

25

10

15

20

25

30

In one embodiment, the active compounds are prepared with carriers that will protect the compound against rapid elimination from the body, such as a controlled release formulation, including implants and microencapsulated delivery systems. Biodegradable, biocompatible polymers can be used, such as ethylene vinyl acetate. polyanhydrides, polyglycolic acid, collagen, polyorthoesters, and polylactic acid. Methods for preparation of such formulations will be apparent to those skilled in the art. The materials can also be obtained commercially from Alza Corporation and Nova Pharmaceuticals, Inc. Liposomal suspensions (including liposomes targeted to infected cells with monoclonal antibodies to viral antigens) can also be used as pharmaceutically acceptable carriers. These can be prepared according to methods known to those skilled in the art, for example, as described in U.S. Patent No. 4,522,811. It is especially advantageous to formulate oral or parenteral compositions in dosage unit form for ease of administration and uniformity of dosage. Dosage unit form as used herein refers to physically discrete units suited as unitary dosages for the subject to be treated; each unit containing a predetermined quantity of active compound calculated to produce the desired therapeutic effect in association with the required pharmaceutical carrier. The specification for the dosage unit forms of the invention are dictated by and directly dependent on the unique characteristics of the active compound and the particular therapeutic effect to be achieved.

The nucleic acid molecules of the invention can be inserted into vectors and used as gene therapy vectors. Gene therapy vectors can be delivered to a subject by any of a number of routes, e.g., as described in U.S. Patent No. 5,703,055. Delivery can thus also include, e.g., intravenous injection, local administration (see U.S. Patent No. 5,328,470) or stereotactic injection (see e.g., Chen et al. (1994) Proc. Natl. Acad. Sci. USA 91, 3054-3057). The pharmaceutical preparation of the gene therapy vector can include the gene therapy vector in an acceptable diluent, or can comprise a slow release matrix in which the gene delivery vehicle is imbedded. Alternatively, where the complete gene delivery vector can be produced intact from recombinant cells, e.g., retroviral vectors, the pharmaceutical preparation can include one or more cells that produce the gene delivery system.

The pharmaceutical compositions can be included in a container, pack or dispenser together with instructions for administration.

10

15

20

25

30

The dosage of these low molecular weight compounds will depend on the disease state or condition to be treated and other clinical factors such as weight and condition of the human or animal and the route of administration of the compound. For treating human or animals, between approximately 0.5 mg/kg of body weight to 500 mg/kg of body weight of the compound can be administered. Therapy is typically administered at lower dosages and is continued until the desired therapeutic outcome is observed.

Another aspect of the present invention is the use of the NgR nucleotide sequences disclosed herein for identifying homologs of the Nogo-R, in other animals, including but not limited to humans and other mammals and invertebrates. Any of the nucleotide sequences disclosed herein, or any portion thereof, can be used, for example, as probes to screen databases or nucleic acid libraries, such as, for example, genomic or cDNA libraries, to identify homologs using screening procedures well known to those skilled in the art. Accordingly, homologs having at least 50%, more preferably at least 60%, more preferably at least 70%, more preferably at least 80%, more preferably at least 90%, more preferably at least 95%, and most preferably at least 100% homology with NgR sequences can be identified.

The present compounds and methods, including nucleic acid molecules, polypeptides, antibodies, compounds identified by the screening methods described herein, have a variety of pharmaceutical applications and may be used, for example, to treat or prevent unregulated cellular growth, such as cancer cell and tumor growth. In a particular embodiment, the present molecules are used in gene therapy. For a review of gene therapy procedures, see *e.g.* Anderson *Science* (1992) 256, 808-813, which is incorporated herein by reference in its entirety.

The present invention also encompasses a method of agonizing (stimulating) or antagonizing a NgR natural binding partner associated activity in a mammal comprising administering to said mammal an agonist or antagonist to one of the above disclosed polypeptides in an amount sufficient to effect said agonism or antagonism. One embodiment of the present invention, then, is a method of treating diseases in a mammal with an agonist or antagonist of the protein of the present invention comprising administering the agonist or antagonist to a mammal in an amount sufficient to agonize or antagonize NgR-associated functions.

Methods of determining the dosages of compounds to be administered to a patient and modes of administering compounds to an organism are disclosed in U.S. Application Serial No. 08/702,282, filed August 23, 1996, and International patent publication number WO 96/22976, published August 1, 1996, both of which are incorporated herein by reference in their entirety, including any drawings, figures or tables. Those skilled in the art will appreciate that such descriptions are applicable to the present invention and can be easily adapted to it.

The proper dosage depends on various factors such as the type of disease being treated, the particular composition being used and the size and physiological condition of the patient. Therapeutically effective doses for the compounds described herein can be estimated initially from cell culture and animal models. For example, a dose can be formulated in animal models to achieve a circulating concentration range that initially takes into account the IC₅₀ as determined in cell culture assays. The animal model data can be used to more accurately determine useful doses in humans.

15

20

25

30

10

5

Plasma half-life and biodistribution of the drug and metabolites in the plasma, tumors and major organs can also be determined to facilitate the selection of drugs most appropriate to inhibit a disorder. Such measurements can be carried out. For example, HPLC analysis can be performed on the plasma of animals treated with the drug and the location of radiolabeled compounds can be determined using detection methods such as X-ray, CAT scan and MRI. Compounds that show potent inhibitory activity in the screening assays, but have poor pharmacokinetic characteristics, can be optimized by altering the chemical structure and retesting. In this regard, compounds displaying good pharmacokinetic characteristics can be used as a model.

Toxicity studies can also be carried out by measuring the blood cell composition. For example, toxicity studies can be carried out in a suitable animal model as follows: (1) the compound is administered to mice (an untreated control mouse should also be used); (2) blood samples are periodically obtained via the tail vein from one mouse in each treatment group; and (3) the samples are analyzed for red and white blood cell counts, blood cell composition and the percent of lymphocytes versus polymorphonuclear cells. A comparison of results for each dosing regime with the controls indicates if toxicity is present.

10

15

20

25

At the termination of each toxicity study, further studies can be carried out by sacrificing the animals (preferably, in accordance with the American Veterinary Medical Assoc. Medical Association guidelines Report of the American Veterinary Medical Assoc. Panel on Euthanasia, (1993) *J. Am. Vet. Med. Assoc.* 202:229-249). Representative animals from each treatment group can then be examined by gross necropsy for immediate evidence of metastasis, unusual illness or toxicity. Gross abnormalities in tissue are noted and tissues are examined histologically. Compounds causing a reduction in body weight or blood components are less preferred, as are compounds having an adverse effect on major organs. In general, the greater the adverse effect the less preferred the compound.

For the treatment of cancers the expected daily dose of a hydrophobic pharmaceutical agent is between 1 to 500 mg/day, preferably 1 to 250 mg/day, and most preferably 1 to 50 mg/day. Drugs can be delivered less frequently provided plasma levels of the active moiety are sufficient to maintain therapeutic effectiveness. Plasma levels should reflect the potency of the drug. Generally, the more potent the compound the lower the plasma levels necessary to achieve efficacy.

NgR mRNA transcripts have been found in the brain and heart. SEQ ID NOs: 1 and/or, 3 will, as detailed above, enable screening the endogenous neurotransmitters/hormones/ligands which activate, agonize, or antagonize NgR and for compounds with potential utility in treating disorders including CNS disorders (e.g., stroke) and degenerative disorders such as those associated with demyelination.

For example, NgR receptor activation may mediate the prevention of neurite outgrowth. Inhibition would be beneficial in both chronic and acute brain injury. See, e.g., Donovan et al., (1997) J. Neurosci. 17, 5316-5326; Turgeon et al., (1998) J. Neurosci. 18, 6882-6891; Smith-Swintosky et al., (1997) J. Neurochem. 69, 1890-1896; Gill et al., (1998) Brain Res. 797, 321-327; Suidan et al., (1996) Semin. Thromb. Hemost. 22, 125-133.

Pharmacogenomics

Agents, or modulators that have a stimulatory or inhibitory effect on NgR activity (e.g., NgR gene expression), as identified by a screening assay described herein can be administered to individuals to treat (prophylactically or therapeutically) disorders (e.g., a disease condition such as a demyelination disorder) associated with 5 aberrant NgR activity. In conjunction with such treatment, the pharmacogenomics (i.e., the study of the relationship between an individual's genotype and that individual's response to a foreign compound or drug) of the individual may be considered. Differences in metabolism of therapeutics can lead to severe toxicity or therapeutic 10 failure by altering the relation between dose and blood concentration of the pharmacologically active drug. Thus, the pharmacogenomics of the individual permits the selection of effective agents (e.g., drugs) for prophylactic or therapeutic treatments based on a consideration of the individual's genotype. Such pharmacogenomics can further be used to determine appropriate dosages and therapeutic regimens. 15 Accordingly, the activity of NgR protein, expression of NgR nucleic acid or mutation content of NgR genes in an individual can be determined to thereby select appropriate agent(s) for therapeutic or prophylactic treatment of the individual.

Pharmacogenomics deals with clinically significant hereditary variations in the response to drugs due to altered drug disposition and abnormal action in affected persons. See e.g., Eichelbaum (1996) Clin. Exp. Pharmacol. Physiol. 23, 983-985 and Linder (1997) Clin. Chem. 43, 254-266. In general, two types of pharmacogenetic conditions can be differentiated. Genetic conditions transmitted as a single factor altering the way drugs act on the body (altered drug action) or genetic conditions transmitted as single factors altering the way the body acts on drugs (altered drug metabolism). These pharmacogenetic conditions can occur either as rare defects or as polymorphisms. For example, glucose-6-phosphate dehydrogenase (G6PD) deficiency is a common inherited enzymopathy in which the main clinical complication is haemolysis after ingestion of oxidant drugs (anti-malarials, sulfonamides, analgesics, nitrofurans) and consumption of fava beans.

As an illustrative embodiment, the activity of drug metabolizing enzymes is a major determinant of both the intensity and duration of drug action. The discovery of genetic polymorphisms of drug metabolizing enzymes (e.g., N-acetyltransferase 2

20

25

10

15

20

(NAT 2) and cytochrome P450 enzymes CYP2D6 and CYP2C19) has provided an explanation as to why some patients do not obtain the expected drug effects or show exaggerated drug response and serious toxicity after taking the standard and safe dose of a drug. These polymorphisms are expressed in two phenotypes in the population, the extensive metabolizer (EM) and poor metabolizer (PM). The prevalence of PM is different among different populations. For example, the gene coding for CYP2D6 is highly polymorphic and several mutations have been identified in PM, which all lead to the absence of functional CYP2D6. Poor metabolizers of CYP2D6 and CYP2C19 quite frequently experience exaggerated drug response and side effects when they receive standard doses. If a metabolite is the active therapeutic moiety, PM show no therapeutic response, as demonstrated for the analgesic effect of codeine mediated by its CYP2D6-formed metabolite morphine. At the other extreme are the so called ultrarapid metabolizers who do not respond to standard doses. Recently, the molecular basis of ultra-rapid metabolism has been identified to be due to CYP2D6 gene amplification.

Thus, the activity of NgR protein, expression of NgR nucleic acid, or mutation content of NgR genes in an individual can be determined to thereby select appropriate agent(s) for therapeutic or prophylactic treatment of the individual. In addition, pharmacogenetic studies can be used to apply genotyping of polymorphic alleles encoding drug-metabolizing enzymes to the identification of an individual's drug responsiveness phenotype. This knowledge, when applied to dosing or drug selection, can avoid adverse reactions or therapeutic failure and thus enhance therapeutic or prophylactic efficiency when treating a subject with a NgR modulator, such as a modulator identified by one of the exemplary screening assays described herein.

25

30

Monitoring Clinical Efficacy

Monitoring the influence of agents (e.g., drugs, compounds) on the expression or activity of NgR (e.g., the ability to modulate aberrant cell proliferation and/or differentiation) can be applied not only in basic drug screening, but also in clinical trials. For example, the effectiveness of an agent determined by a screening assay as described herein to increase NgR gene expression, protein levels or upregulate NgR activity, can be monitored in clinical trials of subjects exhibiting decreased NgR gene

10

15

20

25

30

expression, protein levels, or downregulated NgR activity. Alternatively, the effectiveness of an agent determined by a screening assay to decrease NgR gene expression, protein levels, or downregulate NgR activity, can be monitored in clinical trials of subjects exhibiting increased NgR gene expression, protein levels, or upregulated NgR activity. In such clinical trials, the expression or activity of NgR and, preferably, other genes that have been implicated in, for example, a disease or disorder, can be used as a "read out" or markers of the immune responsiveness of a particular cell.

For example, genes, including NgR, that are modulated in cells by treatment with an agent (e.g., compound, drug or small molecule) that modulates NgR activity (e.g., identified in a screening assay as described herein) can be identified. Thus, to study the effect of agents on demyelination disorders, for example, in a clinical trial, cells can be isolated and RNA prepared and analyzed for the levels of expression of NgR and other genes implicated in the disorder. The levels of gene expression (i.e., a gene expression pattern) can be quantified by Northern blot analysis or RT-PCR, as described herein, or alternatively by measuring the amount of protein produced by one of the methods as described herein or by measuring the levels of activity of NgR or other genes. In this way, the gene expression pattern can serve as a marker, indicative of the physiological response of the cells to the agent. Accordingly, this response state may be determined before, and at various points during, treatment of the individual with the agent.

In one embodiment, the invention provides a method for monitoring the effectiveness of treatment of a subject with an agent (e.g., an agonist, antagonist, protein, peptide, peptidomimetic, nucleic acid, small molecule, or other drug candidate identified by the screening assays described herein) comprising the steps of (i) obtaining a pre-administration sample from a subject prior to administration of the agent; (ii) detecting the level of expression of a NgR protein, mRNA, or genomic DNA in the preadministration sample; (iii) obtaining one or more post-administration samples from the subject; (iv) detecting the level of expression or activity of the NgR protein, mRNA, or genomic DNA in the post-administration samples; (v) comparing the level of expression or activity of the NgR protein, mRNA or genomic DNA in the pre-administration sample with the NgR protein, mRNA or genomic DNA in the post-administration sample with the NgR protein, mRNA or genomic DNA in the post

PCT/US01/31488

administration sample or samples; and (vi) altering the administration of the agent to the subject accordingly. For example, increased administration of the agent may be desirable to increase the expression or activity of NgR to higher levels than detected, i.e., to increase the effectiveness of the agent. Alternatively, decreased administration of the agent may be desirable to decrease expression or activity of NgR to lower levels than detected, i.e., to decrease the effectiveness of the agent.

Methods of Treatment

WO 02/29059

5

10

15

20

25

30

The present invention provides for both prophylactic and therapeutic methods of treating a subject at risk of (or susceptible to) a disorder or having a disorder associated with aberrant NgR expression or activity.

Diseases and disorders that are characterized by increased (relative to a subject not suffering from the disease or disorder) levels or biological activity may be treated with Therapeutics that antagonize (*i.e.*, reduce or inhibit) activity. Therapeutics that antagonize activity may be administered in a therapeutic or prophylactic manner. Therapeutics that may be utilized include, but are not limited to, (*i*) a NgR polypeptide, or analogs, derivatives, fragments or homologs thereof, (*ii*) antibodies to a NgR peptide; (*iii*) nucleic acids encoding a NgR peptide; (*iv*) administration of antisense nucleic acid and nucleic acids that are "dysfunctional" (*i.e.*, due to a heterologous insertion within the coding sequences of coding sequences to a NgR peptide) are utilized to "knockout" endogenous function of a NgR peptide by homologous recombination (see, *e.g.*, Capecchi (1989) *Science* 244, 1288-1292); or (*v*) modulators (*i.e.*, inhibitors, agonists and antagonists, including additional peptide mimetic of the invention or antibodies specific to a peptide of the invention) that alter the interaction between a NgR peptide and its binding partner.

Diseases and disorders that are characterized by decreased (relative to a subject not suffering from the disease or disorder) levels or biological activity may be treated with Therapeutics that increase (i.e., are agonists to) activity. Therapeutics that upregulate activity may be administered in a therapeutic or prophylactic manner. Therapeutics that may be utilized include, but are not limited to, a NgR peptide, or analogs, derivatives, fragments or homologs thereof, or an agonist that increases bioavailability.

10

15

20

25

30

Increased or decreased levels can be readily detected by quantifying peptide and/or RNA, by obtaining a patient tissue sample (e.g., from biopsy tissue) and assaying it *in vitro* for RNA or peptide levels, structure and/or activity of the expressed peptides (or mRNAs of a NgR peptide). Methods that are well-known within the art include, but are not limited to, immunoassays (e.g., by Western blot analysis, immunoprecipitation followed by sodium dodecyl sulfate (SDS) polyacrylamide gel electrophoresis, immunocytochemistry, etc.) and/or hybridization assays to detect expression of mRNAs (e.g., Northern assays, dot blots, *in situ* hybridization, etc.).

In one aspect, the invention provides a method for preventing, in a subject, a disease or condition associated with an aberrant NgR expression or activity, by administering to the subject an agent that modulates NgR expression or at least one NgR activity. Subjects at risk for a disease that is caused or contributed to by aberrant NgR expression or activity can be identified by, for example, any or a combination of diagnostic or prognostic assays as described herein. Administration of a prophylactic agent can occur prior to the manifestation of symptoms characteristic of the NgR aberrancy, such that a disease or disorder is prevented or, alternatively, delayed in its progression. Depending on the type of NgR aberrancy, for example, a NgR agonist or NgR antagonist agent can be used for treating the subject. The appropriate agent can be determined based on screening assays described herein.

Another aspect of the invention pertains to methods of modulating NgR expression or activity for therapeutic purposes. The modulatory method of the invention involves contacting a cell with an agent that modulates one or more of the activities of NgR protein activity associated with the cell. An agent that modulates NgR protein activity can be an agent as described herein, such as a nucleic acid or a protein, a naturally-occurring cognate ligand of a NgR protein, a peptide, a NgR peptidomimetic, or other small molecule. In one embodiment, the agent stimulates one or more NgR protein activity. Examples of such stimulatory agents include active NgR protein and a nucleic acid molecule encoding NgR that has been introduced into the cell. In another embodiment, the agent inhibits one or more NgR protein activity. Examples of such inhibitory agents include antisense NgR nucleic acid molecules and anti-NgR antibodies. These modulatory methods can be performed *in vitro* (e.g., by culturing the cell with the agent) or, alternatively, *in vivo* (e.g., by administering the

15

20

25

30

agent to a subject). As such, the present invention provides methods of treating an individual afflicted with a disease or disorder characterized by aberrant expression or activity of a NgR protein or nucleic acid molecule. In one embodiment, the method involves administering an agent (e.g., an agent identified by a screening assay described herein), or combination of agents that modulates (e.g., upregulates or downregulates) NgR expression or activity. In another embodiment, the method involves administering a NgR protein or nucleic acid molecule as therapy to compensate for reduced or aberrant NgR expression or activity.

10 Gene Therapy

Mutations in the NgR gene that result in loss of normal function of the NgR gene product underlie NgR human disease states. The invention comprehends gene therapy to restore NgR activity to treat those disease states. Delivery of a functional NgR gene to appropriate cells is effected ex vivo, in situ, or in vivo by use of vectors, and more particularly viral vectors (e.g., adenovirus, adeno-associated virus, or a retrovirus), or ex vivo by use of physical DNA transfer methods (e.g., liposomes or chemical treatments). See, for example, Anderson (1998) Nature, supplement to 392(6679):25-20. For additional reviews of gene therapy technology see Friedmann (1989) Science 244, 1275-1281; Verma (1990) Sci. Am. 68-84; and Miller (1992) Nature 357, 455-460. Alternatively, it is contemplated that in other human disease states, preventing the expression of, or inhibiting the activity of, NgR will be useful in treating disease states. It is contemplated that antisense therapy or gene therapy could be applied to negatively regulate the expression of NgR.

The present invention provides for both prophylactic and therapeutic methods of treating a subject at risk of (or susceptible to) a disorder or having a disorder associated with aberrant NgR expression or activity.

Diseases and disorders that are characterized by increased (relative to a subject not suffering from the disease or disorder) levels or biological activity may be treated with Therapeutics that antagonize (i.e., reduce or inhibit) activity. Therapeutics that antagonize activity may be administered in a therapeutic or prophylactic manner. Therapeutics that may be utilized include, but are not limited to, (i) a NgR polypeptide, or analogs, derivatives, fragments or homologs thereof; (ii) antibodies to a NgR

10

15

20

25

30

peptide; (iii) nucleic acids encoding a NgR peptide; (iv) administration of antisense nucleic acid and nucleic acids that are "dysfunctional" (i.e., due to a heterologous insertion within the coding sequences of coding sequences to a NgR peptide) are utilized to "knockout" endogenous function of a NgR peptide by homologous recombination (see, e.g., Capecchi (1989), above); or (v) modulators (i.e., inhibitors, agonists and antagonists, including additional peptide mimetic of the invention or antibodies specific to a peptide of the invention) that alter the interaction between a NgR peptide and its binding partner.

Diseases and disorders that are characterized by decreased (relative to a subject not suffering from the disease or disorder) levels or biological activity may be treated with Therapeutics that increase (*i.e.*, are agonists to) activity. Therapeutics that upregulate activity may be administered in a therapeutic or prophylactic manner. Therapeutics that may be utilized include, but are not limited to, a NgR peptide, or analogs, derivatives, fragments or homologs thereof; or an agonist that increases bioavailability.

Increased or decreased levels can be readily detected by quantifying peptide and/or RNA, by obtaining a patient tissue sample (e.g., from biopsy tissue) and assaying it *in vitro* for RNA or peptide levels, structure and/or activity of the expressed peptides (or mRNAs of a NgR peptide). Methods that are well-known within the art include, but are not limited to, immunoassays (e.g., by Western blot analysis, immunoprecipitation followed by sodium dodecyl sulfate (SDS) polyacrylamide gel electrophoresis, immunocytochemistry, etc.) and/or hybridization assays to detect expression of mRNAs (e.g., Northern assays, dot blots, *in situ* hybridization, etc.).

In one aspect, the invention provides a method for preventing, in a subject, a disease or condition associated with an aberrant NgR expression or activity, by administering to the subject an agent that modulates NgR expression or at least one NgR activity. Subjects at risk for a disease that is caused or contributed to by aberrant NgR expression or activity can be identified by, for example, any or a combination of diagnostic or prognostic assays as described herein. Administration of a prophylactic agent can occur prior to the manifestation of symptoms characteristic of the NgR aberrancy, such that a disease or disorder is prevented or, alternatively, delayed in its progression. Depending on the type of NgR aberrancy, for example, a NgR agonist or

WO 02/29059 PCT/US01/31488

- 102 -

NgR antagonist agent can be used for treating the subject. The appropriate agent can be determined based on screening assays described herein.

Another aspect of the invention pertains to methods of modulating NgR expression or activity for therapeutic purposes. The modulatory method of the invention involves contacting a cell with an agent that modulates one or more of the activities of NgR protein activity associated with the cell. An agent that modulates NgR protein activity can be an agent as described herein, such as a nucleic acid or a protein, a naturally-occurring cognate ligand of a NgR protein, a peptide, a NgR peptidomimetic, or other small molecule. In one embodiment, the agent stimulates one or more NgR protein activity. Examples of such stimulatory agents include active NgR protein and a nucleic acid molecule encoding NgR that has been introduced into the cell. In another embodiment, the agent inhibits one or more NgR protein activity. Examples of such inhibitory agents include antisense NgR nucleic acid molecules and anti-NgR antibodies. These modulatory methods can be performed in vitro (e.g., by culturing the cell with the agent) or, alternatively, in vivo (e.g., by administering the agent to a subject). As such, the present invention provides methods of treating an individual afflicted with a disease or disorder characterized by aberrant expression or activity of a NgR protein or nucleic acid molecule. In one embodiment, the method involves administering an agent (e.g., an agent identified by a screening assay described herein), or combination of agents that modulates (e.g., upregulates or downregulates) NgR expression or activity. In another embodiment, the method involves administering a NgR protein or nucleic acid molecule as therapy to compensate for reduced or aberrant NgR expression or activity.

The present invention is not to be limited in scope by the specific embodiments described herein. Indeed, various modifications of the invention in addition to those described herein will become apparent to those skilled in the art from the foregoing description and accompanying figure. Such modifications are intended to fall within the scope of the appended claims.

The following Table 5 contains the sequences of exemplary polynucleotides and polypeptides of the invention.

5

10

15

20

25

TABLE 5

The following DNA sequence NgR2 <SEQ ID NO. 1> was identified in humans:

5 CTCCTGGCCCTGCCGCGCCCCCAGCTGCCCCATGCTCTGCACCTGCTACTCATCC CCGCCCACCGTGAGCTGCCAGGCCAACACTTCTCCTCTGTGCCGCTGTCCCTGCCACCC AGCACTCAGCGACTCTTCCTGCAGAACAACCTCATCCGCACGCTGCGGCCAGGCACCTTT GGGTCCAACCTGCTCACCCTGTGGCTCTTCTCCAACAACCTCTCCACCATCTACCCGGGC 10 ACTITICGCCACTTGCAAGCCCTGGAGGAGCTGGACCTCGGTGACAACCGGCACCTGCGC TCGCTGGAGCCCGACACCTTCCAGGGCCTGGAGCGGCTGCAGTCGCTGCATTTGTACCGC TGCCAGCTCAGCAGCCTGCCGGCAACATCTTCCGAGGCCTGGTCAGCCTGCAGTACCTC TACCTCCAGGAGAACAGCCTGCTCCACCTACAGGATGACTTGTTCGCGGACCTGGCCAAC CTGAGCCACCTCTTCCTCCACGGGAACCGCCTGCGGCTGCTCACAGAGCACGTGTTTCGC 15 GGCTGGGCAGCCTGGACGGCTGCTGCACGGGAACCGGCTGCAGGGCGTGCACCGC GCGGCCTTCCGCGGCCTCAGCCGCCTCACCATCCTCTTCAACAACAGCCTGGCC TCGCTGCCGGCGAGGCGCTCGCCGACCTGCCTCGAGTTCCTGCGGCTCAACGCT GTGTCCAGCTCCGACGTGACCTGCGCCACCCCCCGGAGCGCCAGGGCCGAGACCTGCGC 20 CGCGCCGGGCAACAGCTCCTCCAACCACCTGTACGGGGTGGCCGAGGCCGGGGCGCCC CCAGCCGATCCCTCCACCCTCTACCGAGATCTGCCTGCCGAAGACTCGCGGGGGGCGCCAG GGCGGGGACGCCTACTGAGGACGACTACTGGGGGGGCTACGGGGGTGAGGACCAGCGA GGGGAGCAGATGTGCCCGGCGCTGCCTGCCAGGCGCCCCGGACTCCCGAGGCCCTGCG 25 CTCTCGGCCGGGCTCCCAGCCCTCTGCTTTGCCTCCTGCTCCTGGTGCCCCACCACCTC

The following amino acid sequence <SEQ ID NO. 2> is the predicted amino acid sequence derived from the DNA sequence of SEQ ID NO. 1:

M L P G L R R L L Q A P A S A C L L L M L L A L P L A A P S C P M L C T C Y S S P P T V S C Q A N N F S S V P L S L P P S T Q R L F L Q N N L I R T L R P G T F G S N L L T L W L F S N N L S T I Y P G T F R H L Q A L E E L D L G D N R H L R S L E P D T F Q G L E R L Q S L H L Y R C Q L S S L P G N I F R G L V S L Q Y L Y L Q E N S L L H L Q D D L F A D L A N L S H L F L H G N R L R L L T E H V F R G L G S L D R L L L H G N R L Q G V H R A A F R G L S R L T I L Y L F N N S L A S L P G E A L A D L P S L E F L R L N A N P W A C D C R A R P L W A W F Q R A R V S S S D V T C A T P P E R Q G R D L R A L R E A D F Q A C P P A A P T R P G S R A R G N S S S N H L Y G V A E A G A P P A D P S T L Y R D L P A E D S R G R Q G G D A P T E D D Y W G G Y G G E D Q R G E Q M C P G A A C Q A P P D S R G P A L S A G L P S P L L C L L L V P H H L

30

35

The following DNA sequence NgR3 <SEQ ID NO. 3> was identified in mouse:

ATGTCTTGGCAGTCTGGAACCACAGTGACACAATCTCCCGTGCAGGCTGCTCAGGTCTCA GGGTGCTGTGTGGAAATTGCTGCTGTTGCTGCTGGAGAGCTACCTCTGGGTGGTGGT TGTCCTCGAGACTGTGTGTGCTACCCTGCGCCCATGACTGTCAGCTGCCAGGCACAAC 5 TTTGCTGCCATCCCGGAGGGCATCCCAGAGGACAGTGAGCGCATCTTCCTGCAGAACAAT CGCATCACCTTCCTCCAGCAGGGCCACTTCAGCCCCGCCATCGTCACCCTCTGGATCTAC TCCAACAACATCACTTTCATTGCTCCCAACACCTTCGAGGGCTTTGTGCATCTGGAGGAG CTAGACCTTGGAGACACCGACAGCTGCGAACGCTGGCACCCGAGACCTTCCAAGGCCTG GTGAAGCTTCACGCCCTCTACCTCTATAAGTGTGGACTGAGCGCCCTGCCCGCAGGCATC 10 TTTGGTGGCCTGCACAGCCTGCAGTATCTCTACTTGCAGGACAACCATATCGAGTACCTC CAAGATGACATCTTTGTGGACCTGGTCAATCTCAGTCACTTGTTTCTCCATGGTAACAAG CTATGGAGCCTGGGCCAAGGCATCTTCCGGGGCCTGGTGAACCTGGACCGGTTGCTGCTG CATGAGAACCAGCTACAGTGGGTTCACCACAAGGCTTTCCATGACCTCCACAGGCTAACC ACCCTCTTTCTCTCAACAACAGCCTCACTGAGCTGCAGGGTGACTGTCTGGCCCCCCTG 15 GTGGCCTTGGAGTTCCTTCGCCTCAATGGGAATGCTTGGGACTGTGGCTGCCGGGCACGT TCCCTGTGGGAATGGCTGCGAAGGTTCCGTGGCTCTAGCTCTGCTGTCCCCTGCGCGACC CCCGAGCTGCGGCAAGGCCAGGATCTGAAGCTGCTGAGGGTGGAGGACTTCCGGAACTGC ACAGGACCAGTGTCTCCTCACCAGATCAAGTCTCACACGCTTACCACCTCTGACAGGGCT 20 CATCCGCCTGGCTCAGGTCAGGTTACAAGAAGGCAGGCAAGAACTGCACCAGCCACAGG AACCGGAACCAGATCTCTAAGGTGAGCTCTGGGAAAGAGCTTACCGAACTGCAGGACTAT GCCCCGACTATCAGCACAAGTTCAGCTTTGACATCATGCCCACCGCACGACCCAAGAGG AAGGGCAAGTGTGCTCGCAGGACCCCCATCCGTGCCCCAGTGGGGTGCAGCAGGCATCC TCAGGCACGGCCTTGGGGCCCACTCCTGGCCTGGATACTGGGGCTGGCAGTCACTCTC 25

The following protein sequence <SEQ ID NO. 4> is deduced protein of SEQ ID

NO:3:

MSWQSGTTVTQSPVQAAQVSGCCVELLLLL A GELPL G G G C P R D C V C Y P A P M T V S C Q A H N F A 30 A I P E G I P E D S E R I F L Q N N R I T F L Q Q G H F S P A MVTLWIYSNNITFIAPNTFEGFVHLEELDLG DNRQLRTLAPETFQGLVKLHALYLYKCGLSA LPAGIFGGLHSLQYLYLQDNHIEYLQDDIFV DLVNLSHLFLHGNKLWSLGQGIFRGLVNLDR 35 LLLHENQLQWVHHKAFHDLHRLTTLFLFNNS LTELQGDCLAPLVALEFLRLNGNAWDCGCRA RSLWEWLRRFRGSSSAVPCATPELRQGQDLK LLRVEDFRNCTGPVSPHQIKSHTLTTSDRAA RKEHHPSHGASRDKGHPHGHPPGSRSGYKKA 40 GKNCTSHRNRNQISKVSSGKELTELQDYAPD YQHKFSFDIMPTARPKRKGKCARRTPIRAPS GVQQASSGTALGAPLLAWILGLAVTLR

The following protein sequence <SEQ ID NO. 5> is NgR1 from humans: MKRASAGGSRLLAWVLWLQAWQVAAPCPGA CYNEPKVTTSCPQQGLQAVPVGIPAASQRI 5 FLHGNRISHVPAASFRACRNLTILWLHSNVL ARIDAAAFTGLALLEQLDLSDNAQLRSVDPA TFHGLGRLHTLHLDRCGLQELGPGLFRGLAA LQYLYLQDNALQALPDDTFRDLGNLTHLFLH GNRISSVPERAFRGLHSLDRLLLHONRVAHV 10 **HPHAFRDLGRLMTLYLFANNLSALPTEALAP** LRALQYLRLNDNPWVCDCRARPLWAWLQKFR GSSSEVPCSLPQRLAGRDLKRLAANDLQGCA V A T G P Y H P I W T G R A T D E E P L G L P K C C Q P D A A DKASVLEPGRPASAGNALKGR VPPGD SPPGN 15 GSGPRHINDSPFGTLPGSAEPPLTAVRPEGS EPPGFPTSGPRRRPGCSRKNRTRSHCRLGOA GSGGGGTGDSEGSGALPSLTCSLTPLGLALV LWTVLGPC The following amino acid sequence <SEQ ID NO:6> is a Consensus Sequence of 20 NgR based on homology with NgR1 X S N X X X X I X X X X F X X X X X L E X L D L X D N X X L R 25 GLXXLQYLYLQXNXXXXLXDDXFXDLXNLXH LFLHGNXXXXXXXXFRGLXXLDRLLLHXNX XXXVHXXAFXXLXRLXXLXLFXNXLXXXX X L A X L X X L X X L R L N X N X W X C X C R A R X L W X W X X X X R X S S S X V X C X X P X X X X G X D L X X L X X X D X 30 35 XXXXXXL The following protein sequence <SEQ ID NO:7> is the 66 amino acid active domain of Nogo: RIYKGVIQAIQKSDEGHPFRAYLESEVAISE 40 ELVQKYSNSALGHVNCTIKELRRLFLVDDLV DSLK

The following protein sequence <SEQ ID NO:8> is the amino acid sequence of the mature NgR2:

C P M L C T C Y S S P P T V S C Q A N N F S S V P L S L P P S T Q R L F L Q N N L I R T L R P G T F G S N L L T L W L F S N 5 NLSTIYPGTFRHLQALEELDLGDNRHLRSLE PD TFQGLERLQSLHLYRCQLSSLPGNIFRGL V S L Q Y L Y L Q E N S L L H L Q D D L F A D L A N L S H L F LHGNRLRLLTEHVFRGLGSLDRLLLHGNRLQ G V H R A A F R G L S R L T I L Y L F N N S L A S L P G E A L 10 ADLPSLEFLRLNANPWACDCRARPLWAWFQR ARVSSSD VTCATPPERQGRDLRALREADFQA C P P A A P T R P G S R A R G N S S S N H L Y G V A E A G A P P A D P S T L Y R D L P A E D S R G R Q G G D A P T E D D Y W G G Y G G E D Q R G E Q M C P G A A C Q A P P D S R G P A L S 15 AGLPSPLLCLLLLVPHHL

The following protein sequence <SEQ ID NO:9> is the amino acid sequence of the mature NgR3:

C P R D C V C Y P A P M T V S C Q A H N F A A I P E G I P E D 20 SERIFL Q N N R I T F L Q Q G H F S P A M V T L W I Y S N NITFIAPNTFEGFVHLEELDLGDNRQLRTLA PETFOGLVKLHALYLYKCGLSALPAGIFGGL H S L Q Y L Y L Q D N H I E Y L Q D D I F V D L V N L S H L F LHGNKLWSLGQGIFRGLVNLDRLLLHENQLQ 25 WVHHKAFHDLHRLTTLFLFNNSLTELQGDCL APLVALEFLRLNGNAWDCGCRARSLWEWLRR FRGSSSAVPCATPELRQGQDLKLLRVEDFRN CTGPVSPHQIKSHTLTTSDRAARKEHHPSHG A S R D K G H P H G H P P G S R S G Y K K A G K N C T S H R N 30 RNQISKVSSGKELTELQDYAPDYQHKFSFDI MPTARPKRK GK CARRTPIR APS GVQQ ASS GT ALGAPLLAWILGLAVTLR

The following amino acid sequence <SEQ ID NO:10> is a conserved cysteine motif (Cysteine domain 1) of the NgR and homologs based on the Consensus Sequence:

CPXXCXCYXXPXXTXSC

The following amino acid sequence <SEQ ID NO:11> is a conserved cysteine motif
(Cysteine domain 2) of the NgR and homologs based on the Consensus Sequence:

N X W X C X C R A R X L W X W X X X X R X S S S X V X C X X P
X X X X G X D L X X L X X X D X X X C

5

The following amino acid sequence <SEQ ID NO:12> is a conserved Leucine-rich domain of the NgR and homologs based on the Consensus Sequence:

10

15

20

Unless otherwise indicated, X is any amino acid. For example, X where indicated may be no amino acid. Additional features of the invention will be apparent from the following Examples. Examples 1-5 are actual, while the remaining Examples are prophetic.

As shown by the following Examples, a gene encoding novel NgRs have been identified by computational analysis of DNA sequence data. The proteins encoded by NgR2 and NgR3 have a putative signal sequence, eight leucine-rich repeat domains in a conserved leucine-rich region (SEQ ID NO:12), a conserved cysteine-rich region (SEQ ID NO:10) N-terminal to the leucine-rich region, a second cysteine-rich domain (SEQ ID NO:11) C-terminal to the leucine-rich region, and a putative glycophosphatidylinositol-linkage (GPI-linkage) site. NgR2 and NgR3 differ from the previously identified NgR sequence. The NgR homologs, when compared to known NgRs, show a consensus sequence (SEQ ID NOs:6). The putative mature NgR2 and NgR3 are shown in Table 5 as SEQ ID NOs: 8 and 9, respectively.

Example 1: Tblastn query of the HTG database

The protein sequence for the human NgR (NgR1) (SEQ ID NO:5) was used to query the high throughput genomic (HTG) database the use of which is familiar to those skilled in the art. The HTG database is a part of GenBank, a comprehensive

- 108 -

NIH genetic sequence database, which includes an annotated collection of all publicly available DNA sequences (*Nucleic Acids Res.* (2000) 28, 15-8). The HTG database includes sequences obtained from genomic DNA. Within genomic DNA, genes are typically encoded by multiple segments of DNA called exons. Thus when one aligns a cDNA sequence (or a protein sequence encoded by a cDNA sequence) to a genomic sequence, the sequence will be broken up into segments depending on the number of exons in the gene.

The BLAST algorithm, which stands for Basic Local Alignment Search Tool is suitable for determining sequence similarity (Altschul et al., (1990) J. Mol. Biol. 215, 403-410, which is incorporated herein by reference in its entirety). Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information (http://www.ncbi.nlm.nih.gov/). The basic BLAST algorithm involves first identifying high scoring sequence pair (HSPs) by identifying short words of length W in the query sequence that either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul et al., supra). These initial neighborhood word hits act as seeds for initiating searches to find HSPs containing them. The word hits are extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Extension for the word hits in each direction are halted when: 1) the cumulative alignment score falls off by the quantity X from its maximum achieved value; 2) the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or 3) the end of either sequence is reached. The Blast algorithm parameters W, T and X determine the sensitivity and speed of the alignment. The Blast program uses as defaults a word length (W) of 11, the BLOSUM62 scoring matrix (see Henikoff et al., (1992) Proc. Natl. Acad. Sci. USA 89, 10915-10919, which is incorporated herein by reference in its entirety) alignments (B) of 50, expectation (E) of 10, M=5, N=4, and a comparison of both strands.

The BLAST algorithm (Karlin et al., (1993) Proc. Natl. Acad. Sci. USA 90, 5873-5787, which is incorporated herein by reference) and Gapped BLAST perform a statistical analysis of the similarity between two sequences. One measure of similarity provided by the BLAST algorithm is the smallest sum probability (P(N)), which

5

10

15

20

25

provides an indication of the probability by which a match between two nucleotide or amino acid sequences would occur by chance. For example, a nucleic acid is considered similar to a NgR gene or cDNA if the smallest sum probability in comparison of the test nucleic acid to a NgR nucleic acid is less than about 1, preferably less than about 0.1, more preferably less than about 0.01, and most preferably less than about 0.001.

To query the HTG database with the NgR protein sequence, we used a variation of the BLAST algorithm known as the tblastn program, which compares a protein query sequence against a nucleotide sequence database dynamically translated in all reading frames (*J. Mol. Biol.* (1990) 215, 403-410: *Nucleic Acids Res.* (1997) 25, 3389-3402). The results of the tblastn search indicated the presence of genes in the database with a significant identity to the NgR. In addition to finding hits to genomic clones which contain the human and mouse NgR genes, we found hits to clones where the identity was not as high, but still very significant. Three human clones were found (Accession numbers: AC068514, AC016869, AC013606) with an e-value of 4e-43 and one mouse clone was found (Accession No. AC021768) with an e-value of 1e-78. The three human clones all appeared to encode the same gene, so further analysis was confined to AC013606.

20 Example 2: Prediction of the human NgR2 protein sequence (AC013606)

The human NgR protein sequence aligned with two regions of translated sequence from nucleotide sequence AC013606, indicating that the new gene was encoded by at least two exons. In order to define the complete gene, we used the computer program GENSCAN[™] (*J. Mol. Biol.* (1997) 268, 78-94) which can identify complete exon/intron structures of genes in genomic DNA. The gene prediction by GENESCAN[™] contained seven exons. By comparing these predicted exons to the NgR, it was concluded that the new human gene contains two of these exons and a part of another (containing the initiating methionine). The predicted cDNA (mRNA) encoded by these three exons was assembled from AC013606 (HTG11; deposited March 2000; length = 143899; GenBank release 118.0; SEQ ID NO: 15) by combining nucleotides from the three exons whose coordinates are: 123292-123322 (exon 1); 130035-130516 (exon 2); and 138589-139335 (exon 3). The sequence for this cDNA

5

10

15

25

10

15

20

25

30

sequence is SEQ ID NO:1 (nucleotide sequence of human NgR2; AC013606). The translation of this cDNA provides the protein sequence of human NgR2 (SEQ ID NO:2).

We used the protein sequence of human NgR2 as a query sequence against the human EST database. A number of hits of high significance were found indicating that the NgR2 mRNA is expressed in a number of tissues including fetal brain.

Furthermore, two of these ESTs provided support for the exon structure that we deduced. One EST (Accession No: GB_EST19:AI346757) contains 565 nucleotides corresponding to amino acids 84-271 of the human NgR2 (SEQ ID No:4). This spans the second intron located between amino acids 171 and 172, and provides positive evidence for the splicing of exons 2 and 3 at the mRNA level. Another EST (GB_EST26:AI929019) contains 545 nucleotides, part of which corresponds to amino acids 1-75 of the human NgR2 (SEQ ID NO:2). This spans the first intron located between amino acids 10 and 11, and provides positive evidence for the splicing of exons 1 and 2 at the mRNA level.

Example 3: Prediction of the mouse NgR3 protein sequence (AC021768)

The human NgR protein sequence aligned with only one region of translated sequence from nucleotide sequence AC021768, indicating that most of the new mouse gene was encoded by one large exon. However, upon inspection, the protein encoded by this exon was missing an initiating methionine. In order to define the complete gene, we used the computer program GENSCAN as described above. The gene prediction by GENSCAN contained two exons; the large one found by visual inspection and a short one at the 5' end which provided an initiating methionine. The predicted cDNA (mRNA) encoded by these two exons was assembled from AC021768 (HTG14; deposited March 2000; length = 215980; GenBank release 118.0; SEQ ID NO: 16) by combining nucleotides from the two exons whose coordinates are: the complement of 164265-164325 (exon 1); and the complement of 155671-156992 (exon 2). The sequence for this cDNA sequence is SEQ ID NO:3 (nucleotide sequence of mouse NgR3; AC021768). The translation of this cDNA provides the protein sequence of mouse NgR3 (SEQ ID NO:4).

10

15

25

30

We used the protein sequence of mouse NgR3 as a query sequence against the mouse EST database. One hit of high significance was found indicating that the NgR2 mRNA is expressed in the heart. This EST (GB_EST20:AI428334) contains 463 nucleotides, part of which correspond to amino acids 45-193 of mouse NgR3 (SEQ ID NO:4).

Example 4: Similarity between the NgRs

An alignment between NgR1 and the two new receptors is shown in Fig. 1A-1B. The similarities between these proteins include:

- (1) The SignalP program, which locates the signal sequence cleavage position, predicts a cleavage before the first conserved cysteine in all the proteins. Thus the mature protein in all cases will have a cysteine at the N-terminus.
- (2) All proteins contain eight Leucine Rich Repeats (LRR). LRRs are short sequence motifs present in a number of proteins with diverse functions and cellular locations. These repeats are usually involved in protein-protein interactions. Each LRR is composed of a beta-alpha unit.
- (3) All three proteins contain a leucine rich repeat N-terminal domain (LRRNT), in which four cysteines are conserved. LRRs are often flanked by cysteine rich domains at both their N and C termini.
- 20 (4) All three proteins contain a LRR C-terminal domain (LRRCT). The LRRCTs of the three NgR proteins can be distinguished from those of other LRR containing proteins, by the pattern of typtophans and cysteines which are completely conserved in this domain.
 - (5) All three proteins contain a conserved cysteine in the fourth LRR domain.
 - (6) All three proteins contain a conserved potential glycosylation site in the eighth LRR domain.
 - (7) NgR2 and NgR3 have a hydrophobic C-terminus, as does NgR1, an indication that they probably also undergo a modification similar to NgR1, where a GPI moiety is covalently linked to a C-terminal amino acid. This allows the protein to remain tethered to the cell.

Example 5: Preparation of Nogo Proteins

A Nogo binding assay was developed which utilizes a method widely used in examining semaphorin and ephrin axonal guidance function (Flanagan & Vanderhaeghen (1998) *Annu. Rev. Neurosci.* 21,3 09-345; Takahashi *et al.* (1999) *Cell* 99, 59-69). It involves fusing a secreted placental alkaline phosphatase (AP) moiety to the ligand in question to provide a biologically active receptor binding agent which can be detected with an extremely sensitive colorimetric assay. For Nogo, an expression vector is created encoding a signal peptide, a His6 tag for purification, AP, and the 66 amino acid active domain of Nogo. The fusion protein can be purified from the conditioned medium of transfected cells in milligram amounts. This protein is biologically active as a growth cone collapsing agent with an EC₅₀ of 1 nM.

Alternatively, a glutathione-S-transferase Nogo (GST-Nogo) fusion protein may be prepared. For GST-Nogo, an expression vector (e.g., a pGEX vector) is created encoding a signal peptide, GST, and the 66 amino acid active domain of Nogo. GST-Nogo may be purified from the culture medium and used as a GST fusion protein, or GST may be cleaved from the Nogo portion of the fusion protein with an enzyme that recognizes the specific amino acid cleavage sit engineered between the GST portion and the Nogo portion of the fusion protein. Such sites are part of the commercially available GST vectors. The specific cleavage sites and enzymes may be used in accordance with the Manufacturer's specifications.

It has been found that AP-Nogo is actually slightly more potent than GST-Nogo, perhaps because the protein is synthesized in a eukaryotic rather than a prokaryotic cell.

Binding of Nogo to immobilized NgR homologs may be performed in an ELISA-type assay in which AP-Nogo is allowed to react with an immobilized receptor homolog. Specificity of binding may be demonstrated in a competitive binding assay using increasing amounts of GST-Nogo in the type of assay to show a decreasing amount of binding of AP-Nogo (as judged in the colorimetric assay).

30 Example 6: Transfected COS Cell binding Assays

The homologs of the present invention may be used in transfection studies in COS cells to demonstrate binding of Nogo. Specifically, nucleotide sequences

5

10

15

20

PCT/US01/31488

encoding NgR2 and NgR3 may be transfected into COS cells using a suitable vector. Non-transfected COS-7 cells do not bind AP-Nogo. However, transfection of COS cells with nucleic acid sequences encoding NgRs will make them capable of binding Nogo. AP alone does not bind with any stable affinity to these transfected cells, indicating that any affinity of Nogo for NgR2 or NgR3 would be due to the 66 amino acids derived from Nogo. Furthemore, specific affinity of Nogo for the NgR2 or NgR3 proteins may be tested in displacement of AP-Nogo assays using GST-Nogo. NgR2 and/or NgR3 may also bind homologs of Nogo, which may also be tested using this assay.

10

15

5

Example 7: Expression of NgR in Human Cell Lines using Northern Blot and a Random-Primed Probe

A Northern blot is purchased from a commercial source, or RNA samples from cells of interest are run on an agarose gel and blotted to a membrane using any of the well known techniques for Northern blotting. The blot is probed with a fragment of NgR2 (SEQ ID NO:1) or NgR3 (SEQ ID NO:3). The probe is prepared from 50 ng of cDNA labeled by a random-primed method (Feinberg and Vogelstein (1983) *Anal. Biochem.* 132, 6-13). Hybridization is carried out at 68°C for 1 hour in ExpressHybTM solution (Clontech, Cat. No. 8015-1) followed by washing with 2X SSC/0.05% SDS at room temperature and two washes with 0.1X SSC/0.1% SDS at 50°C. Expression of NgR2 and/or NgR3 can be assessed by the presence of an appropriately sized band on the blot.

Example 8: Cloning of cDNA corresponding to NgRs

25

30

20

To obtain the full-length clone corresponding to NgR2 from a cDNA library, the following method may be used. A cDNA library is generated using standard methods from a tissue known to contain NgR2. Such a tissue was identified in Example 2. 1 x 10⁶ plaque forming units from the cDNA library may be screened in duplicate on OPTITRANTM filters. The filters are hybridized with ³²P-labeled oligonucleotides that are generated from the ESTs corresponding to portions of NgR2. The hybridization reaction may consist of 400 mls plaque screen buffer (50mM Tris pH

- 114 -

7.5, 1M NaCl, 0.1% Sodium pyrophosphate, 0.2% Polyvinylpryolidine and 0.2% Ficoll) containing 10% Dextran sulfate and 100µg/ml tRNA and 80 pmol each ³²P-labeled oligonucleotide at 65°C overnight. The filters are washed twice with 2X SSC/1%SDS and twice with 1X SSC/1%SDS and exposed to film. Duplicate positives are purified. DNA from each of these clones is analyzed by restriction enzyme digest followed by agarose gel electrophoresis and Southern blotting. The filters are hybridized to the ³²P-labeled oligonucleotides used for the original hybridization to confirm that inserts hybridize to the probe. The insert is then sequenced to confirm that it represents the cDNA for NgR2. Similar methods may be used to generate a full-length clone corresponding to NgR3.

Alternatively, a full-length clone of NgR2 or NgR3 can be obtained by a person of ordinary skill in the art employing conventional PCR techniques.

Example 9: Hybridization Analysis to demonstrate NgR expression in the brain

The expression of NgR in mammals, such as the rat, may be investigated by *in situ* hybridization histochemistry. To investigate expression in the brain, for example, coronal and sagittal rat brain cryosections (20 µm thick) are prepared using a Reichert-Jung cryostat. Individual sections are thaw-mounted onto silanized, nuclease-free slides (CEL Associates, Inc., Houston, TX), and stored at -80°C. Sections are processed starting with post-fixation in cold 4% paraformaldehyde, rinsed in cold phosphate-buffered saline (PBS), acetylated using acetic anhydride in triethanolamine buffer, and dehydrated through a series of alcohol washes in 70%, 95%, and 100% alcohol at room temperature. Subsequently, sections are delipidated in chloroform, followed by rehydration through successive exposure to 100% and 95% alcohol at room temperature. Microscope slides containing processed cryosections are allowed to air dry prior to hybridization. Other tissues may be assayed in a similar fashion.

A NgR-specific probe may be generated using PCR. Following PCR amplification, the fragment is digested with restriction enzymes and cloned into pBluescript II cleaved with the same enzymes. For production of a probe specific for the sense strand of NgR, a cloned NgR fragment cloned in pBluescript II may be linearized with a suitable restriction enzyme, which provides a substrate for labeled run-off transcripts (i.e., cRNA riboprobes) using the vector-borne T7 promoter and

5

10

15

20

25

- 115 -

commercially available T7 RNA polymerase. A probe specific for the antisense strand of NgR may also be readily prepared using the NgR clone in pBluescript II by cleaving the recombinant plasmid with a suitable restriction enzyme to generate a linearized substrate for the production of labeled run-off cRNA transcripts using the T3 promoter and cognate polymerase. The riboprobes may be labeled with [\$^{35}\$S]-UTP to yield a specific activity of about 0.40 x 10⁶ cpm/pmol for antisense riboprobes and about 0.65 x 10⁶ cpm/pmol for sense-strand riboprobes. Each riboprobe may be subsequently denatured and added (2 pmol/ml) to hybridization buffer which contains 50% formamide, 10% dextran, 0.3 M NaCl, 10 mM Tris (pH 8.0), 1 mM EDTA, 1X Denhardt's Solution, and 10 mM dithiothreitol. Microscope slides containing sequential brain cryosections may be independently exposed to 45 µl of hybridization solution per slide and silanized cover slips may be placed over the sections being exposed to hybridization solution. Sections are incubated overnight (15-18 hours) at 52°C to allow hybridization to occur. Equivalent series of cryosections are then exposed to sense or antisense NgR-specific cRNA riboprobes.

Following the hybridization period, coverslips are washed off the slides in 1X SSC, followed by RNase A treatment involving the exposure of slides to 20 µg/ml RNase A in a buffer containing 10 mM Tris-HCl (pH 7.4), 0.5 M EDTA, and 0.5 M NaCl for 45 minutes at 37°C. The cryosections are then subjected to three high-stringency washes in 0.1 X SSC at 52°C for 20 minutes each. Following the series of washes, cryosections are dehydrated by consecutive exposure to 70%, 95%, and 100% ammonium acetate in alcohol, followed by air drying and exposure to Kodak BioMaxTM MR-1 film. After 13 days of exposure, the film is developed, and any significant hybridization signal is detected. Based on these results, slides containing tissue that hybridized, as shown by film autoradiograms, are coated with Kodak NTB-2 nuclear track emulsion and the slides are stored in the dark for 32 days. The slides are then developed and counterstained with hematoxylin. Emulsion-coated sections are analyzed microscopically to determine the specificity of labeling. The signal is determined to be specific if autoradiographic grains (generated by antisense probe hybridization) are clearly associated with cresyl violate-stained cell bodies. Autoradiographic grains found between cell bodies indicate non-specific binding of the probe.

5

10

15

20

25

- 116 -

In some cases, such as using a probe to detect a NgR homolog in a heterologous species, in order to achieve optimal hybridization, it may be necessary to decrease the stringency conditions. Such conditions are well known to those of ordinary skill in the art and examples are provided above.

Expression of NgR in the brain provides an indication that modulators of NgR activity have utility for treating neurological disorders. Some other diseases for which modulators of NgR may have utility include depression, anxiety, bipolar disease, epilepsy, neuritis, neurasthenia, neuropathy, neuroses, and the like. Use of NgR modulators, including NgR ligands and anti-NgR antibodies, to treat individuals having such disease states is intended as an aspect of the invention.

Example 10: Northern Blot Analysis of NgR-RNA with a PCR-generated Probe

Northern blot hybridizations may be performed to examine the expression of NgR mRNA. A clone containing at least a portion of the sequence of SEQ ID NO:1 may be used as a probe. Vector-specific primers are used in PCR to generate a hybridization probe fragment for ³²P-labeling. The PCR is performed as follows:

	Mix:	1μl	NgR-containing plasmid
•		2µl	fwd primer (10-50 pM)
20		2μ1	rev primer (10-50 pM)
		10µ1	10xPCR buffer (such as that provided with the enzyme,
			Amersham Pharmacia Biotech)
		$1\mu l$	10mM dNTP (such as #1 969 064 from Boehringer Mannheim)
		$0.5\mu l$	Taq polymerase (such as #27-0799-62, Amersham Pharmacia
25			Biotech)
		83.5µl	water

5

10

- 117 -

PCR is performed in a Thermocycler using the following program:

	94°C	5min	
5	94°C 55°C 72°C	1min 1min 1min	30 cycles
	72°C	10min	1

10

15

20

25

30

The PCR product may be purified using QIAquick PCR Purification Kit (#28104) from Qiagen, and radictively labeled with ³²P-dCTP (#AA0005/250, Amersham Pharmacia Biotech)) may be done by random priming using "Ready-to-go DNA Labeling Beads" (#27-9240-01) from Amersham Pharmacia Biotech.

Hybridization is carried out on Human Multiple Tissue Northern Blot from Clontech as described in manufacturer's protocol, or on a Northern Blot prepared by running RNA samples from cells of interest on an agarose gel and blotting to a membrane using any of the known Northern blotting protocols. After exposure overnight on Molecular Dynamics Phosphor Imager screen (#MD146-814) bands of an appropriate size are visualized.

Example 11: Recombinant Expression of NgR in Eukaryotic Host Cells

A. Expression of NgR in Mammalian Cells

To produce NgR protein, a NgR-encoding polynucleotide is expressed in a suitable host cell using a suitable expression vector and standard genetic engineering techniques. For example, a NgR-encoding sequence described in Table 4 is subcloned into the commercial expression vector pzeoSV2 (Invitrogen, San Diego, CA) and transfected into Chinese Hamster Ovary (CHO) cells using the transfection reagent FuGENE6TM (Boehringer-Mannheim) and the transfection protocol provided in the product insert. Other eukaryotic cell lines, including human embryonic kidney (HEK 293) and COS cells, are suitable as well. Cells stably expressing NgR are selected by growth in the presence of 100 μg/ml zeocin (Stratagene, LaJolla, CA). As an alternative to FuGENE6TM, the expression vector may carry the gene for dihydrofolate reductase (dhfr) and selection of clones with methotrexate (MTX) drug pressure

- 118 -

allows for stable transformation of CHO cells. Optionally, NgR may be purified from the cells using standard chromatographic techniques. To facilitate purification, antisera is raised against one or more synthetic peptide sequences that correspond to portions of the NgR amino acid sequence, and the antisera is used to affinity purify Nogo-R. The NgR also may be expressed in-frame with a tag sequence (e.g., polyhistidine, hemaglutinin, FLAG) to facilitate purification. Moreover, it will be appreciated that many of the uses for NgR polypeptides, such as assays described below, do not require purification of NgR from the host cell.

B. Expression of NgR in CHO cells

For expression of NgR in Chinese hamster ovary (CHO) cells, a plasmid bearing the relevant NgR coding sequence is prepared, using a vector which also bears the selectable marker dihydrofolate reductase (DHFR). The plasmid is transfected into CHO cells. Selection under MTX drug pressure allows for preparation of stable transformants of a NgR (NgR2 or NgR3) in an expression plasmid carrying a selectable marker such as DHFR.

C. Expression of NgR in 293 cells

For expression of NgR in mammalian cells 293 (transformed human, primary embryonic kidney cells), a plasmid bearing the relevant NgR coding sequence is prepared, using vector pSecTag2A (Invitrogen). Vector pSecTag2A contains the murine IgK chain leader sequence for secretion, the c-myc epitope for detection of the recombinant protein with the anti-myc antibody, a C-terminal polyhistidine for purification with nickel chelate chromatography, and a Zeocin resistant gene for selection of stable transfectants. The forward primer for amplification of this NgR cDNA is determined by routine procedures and preferably contains a 5' extension of nucleotides to introduce the HindIII cloning site and nucleotides matching the NgR sequence. The reverse primer is also determined by routine procedures and preferably contains a 5' extension of nucleotides to introduce an *XhoI* restriction site for cloning and nucleotides corresponding to the reverse complement of the NgR sequence. The PCR conditions are 55°C as the annealing temperature. The PCR product is gel purified and cloned into the *HindIII-XhoI* sites of the vector.

5

10

15

20

25

10

15

20

25

30

p

The DNA is purified using Qiagen chromatography columns and transfected into 293 cells using DOTAPTM transfection media (Boehringer Mannheim, Indianapolis, IN). Transiently transfected cells are tested for expression after 24 hours of transfection, using western blots probed with anti-His and anti-NgR peptide antibodies. Permanently transfected cells are selected with Zeocin and propagated. Production of the recombinant protein is detected from both cells and media by Western blots probed with anti-His, anti-Myc or anti-NgR peptide antibodies.

D. Transient Expression of Nogo-R in COS cells

For expression of the NgR in COS7 cells, a polynucleotide molecule having a nucleotide sequence of SEQ ID NO:1, for example, can be cloned into vector p3-CI. This vector is a pUC18-derived plasmid that contains the HCMV (human cytomegalovirus) promoter-intron located upstream from the bGH (bovine growth hormone) polyadenylation sequence and a multiple cloning site.

The forward primer is determined by routine procedures and preferably contains a 5' extension which introduces an XbaI restriction site for cloning, followed by nucleotides which correspond to a nucleotide sequence of SEQ ID NO:1. The reverse primer is also determined by routine procedures and preferably contains 5'-extension of nucleotides which introduces a SaII cloning site followed by nucleotides which correspond to the reverse complement of a nucleotide sequence of SEQ ID NO:1.

The PCR consists of an initial denaturation step of 5 min at 95°C, 30 cycles of 30 sec denaturation at 95°C, 30 sec annealing at 58°C and 30 sec extension at 72°C, followed by 5 min extension at 72°C. The PCR product is gel purified and ligated into the XbaI and SaII sites of vector p3-CI. This construct is transformed into E. coli cells for amplification and DNA purification. The DNA is purified with Qiagen chromatography columns and transfected into COS 7 cells using LipofectamineTM reagent from BRL, following the manufacturer's protocols. Forty-eight and 72 hours after transfection, the media and the cells are tested for recombinant protein expression.

NgR expressed from a COS cell culture can be purified by concentrating the cell-growth media to about 10 mg of protein/ml, and purifying the protein by, for

BNSDOCID: <WO_____0229059A2_I_>

example, chromatography. Purified NgR is concentrated to 0.5 mg/ml in an Amicon concentrator fitted with a YM-10 membrane and stored at -80°C. NgR3 may also be expressed using this method and the nucleotide sequence of SEQ ID NO:3 or SEQ ID NO:13.

5

10

15

20

25

30

E. Expression of NgR in Insect Cells

For expression of NgR in a baculovirus system, a polynucleotide molecule having a nucleotide sequence of SEQ ID NO:1, 3 or 13 can be amplified by PCR. The forward primer is determined by routine procedures and preferably contains a 5' extension which adds the *NdeI* cloning site, followed by nucleotides which correspond to a nucleotide sequence of SEQ ID NO:1 (or SEQ ID NO:3 or SEQ ID NO:13, respectively). The reverse primer is also determined by routine procedures and preferably contains a 5' extension which introduces the *KpnI* cloning site, followed by nucleotides which correspond to the reverse complement of a nucleotide sequence of SEQ ID NO:1 (or SEQ ID NO:3 or SEQ ID NO:13, respectively).

The PCR product is gel purified, digested with *Nde*I and *Kpn*I, and cloned into the corresponding sites of vector pACHTL-A (Pharmingen, San Diego, CA). The pAcHTL expression vector contains the strong polyhedrin promoter of the *Autographa californica* nuclear polyhedrosis virus (AcMNPV), and a 6XHis tag upstream from the multiple cloning site. A protein kinase site for phosphorylation and a thrombin site for excision of the recombinant protein precede the multiple cloning site is also present. Of course, many other baculovirus vectors could be used in place of pAcHTL-A, such as pAc373, pVL941 and pAcIM1. Other suitable vectors for the expression of NgR polypeptides can be used, provided that the vector construct includes appropriately located signals for transcription, translation, and trafficking, such as an in-frame AUG and a signal peptide, as required. Such vectors are described in Luckow *et al.*, Virology 170:31-39, among others.

The virus is grown and isolated using standard baculovirus expression methods, such as those described in Summers *et al.* (1987) A MANUAL OF METHODS FOR BACULOVIRUS VECTORS AND INSECT CELL CULTURE PROCEDURES, Texas Agricultural Experimental Station Bulletin No. 1555.

10

15

20

25

30

In a preferred embodiment, pAcHLT-A containing NgR gene is introduced into baculovirus using the "BaculoGold™" transfection kit (Pharmingen, San Diego, CA) using methods established by the manufacturer. Individual virus isolates are analyzed for protein production by radiolabeling infected cells with ³⁵S-methionine at 24 hours post infection. Infected cells are harvested at 48 hours post infection, and the labeled proteins are visualized by SDS-PAGE. Viruses exhibiting high expression levels can be isolated and used for scaled up expression.

For expression of a NgR polypeptide in a Sf9 cells, a polynucleotide molecule having the nucleotide sequence of SEQ ID NO:1 (or SEQ ID NO:3 or SEQ ID NO:13) can be amplified by PCR using the primers and methods described above for baculovirus expression. The NgR cDNA is cloned into vector pAcHLT-A (Pharmingen) for expression in Sf9 insect. The insert is cloned into the *NdeI* and *KpnI* sites, after elimination of an internal *NdeI* site (using the same primers described above for expression in baculovirus). DNA is purified with Qiagen chromatography columns and expressed in Sf9 cells. Preliminary Western blot experiments from non-purified plaques are tested for the presence of the recombinant protein of the expected size which reacted with the NgR-specific antibody. These results are confirmed after further purification and expression optimization in HiG5 cells.

æ

F. Expression of soluble forms of NgR2 and NgR3 as NgR-Ig fusion proteins.

To generate a NgR2-Ig fusion protein, standard methods may be used as described in the literature (e.g. Sanicola et al. (1997) Proc. Natl. Acad. Sci. USA. 94, 6238-6243). For example, a DNA fragment encoding NgR2 without the sequence encoding the hydrophobic C-terminus (GPI anchor signal) may be ligated to a DNA fragment encoding the Fc domain of IgG1 (which may be human IgG1), and the chimeric fragment may be cloned into an expression vector to generate a plasmid. The plasmid may then be transfected into Chinese hamster ovary cells to generate a stable cell line producing the fusion protein. The fusion protein is then purified from conditioned media using standard methods. For example, clarified conditioned media from the cell line may be loaded by gravity directly onto Protein A Sepharose. The column may then be washed with five column volumes each of PBS, PBS containing

- 122 -

0.5 M NaCl, and 25 mM sodium phosphate, 100 mM NaCl (pH 5.0). The bound protein may then be eluted with 25 mM NaH₂PO₄, 100 mM NaCl (pH 2.8) and immediately neutralized with 1/10 fraction volume of 0.5 M Na₂HPO₄ (pH 8.6).

Similar methods may be used to generate a NgR3-Ig fusion protein.

5

10

15

20

25

30

Example 12: Interaction Trap/Two-Hybrid System

In order to assay for NgR-interacting proteins, the interaction trap/two-hybrid library screening method can be used. This assay was first described in Fields *et al.* (1989) *Nature* 340, 245, which is incorporated herein by reference in its entirety. A protocol is published in CURRENT PROTOCOLS IN MOLECULAR BIOLOGY 1999, John Wiley & Sons, NY and Ausubel, F. M. *et al.* 1992, SHORT PROTOCOLS IN MOLECULAR BIOLOGY, fourth edition, Greene and Wiley-interscience, NY, which is incorporated herein by reference in its entirety. Kits are available from Clontech, Palo Alto, CA (Matchmaker Two-Hybrid System 3).

A fusion of the nucleotide sequences encoding all or partial NgR and the yeast transcription factor GAL4 DNA-binding domain (DNA-BD) is constructed in an appropriate plasmid (i.e., pGBKT7) using standard subcloning techniques. Similarly, a GAL4 active domain (AD) fusion library is constructed in a second plasmid (i.e., pGADT7) from cDNA of potential NgR-binding proteins (for protocols on forming cDNA libraries, see Sambrook et al. 1989, MOLECULAR CLONING: A LABORATORY MANUAL, second edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY), which is incorporated herein by reference in its entirety. The DNA-BD/NgR fusion construct is verified by sequencing, and tested for autonomous reporter gene activation and cell toxicity, both of which would prevent a successful two-hybrid analysis. Similar controls are performed with the AD/library fusion construct to ensure expression in host cells and lack of transcriptional activity. Yeast cells are transformed (ca. 105 transformants/mg DNA) with both the NgR and library fusion plasmids according to standard procedure (Ausubel, et al., 1992, SHORT PROTOCOLS IN MOLECULAR BIOLOGY, fourth edition, Greene and Wiley-interscience, NY, which is incorporated herein by reference in its entirety). In vivo binding of DNA-BD/NgR with AD/library proteins results in transcription of specific yeast plasmid reporter genes (i.e., lacZ, HIS3, ADE2, LEU2). Yeast cells are plated on nutrient-deficient

media to screen for expression of reporter genes. Colonies are dually assayed for β-galactosidase activity upon growth in Xgal (5-bromo-4-chloro-3-indolyl-b-D-galactoside) supplemented media (filter assay for b-galactosidase activity is described in Breeden *et al.*, (1985) *Cold Spring Harb. Symp. Quant. Biol.*, 50, 643, which is incorporated herein by reference in its entirety). Positive AD-library plasmids are rescued from transformants and reintroduced into the original yeast strain as well as other strains containing unrelated DNA-BD fusion proteins to confirm specific NgR/library protein interactions. Insert DNA is sequenced to verify the presence of an open reading frame fused to GALA AD and to determine the identity of the NgR-binding protein.

Example 13: Antibodies to Nogo-R

Standard techniques are employed to generate polyclonal or monoclonal antibodies to the NgR receptor, and to generate useful antigen-binding fragments thereof or variants thereof, including "humanized" variants. Such protocols can be found, for example, in Sambrook *et al.* (1989), above, and Harlow *et al.* (Eds.), ANTIBODIES A LABORATORY MANUAL; Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY (1988). In one embodiment, recombinant NgR polypeptides (or cells or cell membranes containing such polypeptides) are used as antigen to generate the antibodies. In another embodiment, one or more peptides having amino acid sequences corresponding to an immunogenic portion of NgR (*e.g.*, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, or more amino acids) are used as antigen. Peptides corresponding to extracellular portions of Nogo-R, especially hydrophilic extracellular portions, are preferred. The antigen may be mixed with an adjuvant or linked to a hapten to increase antibody production.

A. Polyclonal or Monoclonal antibodies

As one exemplary protocol, recombinant NgR or a synthetic fragment thereof is used to immunize a mouse for generation of monoclonal antibodies (or larger mammal, such as a rabbit, for polyclonal antibodies). To increase antigenicity, peptides are conjugated to Keyhole Limpet Hemocyanin (Pierce), according to the manufacturer's recommendations. For an initial injection, the antigen is emulsified with

5

10

15

20

25

- 124 -

Freund's Complete Adjuvant and injected subcutaneously. At intervals of two to three weeks, additional aliquots of NgR antigen are emulsified with Freund's Incomplete Adjuvant and injected subcutaneously. Prior to the final booster injection, a serum sample is taken from the immunized mice and assayed by western blot to confirm the presence of antibodies that immunoreact with NgR. Serum from the immunized animals may be used as polyclonal antisera or used to isolate polyclonal antibodies that recognize NgR. Alternatively, the mice are sacrificed and their spleen removed for generation of monoclonal antibodies.

To generate monoclonal antibodies, the spleens are placed in 10 ml serum-free RPMI 1640, and single cell suspensions are formed by grinding the spleens in serum-free RPMI 1640, supplemented with 2 mM L-glutamine, 1 mM sodium pyruvate, 100 units/ml penicillin, and 100 μg/ml streptomycin (RPMI) (Gibco, Canada). The cell suspensions are filtered and washed by centrifugation and resuspended in serum-free RPMI. Thymocytes taken from three naive Balb/c mice are prepared in a similar manner and used as a Feeder Layer. NS-1 myeloma cells, kept in log phase in RPMI with 10% fetal bovine serum (FBS) (Hyclone Laboratories, Inc., Logan, UT) for three days prior to fusion, are centrifuged and washed as well.

To produce hybridoma fusions, spleen cells from the immunized mice are combined with NS-1 cells and centrifuged, and the supernatant is aspirated. The cell pellet is dislodged by tapping the tube, and 2 ml of 37°C PEG 1500 (50% in 75 mM HEPES, pH 8.0) (Boehringer-Mannheim) is stirred into the pellet, followed by the addition of serum-free RPMI. Thereafter, the cells are centrifuged, resuspended in RPMI containing 15% FBS, 100 μM sodium hypoxanthine, 0.4 μM aminopterin, 16 μM thymidine (HAT) (Gibco), 25 units/ml IL-6 (Boehringer-Mannheim) and 1.5 x 10⁶ thymocytes/ml, and plated into 10 Corning flat-bottom 96-well tissue culture plates (Corning, Corning, NY).

On days 2, 4, and 6 after the fusion, 100 µl of medium is removed from the wells of the fusion plates and replaced with fresh medium. On day 8, the fusions are screened by ELISA, testing for the presence of mouse IgG that binds to NgR. Selected fusion wells are further cloned by dilution until monoclonal cultures producing anti-NgR antibodies are obtained.

5

10

15

20

25

10

15

20

25

30

B. Humanization of anti-NgR monoclonal antibodies

The expression pattern of NgR as reported herein and the potential of NgRs as targets for therapeutic intervention suggest therapeutic indications for NgR inhibitors (antagonists). NgR-neutralizing antibodies comprise one class of therapeutics useful as NgR antagonists. Following are protocols to improve the utility of anti-NgR monoclonal antibodies as therapeutics in humans by "humanizing" the monoclonal antibodies to improve their serum half-life and render them less immunogenic in human hosts (*i.e.*, to prevent human antibody response to non-human anti-NgR antibodies).

The principles of humanization have been described in the literature and are facilitated by the modular arrangement of antibody proteins. To minimize the possibility of binding complement, a humanized antibody of the IgG4 isotype is preferred.

For example, a level of humanization is achieved by generating chimeric antibodies comprising the variable domains of non-human antibody proteins of interest with the constant domains of human antibody molecules. (See, e.g., Morrison et al., (1989) Adv. Immunol., 44, 65-92). The variable domains of NgR-neutralizing anti-NgR antibodies are cloned from the genomic DNA of a B-cell hybridoma or from cDNA generated from mRNA isolated from the hybridoma of interest. The V region gene fragments are linked to exons encoding human antibody constant domains, and the resultant construct is expressed in suitable mammalian host cells (e.g., myeloma or CHO cells).

To achieve an even greater level of humanization, only those portions of the variable region gene fragments that encode antigen-binding complementarity determining regions ("CDR") of the non-human monoclonal antibody genes are cloned into human antibody sequences. (See, e.g., Jones et al., (1986) Nature 321, 522-525; Riechmann et al., (1988) Nature 332, 323-327; Verhoeyen et al., (1988) Science 239, 1534-1536; and Tempest et al., (1991) Bio/Technology 9, 266-271). If necessary, the B-sheet framework of the human antibody surrounding the CDR3 regions also is modified to more closely mirror the three dimensional structure of the antigen-binding domain of the original monoclonal antibody. (See Kettleborough et al., (1991) Protein Engin. 4, 773-783; and Foote et al., (1992) J. Mol. Biol. 224, 487-499).

In an alternative approach, the surface of a non-human monoclonal antibody of interest is humanized by altering selected surface residues of the non-human antibody, e.g., by site-directed mutagenesis, while retaining all of the interior and contacting residues of the non-human antibody. See Padlan (1991) Mol. Immunol. 28, 489-498.

The foregoing approaches are employed using NgR-neutralizing anti-NgR monoclonal antibodies and the hybridomas that produce them to generate humanized NgR-neutralizing antibodies useful as therapeutics to treat or palliate conditions wherein NgR expression or ligand-mediated NgR signaling is detrimental.

C. Human NgR-Neutralizing Antibodies from Phage Display

Human NgR-neutralizing antibodies are generated by phage display techniques such as those described in Aujame et al. (1997) Human Antibodies 8, 155-168; Hoogenboom (1997) TIBTECH 15, 62-70; and Rader et al. (1997), Curr. Opin. Biotechnol. 8, 503-508, all of which are incorporated by reference. For example, antibody variable regions in the form of Fab fragments or linked single chain Fv fragments are fused to the amino terminus of filamentous phage minor coat protein pIII. Expression of the fusion protein and incorporation thereof into the mature phage coat results in phage particles that present an antibody on their surface and contain the genetic material encoding the antibody. A phage library comprising such constructs is expressed in bacteria, and the library is screened for NgR-specific phage-antibodies using labeled or immobilized NgR as antigen-probe.

D. Human NgR-neutralizing antibodies from transgenic mice

Human NgR-neutralizing antibodies are generated in transgenic mice essentially as described in Bruggemann et al. (1996) Immunol. Today 17, 391-397 and Bruggemann et al. (1997) Curr. Opin. Biotechnol. 8, 455-458. Transgenic mice carrying human V-gene segments in germline configuration and that express these transgenes in their lymphoid tissue are immunized with a NgR composition using conventional immunization protocols. hybridomas are generated using B cells from the immunized mice using conventional protocols and screened to identify hybridomas secreting anti-NgR human antibodies (e.g., as described above).

5

10

15

20

25

Example 14: Assays to Identify Modulators of NgR Activity

Set forth below are several nonlimiting assays for identifying modulators (agonists and antagonists) of NgR activity. Among the modulators that can be identified by these assays are natural ligand compounds of the receptor; synthetic analogs and derivatives of natural ligands; antibodies, antibody fragments, and/or antibody-like compounds derived from natural antibodies or from antibody-like combinatorial libraries; and/or synthetic compounds identified by high-throughput screening of libraries; and the like. All modulators that bind NgR are useful for identifying NgR in tissue samples (e.g., for diagnostic purposes, pathological purposes, and the like). Agonist and antagonist modulators are useful for up-regulating and down-regulating NgR activity, respectively, to treat disease states characterized by abnormal levels of NgR activity. The assays may be performed using single putative modulators, and/or may be performed using a known agonist in combination with candidate antagonists (or visa versa).

15

10

5

A. cAMP Assays

In one type of assay, levels of cyclic adenosine monophosphate (cAMP) are measured in NgR-transfected cells that have been exposed to candidate modulator compounds. Protocols for cAMP assays have been described in the literature. (See, e.g., Sutherland et al., (1968) Circulation 37, 279; Frandsen et al., (1976) Life Sciences 18, 529-541; Dooley et al., (1997) J. Pharmacol. Exp. Therap. 283, 735-41; and George et al., (1997) J. Biomol. Screening 2, 235-40). An exemplary protocol for such an assay, using an Adenylyl Cyclase Activation FlashPlate[®] Assay from NEN[™] Life Science Products, is set forth below.

25

30

20

Briefly, the NgR coding sequence (e.g., a cDNA or intronless genomic DNA) is subcloned into a commercial expression vector, such as pzeoSV2 (Invitrogen), and transiently transfected into Chinese Hamster Ovary (CHO) cells using known methods, such as the transfection protocol provided by Boehringer-Mannheim when supplying the FuGENE 6 transfection reagent. Transfected CHO cells are seeded into 96-well microplates from the FlashPlate® assay kit, which are coated with solid scintillant to which antisera to cAMP has been bound. For a control, some wells are seeded with

10

15

20

25

30

wild type (untransfected) CHO cells. Other wells in the plate receive various amounts of a cAMP standard solution for use in creating a standard curve.

One or more test compounds (i.e., candidate modulators) are added to the cells in each well, with water and/or compound-free medium/diluent serving as a control or controls. After treatment, cAMP is allowed to accumulate in the cells for exactly 15 minutes at room temperature. The assay is terminated by the addition of lysis buffer containing [125] labeled cAMP, and the plate is counted using a Packard Topcount™ 96-well microplate scintillation counter. Unlabeled cAMP from the lysed cells (or from standards) and fixed amounts of [125I]-cAMP compete for antibody bound to the plate. A standard curve is constructed, and cAMP values for the unknowns are obtained by interpolation. Changes in intracellular cAMP levels of cells in response to exposure to a test compound are indicative of NgR modulating activity. Modulators that act as agonists of receptors which couple to the G_s subtype of G proteins will stimulate production of cAMP, leading to a measurable 3-10 fold increase in cAMP levels. Agonists of receptors which couple to the Gi/o subtype of G proteins will inhibit forskolin-stimulated cAMP production, leading to a measurable decrease in cAMP levels of 50-100%. Modulators that act as inverse agonists will reverse these effects at receptors that are either constitutively active or activated by known agonists.

B. Aequorin Assays

In another assay, cells (e.g., CHO cells) are transiently co-transfected with both a NgR expression construct and a construct that encodes the photoprotein apoaquorin. In the presence of the cofactor coelenterazine, apoaquorin will emit a measurable luminescence that is proportional to the amount of intracellular (cytoplasmic) free calcium. (See generally, Cobbold, et al. "Aequorin measurements of cytoplasmic free calcium," In: McCormack J.G. and Cobbold P.H., eds., Cellular Calcium: A Practical Approach. Oxford:IRL Press (1991); Stables et al., (1997) Anal. Biochem. 252, 115-26; and Haugland, Handbook of Fluorescent Probes and Research Chemicals. Sixth edition. Molecular Probes, Eugene, OR (1996)).

In one exemplary assay, NgR is subcloned into the commercial expression vector pzeoSV2 (Invitrogen) and transiently co-transfected along with a construct that encodes the photoprotein apoaquorin (Molecular Probes, Eugene, OR) into CHO cells

using the transfection reagent FuGENE 6 (Boehringer-Mannheim) and the transfection protocol provided in the product insert.

The cells are cultured for 24 hours at 37°C in MEM (Gibco/BRL, Gaithersburg, MD) supplemented with 10% fetal bovine serum, 2 mM glutamine, 10 U/ml penicillin and 10 µg/ml streptomycin, at which time the medium is changed to serum-free MEM containing 5 µM coelenterazine (Molecular Probes, Eugene, OR). Culturing is then continued for two additional hours at 37°C. Subsequently, cells are detached from the plate using VERSEN (Gibco/BRL), washed, and resuspended at 200,000 cells/ml in serum-free MEM.

10 Dilutions of candidate NgR modulator compounds are prepared in serum-free MEM and dispensed into wells of an opaque 96-well assay plate at 50 μl/well. Plates are then loaded onto an MLX microtiter plate luminometer (Dynex Technologies, Inc., Chantilly, VA). The instrument is programmed to dispense 50 µl cell suspensions into each well, one well at a time, and immediately read luminescence for 15 seconds. 15 Dose-response curves for the candidate modulators are constructed using the area under the curve for each light signal peak. Data are analyzed with SlideWrite, using the equation for a one-site ligand, and EC_{50} values are obtained. Changes in luminescence caused by the compounds are considered indicative of modulatory activity. Modulators that act as agonists at receptors which couple to the G_q subtype 20 of G proteins give an increase in luminescence of up to 100 fold. Modulators that act as inverse agonists will reverse this effect at receptors that are either constitutively active or activated by known agonists.

C. Luciferase Reporter Gene Assay

The photoprotein luciferase provides another useful tool for assaying for modulators of NgR activity. Cells (e.g., CHO cells or COS 7 cells) are transiently cotransfected with both a NgR expression construct (e.g., NgR in pzeoSV2) and a reporter construct which includes a gene for the luciferase protein downstream from a transcription factor binding site, such as the cAMP-response element (CRE), AP-1, or NF-kappa B. Expression levels of luciferase reflect the activation status of the signaling events. (See generally, George et al. (1997) J. Biomol. Screening 2, 235-240; and Stratowa et al. (1995) Curr. Opin. Biotechnol. 6, 574-581). Luciferase

25

activity may be quantitatively measured using, e.g., luciferase assay reagents that are commercially available from Promega (Madison, WI).

In one exemplary assay, CHO cells are plated in 24-well culture dishes at a density of 100,000 cells/well one day prior to transfection and cultured at 37°C in MEM (Gibco/BRL) supplemented with 10% fetal bovine serum, 2 mM glutamine, 10 U/ml penicillin and 10 µg/ml streptomycin. Cells are transiently co-transfected with both a NgR expression construct and a reporter construct containing the luciferase gene. The reporter plasmids CRE-luciferase, AP-1-luciferase and NF-kappaBluciferase may be purchased from Stratagene (Legally, CA). Transfections are performed using the FuGENE 6 transfection reagent (Boehringer-Mannheim) according to the supplier's instructions. Cells transfected with the reporter construct alone are used as a control. Twenty-four hours after transfection, cells are washed once with PBS pre-warmed to 37°C. Serum-free MEM is then added to the cells either alone (control) or with one or more candidate modulators and the cells are incubated at 37°C for five hours. Thereafter, cells are washed once with ice-cold PBS and lysed by the addition of 100 µl of lysis buffer per well from the luciferase assay kit supplied by Promega. After incubation for 15 minutes at room temperature, 15 µl of the lysate is mixed with 50 µl of substrate solution (Promega) in an opaque-white, 96-well plate, and the luminescence is read immediately on a Wallace model 1450 MicroBeta scintillation and luminescence counter (Wallace Instruments, Gaithersburg, MD).

Differences in luminescence in the presence versus the absence of a candidate modulator compound are indicative of modulatory activity. Receptors that are either constitutively active or activated by agonists typically give a 3-20-fold stimulation of luminescence compared to cells transfected with the reporter gene alone. Modulators that act as inverse agonists will reverse this effect.

D. Intracellular calcium measurement using FLIPR

Changes in intracellular calcium levels are another recognized indicator of receptor activity, and such assays can be employed to screen for modulators of NgR activity. For example, CHO cells stably transfected with a NgR expression vector are plated at a density of 4 x 10⁴ cells/well in Packard black-walled, 96-well plates

5

10

15

20

25

- 131 -

specially designed to discriminate fluorescence signals emanating from the various wells on the plate. The cells are incubated for 60 minutes at 37°C in modified Dulbecco's PBS (D-PBS) containing 36 mg/L pyruvate and 1 g/L glucose with the addition of 1% fetal bovine serum and one of four calcium indicator dyes (Fluo-3TM AM, Fluo-4TM AM, Calcium GreenTM-1 AM, or Oregon GreenTM 488 BAPTA-1 AM), each at a concentration of 4 μM. Plates are washed once with modified D-PBS without 1% fetal bovine serum and incubated for 10 minutes at 37°C to remove residual dye from the cellular membrane. In addition, a series of washes with modified D-PBS without 1% fetal bovine serum is performed immediately prior to activation of the calcium response.

A calcium response is initiated by the addition of one or more candidate receptor agonist compounds, calcium ionophore A23187 (10 μM; positive control), or ATP (4 μM; positive control). Fluorescence is measured by Molecular Device's FLIPR with an argon laser (excitation at 488 nm). (See, e.g., Kuntzweiler et al. (1998) Drug Dev. Res. 44,14-20). The F-stop for the detector camera is set at 2.5 and the length of exposure is 0.4 milliseconds. Basal fluorescence of cells is measured for 20 seconds prior to addition of candidate agonist, ATP, or A23187, and the basal fluorescence level is subtracted from the response signal. The calcium signal is measured for approximately 200 seconds, taking readings every two seconds. Calcium ionophore A23187 and ATP increase the calcium signal 200% above baseline levels. In general, activated NgRs increase the calcium signal at least about 10-15% above baseline signal.

E. [³⁵S]GTPγS Binding Assay

It is also possible to evaluate whether NgR signals through a G protein-mediated pathway. Because G protein-coupled receptors signal through intracellular G proteins whose activity involves GTP binding and hydrolysis to yield bound GDP, measurement of binding of the non-hydrolyzable GTP analog [³⁵S]-GTPγS in the presence and absence of candidate modulators provides another assay for modulator activity. (See, e.g., Kowal et al., (1998) Neuropharmacology 37, 179-187.).

5

10

15

In one exemplary assay, cells stably transfected with a NgR expression vector are grown in 10 cm tissue culture dishes to subconfluence, rinsed once with 5 ml of ice-cold Ca^{2+}/Mg^{2+} -free phosphate-buffered saline, and scraped into 5 ml of the same buffer. Cells are pelleted by centrifugation (500 x g, 5 mirutes), resuspended in TEE buffer (25 mM Tris, pH 7.5, 5 mM EDTA, 5 mM EGTA), and frozen in liquid nitrogen. After thawing, the cells are homogenized using a Dounce homogenizer (1 ml TEE per plate of cells), and centrifuged at 1,000 x g for 5 minutes to remove nuclei and unbroken cells.

The homogenate supernatant is centrifuged at 20,000 x g for 20 minutes to isolate the membrane fraction, and the membrane pellet is washed once with TEE and resuspended in binding buffer (20 mM HEPES, pH 7.5, 150 mM NaCl, 10 mM MgCl₂, 1 mM EDTA). The resuspended membranes can be frozen in liquid nitrogen and stored at -70°C until use.

Aliquots of cell membranes prepared as described above and stored at -70°C are thawed, homogenized, and diluted into buffer containing 20 mM HEPES, 10 mM MgCl₂, 1 mM EDTA, 120 mM NaCl, 10 μM GDP, and 0.2 mM ascorbate, at a concentration of 10-50 μg/ml. In a final volume of 90 μl, homogenates are incubated with varying concentrations of candidate modulator compounds or 100 μM GTP for 30 minutes at 30°C and then placed on ice. To each sample, 10 μl guanosine 5'-O-(3[³⁵S]thio) triphosphate (NEN, 1200 Ci/mmol; [³⁵S]-GTPγS), was added to a final concentration of 100-200 pM. Samples are incubated at 30°C for an additional 30 minutes, 1 ml of 10 mM HEPES, pH 7.4, 10 mM MgCl₂, at 4°C is added and the reaction is stopped by filtration.

Samples are filtered over Whatman GF/B filters and the filters are washed with 20 ml ice-cold 10 mM HEPES, pH 7.4, 10 mM MgCl₂. Filters are counted by liquid scintillation spectroscopy. Nonspecific binding of [³⁵S]-GTPγS is measured in the presence of 100 μM GTP and subtracted from the total. Compounds are selected that modulate the amount of [³⁵S]-GTPγS binding in the cells, compared to untransfected control cells. Activation of receptors by agonists gives up to a five-fold increase in [³⁵S]-GTPγS binding. This response is blocked by antagonists.

F. [3H]Arachidonic Acid Release

5

10

15

20

25

10

15

20

25

30

The activation of NgRs may also potentiate arachidonic acid release in cells, providing yet another useful assay for modulators of NgR activity. (See, e.g., Kanterman et al., (1991) Mol. Pharmacol. 39,364-369.) For example, CHO cells that are stably transfected with a NgR expression vector are plated in 24-well plates at a density of 15,000 cells/well and grown in MEM medium supplemented with 10% fetal bovine serum, 2 mM glutamine, 10 U/ml penicillin and 10 μg/ml streptomycin for 48 hours at 37°C before use. Cells of each well are labeled by incubation with [³H]-arachidonic acid (Amersham Corp., 210 Ci/mmol) at 0.5 μCi/ml in 1 ml MEM supplemented with 10 mM HEPES, pH 7.5, and 0.5% fatty-acid-free bovine serum albumin for 2 hours at 37°C. The cells are then washed twice with 1 ml of the same buffer.

Candidate modulator compounds are added in 1 ml of the same buffer, either alone or with 10 µM ATP and the cells are incubated at 37°C for 30 minutes. Buffer alone and mock-transfected cells are used as controls. Samples (0.5 ml) from each well are counted by liquid scintillation spectroscopy. Agonists which activate the receptor will lead to potentiation of the ATP-stimulated release of [³H]-arachidonic acid. This potentiation is blocked by antagonists.

G. Extracellular Acidification Rate

In yet another assay, the effects of candidate modulators of NgR activity are assayed by monitoring extracellular changes in pH induced by the test compounds (see, e.g., Dunlop et al. (1998) J. Pharmacol. Toxicol. Meth. 40, 47-55). In one embodiment, CHO cells transfected with a NgR expression vector are seeded into 12 mm capsule cups (Molecular Devices Corp.) at 4×10^5 cells/cup in MEM supplemented with 10% fetal bovine serum, 2 mM L-glutamine, 10 U/ml penicillin, and $10 \mu g/ml$ streptomycin. The cells are incubated in this medium at 37° C in 5% CO₂ for 24 hours.

Extracellular acidification rates are measured using a Cytosensor microphysiometer (Molecular Devices Corp.). The capsule cups are loaded into the sensor chambers of the microphysiometer and the chambers are perfused with running buffer (bicarbonate-free MEM supplemented with 4 mM L-glutamine, 10 units/ml penicillin, 10 μg/ml streptomycin, 26 mM NaCl) at a flow rate of 100 μl/minute.

WO 02/29059

5

10

20

25

30

PCT/US01/31488

Candidate agonists or other agents are diluted into the running buffer and perfused through a second fluid path. During each 60-second pump cycle, the pump is run for 38 seconds and is off for the remaining 22 seconds. The pH of the running buffer in the sensor chamber is recorded during the cycle from 43-58 seconds, and the pump is re-started at 60 seconds to start the next cycle. The rate of acidification of the running buffer during the recording time is calculated by the Cytosoft program. Changes in the rate of acidification are calculated by subtracting the baseline value (the average of 4 rate measurements immediately before addition of a modulator candidate) from the highest rate measurement obtained after addition of a modulator candidate. The selected instrument detects 61 mV/pH unit. Modulators that act as agonists of the receptor result in an increase in the rate of extracellular acidification compared to the rate in the absence of agonist. This response is blocked by modulators which act as antagonists of the receptor.

Example 15: mNgR3 does not bind hNogo-A(1055-1120)

To functionally test the mouse NgR3 (hereinafter, mNgR3) for its ability to bind hNogo-A(1055-1120), a cDNA expression vector for a myc epitope-tagged mNgR3protein was created. The mouse NgR3 cDNA was amplified by PCR from mouse adult brain cDNA, from the signal sequence to the stop codon, and ligated into the pSecTag2 vector such that the vector encodes a signal sequence followed by a myc tag followed by the mature mNgR3 sequence. This plasmid was transfected into COS07cells, and expression of a myc-tagged protein of the predicted size was verified by immunoblot analysis. Alkaline phosphatase–hNogo-A(1055-1120) binding studies and myc immunohistology were conducted as described (Fournier et al., supra).

The cells expressing mNgR3 express the myc-tagged protein but binding to AP-hNogo-A(1055-1120) was not observed under the conditions employed (Fig. 8).

Example 16: Identification of partial human NgR3 cDNA and protein sequences

The tblastn program was used to search for the human homolog of mouse NgR3. The mouse NgR3 protein sequence (SEQ ID NO:4) was used to query a proprietary human expressed sequence tag (EST) database from Incyte yielding one highly significant hit: Incyte Template ID 190989.1. This sequence (937 nucleotides)

10

15

20

25

30

contains an open reading frame of 312 amino acids in the second reverse frame that exhibits 88% identity with residues 66 to 381 of mouse NgR3 (SEQ ID NO:4), strongly indicating that it is part of the human NgR3 homolog.

A query of SEQ ID NO:4 against the public human EST database in Genbank also produced a hit with a 465-bp EST (Accession number: R35699; Version number: R35699.1; GI: 792600). There are a number of single nucleotide deletions and insertions within this sequence which cause frame shift errors. All of the reliable sequence contained in this public EST is present in the Incyte EST (Template ID 190989.1).

To obtain more nucleotide sequence that would extend the amino acid sequence at that carboxy terminal end, the I.M.A.G.E. Consortium clone No. 38319, which corresponds to Genbank accession No. R35699, was purchased from Incyte Genomics Inc. and subjected to further DNA sequence analysis. This clone consists of a NotI/HinD III fragment containing the sequence of interest, cloned into the

NotI/HinD III sites of the vector Lafmid BA

(http://image.llnl.gov/image/html/libs/lafmidBA.shtml). The clone was received as an agar stab, which was streaked out on LB agar plates containing 50ug/ml ampicillin to isolate individual colonies. Six colonies were grown in LB medium with antibiotic, and plasmid DNA was prepared using the Promega Wizard Plus Miniprep DNA

Purification System (Promega #A7500). These DNAs were subsequently digested with NotI and HinD III restriction enzymes to confirm that the clones contained an insert. The insert of one isolate was sequenced using a combination of vector specific and gene specific primers yielding a partial nucleotide sequence of human NgR3 of 1176 nucleotides (SEQ ID NO:13). A translation of this sequence provides a partial sequence for human NgR3 of 392 amino acids (SEQ ID NO:14).

The nucleotide sequence of SEQ ID NO:13 differs from the Incyte EST sequence at three positions. Nucleotide positions 12-13 in SEQ ID NO:13 are CG, whereas the corresponding nucleotides in the Incyte Template ID 190989.1 are GT (i.e., positions 12-13 of the complement of Incyte Template ID 190989.1). In addition, position 641 in SEQ ID NO:13 is a C, whereas the corresponding nucleotide in the Incyte Template ID 190989.1 sequence is an A (i.e., position 641 of the complement of Incyte Template ID 190989.1). This results in two changes in amino

- 136 -

acids when comparing SEQ ID NO:14 to the ORF encoded by Incyte Template 190989.1: SEQ ID NO:14 contains a valine at position 5, whereas the ORF encoded by Incyte Template ID 190989.1 contains a leucine; SEQ ID NO:14 contains an alanine at position 214, whereas the ORF encoded by Incyte Template ID 190989.1 contains a glutamic acid.

The nucleotide sequence of SEQ ID NO:13 differs from the public EST (Accession number: R35699; Version number: R35699.1; GI: 792600) sequence at two positions (within the first 200 nucleotides of reliable sequence). Nucleotide positions 12-13 in SEQ ID NO:13 are CG, whereas the corresponding nucleotides in the public EST are GT (i.e., positions 12-13 of the public EST; Accession no: R35699; Version no: R35699.1; GI: 792600) This leads to a single amino acid change when comparing SEQ ID NO:14 to the ORF encoded by the public EST: SEQ ID NO:14 contains a valine at position 5, while the ORF encoded by the public EST contains a leucine.

A Bestfit analysis of the partial human amino acid sequence with the full-length mouse amino acid sequence indicates that the human NgR3 amino acid sequence is complete at the carboxy terminal end and that they share 89.54% identity. An alignment of all the NgR proteins is shown in Figure 9. Although the human NgR3 amino acid sequence is missing the first 25 amino acids, it can be determined that the human NgR3 protein contains the following features in common with the other NgR sequences: (1) eight Leucine Rich Repeat (LRR) domains; (2) an LRR carboxy-terminal (LRR-CT) domain; (3) a conserved cysteine in the fourth LRR domain; (4) a conserved potential glycosylation site in the eighth LRR domain; and (5) a hydrophobic carboxyl terminus.

As those skilled in the art will appreciate, numerous changes and modifications may be made to the preferred embodiments of the invention without departing from the spirit of the invention. It is intended that all such variations fall within the scope of the invention.

The entire disclosure of each publication cited herein is hereby incorporated by reference. This application claims benefit from United States provisional application 60/238,361, filed October 6, 2000, which is incorporated by reference herein in its entirety.

5

10

15

20

25

- 137 -

Key for Sequence Listing:

	SEQ ID NO:1	human NgR2 cDNA sequence derived from genomic sequence
		AC013606
	SEQ ID NO:2	human NgR2 amino acid sequence
5	SEQ ID NO:3	mouse NgR3 cDNA sequence derived from AC021768
	SEQ ID NO:4	a mouse NgR3 amino acid sequence
	SEQ ID NO:5	a human NgR1 amino acid sequence
	SEQ ID NO:6	a consensus amino acid sequence for NgRs
	SEQ ID NO:7	#1055-1120 amino acid residues of hNogoA (Nogo-66)
10	SEQ ID NO:8	a mature human NgR2 amino acid sequence
	SEQ ID NO:9	a mature mouse NgR3 amino acid sequence
	SEQ ID NO:10	a consensus NgR LLRNT amino acid sequence
	SEQ ID NO:11	a consensus NgR LRRCT domain amino acid sequence
	SEQ ID NO:12	a consensus NgR LRR domain amino acid sequence
15	SEQ ID NO:13	a partial human NgR3 nucleotide sequence
	SEQ ID NO:14	a partial human NgR3 amino acid sequence
	SEQ ID NO:15	a genomic sequence encoding a human NgR2 sequence.
	SEQ ID NO:16	a genomic sequence (complementary strand) encoding a mouse
		NgR3
20	SEQ ID NO:17	a mouse NgR1 amino acid sequence
	SEQ ID NO:18	a consensus sequence for the NTLRRCT domain of NgR
•	SEQ ID NO:19	an consensus NgR LRRCT domain amino acid sequence

25

CLAIMS

What is claimed is:

5

1. An isolated nucleic acid comprising a nucleotide sequence encoding a polypeptide comprising an LRRCT domain consisting of the amino acid sequence:

10

$$X_{12} C X_{13} X_{14} P X_{15} X_{16} X_{17} X_{18} X_{19} X_{20} D L X_{21} X_{22} L X_{23} X_{24} X_{25} D$$

wherein X is any amino acid or a gap and the polypeptide does not comprise the amino acid sequence from residue 260 to 309 of SEQ ID NO: 5 (human NgR1) or SEQ ID NO: 17 (mouse NgR1).

- The isolated nucleic acid according to claim 1, wherein X₁₇ and X₂₃
 are independently selected from the group consisting of: arginine and lysine.
 - 3. The isolated nucleic acid according to claim 2, wherein the amino acid sequence of the LRRCT domain is selected from the group consisting of: residues #261-310 of SEQ ID NO:2 and residues 261-310 of SEQ ID NO: 2 with up to 10 conservative amino acid substitutions.
 - 4. An isolated nucleic acid encoding the polypeptide of SEQ ID NO: 2.
- 5. An isolated nucleic acid encoding the polypeptide of SEQ ID NO: 4
 30 (mouse NgR3) or SEQ ID NO: 14 (human NgR3).
 - 6. The isolated nucleic acid according to claim 1, wherein the

polypeptide comprises: (a) a NTLRRCT domain, and (b) less than a complete CTS domain, provided that a partial CTS domain, if present, consists of no more than the first 39 amino acids of the CTS domain.

- 7. The isolated nucleic acid to claim 1, wherein the polypeptide does not comprise an intact GPI domain.
 - 8. An isolated nucleic acid consisting essentially of a nucleotide sequence complementary to a nucleotide sequence encoding a polypeptide selected from the group consisting of: a polypeptide consisting of residues 311-395 of SEQ ID NO: 2, a polypeptide consisting of residues 256-396 of SEQ ID NO:14 and a polypeptide consisting of residues 321-438 of SEQ ID NO: 4, wherein the nucleic acid is from 8 to 100 nucleotides in length.
- 9. A vector comprising the nucleic acid of any one of claims 1, 4 or 5.
 - 10. A host cell comprising a vector according to claim 9.
 - 11. A polypeptide comprising a LRRCT amino acid sequence:

20

10

$$X_{12} C X_{13} X_{14} P X_{15} X_{16} X_{17} X_{18} X_{19} X_{20} D L X_{21} X_{22} L X_{23} X_{24} X_{25} D$$

25 $X_{26} X_{27} X_{28} C [SEQ ID NO: 19]$

wherein X is any amino acid residue or a gap and the polypeptide does not comprise the amino acid sequence from residue 260 to 309 of SEQ ID NO: 5 (human NgR1) or SEQ ID NO: 17 (mouse NgR1).

30

12. The polypeptide according to claim 11, wherein X_{17} and X_{23} is selected from the group consisting of arginine and lysine.

- 140 -

13. The polypeptide according to claim 11, wherein X_{19} is glycine. [SEQ ID NO:11]

- 14. The polypeptide according to claim 11, wherein the amine acid sequence is selected from the group consisting of residues 261–310 of SEQ ID NO:2, residues 206–255 of SEQ ID NO: 14, residues 271–320 of SEQ ID NO:4 and amino acid sequences thereof comprising a conservative substitution.
 - 15. A polypeptide comprising a NTLRRCT amino acid sequence:

- CPX₁X₂CX₃CYX₄X₅PX₆X₇TX₈SCX₉X₁₀X₁₁X₁₂X₁₃X₁₄X₁₅X₁₆P

 X₁₇X₁₈X₁₉PX₂₀X₂₁X₂₂X₂₃RX₂₄FLX₂₅X₂₆NX₂₇IX₂₈X₂₉X₃₀X₃₁X₃₂X₃₃

 X₃₄FX₃₅X₃₆X₃₇X₃₈X₃₉X₄₀X₄₁X₄₂LWX₄₃X₄₄SNX₄₅X₄₆X₄₇X₄₈IX₄₉

 X₅₀X₅₁X₅₂FX₅₃X₅₄X₅₅X₅₆X₅₇LEX₅₈LDLX₅₉DNX₆₀X₆₁LX₆₂X₆₃X₆₄

 15

 X₆₅PX₆₆TFX₆₇GLX₆₈X₆₉LX₇₀X₇₁LX₇₂LX₇₃X₇₄CX₇₅LX₇₆X₇₇LX₇₈

 X₇₉X₈₀X₈₁FX₈₂GLX₈₃X₈₄LQYLYLQX₈₅NX₈₆X₈₇X₈₈X₈₉LX₉₀D

 X₉₁X₉₂FX₉₃DLX₉₄NLX₉₅HLFLHGNX₉₆X₉₇X₉₈X₉₉X₁₀₀X₁₀₁X₁₀₂

 X₁₀₃X₁₀₄FRGLX₁₀₅X₁₀₆LDRLLLHX₁₀₇NX₁₀₈X₁₀₉X₁₁₀X₁₁₁VHX₁₁₂

 X₁₁₃AFX₁₁₄X₁₁₅LX₁₁₆RLX₁₁₇X₁₁₈LX₁₁₉LFX₁₂₀NX₁₂₁LX₁₂₂X₁₂₃L

 20

 X₁₂₄X₁₂₅X₁₂₆X₁₂₇LX₁₂₈X₁₂₉LX₁₃₀X₁₃₁LX₁₃₂X₁₃₃LRLNX₁₃₄NX₁₃₅W

 X₁₃₆CX₁₃₇CRX₁₃₈RX₁₃₉LWX₁₄₀WX₁₄₁X₁₄₂X₁₄₃X₁₄₄RX₁₄₅SSSX₁₄₆

 VX₁₄₇CX₁₄₈X₁₄₉PX₁₅₀X₁₅₁X₁₅₂X₁₅₃X₁₅₄X₁₅₅DLX₁₅₆X₁₅₇LX₁₅₈X₁₅₉X₁₆₀

 DX₁₆₁X₁₆₂X₁₆₃C[SEQ ID NO:18]
- wherein X is any amino acid residue or a gap and wherein the polypeptide is not the polypeptide of SEQ ID NO: 5 (human NgR1) or SEQ ID NO: 17 (mouse NgR1).
- The polypeptide according to claim 15, wherein X₆, X₃₇ and X₃₈
 represents a gap.
 - 17. A polypeptide comprising an amino sequence selected from the

- 141 -

group consisting of: SEQ ID NO:2, SEQ ID NO:4 and SEQ ID NO:14.

- 18. The polypeptide according any one of claims 11, 15 or 17, wherein the polypeptide comprises: (a) an NTLRRCT domain, and (b) less than a complete CTS domain, provided that a partial CTS domain, if present, consists of no more than the first 39 amino acids of the CTS domain.
- 19. The polypeptide according to any one of claims 11, 15 or 17, wherein the polypeptide does not comprise an intact GPI domain.

10

20

- 20. The polypeptide according to any one of claims 11, 15 or 17, wherein the amino acid sequence of the polypeptide further comprises an amino acid sequence of a heterologous polypeptide.
- 15 21. The polypeptide according to claim 20, wherein the heterologous polypeptide is an Fc portion of an antibody.
 - 22. A method of producing a polypeptide according to any one of claims 11, 15 or 17, comprising the steps of introducing an isolated nucleic acid according to any one of claims 1, 4, 5 or 8 or a vector according to claim 9 into a host cell, culturing said host cell under conditions suitable for expression of said polypeptide, and recovering said polypeptide.
- 23. An antibody that binds to a polypeptide of any one of claims 11, 15 or 17.
 - 24. A composition comprising the polypeptide of claim 11, 15 or 17 and a pharmaceutically acceptable carrier.
- 30 25. A composition comprising the antibody of claim 23 and a pharmaceutically acceptable carrier.

- 142 -

26. A method of decreasing inhibition of axonal growth of a CNS neuron, comprising the step of contacting the neuron with an effective amount of the polypeptide of claim 11, 15 or 17.

- 5 27. A method of treating a central nervous system disease, disorder or injury, comprising administering to a mammal an effective amount of the polypeptide of claim 11, 15 or 17.
- 28. A method of decreasing inhibition of axonal growth of a CNS neuron comprising the step of contacting the neuron with an effective amount of the antibody according to claim 23.
 - 29. A method of treating a central nervous system disease, disorder or injury, comprising administering to a mammal an effective amount of the antibody according to claim 23.
 - 30. A method for identifying a molecule that binds a polypeptide of claim 11, 15 or 17 comprising the steps of:
 - (a) providing a polypeptide of claim 11, 15 or 17;
- 20 (b) contacting the polypeptide with the candidate molecule; and
 - (c) detecting binding of the candidate molecule to the polypeptide.

25


HG. 1

	50 SCPMLCTCYS GCPRDCVCYP PCPGACVCYN -CPC-CY-	100 TFGSNLLT HFSPAMVT SFRACRNLTI	150 FQGLERLQSL FQGLVKLHAL FHGLGRLHTL F-GLLL	200 DLANLSHLFL DLVNLSHLFL DLGNLTHLFL DL-NL-HLFL	250 SRLTILYLFN HRLTTLFLFN GRLMTLYLFA -RLL-LF-
	LALPLAAP LAGELPLGG. LWLQAWQVAA L	NNL IRTLRPG NNRI TFLQQG GNRI SHVPAA -N-I	RHLRSLEPDT RQLRTLAPET AQLRSVDPAT LRP-T	LLHLQDDLFA IEYLQDDIFV LQALPDDTFR L-DD-F-	GVHRAAFRGL WVHHKAFHDL HVHPHAFRDL -VHAFL
	ACLLLML GCCVELLLLL AGGSRLLAWV	PPSTQRLFLQ PEDSERIFLQ PAASQRIFLH PR-FL-	ALEELDLGDN HLEELDLGDN LLEQLDLSDN -LE-LDL-DN	LQYLYLQENS LQYLYLQDNH LQYLYLQDNA LQYLYLQ-N-	RLLLHGNRLQ RLLLHENQLQ RLLLHQNRVA RLLLH-N
	LRRLLQAPAS QSPVQAAQVS ~~~~MKRAS	NNFSSVPLSL HNFAAIPEGI QGLQAVPVGI	IYPGTFRHLQ IAPNTFEGFV IDAAAFTGLA IF	PGNIFRGLVS PAGIFGGLHS GPGLFRGLAA	HVFRGLGSLD GIFRGLVNLD RAFRGLHSLD FRGLLD
	1 MSWQSGTTVT	51 SP.PTVSCQA AP.MTVSCQA EPKVTTSCPQ -PT-SC	101 LWLFSNNLST LWIYSNNITF LWLHSNVLAR LWSN	151 HLYRCQLSSL YLYKCGLSAL HLDRCGLQEL -LC-LL	201 HGNRLRLLTE HGNKLWSLGQ HGNRISSVPE HGN
FIG. 1A					·
	NOGO-R2 NOGO-R3 NOGO-R1 Consensus	NOGO-R2 NOGO-R3 NOGO-R1 Consensus	NOGO-R2 NOGO-R3 NOGO-R1 Consensus	NOGO-R2 NOGO-R3 NOGO-R1 Consensus	NOGO-R2 NOGO-R3 NOGO-R1 Consensus

FIG. 18

300 NSLASLPGEA LADLPSLEFL RLNANPWACD CRARPLWAWF QRARVSSSDV NSLTELQGDC LAPLVALEFL RLNGNAWDCG CRARSLWEWL RRFRGSSSAV NNLSALPTEA LAPLRALQYL RLNDNPWVCD CRARPLWAWL QKFRGSSSEV us	301 TCATPPERQG RDLRALREAD FQACP.P AAPTRPGSRA PCATPELRQG QDLKLLRVED FRNCTGP VSPHQIKSHT PCSLPQRLAG RDLKRLAAND LQGCAVATGP YHPIWTGRAT DEEPLGLPKC -CPG -DLLDCPP	400RGNSSSNH.LY G.VAE AGAPPADPSTLYRDLPALTTSDRAARKEHHPSH G.ASRDKGHP HGHPPGSRSG YKKAGKNCTS CQPDAADKAS VLEPGRPASA GNALKGRVPP GDSPFGNGSG PRHI.NDSPF us	450 EDSRGR QGGDAPTE.D DYWGGY GGED QRGEQMCPGA HRNRNQISKV SSGKELTELQ DYAPDYQHKF SFDIMPTARP KRKGKCARRT GTLPGSAEPP LTAVRPEGSE PPGFPTSG PRRRPGCSRK NRTRSHCRLG us	451 ACQAPPDSRG PALSAGLPSP LLCLLLVPH HL~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
NOGO-R2 NOGO-R3 NOGO-R1 Consensus	NOGO-R2 NOGO-R3 NOGO-R1 Consensus	NOGO-R2 NOGO-R3 NOGO-R1 Consensus	NOGO-R2 NOGO-R3 NOGO-R1 Consensus	NOGO-R2 NOGO-R3 NOGO-R1

3/6 FIG. 2



Ç	Y	7
C	f	5
ī	ī	

WLQAWQVAAP CPGACVCYNE WLQAWRVATP CPGACVCYNE LAGELPLGGG CPRDCVCYPA LLALPLAAPS CPMLCTCYSS CPC-CY LRR 1 LRR 1 NRISHVPAAS FRACRNLTIL NRISHVPAAS FQSCRNLTIL NRISHVPAAS FQSCRNLTIL NRISHVPAAS FQSCRNLTIL NRISHVPAAS FQSCRNLTIL NRIGLLQPGH FSP. AMVTL NRIGLLQPGH FSP. AMVTL NRIGLLQPGH FSP. AMVTL NLIRTLRPGT FGS. NLLTL N-I
MSWQSGTTVT QSPVQAAQVS GCCVELLLLL LAGELPLGGG """""" MLPGLRRLLQ APASACLLLM LLALPLAAPS """""" MLPGLRRLLQ APASACLLLM LLALPLAAPS """"""""""""""""""""""""""""""""""
Murine NOGO-R3 MSWQSGTTVT Human NOGO-R3

BNSDOCID: <WO____0229059A2_I_>

4	=	<u>ت</u>
(3
ς	4	5
C	•	ż

250	VHPHAFRDLG RLMTLYLFAN	RLMTLYLFAN	RLTTLFLFIN	RLTTLFLFIN	RLTILYLFIN	VHAFL- RLL-LF-N	T 300	KFRGSSSEVP	KFRGSSSEVP	RFRGSSSAVP	RFRGSSSAVP	RARVSSSDVT	R-SSS-V-	350	EEPLGLPKCC	EELLSLPKCC	SDRAARKEHH	TDRAARKEHH	RGNSSSNH	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	400	RHINDSPFGT	RHINDSPFGT	RNRNQISKVS	RNRNQISKAG	EDSRGR	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	VHPHAFRDLG	VHPHAFRDLG	ИННКАЕН DLН	VHHKAFHDLR	VHRAAFRGLS	VHAFL-	LRRCI	RARPLWAWLQ	RARPLWAWLO	RARSLWEWLR	RARSIWEWLO	RARPLWAWFQ	RAR-LŴ-W		HPIWTGRATD	RPIQTSQLTD	HQIKSHTLTT	HQIKSHTLTT	TRPGSRA			DSPPGNGSGP	DTPPGNGSGP	. KAGKNCTSH	. KPGKNCINP	.DLPA	
LRR 7	LLLHQNRVAH	LLLHQNHVAR	LLLHENQLQW	TLLHENQLQW	LLLHGNRLQG	LLLH-N		LNDNPWVCDC	LNDNPWVCDC	LNGNAWDCGC	LNGNPWDCGC	LNANPWACDC	LN-N-W-C-C		QGCAVATGPY	EGCAVASGPF	RNCIGPVSP.	RNCTGPASP.	QACP.PAAP.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		NALKGRVPPG	NALKGRVPPG	SGYK	PGHR	TLYR	; · · · · · · · · · · · · · · · · · · ·
	AFRGLHSLDR	AFRGLHSLDR	IFRGLVNLDR	TFRGLVNLDR	VFRGLGSLDR	-FRGLLDR		APLRALQYLR	MPLRSLQYLR	APLVALEFLR	APLGALEFLR	ADLPSLEFLR	LLLR		DLKRLAANDL	DLKRLAASDL	DLKLLRVEDF	DLKLLRAEDF	DLRALREADF	DLLD-		LEPGRPASAG	LEPGRPASAG	HPHGHPPGSR	HPHGPR	APPADPS	1 1 1 1 1 1
201 LRR6	GNRISSVPER	GNRIPSVPEH	GNKLWSLGQG	GNKLWSLGPG	GNRLRLLTEH	GN	251 LRR 8	NLSALPTEAL	NLSMLPAEVL	SLTELOGDCL	SISELQGECL	SLASLPGEAL	-LLL-	301	CSLPORLAGR	CNLPQRLADR	CATPELROGO	CVSPGLRHGQ	CATPPEROGR	CP		QPDAADKASV	QPDAADKASV	PSHGASRDKG	SPHGPTRSKG	.LYGVA.EAG	1 1 1 1 1 1
	Human NOGO-R1	Murine NOGO-R1	Murine NOGO-R3	Human NOGO-R3	Human NOGO-R2	Consensus		Human NOGO-R1	Murine NOGO-R1	Murine NOGO-R3	Human NOGO-R3	Human NOGO-R2	Consensus		Human NOGO-R1	Murine NOGO-R1	Murine NOGO-R3	Human NOGO-R3	Human NOGO-R2	Consensus		Human NOGO-R1	Murine NOGO-R1	Murine NOGO-R3	Human NOGO-R3	Human NOGO-R2	Consensus

FIG. 3, cont

SEQUENCE LISTING

```
<110> BIOGEN, INC.
     YALE UNIVERSITY
      STRITTMATTER, STEPHEN M.
     CATE, RICHARD L.
      SAH, DINAH W.Y.
<120> NOGO RECEPTOR HOMOLOGS
<130> Al16PCT
<140>
<141>
<150> 60/238,361
<151> 2000-10-06
<160> 16
<170> PatentIn Ver. 2.1
<210> 17
<211> 1260
<212> DNA
<213> Homo sapiens
<400> 1
atgctgcccg ggctcaggcg cctgctgcaa gctcccgcct cggcctgcct cctgctgatg 60
ctcctggccc tgcccctggc ggcccccagc tgccccatgc tctgcacctg ctactcatcc 120
ccgcccaccg tgagctgcca ggccaacaac ttctcctctg tgccgctgtc cctgccaccc 180
agcactcage gactetteet geagaacaae etcateegea egetgeggee aggeacettt 240
gggtccaacc tgctcaccct gtggctcttc tccaacaacc tctccaccat ctacccgggc 300
actttccgcc acttgcaagc cctggaggag ctggacctcg gtgacaaccg gcacctgcgc 360
tcgctggagc ccgacacctt ccagggcctg gagcggctgc agtcgctgca tttgtaccgc 420
tgccagetca gcagectgee eggcaacate ttecgaggee tggtcageet gcagtacete 480
tacctccagg agaacagcct gctccaccta caggatgact tgttcgcgga cctggccaac 540
ctgagccacc tcttcctcca cgggaaccgc ctgcggctgc tcacagagca cgtgtttcgc 600
ggcctgggca gcctggaccg gctgctgctg cacgggaacc ggctgcaggg cgtgcaccgc 660
geggeettee geggeeteag eegeeteace atectetace tgttcaacaa eageetggee 720
tegetgeeeg gegaggeget egeegacetg ecetegeteg agtteetgeg geteaacget 780
aacccetggg cgtgcgactg ccgcgcgcgg ccgctctggg cctggttcca gcgcgcgcgc 840
gtgtccagct ccgacgtgac ctgcgccacc ccccggagc gccagggccg agacctgcgc 900
gcgctccgcg aggccgactt ccaggcgtgt ccgcccgcgg cacccacgcg gccgggcagc 960
cgcgcccgcg gcaacagctc ctccaaccac ctgtacgggg tggccgaggc cggggcgccc 1020
ccagccgatc cctccaccct ctaccgagat ctgcctgccg aagactcgcg ggggcgccag 1080
ggcggggacg cgcctactga ggacgactac tgggggggct acgggggtga ggaccagcga 1140
ggggagcaga tgtgccccgg cgctgcctgc caggcgcccc cggactcccg aggccctgcg 1200
ctctcggccg ggctccccag ccctctgctt tgcctcctgc tcctggtgcc ccaccacctc 1260
<210> 2
<211> 420
<212> PRT
<213> Homo sapiens
<400> 2
Met Leu Pro Gly Leu Arg Arg Leu Leu Gln Ala Pro Ala Ser Ala Cys
Leu Leu Met Leu Leu Ala Leu Pro Leu Ala Ala Pro Ser Cys Pro
              20
                                  25
```

Met Leu Cys Thr Cys Tyr Ser Ser Pro Pro Thr Val Ser Cys Gln Ala Asn Asn Phe Ser Ser Val Pro Leu Ser Leu Pro Pro Ser Thr Gln Arg Leu Phe Leu Gln Asn Asn Leu Ile Arg Thr Leu Arg Pro Gly Thr Phe Gly Ser Asn Leu Leu Thr Leu Trp Leu Phe Ser Asn Asn Leu Ser Thr Ile Tyr Pro Gly Thr Phe Arg His Leu Gln Ala Leu Glu Glu Leu Asp Leu Gly Asp Asn Arg His Leu Arg Ser Leu Glu Pro Asp Thr Phe Gln 120 Gly Leu Glu Arg Leu Gln Ser Leu His Leu Tyr Arg Cys Gln Leu Ser Ser Leu Pro Gly Asn Ile Phe Arg Gly Leu Val Ser Leu Gln Tyr Leu 150 155 Tyr Leu Gln Glu Asn Ser Leu Leu His Leu Gln Asp Asp Leu Phe Ala Asp Leu Ala Asn Leu Ser His Leu Phe Leu His Gly Asn Arg Leu Arg 185 Leu Leu Thr Glu His Val Phe Arg Gly Leu Gly Ser Leu Asp Arg Leu Leu Leu His Gly Asn Arg Leu Gln Gly Val His Arg Ala Ala Phe Arg Gly Leu Ser Arg Leu Thr Ile Leu Tyr Leu Phe Asn Asn Ser Leu Ala 230 235 Ser Leu Pro Gly Glu Ala Leu Ala Asp Leu Pro Ser Leu Glu Phe Leu Arg Leu Asn Ala Asn Pro Trp Ala Cys Asp Cys Arg Ala Arg Pro Leu Trp Ala Trp Phe Gln Arg Ala Arg Val Ser Ser Ser Asp Val Thr Cys Ala Thr Pro Pro Glu Arg Gln Gly Arg Asp Leu Arg Ala Leu Arg Glu Ala Asp Phe Gln Ala Cys Pro Pro Ala Ala Pro Thr Arg Pro Gly Ser 310 315 Arg Ala Arg Gly Asn Ser Ser Ser Asn His Leu Tyr Gly Val Ala Glu Ala Gly Ala Pro Pro Ala Asp Pro Ser Thr Leu Tyr Arg Asp Leu Pro Ala Glu Asp Ser Arg Gly Arg Gln Gly Gly Asp Ala Pro Thr Glu Asp Asp Tyr Trp Gly Gly Tyr Gly Gly Glu Asp Gln Arg Gly Glu Gln Met

375 380 370 Cys Pro Gly Ala Ala Cys Gln Ala Pro Pro Asp Ser Arg Gly Pro Ala 390 395 Leu Ser Ala Gly Leu Pro Ser Pro Leu Leu Cys Leu Leu Leu Val 410 Pro His His Leu 420 <210> 3 <211> 1383 <212> DNA <213> Mus sp. <400> 3 atgtettgge agtetggaac cacagtgaca caateteeeg tgeaggetge teaggtetea 60 gggtgctgtg tggaattgct gctgttgctg ctcgctggag agctacctct gggtggtggt 120 tgtcctcqaq actgtgtgtg ctaccctgcg cccatgactg tcagctgcca ggcacacaac 180 tttgctgcca tcccggaggg catcccagag gacagtgagc gcatcttcct gcagaacaat 240 cgcatcacct tectecagea gggecaette ageccegeca tggteacect etggatetae 300 tccaacaaca tcactttcat tqctcccaac accttcqagg gctttqtgca tctqgaggag 360 ctagacettg gagacaaccg acagetgega acgetggeae eegagacett ecaaggeetg 420 gtgaagette acgeeeteta cetetataag tgtggaetga gegeeetgee egeaggeate 480 tttggtggcc tgcacagcct gcagtatctc tacttgcagg acaaccatat cgagtacctc 540 caagatgaca tetttgtgga eetggteaat eteagteaet tgttteteea tggtaacaag 600 ctatggagcc tgggccaagg catcttccgg ggcctggtga acctggaccg gttgctgctg 660 catgagaacc agctacagtg ggttcaccac aaggctttcc atgacctcca caggctaacc 720 accetettte tetteaacaa cageeteact gagetgeagg gtgaetgtet ggeeceeetg 780 gtggccttgg agttccttcg cctcaatggg aatgcttggg actgtggctg ccgggcacgt 840 tccctgtggg aatgctgcg aaggttccgt ggctctagct ctgctgtccc ctgcgcgacc 900 cccgagctgc ggcaaggcca ggatctgaag ctgctgaggg tggaggactt ccggaactgc 960 acaggaccag tgtctcctca ccagatcaag tctcacacgc ttaccacctc tgacagggct 1020 gcccgcaagg agcaccatcc gtcccatggg gcctccaggg acaaaggcca cccacatggc 1080 catecgeetg getecaggte aggttacaag aaggeaggea agaactgeae cagecacagg 1140 aaccggaacc agatetetaa ggtgagetet gggaaagage ttaccgaact geaggaetat 1200 qcccccqact atcaqcacaa qttcaqcttt qacatcatgc ccaccgcacg acccaagagg 1260 aagggcaagt gtgctcgcag gacccccatc cgtgccccca gtggggtgca gcaggcatcc 1320 teaggeacgg cecttgggge eccaetectg geetggatae tggggetgge agteactete 1380 1383 cqc <210> 4 <211> 461 <212> PRT <213> Mus sp. <400> 4 Met Ser Trp Gln Ser Gly Thr Thr Val Thr Gln Ser Pro Val Gln Ala Ala Gln Val Ser Gly Cys Cys Val Glu Leu Leu Leu Leu Leu Ala Gly Glu Leu Pro Leu Gly Gly Gly Cys Pro Arg Asp Cys Val Cys Tyr Pro Ala Pro Met Thr Val Ser Cys Gln Ala His Asn Phe Ala Ala Ile Pro Glu Gly Ile Pro Glu Asp Ser Glu Arg Ile Phe Leu Gln Asn Asn 75

Arg Ile Thr Phe Leu Gln Gln Gly His Phe Ser Pro Ala Met Val Thr Leu Trp Ile Tyr Ser Asn Asn Ile Thr Phe Ile Ala Pro Asn Thr Phe 105 Glu Gly Phe Val His Leu Glu Glu Leu Asp Leu Gly Asp Asn Arg Gln Leu Arg Thr Leu Ala Pro Glu Thr Phe Gln Gly Leu Val Lys Leu His Ala Leu Tyr Leu Tyr Lys Cys Gly Leu Ser Ala Leu Pro Ala Gly Ile Phe Gly Gly Leu His Ser Leu Gln Tyr Leu Tyr Leu Gln Asp Asn His Ile Glu Tyr Leu Gln Asp Asp Ile Phe Val Asp Leu Val Asn Leu Ser 185 His Leu Phe Leu His Gly Asn Lys Leu Trp Ser Leu Gly Gln Gly Ile 200 Phe Arg Gly Leu Val Asn Leu Asp Arg Leu Leu Leu His Glu Asn Gln 215 210 Leu Gln Trp Val His His Lys Ala Phe His Asp Leu His Arg Leu Thr Thr Leu Phe Leu Phe Asn Asn Ser Leu Thr Glu Leu Gln Gly Asp Cys Leu Ala Pro Leu Val Ala Leu Glu Phe Leu Arg Leu Asn Gly Asn Ala 265 Trp Asp Cys Gly Cys Arg Ala Arg Ser Leu Trp Glu Trp Leu Arg Arg Phe Arg Gly Ser Ser Ser Ala Val Pro Cys Ala Thr Pro Glu Leu Arg Gln Gly Gln Asp Leu Lys Leu Leu Arg Val Glu Asp Phe Arg Asn Cys 315 Thr Gly Pro Val Ser Pro His Gln Ile Lys Ser His Thr Leu Thr Thr Ser Asp Arg Ala Ala Arg Lys Glu His His Pro Ser His Gly Ala Ser 345 Arg Asp Lys Gly His Pro His Gly His Pro Pro Gly Ser Arg Ser Gly Tyr Lys Lys Ala Gly Lys Asn Cys Thr Ser His Arg Asn Arg Asn Gln Ile Ser Lys Val Ser Ser Gly Lys Glu Leu Thr Glu Leu Gln Asp Tyr 385 Ala Pro Asp Tyr Gln His Lys Phe Ser Phe Asp Ile Met Pro Thr Ala Arg Pro Lys Arg Lys Gly Lys Cys Ala Arg Arg Thr Pro Ile Arg Ala

420 425 430

Pro Ser Gly Val Gln Gln Ala Ser Ser Gly Thr Ala Leu Gly Ala Pro 435 440 445

Leu Leu Ala Trp Ile Leu Gly Leu Ala Val Thr Leu Arg 450 455 460

<210> 5

<211> 473

<212> PRT

<213> Homo sapiens

<400> 5

Met Lys Arg Ala Ser Ala Gly Gly Ser Arg Leu Leu Ala Trp Val Leu 1 5 10 15

Trp Leu Gln Ala Trp Gln Val Ala Ala Pro Cys Pro Gly Ala Cys Val 20 25 30

Cys Tyr Asn Glu Pro Lys Val Thr Thr Ser Cys Pro Gln Gln Gly Leu 35 40 45

Gln Ala Val Pro Val Gly Ile Pro Ala Ala Ser Gln Arg Ile Phe Leu
50 55 60

His Gly Asn Arg Ile Ser His Val Pro Ala Ala Ser Phe Arg Ala Cys 65 70 75 80

Arg Asn Leu Thr Ile Leu Trp Leu His Ser Asn Val Leu Ala Arg Ile 85 90 95

Asp Ala Ala Ala Phe Thr Gly Leu Ala Leu Leu Glu Gln Leu Asp Leu 100 105 110

Ser Asp Asn Ala Gln Leu Arg Ser Val Asp Pro Ala Thr Phe His Gly 115 120 125

Leu Gly Arg Leu His Thr Leu His Leu Asp Arg Cys Gly Leu Gln Glu 130 135 140

Leu Gly Pro Gly Leu Phe Arg Gly Leu Ala Ala Leu Gln Tyr Leu Tyr 145 150 150 160

Leu Gln Asp Asn Ala Leu Gln Ala Leu Pro Asp Asp Thr Phe Arg Asp 165 170 175

Leu Gly Asn Leu Thr His Leu Phe Leu His Gly Asn Arg Ile Ser Ser 180 185 190

Val Pro Glu Arg Ala Phe Arg Gly Leu His Ser Leu Asp Arg Leu Leu 195 200 205

Leu His Gln Asn Arg Val Ala His Val His Pro His Ala Phe Arg Asp 210 215 220

Leu Gly Arg Leu Met Thr Leu Tyr Leu Phe Ala Asn Asn Leu Ser Ala 225 230 235 240

Leu Pro Thr Glu Ala Leu Ala Pro Leu Arg Ala Leu Gln Tyr Leu Arg 245 250 255

Leu Asn Asp Asn Pro Trp Val Cys Asp Cys Arg Ala Arg Pro Leu Trp

260 265 270

Ala Trp Leu Gln Lys Phe Arg Gly Ser Ser Ser Glu Val Pro Cys Ser 275 280 285

Leu Pro Gln Arg Leu Ala Gly Arg Asp Leu Lys Arg Leu Ala Ala Asn 290 295 300

Asp Leu Gln Gly Cys Ala Val Ala Thr Gly Pro Tyr His Pro Ile Trp 305 310 315 320

Thr Gly Arg Ala Thr Asp Glu Glu Pro Leu Gly Leu Pro Lys Cys 325 330 335

Gln Pro Asp Ala Ala Asp Lys Ala Ser Val Leu Glu Pro Gly Arg Pro 340 345 350

Ala Ser Ala Gly Asn Ala Leu Lys Gly Arg Val Pro Pro Gly Asp Ser 355 360 365

Pro Pro Gly Asn Gly Ser Gly Pro Arg His Ile Asn Asp Ser Pro Phe 370 375 380

Gly Thr Leu Pro Gly Ser Ala Glu Pro Pro Leu Thr Ala Val Arg Pro 385 390 395 400

Glu Gly Ser Glu Pro Pro Gly Phe Pro Thr Ser Gly Pro Arg Arg 405 410 415

Pro Gly Cys Ser Arg Lys Asn Arg Thr Arg Ser His Cys Arg Leu Gly 420 425 430

Gln Ala Gly Ser Gly Gly Gly Thr Gly Asp Ser Glu Gly Ser Gly 435 440 445

Ala Leu Pro Ser Leu Thr Cys Ser Leu Thr Pro Leu Gly Leu Ala Leu 450 455 460

Val Leu Trp Thr Val Leu Gly Pro Cys 465 470

<210> 6

<211> 440

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Consensus
 sequence

<220>

<221> MOD_RES

<222> (3)..(4)

<223> Variable amino acid

<220>

<221> MOD RES

<222> (6)

<223> Variable amino acid

<220>

<221> MOD RES

 $\langle 222 \rangle (9) ... (10)$

```
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (12)..(13)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (15)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (18) ... (25)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (27) \dots (29)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (31)..(34)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (36)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (39)..(40)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (42)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (44)..(50)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (52) \dots (59)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (62) ... (63)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (66)..(69)
<223> Variable amino acid
<220>
<221> MOD_RES
```

```
<222> (71)..(74)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (76)..(80)
<223> Variable amino acid
<221> MOD RES
<222> (83)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (87)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (90)..(91)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (94)..(96)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (98)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (10\overline{1})
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (10\overline{4})...(105)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (107)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (109)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (111)..(112)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (114)
 <223> Variable amino acid
 <220>
```

<221> MOD RES <222> (116)..(117) <223> Variable amino acid <220> <221> MOD RES $\langle 222 \rangle$ $(11\overline{9})...(122)$ <223> Variable amino acid <220> <221> MOD_RES $<222> (12\overline{4})$ <223> Variable amino acid <220> <221> MOD RES <222> (127)..(128) <223> Variable amino acid <220> <221> MOD RES <222> (136) <223> Variable amino acid <220> <221> MOD RES $\langle 222 \rangle$ $(13\overline{8})...(141)$ <223> Variable amino acid <220> <221> MOD RES <222> (143) <223> Variable amino acid <220> <221> MOD RES $<222> (14\overline{6})$ <223> Variable amino acid <220> <221> MOD RES <222> (148) <223> Variable amino acid <220> <221> MOD RES <222> (151) <223> Variable amino acid <220> <221> MOD RES <222> (154) <223> Variable amino acid <220> <221> MOD_RES <222> (162)..(170) <223> Variable amino acid <220> <221> MOD RES <222> (175)..(176) <223> Variable amino acid

```
<220>
<221> MOD RES
<222> (184)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (18\overline{6})...(189)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (192)..(193)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (19\overline{6}) ... (197)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (199)
<223> Variable amino acid
<220>
<221> MOD_RES
\langle 222 \rangle (20\overline{2})...(203)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (20\overline{5})
<223> Variable amino acid
<220>
<221> MOD RES
<222> (208)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (210)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (212)..(213)
<223> Variable amino acid
<220>
<221> MOD RES
 <222> (215)..(218)
<223> Variable amino acid
<220>
 <221> MOD RES
 <222> (221)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 \langle 222 \rangle (22\overline{3})...(224)
 <223> Variable amino acid
```

```
<220>
<221> MOD RES
<222> (226)..(227)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (232)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (23\overline{4})
<223> Variable amino acid
<220>
<221> MOD RES
<222> (236)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (238)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (24\overline{3})
<223> Variable amino acid
<220>
<221> MOD RES
<222> (246)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (248)...(251)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (253)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (257)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (25\overline{9})
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (26\overline{1})...(262)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (264)..(267)
<223> Variable amino acid
```

```
<220>
<221> MOD RES
<222> (269)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (27\overline{2})...(273)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (275)..(277)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (27\overline{9})...(281)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (28\overline{3})...(287)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (28\overline{9})..(290)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (292)..(328)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (33\overline{0})...(341)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (344)..(346)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (348)..(399)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (401)..(428)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (431)..(439)
<223> Variable amino acid
<400> 6
Cys Pro Xaa Xaa Cys Xaa Cys Tyr Xaa Xaa Pro Xaa Xaa Thr Xaa Ser
```

Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Pro Xaa Xaa Pro Xaa Xaa 25 Xaa Xaa Arg Xaa Phe Leu Xaa Xaa Asn Xaa Ile Xaa Xaa Xaa Xaa 40 Xaa Xaa Phe Xaa Xaa Xaa Xaa Xaa Xaa Xaa Leu Trp Xaa Xaa Ser Asn Xaa Xaa Xaa Ile Xaa Xaa Xaa Phe Xaa Xaa Xaa Xaa Leu Glu Xaa Leu Asp Leu Xaa Asp Asn Xaa Xaa Leu Arg Xaa Xaa Pro Xaa Thr Phe Xaa Gly Leu Xaa Xaa Leu Xaa Leu Xaa Leu Xaa Xaa 105 Cys Xaa Leu Xaa Xaa Leu Xaa Xaa Xaa Phe Xaa Gly Leu Xaa Xaa 120 Leu Gln Tyr Leu Tyr Leu Gln Xaa Asn Xaa Xaa Xaa Leu Xaa Asp 135 Asp Xaa Phe Xaa Asp Leu Xaa Asn Leu Xaa His Leu Phe Leu His Gly 150 155 Asn Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Phe Arg Gly Leu Xaa Xaa 170 165 Leu Asp Arg Leu Leu His Xaa Asn Xaa Xaa Xaa Val His Xaa 185 Xaa Ala Phe Xaa Xaa Leu Xaa Arg Leu Xaa Xaa Leu Xaa Leu Phe Xaa 200 Asn Xaa Leu Xaa Xaa Leu Xaa Xaa Xaa Leu Ala Xaa Leu Xaa Xaa Leu Xaa Xaa Leu Arg Leu Asn Xaa Asn Xaa Trp Xaa Cys Xaa Cys Arg 235 230 Ala Arg Xaa Leu Trp Xaa Trp Xaa Xaa Xaa Xaa Arg Xaa Ser Ser Ser Xaa Val Xaa Cys Xaa Xaa Pro Xaa Xaa Xaa Gly Xaa Asp Leu Xaa Xaa Leu Xaa Xaa Xaa Asp Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Aaa Pro 280 290 315 310 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Gly Xaa Xaa Xaa Xaa Xaa Xaa 325 Xaa Xaa Xaa Xaa Pro Pro Xaa Xaa Xaa Ser Xaa Xaa Xaa Xaa 345

355 360 365

Xaa Xaa Xaa Xaa Xaa Xaa Leu 435 440

<210> 7

<211> 66

<212> PRT

<213> Homo sapiens

<400> 7

Arg Ile Tyr Lys Gly Val Ile Gln Ala Ile Gln Lys Ser Asp Glu Gly
1 10 15

His Pro Phe Arg Ala Tyr Leu Glu Ser Glu Val Ala Ile Ser Glu Glu 20 25 30

Leu Val Gln Lys Tyr Ser Asn Ser Ala Leu Gly His Val Asn Cys Thr 35 40 45

Ile Lys Glu Leu Arg Arg Leu Phe Leu Val Asp Asp Leu Val Asp Ser 50 55 60

Leu Lys 65

<210> 8

<211> 390

<212> PRT

<213> Homo sapeins

<400> 8

Cys Pro Met Leu Cys Thr Cys Tyr Ser Ser Pro Pro Thr Val Ser Cys
1 5 10 15

Gln Ala Asn Asn Phe Ser Ser Val Pro Leu Ser Leu Pro Pro Ser Thr 20 25 30

Gln Arg Leu Phe Leu Gln Asn Asn Leu Ile Arg Thr Leu Arg Pro Gly 35 40 45

Thr Phe Gly Ser Asn Leu Leu Thr Leu Trp Leu Phe Ser Asn Asn Leu 50 55 60

Ser Thr Ile Tyr Pro Gly Thr Phe Arg His Leu Gln Ala Leu Glu Glu 65 70 75 80

Leu Asp Leu Gly Asp Asn Arg His Leu Arg Ser Leu Glu Pro Asp Thr 85 90 95

Phe Gln Gly Leu Glu Arg Leu Gln Ser Leu His Leu Tyr Arg Cys Gln Leu Ser Ser Leu Pro Gly Asn Ile Phe Arg Gly Leu Val Ser Leu Gln 120 Tyr Leu Tyr Leu Gln Glu Asn Ser Leu Leu His Leu Gln Asp Asp Leu Phe Ala Asp Leu Ala Asn Leu Ser His Leu Phe Leu His Gly Asn Arg Leu Arg Leu Leu Thr Glu His Val Phe Arg Gly Leu Gly Ser Leu Asp Arg Leu Leu His Gly Asn Arg Leu Gln Gly Val His Arg Ala Ala 185 180 Phe Arg Gly Leu Ser Arg Leu Thr Ile Leu Tyr Leu Phe Asn Asn Ser Leu Ala Ser Leu Pro Gly Glu Ala Leu Ala Asp Leu Pro Ser Leu Glu Phe Leu Arg Leu Asn Ala Asn Pro Trp Ala Cys Asp Cys Arg Ala Arg Pro Leu Trp Ala Trp Phe Gln Arg Ala Arg Val Ser Ser Ser Asp Val Thr Cys Ala Thr Pro Pro Glu Arg Gln Gly Arg Asp Leu Arg Ala Leu Arg Glu Ala Asp Phe Gln Ala Cys Pro Pro Ala Ala Pro Thr Arg Pro Gly Ser Arg Ala Arg Gly Asn Ser Ser Ser Asn His Leu Tyr Gly Val Ala Glu Ala Gly Ala Pro Pro Ala Asp Pro Ser Thr Leu Tyr Arg Asp Leu Pro Ala Glu Asp Ser Arg Gly Arg Gln Gly Asp Ala Pro Thr Glu Asp Asp Tyr Trp Gly Gly Tyr Gly Gly Glu Asp Gln Arg Gly Glu Gln Met Cys Pro Gly Ala Ala Cys Gln Ala Pro Pro Asp Ser Arg Gly Pro Ala Leu Ser Ala Gly Leu Pro Ser Pro Leu Leu Cys Leu Leu Leu 370 Leu Val Pro His His Leu <210> 9 <211> 421

<212> PRT

<213> Mus sp.

<400> 9

Cys Pro Arg Asp Cys Val Cys Tyr Pro Ala Pro Met Thr Val Ser Cys Gln Ala His Asn Phe Ala Ala Ile Pro Glu Gly Ile Pro Glu Asp Ser Glu Arg Ile Phe Leu Gln Asn Asn Arg Ile Thr Phe Leu Gln Gln Gly His Phe Ser Pro Ala Met Val Thr Leu Trp Ile Tyr Ser Asn Asn Ile Thr Phe Ile Ala Pro Asn Thr Phe Glu Gly Phe Val His Leu Glu Glu Leu Asp Leu Gly Asp Asn Arg Gln Leu Arg Thr Leu Ala Pro Glu Thr Phe Gln Gly Leu Val Lys Leu His Ala Leu Tyr Leu Tyr Lys Cys Gly Leu Ser Ala Leu Pro Ala Gly Ile Phe Gly Gly Leu His Ser Leu Gln 120 Tyr Leu Tyr Leu Gln Asp Asn His Ile Glu Tyr Leu Gln Asp Asp Ile 135 Phe Val Asp Leu Val Asn Leu Ser His Leu Phe Leu His Gly Asn Lys Leu Trp Ser Leu Gly Gln Gly Ile Phe Arg Gly Leu Val Asn Leu Asp Arg Leu Leu His Glu Asn Gln Leu Gln Trp Val His His Lys Ala 185 Phe His Asp Leu His Arg Leu Thr Thr Leu Phe Leu Phe Asn Asn Ser 200 Leu Thr Glu Leu Gln Gly Asp Cys Leu Ala Pro Leu Val Ala Leu Glu Phe Leu Arg Leu Asn Gly Asn Ala Trp Asp Cys Gly Cys Arg Ala Arg Ser Leu Trp Glu Trp Leu Arg Arg Phe Arg Gly Ser Ser Ser Ala Val Pro Cys Ala Thr Pro Glu Leu Arg Gln Gly Gln Asp Leu Lys Leu Leu 265 Arg Val Glu Asp Phe Arg Asn Cys Thr Gly Pro Val Ser Pro His Gln Ile Lys Ser His Thr Leu Thr Thr Ser Asp Arg Ala Ala Arg Lys Glu His His Pro Ser His Gly Ala Ser Arg Asp Lys Gly His Pro His Gly His Pro Pro Gly Ser Arg Ser Gly Tyr Lys Lys Ala Gly Lys Asn Cys 330 Thr Ser His Arg Asn Arg Asn Gln Ile Ser Lys Val Ser Ser Gly Lys

340 345 350

Glu Leu Thr Glu Leu Gln Asp Tyr Ala Pro Asp Tyr Gln His Lys Phe 355 360 365

Ser Phe Asp Ile Met Pro Thr Ala Arg Pro Lys Arg Lys Gly Lys Cys 370 380

Ala Arg Arg Thr Pro Ile Arg Ala Pro Ser Gly Val Gln Gln Ala Ser 385 390 395 400

Ser Gly Thr Ala Leu Gly Ala Pro Leu Leu Ala Trp Ile Leu Gly Leu 405 410 415

Ala Val Thr Leu Arg 420

<210> 10

<211> 17

<212> PRT

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Consensus
 sequence

<220>

<221> MOD_RES

<222> (3)..(4)

<223> Variable amino acid

<220>

<221> MOD RES

<222> (6)

<223> Variable amino acid

<220>

<221> MOD RES

<222> (9)..(10)

<223> Variable amino acid

<220>

<221> MOD RES

 $\langle 222 \rangle$ (12)...(13)

<223> Variable amino acid

<220>

<221> MOD RES

<222> (15)

<223> Variable amino acid

<400> 10

Cys Pro Xaa Xaa Cys Xaa Cys Tyr Xaa Xaa Pro Xaa Xaa Thr Xaa Ser

Cys

<210> 11

<211> 50

<212> PRT

<213> Artificial Sequence

```
<220>
<223> Description of Artificial Sequence: Consensus
      sequence
<220>
<221> MOD RES
<222> (2)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (4)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (6)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (11)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (14)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (16)..(19)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (21)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (25)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (27)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (29)..(30)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (32)..(35)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (37)
<223> Variable amino acid
```

```
<220>
<221> MOD RES
\langle 222 \rangle (40) ... (41)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (43)..(45)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (47)..(49)
<223> Variable amino acid
<400> 11
Asn Xaa Trp Xaa Cys Xaa Cys Arg Ala Arg Xaa Leu Trp Xaa Trp Xaa
  1
Xaa Xaa Xaa Arg Xaa Ser Ser Ser Xaa Val Xaa Cys Xaa Xaa Pro Xaa
                                   25
Xaa Xaa Xaa Gly Xaa Asp Leu Xaa Xaa Leu Xaa Xaa Xaa Asp Xaa Xaa
Xaa Cys
<210> 12
<211> 196
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Consensus
      sequence
<220>
<221> MOD RES
<222> (2)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (5)..(6)
<223> Variable amino acid
<220>
<221> MOD RES
 <222> (8)
 <223> Variable amino acid
 <220>
 <221> MOD RES
<222> (10)..(16)
<223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (18)..(25)
 <223> Variable amino acid
```

19

<220>

```
<221> MOD RES
<222> (28)..(29)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (32)..(35)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (37)..(40)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (42)..(46)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (49)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (53)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (56) \dots (57)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (60)..(62)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (64)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (67)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (70) \dots (71)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (73) 
<223> Variable amino acid
<220>
<221> MOD RES
<222> (75)
<223> Variable amino acid
```

```
<220>
<221> MOD RES
\langle 222 \rangle (77) \dots (78)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (80)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (82)..(83)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (85)..(88)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (90)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (93)..(94)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (10\overline{2})
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (10\overline{4})..(107)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (10\overline{9})
<223> Variable amino acid
<220>
<221> MOD RES
<222> (11\overline{2})
<223> Variable amino acid
<220>
<221> MOD RES
<222> (114)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (117)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (120)
<223> Variable amino acid
```

```
<220>
<221> MOD RES
\langle 222 \rangle (128) \dots (136)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (141)..(142)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (150)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (15\overline{2})...(155)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (158)..(159)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (162)..(163)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (16\overline{5})
<223> Variable amino acid
<220>
<221> MOD RES
<222> (168)..(169)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (171)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (17\overline{4})
<223> Variable amino acid
<220>
<221> MOD RES
<222> (176)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (178)..(179)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (181)..(184)
<223> Variable amino acid
```

<220>

<221> MOD RES

<222> (187)

<223> Variable amino acid

<220>

<221> MOD RES

<222> (189)..(190)

<223> Variable amino acid

<220>

<221> MOD_RES

 $\langle 222 \rangle (19\overline{2})..(193)$

<223> Variable amino acid

<400> 12

Arg Xaa Phe Leu Xaa Xaa Asn Xaa Ile Xaa Xaa Xaa Xaa Xaa Xaa Xaa 1 5 10 15

Phe Xaa Xaa Xaa Xaa Xaa Xaa Xaa Leu Trp Xaa Xaa Ser Asn Xaa 20 25 30

Xaa Leu Asp Leu Xaa Asp Asn Xaa Xaa Leu Arg Xaa Xaa Xaa Pro Xaa 50 55 60

Thr Phe Xaa Gly Leu Xaa Xaa Leu Xaa Leu Xaa Leu Xaa Xaa Cys Xaa 65 70 75 80

Leu Xaa Xaa Leu Xaa Xaa Xaa Xaa Phe Xaa Gly Leu Xaa Xaa Leu Gln 85 90 95

Tyr Leu Tyr Leu Gln Xaa Asn Xaa Xaa Xaa Leu Xaa Asp Asp Xaa 100 105 110

Phe Xaa Asp Leu Xaa Asn Leu Xaa His Leu Phe Leu His Gly Asn Xaa 115 120 125

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Phe Arg Gly Leu Xaa Xaa Leu Asp 130 135 140

Arg Leu Leu His Xaa Asn Xaa Xaa Xaa Val His Xaa Xaa Ala 145 150 155 160

Phe Xaa Xaa Leu Xaa Arg Leu Xaa Xaa Leu Xaa Leu Phe Xaa Asn Xaa 165 170 175

Leu Xaa Xaa Leu Xaa Xaa Xaa Leu Ala Xaa Leu Xaa Leu Xaa 180 185 190

Xaa Leu Arg Leu 195

<210> 13

<211> 1176

<212> DNA

<213> Homo sapiens

<400> 13

gagggcatcc ccgtggacag cgagcgcgtc ttcctgcaga acaaccgcat cggcctcctc 60 cagcccggcc acttcagcc cgccatggtc accctgtgga tctactcgaa caacatcacc 120

tacatccacc ccaqcacctt cgagggette gtgcacctgg aggagetgga ceteggegae 180 aaccggcagc tgcggacgct ggcacccgag accttccagg gcctggtgaa gcttcacgcc 240 ctctacctct acaagtgtgg gctcagcgcc ttgccggccg gcgtctttgg cggcctgcac 300 agectgeagt acctetacet geaggacaae cacategagt acctecagga egacatette 360 gtggacctgg tcaacctcag ccacctgttt ctccacggca acaagctgtg gagtctgggc 420 ccgggcacct tccggggcct ggtgaacctg gaccgtcttt tgctgcacga gaaccagctg 480 cagtgggtcc accacaaggc attccacgac ctccgcaggc tgaccaccct cttcctcttc 540 aacaacagcc tctcggagct gcagggtgag tgcctggccc cgctgggggc cctggagttc 600 ctccgcctca acggcaaccc ctgggactgt ggttgtcgcg cgcgctccct gtgggaatgg 660 ctgcagaggt tccggggctc cagctccgct gtcccctgtg tgtcccctgg gctgcggcac 720 ggccaggacc tgaagctgct gagggccgag gacttccgga actgcacggg accagcgtcc 780 ccgcaccaga tcaagtcaca cacgctcacc accaccgaca gggccgcccg caaggaacac 840 cactcacccc acggccccac caggagcaag ggccacccgc acggcccccg gcccggccac 900 aggaagccgg ggaagaactg caccaaccc aggaaccgca atcagatctc taaggcgggc 960 gccgggaaac aggcccccga gctgccagac tatgccccag actaccagca caagttcagt 1020 tttgacatca tgcctacggc ccggcccaag aggaagggca agtgtgcccg caggaccccc 1080 atccgtgccc ccagcggggt gcagcaggcc tcctcggcca gttccctggg ggcctccctc 1140 ctggcctgga cactggggct ggcggtcact ctccgc

<210> 14

<211> 392

<212> PRT

<213> Homo sapiens

<400> 14

Glu Gly Ile Pro Val Asp Ser Glu Arg Val Phe Leu Gln Asn Asn Arg
1 5 10 15

Ile Gly Leu Leu Gln Pro Gly His Phe Ser Pro Ala Met Val Thr Leu 20 25 30

Trp Ile Tyr Ser Asn Asn Ile Thr Tyr Ile His Pro Ser Thr Phe Glu 35 40 45

Gly Phe Val His Leu Glu Glu Leu Asp Leu Gly Asp Asn Arg Gln Leu 50 60

Arg Thr Leu Ala Pro Glu Thr Phe Gln Gly Leu Val Lys Leu His Ala 65 70 75 80

Leu Tyr Leu Tyr Lys Cys Gly Leu Ser Ala Leu Pro Ala Gly Val Phe
85 90 95

Gly Gly Leu His Ser Leu Gln Tyr Leu Tyr Leu Gln Asp Asn His Ile 100 105 110

Glu Tyr Leu Gln Asp Asp Ile Phe Val Asp Leu Val Asn Leu Ser His 115 120 125

Leu Phe Leu His Gly Asn Lys Leu Trp Ser Leu Gly Pro Gly Thr Phe 130 135 140

Arg Gly Leu Val Asn Leu Asp Arg Leu Leu Leu His Glu Asn Gln Leu 145 150 155 160

Gln Trp Val His His Lys Ala Phe His Asp Leu Arg Arg Leu Thr Thr 165 170 175

Leu Phe Leu Phe Asn Asn Ser Leu Ser Glu Leu Gln Gly Glu Cys Leu 180 185 190

Ala Pro Leu Gly Ala Leu Glu Phe Leu Arg Leu Asn Gly Asn Pro Trp 195 200 205

Asp Cys Gly Cys Arg Ala Arg Ser Leu Trp Glu Trp Leu Gln Arg Phe Arg Gly Ser Ser Ser Ala Val Pro Cys Val Ser Pro Gly Leu Arg His 235 230 Gly Gln Asp Leu Lys Leu Leu Arg Ala Glu Asp Phe Arg Asn Cys Thr Gly Pro Ala Ser Pro His Gln Ile Lys Ser His Thr Leu Thr Thr Asp Arg Ala Ala Arg Lys Glu His His Ser Pro His Gly Pro Thr Arg 285 Ser Lys Gly His Pro His Gly Pro Arg Pro Gly His Arg Lys Pro Gly Lys Asn Cys Thr Asn Pro Arg Asn Arg Asn Gln Ile Ser Lys Ala Gly 305 310 Ala Gly Lys Gln Ala Pro Glu Leu Pro Asp Tyr Ala Pro Asp Tyr Gln His Lys Phe Ser Phe Asp Ile Met Pro Thr Ala Arg Pro Lys Arg Lys Gly Lys Cys Ala Arg Arg Thr Pro Ile Arg Ala Pro Ser Gly Val Gln 360 Gln Ala Ser Ser Ala Ser Ser Leu Gly Ala Ser Leu Leu Ala Trp Thr Leu Gly Leu Ala Val Thr Leu Arg 390 <210> 15 <211> 143899 <212> DNA <213> Homo sapiens <220> <221> modified base <222> (2044)..(2144) <223> a, t, c, g, other or unknown <220> <221> modified base <222> (6609) <223> a, t, c, g, other or unknown <220> <221> modified base <222> (6625)..(6724) <223> a, t, c, g, other or unknown <220> <221> modified_base <222> (14153)...(14252) <223> a, t, c, g, other or unknown <220> <221> modified base

```
<222> (19512)..(19611)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (22595)..(22694)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (27825)..(27924)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (34953)...(35052)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (40783)..(40882)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (49000)...(49099)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (62884). (62983)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (75528)...(75627)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (87944)..(88043)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (111030)..(111129)
<223> a, t, c, g, other or unknown
<400> 15
aagcacatac aggtgacatt acagaactga cagttatgcc aggcactgta cttagcccct
                                                                         60
                                                                        120
ataccatcct caaacagctg tatgatgtag attgggtatt aaccccatta ataacaaaag
                                                                        180
tacagggaac aaagtgactt tccaaaggtc atgccattca aaggagggtg aatcttaggt
                                                                       240
tggacgcagg ctgtctgact ctggagtctg aggtgttaat gctgcctcct ccatgggaac
agcccaagtg aaaaacagct gatccactct tcatttactt ggcatctgtg ctaagctggt
                                                                        300
ccctgagcca agctctgagc aacagaaaca gaagctctgc attaggagct tgtgagcatg
                                                                        360
tcaatgccgg gtaaaggagt gctggaaacc gctgggatgg ccgccgagca ctaggccgtt
                                                                        420
gaaggtgggc tctgtgtgac tggttcctct acactctggc ctggctgcct gcaggaagaa
                                                                        480
gatcaagctg agtgggctgg ccctggacca caaggtgaca ggtgacctct tctacaccca
                                                                        540
tgtgaccacc atgggccaga ggctcagcca gaaggccccc agcctggagg acggttcgga
                                                                        600
tgccttcatg tcaccccagg atgttcgggg cacctcagaa aaccttcctg agagtgagtg
                                                                        660
tctggtcaag gtgccggcct tgggggatag tgatggtggg tcctcatatt cagtgagcac
                                                                        720
tcatggttga gtatttattc gcacccctct tcagtcctta caacacccca tgatgtaggt
                                                                        780
ggggcatgct cctcatttac agatgggcac atcaaagctc agctaacgct gggaagttca
                                                                        840
gattcaqqqt taccctgctg gattcctggg attggggagg gaggagcttc caaaatgggg
                                                                        900
```

acaaqqtctc	tgggcctgtc	gggtagctgg	tttcctcagg	gccccttgca	acctctgagc	960
	aggtgcagcc					1020
tgtcttttgc	cccctgctgg	tcacaggagg	agctgcagca	cctgcctggg	ctgcttctca	1080
	tgaagatccc					1140
agtcaggagc	gggagttgag	gagtttgagt	cctgctctcc	agttataggc	tatgtgactt	1200
	cctaaccttg					1260
cccacaaact	gtaaagttag	ttgtgatgat	tgaatgacac	catgggtgtg	gaagetettt	1320
gtaaagtgca	aaacggtgtg	cagtttgagg	gtggttaccc	ccagtgccga	ttctcagagg	1380
gcaacatggc	taagggcacg	agetggagtt	aggetgaeet	getgetteça	gccctgtgag	1440
cttgagcaag	tcatttaact	tcctgagctg	cagtttcctc	atcagtagaa	tgtgataagg	1500
	tgtaagattt					1560
tgagtgcttc	agagtttttt	tcttttgttt	ctttccccc	cgccccgaga	tggagcctta	1620
ctctattacc	caggctggag	tacaataaca	tgatcttggc	tcactgcaac	ctccacctcc	1680
						1740
	caattctcct					
accatgctcg	gctaattttt	gtatctttag	tagagacggg	gtttcaccat	gttggccagg	1800
	actcctgacc					1860
						1920
	gcccccgtgc					
ccacagggta	ttgctgttgc	ctgggctgga	gtgcggtagt	gcaatcatag	ttcactgcag	1980
	ctgggctcaa					2040
aggnnnnnnn	nnnnnnnnn	nnnnnnnn	nnnnnnnnn	nnnnnnnn	nnnnnnnnn	2100
nnnnnnnnn	nnnnnnnnn	nnnnnnnn	nnnnnnnnn	nnnttttgta	ttttaagtag	2160
						2220
	ttcccaatgt					
acccacctca	gcctcccaaa	qtactgggat	tacaggcgtg	agacaccgtg	cccagccagg	2280
	tcttgataaa					2340
agcctaatac	atccaggctc	agcatcagtg	gacccaggtg	ggagagctta	agatgtcaag	2400
gtctgaatgc	cgcttccaca	cacctttggg	acctagggac	tccctctctt	tttcttttt	2460
	tgttatcttc					2520
gtttttcagt	caagatatat	ttcagtggct	tcactgagcc	caagttccct	cgcctctcta	2580
ggactttatt	tccttgtttc	tagaagaggg	ataacacata	ttttctaagg	taattataaa	2640
						2700
	ctggtaccgg					
caaaaagcga	aaagttgacc	tgcgagggtg	acacttatca	aatcagcaca	cagtgggagt	2760
	tccctcatca					2820
						2880
	cgcggtgggt					
ggatcacgag	gtcaggagtt	caagaccagc	ctgaccaacg	tggtgaaacc	ccacctctac	2940
	aaattagctg					3000
	gagaatcact					3060
ccactgcact	ccagcctggg	caacagagcg	agactccatc	tcaaacqaaa	aaaaaaaag	3120
						3180
	cagctctaac					
aggcagcagc	aagcccagag	gtaggggact	ccaaggttgg	ttgatccagg	gcttaacgat	3240
gtcatcaaag	acccaggttc	tttctgtctc	ggcacctctg	tctgcagggc	cagcttcatc	3300
						3360
	ttgttcttgt	_				
gcctccctgt	tcatcttcag	aagtagaaag	tggcccttcc	ccagtcatgg	aatgaaagag	3420
	gtctgggatt					3480
	acactgattg					3540
gtgatactgt	catgattqtc	ttgggctcat	cagggcagct	ctgcagatga	gatcaaactc	3600
caagetacat	tattctgaac	agtgggaagt	ancasanaa	cattttqqqa	gatacaaaac	3660
	tcccatatcc					3720
agaaaaagaa	agactgtcca	tccatttatc	tacctattca	tctqqttttt	gattttttt	3780
	ttaagacatt					3840
	cagcctcaac					3900
cctacctcag	cctcccaagt	agctagaact	aaaggtgcat	gccaccacgc	tcagttaatt	3960
	ttgtagagat					4020
	atatgcctgc					4080
tactcctaac	tcatctgttt	aataatttat	gaaacaacta	ctaggtacta	agcacggggc	4140
	agatctagca					4200
	ataattcccc					4260
ttctttcttt	tttttttt	gagacagagt	ctcactctot	tacccaggct	ggagtgcagt	4320
aatacastat	cagctcactg	caacetetee	C+CC+444+	Caaccaatta	tectacetes	4380
	tagctgggac					4440
ttagtagaga	ctgggtttca	ccatattaac	caggetogte	ttgaactcct	gaccttgtga	4500
	teggeeteee					4560
	ttcaatgagg					4620
tcagctctac	tttttcttcc	ccatagcact	caagacctcc	taacatacta	cgtaagttat	4680
	ggcttactgt					4740
ccaccacca	gycciacigi	gearcycecy	Juliunulud	ccayaatyta	aucticatya	3/40

gaatagaaat ttttgccttt ttatttagtg tggtgtctgc agcccctggc ttagtccctg 4800 4860 gcatacaaca gtcactccac ccacagttgc tgaataagtg actaaaggtc cctgccctca 4920 tattgttatg agggagtgtg catgttgtta gagaaaaatc tgaggcacaa taaaatttta 4980 tagagtttaa gttttctttt ttaagcaatc cacgaattgg ggtagtttca gaggtagttt 5040 ttcagtcatg acgtatttca atggcttcac tgagcccaag ttctttcacc tctctaggac tttatttcct tatttctaga acggggataa cacatagttc ataaggcagt tatgagagta 5100 agggagetgg tatggggtga tgcataagga caggatagag cagtggtgag accgetcaga 5160 tgacaaagcg tcagagacca gtatttacga cggaaatgtg gaagcatgat aaagaaatta 5220 5280 tttgggctgg gcacaatgac tcacaactaa taaaactttg ggaggccaag gtgggaggat cacttgactt gcagaaggtc aaggctgcag tgagctgtga ttttgccact gcactccagc 5340 ctggtcaaca gagtgagacc ctggctcgaa acgttatttg attggttaca gttatacagt 5400 tgccttattt ggtctattcc atttgaaagt tcctagttct ataattttaa gtttgttggc 5460 5520 tgtttctgat tggttaagct taagttttgt tttcctttaa tacagttaag tgccccataa tgacattttg gtcaaggaca gaccacatat acagtggtgg tcccataaga ttataatgga 5580 gctgaaacat tcctattgtc tatggcgtag tggtcctgat gttgtagcgc aatgcattag 5640 5700 ttatatgttt gtggcaatgc tggtgtaaac acacctactg cactgccagt gatataaaag 5760 aatagcacat acagttatat atagtacata atatctgata atgataatac ataactatat 5820 tactggttta tatatttact atattattta tctttatttt atttttgaga cagagtctca ttctgtcacc caggctggag tgcagtggcg cgatcttggc tcaccgcaac ctccgcttcc 5880 tgggttcaag tgattctcct gcctcagtct cctgagtagc tgggattaca ggtgtgcacc 5940 atgacaccct gctaatatgt tttgtatttt tagtagagat ggggtttcac catgttggcc 6000 6060 aggetggtet tgaactactg accteaagtg atcaccecge eteggettee caaagtgetg ggattacagg cgtgagccac cacgcatggc ctatttataa ttattttaga gtgtacgcct 6120 6180 tatacttata aaaaaaagct aactgtcaaa cagcctcggg caggtccttc aacagatatt 6240 ccagaagaca ttgttatcat aggagatgac agctccgtgc atattattgt ccctgaaaac 6300 cttctagtgt ggaagtggaa gacagtgata ttgatgatag gacccagtgt aggcctaggc 6360 6420 caaaaatttt taaataqaaa aaaqctqccc aqqaacaatg gctcacacct gtaatcccac cattcgggga ggccaaggtg ggtggattgc ttgagctcag gagttcaaga ccagcctggg 6480 caacatggtg aaaccccatc tctacaaaaa atacaaaaat tagccgggtg tggtggcatg 6540 cggctatagt tccagctaat cgaggggctg aggtgggagg atcactgggg gggaggtggt 6600 tgaggctgna gtgagctgtg attgnnnnn nnnnnnnnn nnnnnnnnn nnnnnnnnn 6660 6720 nnnnatattc ttaaaaaaat tttttttat ttttgagaca gaatttctct cttgttgccc 6780 6840 aggctggagt gcaatggcgc tatctcagct cagggcaacc tccacctcct gggttcaagc gattetectg cettageete ecaggtacag gegecegeea ceatgetegg etaatttttg 6900 tatttttagt agagatgggg tttcaccatg ttgtccaggc tggtcttgaa atcctgcctc 6960 aggtgatcca ccccctcgg cctcccaaag tgctggaatt tacaggcgtg agccactgtg 7020 cctggcctcc tttacatttt tttaaattta attttaattt tttaattttt aatttctcat 7080 7140 atatatat ttttaagact agccaagtga agcagtggga gtggaaaagg aactggtttt 7200 gatcaatagg tgtaaacacc actgcactgg gaccagccta ttttacattc ctgttagcag tgatgagggt tcacttctt tgtagcctca acaatatgtg tcgttgccca tcttttttt 7260 7320 tittititt tittittg agatggagtc tcactctgtt gcctaggctg gaatgcaatg gcatgatete ageteactge aaceteegee teccaggtte aagtgattet tgtgteteag 7380 cctcctgagt agatgggatt acaggcgtcc accaccacgc ccggctaatt ttttgtattt 7440 7500 tcaqtaqaqa tqqqqtitca ccatqttggc caggttggtt tcgaactcct gacctcaagt 7560 gatecqccca ceteqqcete ecaaaqtqct gggattacag gcatgagcca cegegecegg 7620 cctgcccatc ttttttttgt tatagccatc ctagtggatg taaagttttt ttgtgatttt 7680 qatttqtqtt tecetactga teaatgatgt tgagcatett tteetqtget tattggettt tggtatatct ttggagaaag gtctattcag gtcctttgcc cactttaaaa ttaggttatc 7740 tttctattac tgagatgtaa gagttcttta tgttctagat ataagtctcc tacatatgat 7800 ttgtaaaaat tttccttcca ttattgggtt gtctttcact ttcttttggt gtcctttagt 7860 7920 gcacaacagt ttttaatatt gaagtccaat tttctatttt tctcttttgc cacttgtatc 7980 ttggtgtcat gtttaaggaa ctattgccta atctcaggtc acaaagattt acacctgtgt tteettettt cetteettee tteetteett cettettee eteceteet eteteetee. 8040 8100 ttccttcctt ccttccttcc ttccttcctt ccttcctttg tccttctgac ggaatcttgc 8160 tetgtcaccc aggetggagt gtagtggcac gatettgget caetgcaacc tetgcetect 8220 gggttcaagc aatteteetg ceteageete etgagtaget gggactacag geacacacea 8280 8340 ccatgcccag ctaatttttg tatttttagt agagacgggg tttcaccaca ttggccagga 8400 tggtttcgat ctcctgacct cgtgatccac ccgccttggc ctcccaaagt gctgggattg 8460 caggtgtgag ccaccatgcc cggcctgtgt tttcttagag ttttgtagtt ttagctctta 8520 tagttagatc cttgatccat tttgagttga ttttgtatat agtgtgagat atccacctgg 8580 tgttgtaaat tgcccagaag tgggtatgct tctaaatctg gctgttaggg attactagag

gtgaccaaag tgaatttttt ctttgtttct ttttttttt ggagacagag tctccgtcac 8640 ccaggctgga gtgcaatggc ttcatcttgg ctcagtgcaa cctctgcctt ctggtttcaa 8700 gcagttetee tgeeteagae teetgagtag etggtattae aggegtgtae caccatgett 8760 8820 ggctaatttt tgtattttta gtaaagatgc agtttcacct gttggccagg cttttctgga actocoggeo toaagtgato catotgooto tacotoccaa agtgotggga ttacaggtgg 8880 8940 gagccaccgt gcccagtcct tttctcagaa tttatttgtt tttttttgtt ttgtttcatt tttgagatag ggtctcactc tgtcagctag gcaggagttc agtggtgtga tcattgctgc 9000 agecttgaac ttetggaete aegtgatett eccaecteag ecteetgagt agetaggatt 9060 acaggcatgt gcttccacac ctggctaatt ttttaatttt ctaggactta tttgtccatt 9120 cttgcaa2gc agggtacaac atgcctatct ctacctacct ctcttccctt caagggactc 9180 cagccaaaat ccttgaggct ctcgggctga ctgtgggtgc tgttgcctga tctgcctcag 9240 tcatgctgca tgatcaaaag tgtccgtttt ctgcttcttg gaactttatt cactttgggt 9300 gtcagtcttc ctctgcagtg tcccaagaac acagaattag accaggaatc tgtgttgcca 9360 tagtgtgtgg aaagaggcag acttccaact ccgctatgtg ctgttgggtg attgaagctt 9420 aattttcttt ctatctttct ttcttttctt ttctttttt ttttttggag atggaatctc 9480 getetgttge ccaggetgga gtgcagtggt gcgateteac etcactgcaa cetecgeete 9540 ccaggttcaa gcgattctcc tgcctcagcc tcctgagtag ctgggattac aggtgcatgc 9600 9660 caccatgccc ggctaatttg tgtaatttta gtagaaacag tgtttcacca tattggtcag 9720 gctggtctcg acctcctcac ctcaggtgat ccacccgcct tggcctccca aagtgtcggg 9780 attacaggcg tgagccaccg tgcctggcac ttaattttct taatacctca attaccccat atggtaaaat gggactagta atccatacct tatagcgctg ttgtgaaaat gaaatgaggg 9840 taagcagata aaatttcaga ctacggatgg gattgttact acattctgaa cctggctttg 9900 ctgttatttg ctatgtgacc ttatcttctc tggatctcca ttctttccaa gtctataaaa 9960 caaagtggac aattgtcaac ctttcttcca aagagcaatg atttaaggat caaatgatgt 10020 catttaacaa aaatatgaag agctcaacaa atgaggaact cattattatt attacaatta 10080 ttattatttt agaaataggg tcttgttctc ttgcctaggc tggagtccag tggtataaac 10140 acageteaat geatetteag ecteetggat acaagtgate eteatgtete atececetaa 10200 gtagctggga ccacaggcat gtaccaccac gcacggctaà ttttttattt tttatttta 10260 10320 ttttttgaga cagtcttgct ttgtcgccca gactggagtg cagcagcgca atcaccgctc actgcaacct ccgcctcctg ggttcaagtg attctgctgc ctcaacctcc caagtagctg 10380 10440 ggattacagg cctgtgccac catgcccggc taatttttt gtatttttgg taaagacggg gtttcaccat gttgcccagg ctgatctaga acccctggcc tcaagtgatc cccctttctt 10500 10560 ggcctcctaa agtgctagga ttacaggcgt gagcctctgc acctggcctc ggctaatttt ttatttttttg tagagacagg ttctcactat gttgccaggg ctggtcttga actcctgggc 10620 10680 tcaagtgatc ttcccacctc agcctcccaa agtgctgaga ttacagatgt gagccactgt 10740 gcctggcctg gaactcatta ttgaagcatt cactagtatc aactttgggg ttacctggcc acatectetg acetacetat aagggtatea cagetaacgg ageetetgtt teteagaatt 10800 taggcagaag cagttcaatt tatcacaaac tactctatat ccagcataag tgcccaaata 10860 aaacaattgc taaagttctt taggcattta ctgtttgtta gttagatatt tagtcctcac 10920 tacaaatctg tgatacaggt attatttta ttaaccccat tttatagaag agaaacctga 10980 agctcagaga tgctaagtaa cttgtgcaag gtcacacagc tagtaaataa agggcagagt 11040 aaagatttag tttcacattg gactccagaa cctttctact gggactcatg ggaatagtgt 11100 ggatgtccct gaccttcagt ggcccagggc tctcctgggg gaatccagcc atagacaaga 11160 caccagegag ageceaatee taagattttg tttgtttgtt tttgagacaa ggteteaete 11220 tgtcaccaga ctggagtgca gtggcatgat caatgctcac tgcaaccttg atctcccagg 11280 ctcaagcaat cctcccacct cagcctcctg agtagcttgg actacaggtg cacaccacca 11340 cacctgacta attttaaaat tttatttaat taattactta ctattattt ttgagacagg 11400 gtatcacttt gtcacccaag ctggactgca atggtgtggt ctcagctcat tgcgtcctcc 11460 11520 acctcccagg ttcaagtgat cctcccacct cagcctctgg agttgcaggg actgcaggtg tgcgccacta tgctcagcta atgtttttat tttttgtata gatggggtct cactatgttg 11580 ccagggctag tctcaaactc ttggactcaa gcgatcctcc tgtcttggcc tcccaaagtg 11640 11700 ccgggattac aggcataaac caccacacc aacccctaag gtgtttttgc tgaatgtgac catgtcagag gcaggaaagg gaagcatcat ggggttagga aaggaacact gagcagggag 11760 acaaagaaaa tgggatcatt ttgtgagtgt tcgctgtgtg tgtatgtgtg acaattctca 11820 gagccagcct ctcaggtggt tgagaccaca gtccccattt cccagatgag ataatggagc 11880 ctcagagagt ttctgcagca cagctagtgg aattagaatt tgaacccggc tcttccagac 11940 tccaggtgct tcacaaccat cccaaaccta gtcatttgca gtttaccttc atgattttac 12000 catttccctt tgccatagct agtgttattt acttaataat tccttttgaa tcagtctgct 12060 12120 taaaaaaaaa tagcttcatt ctaaagtgta atattcttgg aatatcgggt ttgctgttac 12180 ccaccccac acgttataca tatacatgta tgtttctaat acatatatat gtacgtatat acgtgtatcg ttttttgtta tttttttgt tgttgttagt tttttttaga tggagtctct 12240 12300 ctctgtagcc caggctggag tgcagtggtg tgatttcggc tcactggaac ctctgcctcc 12360 tgggttcaag cgattctcct gcctcagcct ctggagtagc tgggattaca ggcacccacc actacacccg gctaatgttt gtatttttag tagagacagg gtttcaccat gttggccagg 12420

tgggtcttga	actcctgatc	tcaagtgatc	cacctgcttt	ggcttcccaa	agtgctggga	12480
ttataggtgc						12540
		aactgctcca				12600
acatgctgtg	cataccacat	attgggaaac	actgctttcc	ctggcttcca	agcccagctt	12660
		cttcgcttta				12720
		tgtcattaac				12780
		gttcagaatt				12840
		ctcgttggtc				12900
gaatgaatgt	atgaattgac	actaagtcat	tagcatttca	cgggaatgga	ttctccgtta	12960
gtggaagagc	acatotectt	tctggcactg	atgtgtgctt	gggaaactta	ctgagctaac	13020
		ccctttggtg				13080
cttgagtttg	aatctgagcc	tgcctgtaag	aagctggcta	actgaattgc	tttgcttctt	13140
ggacccttac	catttataaa	atggggacca	ttgtactcac	cctttagggt	tattgcatgg	13200
attaaatggg	attctctata	gaaaatattg	gcacaaagta	ggtgtaaatt	tgcacgctag	13260
tgggattgtt	tgtgagggaa	attgtcattt	gattatcaaa	gacttaggag	caggaacagt	13320
gtctaattca	gggactgcaa	atggaaatgc	cagctgaggc	caggcatttg	ctaataattg	13380
ggtaaagcag	ggcaggtgta	gaatagcaat	gtctgggaat	taaaagagag	gtgaggacgt	13440
gtatgacctt	gagaaggcaa	gccctggcaa	aaggggatgg	cctccactca	gctacagtca	13500
tgcctagatc	ttctaacttt	ttattttat	ttttatttt	tgagacggag	tcttgctctg	13560
		tggcgcgatc				13620
		agcctcccaa				13680
		gtatttttag				13740
		ttgtgattta				13800
		ctggccgatc				13860
tggattttta	tgtgataact	cctgatttta	aactggcacc	caattataat	ttacaacact	13920
ataagggtca	acattgccag	cagagcaaaa	catgggtggg	ggcaactgct	ggtcaccggt	13980
		tcatctttgt				14040
		atatccagta				14100
		ggcacagttg				14160 14220
nnnnnnnnn	nnnnnnnnn	nnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	14280
		nnnnnnnnn				14340
		ggagttcaag tatctgggca				14400
		attgcttgaa				14460
		cctaggtgac				14520
aaaaaaaaaa	aaaaaaaaaa	agaaaaagaa	acaatgaatg	agtgtgaggc	tcatggtagt	14580
attoottcct	gagagtagcc	aaccttattg	gtcatcccag	ccacgaagtg	aaatggtacc	14640
cctaacttaa	gccaatgaat	gaggaagaat	aatggcaaat	ggggtctat	gcctccaccc	14700
		aagcttgaaa				14760
tggccagtcc	tcctacagtc	aagtagataa	gtggagggtt	tggtccgttg	ggctacggag	14820
atagtgatca	aggccgttac	tctgcaatca	gactcagaaa	tggcctctca	gttacttctc	14880
catttgtggg	tcttttggaa	gagcagagaa	gaggaaggaa	tttaggtctt	ctcaccctct	14940
		ctgagccatg				15000
ctgtactttt	tttttttt	ttttttgaga	cagagtctcg	ctccgtcgcc	caggctggag	15060
tgccgtggcg	tgatctctgc	tcacagcagc	atctgcctcc	cgggttcaag	ttattcttcc	15120
acctcagtct	cctgagtagc	tgggattaca	ggtgcccacc	accacgcccg	gctaattttt	15180
gtatttttag	tagagacagg	gtttcactgt	gttgggcagg	ctggtctcaa	atacctgacc	15240
tcaggtgatc	cacccgcaca	tgcctcccaa	agtgctggaa	ttacaggcat	gagccaccgt	15300
gcccggtcct	accaatctgc	acattttaat	tgacaagggt	caccctccac	tcatgtgcca	15360
ggcatagttc	tgagaagcat	cccacaagga	tgcctctgag	ttcaccctga	caagtccact	15420
agctcttggc	agagacatct	ggcaaattca	aggettgaga	catgetggee	tctctttaaa	15480 15540
grgcagcaaa	ttttgtctag	agcttggtca	gttaaaattt	tgatgillig	ttttgcatta	15600
atttcaattt	taataatg	ctgcattaaa	atgutattta	toccatacat	taaatttctt	15660
agegreecet	agtasasas	gratastas	gulyagagee	taaaaaaaaa	gattctagtc	15720
cagacccigg	ggcgacagaa	tactacacac	agacygyagg	cyayyayyyy	agtgttggtt tgctgcctgt	15780
ttaccaacca	traarctatr	ccttcacctt	acceptacy	gagatatacta	gatcagagat	15840
cctcaactcc	aaccatttt	ctcccaggit	gggcaaggcg	aacatgtgga	gacattttg	15900
atcatctgg	addatadaa	gagggggtag	tgacatctgg	tgagtagaga	ccagagggac	15960
cattaaactt	tctacaacoc	CCSddscade	ccctccacaa	taaagagtta	tttgacctca	16020
catattaata	gcacaaagtt	gaggaacctt	gatctagatc	cacagcacag	aagaaaggat	16080
gtagattttt	cacacattaa	agatgagaaa	gcttgtgcct	gtaatccctg	tgactcagga	16140
ggctgtggca	ggaggattac	ttgagcccag	gaattcaggg	ttacagtgaa	ctatcatcgc	16200
agcactgcac	tccagcctgg	gtgacagagc	aagattttgt	ctcttaaaaa	aaaaaaagat	16260
_						

gaggacaggc acagtggctc atgcctgtaa tcccagcatt ttgggaggcc gaagtgggtg 16320 gatcacgagg tcaggagttc aagaccagcc tggccagcat agtgaaaccc catctctact 16380 aaaaatacaa aaaattagcc agctacttgg gaggctgagg caggagaagc gcttgaaccc 16440 qqqaqqtqqa qcttqcaqtq aqccaaaatc ttqccattqc actccaqcct qqqcqacaqa 16500 qcaaqactcc qtctcaaaaa qaaaaaaaa aaaqatqaqa aaqaqqaaqq qaqaqaaaa 16560 agagagagag gaaagaaaga gagaaggttt tggagtcaaa aagacttaga aattccagtt 16620 16680 cttccacttc ccatggaacc ttggcaaqtt gccttctctc tttctctgaa tctcacattt 16740 tgcctctqtg aaqtaqggqt ggtacctqqt ggagatqatg cggaqatgag ggtgaggggt 16800 gtgttgcaca ctatgcccct aggatgggtg agagcttggg agcactgaac ctccctttcc 16860 cctcttgttt cttccccca ttgtctccca ccagctccct gggatctcca cttcactctc tgggattcca ccagcaggag gctactcctg gagttaaggc gtgttgttca gactggggca 16920 ttttaggggg cataaataat aattatgcct ggacaatgga cataacatct agggccttct 16980 17040 gaagcaaacc agggtgtggg gtacccaaac aaggcagtag gccccaggag gcaggtccct gcagtcccag cagagagcag ggcacagggt tgagaagact gagcaaactt cattatcagc 17100 tectttgtee eccaetetgt eetggageaa teattetgge etetteeeac tteeccaaaa 17160 acccagtata aaggctgctt ctggcccctg aagccagagg cactgagagt ggaggtctca 17220 gactettgga aggtgagtte ttttetgget geceaggeag gaccagtgta ggeeettggga 17280 agaagcagca cctcataggg caaacacgta ggaggcctgt ccttaggaac atcatagcta 17340 agcagacctg tccccgcagg ggcaggagtc tgggctaagg gtgatactgg agagcagcaa 17400 cggagactgg aagacaaatg aaatttggta cctgagttat ccctcccacc attccttttc 17460 tagactetee ageteagggt etgtteatgg caagaggaga aageaatett gtttgetett 17520 taatcaaaca attaaacaaa tattccctct atactatgtg ccaggggcta tactagacac 17580 acaaagacag ccccaagaag gacggtggag tagtgtcctc gctaaaagac agtagatatg 17640 caatgcctct tgctcctgcc ctttctcctg ctgggaacag tttctgctct tcatctgggt 17700 aagtetetee etteeeteet catgegtett teeetttttt cettttteet acaeteeeet 17760 17820 cocceegett ttatttgcac tcatgaggcc aggaccacag cettecetet ttagetgata 17880 cageteatet eeggtaagat ateaettgga eteagaactg taaeetggaa etttetettt 17940 tgttttgaga cggagtctcg ctctgttgcc caggctggag tgcagtggcg cgatctcggc 18000 tcaccacaaa ctccgcctcc cgggttcaag caattcttct gcctcagcct cctgagtagc 18060 tgggactaca ggcacatgcc accacgcctg gctaatcttt gtatttttag tagagatggg 18120 gtttcaccat atttgccagg ctggtctcaa actcctaacc ttgtgattcg cccgcccgg 18180 cctcccaaag tgctgggatt acaggcgtga gccaccgcac ccggcaaact gtaacctgaa 18240 ctttcagaag gaaaaaccac ccacctgtta agatgaaggg ctggtgactg ccccaggctt 18300 ctcacacgtg ctttctccca ccttcaaaac acacactcgt ggtgtcggcc agaagtcagg 18360 ttcttgtcca tttgtgggtg tgacccgaga gatctctcct tacctaacac caaggaaatc 18420 ctccaqtctt qtcttcaqqt qqaattccta qqaaaqctcq aqcqacqttq ctqqaqctqt 18480 ccacggtgct ggaactagga agctettgae etgatggeag gttacetett etteccagag 18540 aatgatgeee eecatetgga gageetagag acacaggeag aeetaggeea ggatetggat 18600 18660 agttcaaagg agcaggagag agacttggct ctgacggagg aggtgattca ggcagaggga 18720 gaggaggtca aggettetge etgteaagae aactttgagg atgaggaage catggagteg 18780 gacccagctg ccttagacaa ggacttccag tgccccaggg aagaagacat tgttgaagtg cagggaagtc caaggtgcaa gatctgccgc tacctattgg tgcggactcc taaaactttt 18840 gcagaagctc aggtaagtag tagggaggct actgcggagg acctggggga aaagagagta cattcagtct tctgttccct attcatttag gctagtggtt ctcaaagcct cgcatgcatc 18900 18960 agaatcacct ggagttgttg ttaaaacaca gctttctggg cctcacctgc acgacttctg 19020 atttaggagg gctgaggtga agcctgagaa tttgcattta caacaaatcc ccaggtgatg 19080 atgatattgt tggtctgggg agaaccaccg atttaaacaa aaggctttgg tgttagaaac 19140 gcctgtgtta aattctggtt ctgcctttta ttagctgtgt tacctgggca agttgctttg 19200 cctttcaaag ctttagcacc ttcatttgta aaacgaagat atatagcacc aacttcttag 19260 agttgtggtg agcattaaat gagataatac atgaaaagtg tttggaatag tcactgggct 19320 gtaataaact ctcaataagc ggtggttata attattatga gtattatcat ttcctgtagg 19380 attgtcctga cagctaatta agaagcaaaa gataggatta agggaggcaa gtaggtttat 19440 ttttaacctg aaaagggatg ccgggctctt gcctggagac tcagaaactt gaaataaatg 19500 19560 19620 gttagcacat agccagaaca tctagaaggg gtggtaggag tggggattag aggttccagc 19680 tggaggcaat ggcacttgca aaggctttgt tgaagtggcg taagtgtgga ggtggagcat 19740 tcaggaaagg agagcttcag cttcagtgtg gctggagtgc tgggtgtgaa gagaggtgaa 19800 gatgaggctt ggaggctggg cagattttgc tccaaaagag cttggtgaac tgtgataagg 19860 agtttggatt tictcctact aaggacaaca gcaaactatt gaagagttta aatcgttcag 19920 tgacaatgac acqtttgcgt tttggtggct cactcgagct gccagccagg tagacagtgg 19980 cagaagatgg aagataaagc actaaagggt gatgaggcag gaagccagtg aggagagaaa 20040 ggggacgatg tgagtgacag taaatcattt gttgggttgc tattgtgtgc taagctctgt 20100

gctaaattct	tcacgtgtat	tatttcagct	aatccatcta	acaactctgt	aaggcaggta	20160
	cagctgaaga					20220
	agttgtccag					20280
	actgggggaa					20340
	tgttggcctg					20400
	agcaagtggg					20460
	aagaaataac					20520
	ggaggccgag					20580
	gtaaaacccc					20640
	atcccagcta					20700
	cagtgaactg					20760
	aaaaaaagaa					20820
	gtcctcaggt					20880
	gatgtcagct					20940
taatcccac	actttgggag	actazaataa	gtagatcacc	caaaatcaaa	anttonage	21000
	aacatggcga					21060
	cctttagttc					21120
	gggttacagt					21180
	tgcctcgaaa					21240
	gctcggcaac					21300
	actgatgtct					21360
	ctgctctggg					21420
anatatatta	tggtaggcaa	cctcagacg	cactagaacc	tccaatcatc	cctccttcct	21480
						21540
	cctgtgtata					21600
CCLaataaac	agaacacagc	aayggtaaty	ggargerace	ctctaaggtta	atctacaaya	21660
grgraaagre	tgtcttgttt	gttteettt	teastttatt	tacteteate	cececece	21720
generates	ctttcttact	gtettgtett	22G2CCCGCC	tataataata	aagcaagcta	21720
	atgttgtgag					21840
	acccagcaag					21900
nananaata	cttgagcttt	cagacgacgg	cagccccggc	tetestasas	tagactataa	21960
tagagaccccg	agacagaaca tttaagctac	tatatttaa	gataatttgt	tectcegaga	tagageacaa	22020
						22080
acacacacac	catgtacata gaatgtgtca	accocccag	cogceegaga	gaatacatca	attaacagaa	22140
toretana	gaatgtgtca	ggcaccattc	tatataataa	gaacacacca	accaacayaa	22200
	ggccaggcat					22260
grgggaggac	tgcttgagcc aaaaaaaaaa	cayyayttya	gaccageeeg	acatacctat	agtaccact	22320
acteaggagg	ctgaggtggg	aaccagccgg	deacadeade	atttaaaact	ccantagacc	22380
accatcacaa	aactgcactc	taggetgece	aacacaaaaa	geccgaaget	caattaaaaa	22440
acgyccacaa	aaaaggaaag	agecegage	ataggaaaaa	atccttgatt	cttaccetet	22500
tagaagttet	attctagagg	aaayaaaaaa	ttcacactac	aaatctatat	taacaacact	22560
atttaaaact	ccttcagcat	ctacacasasa	aattnnnnn	nnnnnnnnn	nnnnnnnnn	22620
nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	22680
	nnnatttt					22740
	ggctcaagca					22800
tatacaccac	catgcctggc	ttatttcata	tatatatatt	tttatatata	totatattta	22860
tatatataaa	tatatatata	atttctctatat	ataaataaat	aaatatatat	atatatatat	22920
	agggtcttgc					22980
tectagagae	tctgcctttc	aaagtattaa	gattacagge	gtgagccatg	gcacctaact	23040
gagttattt	taccacacga	adagtgttgg	atacatccaa	aaatgttctg	agetgagea	23100
gagecaeeee	gcaagtgaat	ctgaactttc	ccatctttaa	agaaaccagt	ctctctccaa	23160
agtcacatag	ttagtgtcac	teccecaa	aactgcatga	actaggacaa	tcagagggca	23220
atagaaaata	tggggctcag	addedecedag	tactatetee	ccagggteta	tccccttaca	23280
caagaggte	tgctcccca	ctttcctata	gageteete	accatgggca	tgacccaget	23340
acarateste	ttctacatgg	ctactatass	caadatacta	gagtacettg	tgactggtgg	23400
ccaddadcatt	ggtgaggcac	cactazaaca	cctagaagatt	adadacscsa	acadatcaca	23460
ctaactaaac	tcccctcacc	atacatttcc	ctacccacad	agacaaatga	acadcaacaa	23520
aaddtaacea	agacaggtag	acacycoco	gcagggggggg	ggctcacaca	caccccarto	23580
caaccccc++	ctcagggggc	ggctatgaaa	taggetgg	CCCacccada	taaccctttt	23640
ataaastats	agagtctggg	ttcacacce	gactattta	atacteteta	acctccacta	23700
gegggaegea	tagtgtccac	tasatacasa	ttectaacee	cactgccctt	cccatcctgc	23760
CCanttannt	tctactcctc	catattaaaa	accatacaac	tattatacct	totoacotoo	23820
cccctcatta	gctacatcat	agectagag	atcaaggact	acataascac	cccaactcag	23880
gacactates	tcggagatgc	ggactggcgg	acctatacaa	ggatggtgac	agcaagtggt	23940
ggcaccgccc	ssagarge	caygogacco	500-505	Jg Jg-g		

caggcagtgc ttttcatttt ctctgtgcgt ttacatccag cagcttgttg ctttctccca 24000 24060 agaaccctag gagatcaggg gtacctcccc attttacaga tgaggaaact gaggctagga agggacctgg cttgcttaat aataagaata gctaatgcag agtgctgact gtgcacttgg 24120 caccttqcct tqtttagtcc tacaacacct ctttgaggta gatgcgttaa tatcttcatt 24180 ttgcagttga ggaaaccgag gtacagggtt gcacagttag gtcattcacc caagatcaca 24240 cagettteag tggcageete cagaacetgt gttataaggg tacaegetaa agtettgtta 24300 gggctagaat aggtagagtt ggtatattag atatttattg ctgtataaca aatcacccca 24360 aggettggca tittaaaaca acaaacactt ctcatctcat acagtttctg acagtcagaa 24420 atcagggaga gactcagccg gctgattctg agtcacagtc tctcatgaag acatagtcag 24480 gctgtcagcc agggctgcag tcatctgaag ggctgactgg ggttggagaa tctatgtcag 24540 ttcaattacc cccatggcct ctccataggg ctgctcagga cacagcacct gctttccctt 24600 gagcaagagg gctaagcgac agagaccccg tatcttctct cacataatct cagacgtagc 24660 ataccatcac ttctgttacg ttctattata ggcacagagc aaccctgata tactgtggaa 24720 ggagactgga caaagcaggg gaataccagg aggcaggatc cttgagggct gtcttgttgg 24780 ctggagacca ccattgaggg tttttttttt ttttttatt gagacagtct tgctctgtcg 24840 cccaggetgg agtgcagtgg cacgatetca geteactgca acctetgeet eccaggitea 24900 agcgattctc ctgcctcagc ctcccgagta gctgggattc accatggagt cttgaaccca 24960 gattetgtga etgettttge tetttttgtg tteateeaaa eagteeetgt ttateetaag 25020 aggatgggag aaagagactg ggagagaagg aaatccagtg gcctccctcc ctqctaqcaq 25080 agectggeec tggcactgag cetteeteet etaccetetg etectaatgg tgagggteec 25140 ctagcagggc cettetgtec aggacacatg ggccgcetgt ceteacecca gcctactgae 25200 ctctctcctg ggctggcctc agtgcccttg attgtgccgg agagaggaag cgctggacag 25260 tcaggccaag ctgctgtccc caggagggca tctgcttatg tctagggcag ggacaccttc 25320 ctgaggactt ctgatgagag acggtgtgag agcttcccac ttcccacctt ccttcccatc 25380 cttggttctc aaaccttcaa gtgtgcatga gaatcactta gtgggggata tttgtccaaa 25440 tgcagatttg cagatatccc cgctgagatt ctgagggccg agatgaggcc tgtgaatctg 25500 catgttaaga aagcacccgc tttgatgcgt gtgtcattgg gtaggggagc aacactttga 25560 gaaacatgga gctagagaac gtgggtttct atgggtttcc catagaaaca tggatttctg 25620 tgttttctgc tgccctgaca tcgaaggcac atctgaaggg ggaggggcca ggccaagaac 25680 cagggagtcc tgggaacgta gaggcagcag ccagtgactt cccgtactcc tcagggacgg 25740 ggttgctacc aaatccatca gaccacgcta ctgcaagatc caaaagctca ccaatgccat 25800 cagtgccttc accctgacca acctgctgct tgtgggtttt ggcatcacct gtctcatcaa 25860 caacttacac ctccaggtac ccaccttcat ccttccctc tccctgcctc ccgaggctcc 25920 tecaaaqqqa tqqtecatee ageaeetgee ttecaggaag egeaqttetg qtettetqat 25980 ctggatctat tttccgggtt ctccaggaag tgtttctagt agattgggtt ggcgagggg 26040 tgggaattga ggcccagttg gcctcttcgc cctacccctc cttcctccag cctccacaca 26100 ctctcctaac ctcttcactc tctctttttg gttttagttt gtgacctttg tcctgcacac 26160 cattgttcga ggtttcttcc actcagcctg tgggagtctc tatgctgcag tgtgagtctg 26220 ttgggctgaa atgccttcct gagctttgca accgtgatca gagaacccca gggaagggtt 26280 gggagggccc caggcatccc ctaatgcacc tctctctgag accctctgat ggcagggagc 26340 teactteett aaaggeagee tateetgetg taattgaete eeeetgttgg agtetteeet 26400 tagaggaagc tgaaatacct ggcttgatga cactttggtt ctatgtctgc tgtttgaaac 26460 ggcccccaga atggcctccc ctccatgccc accctgaaga aatttcccaa gggcagccat 26520 ttgccttata attttcctct tcatgttgga cagtccccac ttgcatctct ctcctggttt 26580 cccctgctgg gcgctgctga gggactctcc cctgtgtatg tgatggagta acaggacatt 26640 acaataatga tgacaaaatg acaaccatta tcaagtgctc cgttggtgca ggcagcaggc 26700 aggatecttq accateacte cetgagttea geeteactge ageggteteg geagagggea 26760 getetettte etteatetge teaageeaga accetggagt tteettgatg ttteteteee 26820 tcacactcca tgttcactcc atcctcagta cagccagcag cagcttctac acaccccaaa 26880 tetgaeeett ettgteaeet eeactgetge eteteeagte etageeaeea acatetetag 26940 cctggattat tgtggcagcc tttagtctcc cacatctgcc ctggccccgc tgtctcagtc 27000 tatttttaac acaggggctg cagtcacctg tcaggacata agtctcttca catcactctg 27060 tggtgtcctg tctcatctgt ctcagagtaa aagccaaagg ctttactatg gcctaaaaag 27120 coctgoaage totggoocca goacttoact cocctotage tocccotoct coattgttoa 27180 ctctgccaca qccacagtgc ttcctagtgc tccggaagtc tcaagtgtgt tccctgcttg 27240 gcatctttgc atgtactagt ccctgtttct agaacattct tctccagata tctgcaaggt 27300 gcccaatctt accttctctc cttcttcagg tctttccctg actgtcctct tctcagtgag 27360 gesteecttg getgteecat gtacaattgs aaceteecta etgeeegett etetgettgg 27420 tttttctcag cgtttatcac taacactctg cctatctctt gcttattgtc tgaccgccac 27480 ctgctccatq qqaatqccac ctcctcgatg gcaqqaatct qttgacttgc ttgatcgtgg 27540 tatctccagc acctagagca gtgcctggca catagtaggt tctcagctaa atgtttgttg 27600 acagaataca qtqqacaqtc ctqcqaqgtc aatqccatcc ctqttattag tqqaqqaaqt 27660 ggggctcagg gagtttgagc cacttgccaa tatcacacat acaggaggtg tgagaaccca 27720 27780 gctcagtggc cctqaagttg gagcatttgc cctcaaggct ggggaccaaa gagcccatgc

aaadadcccd	aacgcttaag	caccaccctg	cctggccagc	ggggnnnnnn	nnnnnnnnn	27840
nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnn	nnnnnnnnn	nnnnnnnnn	27900
nnnnnnnnn	nnnnnnnnn	nnnncccact	gcgcctggcc	cattactttt	aatggcaaaa	27960
accacaatta	cttttgcacc	cacataaata	gttaccatgg	gctgagcatg	gtggctcagg	28020
cctgcaatcc	cagcactttg	ggaggctgag	ccaggcggat	cacttgaggc	caggagttca	28080
agaccagect	ggccaacatg	gtgaaacccc	gtctccacta	aaaaatacaa	aaattagctg	28140
agaccagooo	cacataceta	taatcccagc	tattcaggag	acagaggtta	cagttcactg	28200
ggtgtggtgg	actoractor	agectagaea	acagaatgag	actctatctc	aaaaataaat	28260
aaaccacgcc	ataaatattt	accatotttt	gaccacctgt	tatotoccaa	ctgtattact	28320
+22222626	catragaaac	tagacacaat	ggctcacgcc	totaatcooa	cactttggaa	28380
Caaaaacacc	adaddatccc	ttaaggccag	gagttcaaaa	ccagcctagg	taacacagta	28440
gggcaagcgg	ggaggacccc	taaaaaaatt	aactgggcat	agtagtatat	gcctgtaacc	28500
agecetytet	aggagggg	addadadatt	cgcttgagcc	cagcagtttt	aggttgcagt	28560
anaganaana	gggaggcaga	gggagaggcc	tgagtgacag	agcaagacac	tocctctaaa	28620
gagecaygac	nacanaacca	acctataget	aggtaggaac	aggeteatag	tacagatgag	28680
CadaCadaCa	ttaaaaaact	caaccattt	gccaagcaga	ggtccaagcc	gaggtetete	28740
tasatagasa	attaatteea	totatoatat	caccacagcc	ctctctaccc	cagggagagt	28800
ctataccaa	tecagecact	caccatcataat	tgacttcctc	addddcadda	aaggettega	28860
terreserate	gaggtggag	ttcacaaaaa	taaggcaggc	caddccadac	caggtgaaca	28920
taggecage	gagggcgcag	ccagaaaga	agatcagctg	taaaaaaaaa	adacadaccc	28980
tgatgattat	gaaggccaca	ccadacccca	ccaaggtaga	tcccaggcct	cagaggeett	29040
grgggggaga	tettetees	ttatacttat	gcccaatttg	cadatdadda	aaccaagacc	29100
aaagaagtte	cottottott	243343444	tcattccttt	ttctttttca	cttgaggccc	29160
agaagtttag	agicagacic	tatagaccca	gcctgaagtt	actaaccact	ggctcaaaat	29220
cctagagage	tatgaaatag	cttaaaaaa	tacatacatt	tttacctata	actocacaaa	29280
atctctgaaa	entettagan	cccaaaaaaa	catttcatag	tacqtacaaa	ggaaacttag	29340
cattcatgtt	the	tastaatatt	tatcctgccc	cttcctaaca	cattccccag	29400
tgctctaggt	nancegygee	taatcytyct	cagccttttc	tcacctttcc	caggiccicc	29460
gggaaaaggc	aaacccagac	attagagaga	gggaggtgca	agtgctctgc	ccaaggggtc	29520
cacgigcaac	aactgggggg	ttctcaatta	aatgagattc	tatacaaata	tatcageeet	29580
tcaaccccag	ggcaggcaag	caccatctat	cctcttgtcc	tececatace	atctgaccag	29640
t-attant	gaageegaeg	cactateegt	cctgctcaaa	cctttttctc	tacaatetta	29700
gataattaata	geetgeeee	cctadagge	ggacagagct	tcaaagggcc	acacccccaa	29760
gaccccggcg	atagateta	actetteaaa	cactacttca	gttgaaaaga	agggagaact	29820
acgcgcggag	graagareeg	caccadaaca	actgatggcc	ccccaccca	tacactctct	29880
gedeaccett	taragecegee	gaggagaga	accttcttta	gtactctttg	taaagtgcaa	29940
aaactcccc	artttaatac	tacccaccat	ggaggttgag	gagcatggca	taactcaaaa	30000
aacggcacgc	tatttgacag	aggaaattga	ggcccccatc	ttgcactgag	ctaaaacttt	30060
ggtcccctga	cttcgacag	caccaggttg	acctgtccag	gatccagcct	ggcataaact	30120
cactttataa	ccttggagga	aaccacccat	cctctctgga	aggtgtggaa	aaatgtggcc	30180
cacceagaga	aataaadcca	gagagtcagg	gaccttgaac	gcatgtgaag	gggctggact	30240
trattctrta	gataaagcta	aaccactgaa	ggtttttcag	cagtgtgtga	gccagttccc	30300
catctgagat	ctttctqqaa	atcacataaa	tgacagagta	cagagaaaaa	gaatcagagg	30360
caccegagae	: acctoaggaa	acttactata	gcccaggaga	gagggggaag	gcctgcattg	30420
agatgatgac	. адасададаа	gancggagaa	gtcagacccg	tagatcaaca	ctagctgctg	30480
ctcactcggc	cccacccaat	tcttgtgtca	agacaaaaag	aaaacccaqq	tggcctcata	30540
ccttgattcc	taggaacgta	atoocagaag	aggcgtaaga	gccaatcatq	agggccatta	30600
acatagaaca	. caggttccca	aacatottoo	gcagctgagg	agggaaagca	gcacccatga	30660
aataaaaaca	ccataaccet	tocccaocat	tcccagccct	gctccataca	atagetecag	30720
dadacdcadc	agaaaagcco	caaggtaaaa	caaacaqaaa	aatcaatqtq	ggaaactgta	30780
ctctacccc	tocctacaca	gtcacagtgc	cctttagctt	caaaaaggct	cccagacacc	30840
cctcagagag	acattttqtt	aattttgttt	aattccaggt	ttcccaagtt	tgttacgtaa	30900
cacctctgaa	aaacacatgo	aataggtgct	: taagaaacac	: tgatcttggc	: tgggcgcagt	30960
ggctcatgcc	totaatccc	gcactttgg	aaqccqaaqc	tggtgggaag	cttgaggtca	31020
ggagttcaac	accadecto	r acaacatggt	: gaaaccccat	: ctccaccaaa	aatacaaaaa	31080
ttagctagg	: atggtggcat	gcgcctgtaa	ı toccacetac	: tccagaggct	: gaggcaggag	31140
aatcgcttga	a acctgggagg	r tagaaggttgc	: agtgagccga	ı gatcgcacca	ctgcacttta	31200
acctagatas	cagagegaga	ctatgtcccc	acccccaaa	ı aaaaaagaaa	agaaaagaaa	31260
gaaacagtga	tettatecaa	. cccatttgac	, atgagacaat	: tgagacccag	ggaggaaaag	31320
totactcaac	r ttcacagag	: acattaatqq	, ctttctccc	: attgtcgttg	f teceageeet	31380
aacccaaggg	- totoaccato	n actatateco	: qqtaataqqc	: agtgcctctt	: aaccctctcg	31440
gttgacgtcg	- cadeceagtt	: tctgcctaat	: caggacaaat	: cacatcctqc	, gaggtgaggg	31500
togaaataac	r ggagggaact	gagccaggg	c agacagtctc	: cagaggaggt	ggctctgacg	31560
cagagcagg	tcagaaccc	caccaggaga	a gaatttaatt	gatcatgtgt	tccactcacc	31620
2 2 25	,					

tgcctcagcc	aagccctcag	ggcaggggaa	ggcaaagtca	ggatgccctt	cgcacacacc	31680
	cccaccatcc					31740
	aagcctaaac					31800
	ctggtaaaaa					31860
	ggaggccgag					31920
	gtgaaacccc					31980
	tagtcccagc					32040
	tgcagtgagc					32100
	tcaacaacaa					32160
	tcccctgaag					32220
	ccctgcatcc					32280
	gggcagggcc					32340
	aaggcgaggc					32400
	gctgggcccg					32460
	cccagggggc					32520
	gaccctgcca					32580
agccgctgga	caagccccac	ccqqccqcca	gggagggtct	gaggtcaaga	gccggagaga	32640
agggatttag	ggccctgggc	caagttgcac	agcagggaga	aggggctgcg	cagaggggg	32700
qqqaqaaaqq	gatccgcttc	cttcctttag	agctgtgaaa	tgtccccggt	tggaattaaa	32760
	ggggagaggt					32820
	gtccgagcca					32880
	aagcctttaa					32940
	ccactcacca					33000
aatttcatat	ggttcaacct	agtacactca	caaacacacc	taccaactca	tggctttcac	33060
	tcacacaccc					33120
	cccctcaag					33180
cgactgacat	aatttattag	tttacttgtt	tattgggtta	tctgtgcccc	tcacccccaa	33240
	ccagcaggga					33300
ctagaacaga	gctccatgga	cattcatggg	ctctgtacac	acaaacacac	acattaacat	33360
acaccccgac	acacagcctc	atccacacac	acacagcctc	acacctgctc	tttqcaqcca	33420
	ttctcacaca					33480
	atactgccct					33540
	ccaggcctgt					33600
ccaaagccat	tcagggacag	cgccaggaat	atcaacggag	acagagetgg	aaaggggaaa	33660
gcagcagatg	agggcatttg	gggagctgtg	ggaagccaag	ggcgggagct	ggggtaaaca	33720
tccgccttca	tcccacctat	tcttttcttg	tggggccaca	agaggacaga	caactcacct	33780
tccacgtccc	gggaggccag	ggccatgagg	gtgcaggacg	cagtgaagca	ggcactgtgg	33840
agacacaggg	aagggcgagg	ggttggcctg	tgagcacccc	ccctcccctc	cccctgcagc	33900
	tcctcccgtt					33960
	caaagcggtc					34020
aaggaaccaa	tggtgaagcc	caggttgagc	atctcgtcct	gctggtcaca	gcctggccac	34080
ctgcgctgct	catcctgggt	ggtgttggtg	ctgctctcag	ctgaggaggg	ggaagggagg	34140
gctcagcaca	tgacaccagg	aacagctggg	cacaggagac	agcagcccac	agtcaggcgg	34200
	aatcccatgc					34260
	tccagaaatg					34320
	ggcttcaact					34380
	actcagtgtc					34440
catatetaga	ggcaaaggca	aaggcagtga	gtggtactct	aatggctata	acaagaattc	34500
	cccggcgtgg					34560
tatatasata	gcttaagcct	acaagetega	gaccagcetg	ggcaacatgg	taaaacccca	34620 34680
taaataataa	aaaaaaagaa tctgataaaa	tastagadag	tacttatta	cccagaggaa	gctttcccga	
	agtcagttaa					34740
actigitata	aggcactgcc	ctagagtaccc	ctctccctag	gugatgaage	rgaggcacag	34800
taacgagaacc	ctgccaactt	gazattataz	cocagaage	ccacciggag	gaettgteet	34860
	gcttcgcttt					34920 34980
	nnnnnnnnn					34980
	nntcctccc					35140
	ccctccatct					35160
gcacttggtg	aaagtttcaa	ttctcctata	tagagagata	accactorace	agagaggact	35220
gactatcass	ggagacttac	ccaatctttc	cadcccacca	atcccttacc	cantotttct	35280
	ggccttttgc					35340
tctgctgaat	cagatagcta	agggggggggt	ggaatctgca	ttttaggaag	cadeaataaa	35400
ttatgaagca	ctccaaagtt	tgagacacgc	ctcaaaggtg	gagtggttct	atagagagaca	35460
	550			5-5-59ccc	2-22233	

~~~~~~	+	annagaten	an attaggga	2004440202	castacccac	35520
				aggtttcaga		
				gaggcaaagt		35580
caagccagac	cggggaggag	ggggccacag	ccaaggtgag	acaggtcagc	agccagaaac	35640
				tggcaatctg		35700
				gtgggtcaga		35760
						35820
				acgcagatac		
				aggtccgacc		35880
ttctacccca	cagtccccag	tcctagctca	tctgcataaa	gctccaatta	acatgttttt	35940
				agcccgtttc		36000
				gggccgctcc		36060
						36120
				ggggcgcgcc		
				ctctccggga		36180
cgcatatatg	ccccctttc	tgggaaaaga	cggggagggg	ggcttctcct	gggagactcc	36240
aggettegaa	attcctcgtt	ccctatcctc	cggcccccgc	acccctcctc	ctccccgcca	36300
				gcgccgcgac		36360
				ccggggagtg		36420
						36480
				tctcccaccg		
ggccagaggc	aagcttcgag	accccccacc	aaccaccacc	accgttgcga	gggccggtga	36540
ggctgcagat	aacgcttgca	aggacgggag	tcggggaggg	tgtagggcga	gtttaaagga	36600
				cccgggtcgc		36660
				ggcacaccaa		36720
						36780
				ctcgcgctca		
				accccggcaa		36840
agccagccga	acccgctggt	gggtgctagc	caattctgat	tttgtacttt	acaaaaacaa	36900
aaaaagtcag	tottogaagt	cgggagtctg	ggctcagagc	agcagggatc	tgcgatgtga	36960
				tctgaaaacg		37020
tetetetet	taacttetea	202923202	agacasa aga	adddaaaatd	acttaactaa	37080
				agggaaaatg		
aatgctgtct	tacagagcca	acctttggag	grgggggaga	tggccaaggc	ctctgaggtc	37140
actcttggcc	ccaggagcag	ctgagaaccg	gaaagaagct	tgggacctcc	tttctgcaga	37200
gctatccttt	ccacagactg	ccgaggttcc	aaattgagct	ccaccaccta	acactgtgtg	37260
cccttagata	tataccttaa	cctctctggg	cttqtttcct	acagcgacaa	gaaagaatga	37320
Caacaccaac	ctcttaggct	atagtttgga	taaaatgaga	tagctgtgta	gaacagacag	37380
				gctctaacct		37440
						37500
				ggtatgtctt		
				attttaaagc		37560
ttatttattt	actttaaagc	ctcactttaa	tgttaaaggt	aaatgtaaat	atagtataac	37620
aaggaagctc	aaaatttgca	taaaqtttta	agataaaata	ggagactcca	aaaaagtgtt	37680
				agtcatacct		37740
				cagcttcctg		37800
cccaaagcac	t		ggagaaaagc		gatgtattt	37860
				agcactaagg		
gttgggaaca	gggaggtgag	ccagacagcc	agaggcgaac	gggctggcat	gccaagcgtc	37920
ctagttaatg	cccagctgag	cctgggtgaa	gaaggatggg	ggtgtgggga	agacaccccc	37980
caccaaccgc	caaagacagg	cgcacaccag	ccagtctctc	acttcccttt	ttatttcctc	38040
taagacttgc	aagcagcagc	accagagagg	gaacctgccc	tcctggccct	ggaaggggcc	38100
				gccctttcc		38160
						38220
				tgcatgtgtg		
				caagaggtac		38280
accgctagaa	ggagataaga	ggcaccctgg	tctcctccaa	cccaaggagg	aagaaagctc	38340
aacccctcta	ggatagggac	tgtcttcagt	caatggagcg	ttgacttagg	gggcgttttt	38400
				agaacttctc		38460
				aaaagccata		38520
						38580
				ccttggtctg		
gcggtcacct	cagageeget	aagcaccttc	agtgggccca	tcccattggc	ggcgtactcc	38640
tgctggagcc						
	gggcacggta	atagaagagg	taggaaggca	acaggaatcc	caggagtgag	38700
aacaycayya	gggcacggta	atagaagagg	taggaaggca	acaggaatcc	caggagtgag	38700 38760
	gggcacggta ggcccagatt	atagaagagg cacctttagg	taggaaggca gcaaggagag	acaggaatcc agaaacagag	caggagtgag tcaagtaggt	
agtcatctgc	gggcacggta ggcccagatt ccttagcctc	atagaagagg cacctttagg ccacagggag	taggaaggca gcaaggagag gagaaggcgg	acaggaatcc agaaacagag ccatttttct	caggagtgag tcaagtaggt ccaggtcctg	38760 38820
agtcatctgc agccagaata	gggcacggta ggcccagatt ccttagcctc aatacagcta	atagaagagg cacctttagg ccacagggag gtacttatta	taggaaggca gcaaggagag gagaaggcgg tgtgtagtca	acaggaatcc agaaacagag ccatttttct ttgttccacc	caggagtgag tcaagtaggt ccaggtcctg agtatctcac	38760 38820 38880
agtcatctgc agccagaata ttaatgttca	gggcacggta ggcccagatt ccttagcctc aatacagcta gcaattctgc	atagaagagg cacctttagg ccacagggag gtacttatta aaagtggctg	taggaaggca gcaaggagag gagaaggcgg tgtgtagtca agatgagact	acaggaatcc agaaacagag ccatttttct ttgttccacc tctcaggtat	caggagtgag tcaagtaggt ccaggtcctg agtatctcac aacaagtggc	38760 38820 38880 38940
agtcatctgc agccagaata ttaatgttca agggcctggt	gggcacggta ggcccagatt ccttagcctc aatacagcta gcaattctgc gggtgcccac	atagaagagg cacctttagg ccacagggag gtacttatta aaagtggctg accatatggc	taggaaggca gcaaggagag gagaaggcgg tgtgtagtca agatgagact actcactagg	acaggaatcc agaaacagag ccatttttct ttgttccacc tctcaggtat taggtatgag	caggagtgag tcaagtaggt ccaggtcctg agtatctcac aacaagtggc gaaggcacag	38760 38820 38880 38940 39000
agtcatctgc agccagaata ttaatgttca agggcctggt cactgtagga	gggcacggta ggcccagatt ccttagcctc aatacagcta gcaattctgc gggtgcccac gtctgggctg	atagaagagg cacctttagg ccacagggag gtacttatta aaagtggctg accatatggc gtcaggctgc	taggaaggca gcaaggagag gagaaggcgg tgtgtagtca agatgagact actcactagg tcccgaaatg	acaggaatcc agaaacagag ccattttct ttgttccacc tctcaggtat taggtatgag gggccttctg	caggagtgag tcaagtaggt ccaggtcctg agtatctcac aacaagtggc gaaggcacag ggctcacccc	38760 38820 38880 38940 39000 39060
agtcatctgc agccagaata ttaatgttca agggcctggt cactgtagga	gggcacggta ggcccagatt ccttagcctc aatacagcta gcaattctgc gggtgcccac gtctgggctg	atagaagagg cacctttagg ccacagggag gtacttatta aaagtggctg accatatggc gtcaggctgc	taggaaggca gcaaggagag gagaaggcgg tgtgtagtca agatgagact actcactagg tcccgaaatg	acaggaatcc agaaacagag ccattttct ttgttccacc tctcaggtat taggtatgag gggccttctg	caggagtgag tcaagtaggt ccaggtcctg agtatctcac aacaagtggc gaaggcacag ggctcacccc	38760 38820 38880 38940 39000
agtcatctgc agccagaata ttaatgttca agggcctggt cactgtagga tctgaccttt	gggcacggta ggcccagatt ccttagcctc aatacagcta gcaattctgc gggtgcccac gtctgggctg ggagatgtta	atagaagagg cacctttagg ccacagggag gtacttatta aaagtggctg accatatggc gtcaggctgc accaatggga	taggaaggca gcaaggagag gagaaggcgg tgtgtagtca agatgagact actcactagg tcccgaaatg tcccgttcag	acaggaatcc agaaacagag ccatttttct ttgttccacc tctcaggtat taggtatgag gggccttctg ggtggcgaga	caggagtgag tcaagtaggt ccaggtcctg agtatctcac aacaagtggc gaaggcacag ggctcacccc ggaggctctc	38760 38820 38880 38940 39000 39060 39120
agtcatctgc agccagaata ttaatgttca agggcctggt cactgtagga tctgaccttt agacacagtt	gggcacggta ggcccagatt ccttagcctc aatacagcta gcaattctgc gggtgcccac gtctgggctg ggagatgtta caaggaactg	atagaagagg cacctttagg ccacagggag gtacttatta aaagtggctg accatatggc gtcaggctgc accaatggga ggatgcacag	taggaaggca gcaaggagag gagaaggcgg tgtgtagtca agatgagact actcactagg tcccgaaatg tcccgttcag cctggtggac	acaggaatcc agaaacagag ccatttttct ttgttccacc tctcaggtat taggtatgag gggccttctg ggtggcgaga agaaggcttg	caggagtgag tcaagtaggt ccaggtcctg agtatctcac aacaagtggc gaaggcacag ggctcacccc ggaggctctc gaaggcccag	38760 38820 38880 38940 39000 39060 39120 39180
agtcatctgc agccagaata ttaatgttca agggcctggt cactgtagga tctgaccttt agacacagtt gacacgcggg	gggcacggta ggcccagatt ccttagcctc aatacagcta gcaattctgc gggtgcccac gtctgggctg ggagatgtta caaggaactg ctctgactcg	atagaagagg cacctttagg ccacagggag gtacttatta aaagtggctg accatatggc gtcaggctgc accaatggga ggatgcacag gttcacatcc	taggaaggca gcaaggagag gagaaggcgg tgtgtagtca agatgagact actcactagg tcccgaaatg tcccgttcag cctggtggac cactctgcat	acaggaatcc agaaacagag ccatttttct ttgttccacc tctcaggtat taggtatgag gggccttctg ggtggcgaga	caggagtgag tcaagtaggt ccaggtcctg agtatctcac aacaagtggc gaaggcacag ggctcacccc ggaggctctc gaaggcccag gtgactttgg	38760 38820 38880 38940 39000 39060 39120

agttaaaaaa aagtatgcat catgcttagc acatagtgag tgcttggtaa atagaagcag 39360 ttatttcatc acaattcttt gggaggaggg tttacgtgtg ggtggcccca cagggcagat 39420 gaaagatcag cgtcagggag gcagatgagt tcaatgtaag gaaaagactt actaacagca 39480 gcagggctgc ctcgtgcagg agtgggtgcc ctaccactga gggtatctaa gctaagaggg 39540 39600 aagggtcccc tttcaggggt gctggagaca ggatcccaca ctaggtagaa ctggattgga ccaatggtgc ctgaacacag gcccaagagt caggactggc cacttcacaa agcacctgga gtttactaaa aacagactcc taggaggtca ggcactgtgg ctcacgcctg taaccccagc 39660 39720 actctgggag gccaaggtga gaagatcatt tgaggccagg agtttaagac tagcctgtgc 39780 aacatggcaa gaccctgttt atctgtacaa aatttttttt taaaaaatta gccaggtatg 39840 gtagccatca cctgtggttg cagctactca gaaggctggg gccggaggat cgcttgagcc 39900 caggaatcag aggetgeagt gagetgtgat tttaccaccg cactecagae tgggcaacag 39960 aacaagacac cttctctaca aaaaaaaaa aacaataggg ccgggcgcgg tggctaaggc 40020 atgtaatccc agcactttgg gaggctgagg agggcagatc acgaggtcgg gagatcgagg 40080 ccatcctggc tagcacggtg aaaccccgtc tctactaaaa atccaaaaaa aaaaaaaaa 40140 ttagctgggc gtggtgg gcgcctgtgg tcccagctac ttgagaggct gaggcaggag 40200 aatggcatga accegggagg eggagettge agtgageega gategeacea etgeacteea 40260 gcctgggcaa cagaatgaga ctccgtctca aaaaataaaa ataaaaataa ataaataaat 40320 40380 aaaataacaa taaattaaaa acaaaaacag actcctacgg tcaggctgag atatcctgat tcaggggact ggggaatctg tatttttaac actccgtgag gggttctaaa aggcagacaa 40440 cttggaaacc tgcagattag agacctctga ggtgcctctg gctgagatga gtgagggatg 40500 gcaccacata caaggcccta cccctgcccc caggagagtg gctcctgctc cccccacacc 40560 aaccctcgct ctcacccaga agggctctcc tttcaggggt cccaccatcc ccatgaaaag 40620 tggctgctga agcaaggcga acacagcact ggtgagggac tgcaggcctg tcagcgtccc 40680 aaaaggggtt ggatgggaac ctgtccccaa aacgggagat caaagggtgg tgggggcctt 40740 tcagcccagg caagaacttt ttcttttcct tcccaacatg ggnnnnnnn nnnnnnnn 40800 40860 40920 nnnnnnnnn nnnnnnnnn nncactccag cttgggtgac agagtgaaac cctgtctcaa aagaaaaaa aatcttaaag aataaggata taaagaaaga aaatattttt gtgtagctgt 40980 tcaatgtttg tatttcaagc caagtgttat tacaaaacag tcaaaagttt ttaaaaattt 41040 aaaagtttat aaagtaaaaa agctaagtaa gctagggtta attttttat cgaacaaaga 41100 aaaatatctt tgtataaact tagtgtagtc taagtgtaca ttgtttttat tttatttatt 41160 ttttattttt ttqaaatgga gtttcactct tgttqcccag gctggagtgc aatggcatga 41220 tettggetea eggeaagete tgteteetgg gtteaagega tteteetgee teageeteee 41280 aagtagctgg gattataggc accegccacc atgcatggct agtttctttg catttttttt 41340 41400 ttgaaatgga attttgctct ttgacccagg ctggagtgca atggtgcaat ctgggctaaa tgcaacctcc acctcccagg ttcaagagat tctcctgcct cagcctcctg agtagctggg 41460 attacaggca tgcaccacca cactcggcta atttttgtat ttttagtaga gacagggttc 41520 tcaactaaag agaaccatgt tggccaggct ggtctagaat tcctgacctc aggtgatcca 41580 cccacctcgg cctcccaaag tgctgggatt gcaggcatga gccaccatgc ccagccagta 41640 tacagtgttt ataaagcctc cagtagtgta cagcaatgtc ctagaccttc acattcactt 41700 actactcact cactcactca cccaqaqcaa ctqccaqtcc tqcaaqctqc atqcatqata 41760 agtgccctat ataggtgaac cattititaa tattttatac tatatittta ctgcaccttt 41820 tctatgatta gctacacaaa tgcttaccat tgtgttacaa ctgcctacag taatcagtac 41880 agtactatgt atgggtttgt agcctaggct ataccatgtt gcctacgtgt gtagtcgtct 41940 atactgtcta gtttgtacac tctatcatgt ttgcataaag ataaaatcac ctaatgacac 42000 atttctctga gtgtattcct gttgttaagc aacacatgta taaacattta caagaaatag 42060 ctcaaatttt tttttctttt gatacagggt cttgctttgt cacccaggct ggagtgcagt 42120 ggcgcaatct cggcgcactg cgacatctac ctccccggtt caatcgattc tccggcctta 42180 geotectgag tagttaggac tacaggcacg caccaccacg cetggctaat ttttttgtat 42240 ttttattaag agatggggtt ttgccatgtt ggctaggctg gtctcgaact cctgacctca 42300 ggtgatctgc ccgccttggc ctcccaacat gctgggatta caggcatgag ccaccatgcc 42360 cagccattac gtttttttgg ttgtttaatt ttttttttt taagagacag attctcactc 42420 tgtcatcaag gctggagtgc aatggcacaa ccatagctca ctgcagcctc caactcctgg 42480 gctcaaggga ccctcctgcc tcagccttcc cagtaactga gactacaggt gtgagccacc 42540 atgctcagct aattatttt tatctttat tttttgtaga gggggggtct ttctatgttg 42600 ctcaggtttg tctcaaactc ctgggctcaa tcaattctcc tgctttggcc tcccaaaggg 42660 ctgggattac aggtgtgagc ctgaaaacct tctagtgtgg aagtggaaga taggcccagg 42720 ccacttatgt tttcaagtta aqcaaggttt aggtcactta tgaagcctga ctagttttgt 42780 ttgcttaagg gatctgcagg cctgacctcg gttttcattt gttttaacag tgtctatgtg 42840 tatgtgtgtg tttatgtacg tgcatgatgg ggggaaagct cagaaatcaa gtaagccaaa 42900 cacaaacatg taattataag cagggataaa ttctatgatg aagaagtatg ggccacggga 42960 gagtacttgt gccagtctgg tgatcaggaa caatgtcctt tgggaagtga catttgagcc 43020 43080 atgccctgaa gtacggtagg agttggttag gggtgaggca gtaagaccca gagctggggc ttcctgcaca agctcagctg ggcactgagg acccagtgga ctctgctaca gggcagtgag 43140

	_					43200
gagcagaaag	gctgaggaag	gctgggtgtg	gtggctcaca	cttgtaatec	cayggccccg	43260
agaggctgat	gggggaaaat	cggtagagct	caggagtttg	agaccagcet	gagcaacata	
gcaagactcc	atccctgtaa	aaagctttta	aaaattagct	gggtgtggtg	gtatgcatct	43320
gcagtctcag	ctactcaaga	aactaaaata	aggattgctt	gagcctagga	ggtggacgct	43380
gcagtgcgcc	acgattgtgc	cactgtactc	caacctagga	gacaaagcga	gatectgtet	43440
caaaactgaa	tgaataggct	atatacaata	gctcactcct	gtaatcccag	cacttttgga	43500
aactaaaata	ggtggatcac	ctataattaa	gagtttgaga	ccagcctggc	caatatggtg	43560
ggccgaggcg	caaaaattaa	ctagacatag	tooctcacat	ctotaattcc	agctactcgg	43620
aaacccgaca	catgagaatg	tetteaacce	addadacada	gggtgcagtg	agctgagatc	43680
gaggergagg	actccagcct	aaaaaaaaa	ggggggccg-	ctcaaaaaaa	aaataataat	43740
gcaccactgc	accccagect	gggagacage	gagaccccac	acaacctatc	caaggtttca	43800
aataacaatt	aaaaaaaat	taaaaggcca	gggagcaccg	catatagast	ctcaggctta	43860
ggtcacttta	gtaaagggag	aacaatggct	cccccagga	cetetgggat	respectates	43920
atacgacagt	catggaaatg	ctagggccca	ggcagaccat	cccagggaaa	acaagtyget	43980
ctgccctgcc	ttggccactt	cctggccctc	tgcatgcccc	agggtctcag	caccaagery	44040
ttctcagtga	gtagctctca	tttagtgcca	gggctctcgg	gcttacatcc	tacgatgacg	
atggaatgca	taaaagatgg	ggctgtgata	gcccagagct	aggggtttga	atctcatgag	44100
atottcatoo	agccctggga	gggageteag	tgcaagttca	tttctctttt	ttggttgaga	44160
tagaactcaa	aggaggaagg	acttgttcaa	agacacacag	ggagtgtttc	agtgtgggac	44220
ggaggtttat	ggagaaaggg	tgaccatcca	aggcttggac	aaagatcatg	acttcgacca	44280
gcaagcctca	actctgtaga	cttaataaaa	gccaggccct	cccaaacaca	cctgacaggt	44340
atctataatc	ttggggacat	tatcactccc	cttcctqctq	atgctctgct	gtccctctcc	44400
catgaaggg	atctcttcgc	cotccccat	ccttactaaa	agaggatggg	ttctcttctg	44460
acquatacta	aagatcttta	gtaaagttct	ctttttttc	attttctgaa	agtccctctc	44520
accaacacty	aggacaagtg	atcaggggg	2002023333	acagtgtggg	acqaqtqtqq	44580
Ligagaaacc	aggacaagcg	agccayggcc	aggacaaaaa	taacaastca	cttgaggtca	44640
tggctcacgc	ctgtaatccc	agcactttgg	gaggccaagg	ctctacaaaa	tacaaaaatt	44700
tgagtttgag	actagectgg	ccaacatggt	gaaaccccgc	ccccacaaa	Cacaaaaaaa	44760
agccaggcgt	ggtggtgcat	gcctgtaatc	ccagctatte	gggaggetga	ggcaggagaa	44820
tcacatgaac	ccaggaggcg	gaggttgcag	cgagctgaaa	ttgggccact	geactetgge	44880
ctcttggcaa	cagagecaga	ctacctctca	aaacaaaaac	aaaaacaaac	gacaaacagc	
gtagactttg	tgtttttctc	aaaagcactg	tcaagccagt	gcccgcagca	grgggccrag	44940
acacctccag	tcttgcctca	gggtcagttt	ccagcctccc	tggacacttc	ccccaggtat	45000
gtgtactttt	taattatcct	aaatccagag	tctgtggcct	gacctggttt	gtcacagctc	45060
tcagtccctc	cccatcccga	atcccaggga	gccgcaggtg	tgtgcagaag	aggcacacca	45120
cactcaatac	atcttqcatc	ctcgctggac	ccaatccatt	ggcttggtga	tgtacagact	45180
gageeteatt	atagccgttc	gttcctgttg	acctttccag	atcaatctgc	cagcttggct	45240
tctccgagtt	tcgcttgtca	gcatttctcc	aatcccatca	tgtactttgg	acctctttgt	45300
taaataactt	gcťttaťctg	aaattttcag	atttgacttc	aggtctctcc	tttgtccctt	45360
aatatooctt	aatggtggac	cctqtcaqqq	gtagagaaaa	tattgaggag	ccctgacttt	45420
gaggtggaga	agttagaggg	ttagacaagt	ccagccacaa	ccagcccaag	ctgcagtgta	45480
addaddcctd	tccagctgct	ccacaattaa	gggtggagca	tacaggaagg	cttccttctt	45540
gggggggccg	aggtgttctg	gctgccctag	ctacctaact	ttggtagaag	aaagaaaggc	45600
tetateteta	acttgtcaac	taatggcact	atgagattgc	acataattaa	cctgggtctg	45660
ctcttccaaa	agccttgggc	ctctgactgc	aacatggagt	ctgggtatca	ctccccatcc	45720
ctccccaa	cacctgctct	accactage	gtgtgcctaa	tcacttaatt	tctctatact	45780
acetattaaa	tatcacttcc	cctdatccca	aatacttacc	aggtgtggga	tgacacctga	45840
geoccicago	cttggaggta	tetaettete	accadagact	ccgaaaccaa	acgaaaagca	45900
ctagttactc	cagcctaaag	garacttect	ecatoactto	aggettgego	gaactagaac	45960
aggccaagcc	cagectaday caatggagtt	gacgeecee	. acacgacccc	. atotogage	catttactt	46020
grgggggrgg	caatggagtt	gggggggc	tagggagggg	atcecttee	tttctttcca	46080
gcaaactcta	gagaaccgtg	taaataggag	totalice	. gececeece	. dedecteeda	46140
acaggaatca	gcatcccaca	gcccatgttc	agetatgaag	ttagtgaaact	tteeteests	46200
gaggggtata	gggaggagco	agcagggtct	tgagttcata	ttagtgttt	tttaaaaaaa	46260
ggcacatctg	, tgttttcttt	tattttattt	tgaatttaat		tttggcagag	46320
tettgetetg	, tcgcccaggc	: tggagtgcag	l fddcdcddro	ceagercact	gcaatctccg	46380
cctcctgggt	: tcaagtgatt	: ctcctgcctc	agcctcccga	ı gtagctggga	ttacaggtgt	
acaccaccac	c acccagctga	ı tttttgcaat	: tttagtagag	g acagggttt	acagtgttgg	46440
ccaggettgt	: cttgaaatc	: tgacctcaac	_l tgatctgcta	a geeteggeet	cccaaagtgc	46500
tootattata	a gatataaacc	: actococtco	gccacatctc	g tgttttaaat	: gagaggaaag	46560
gggataatgt	. gcattttgtc	, gaagettgg	, ccatttatat	: ctaggactct	: tatgatcttc	46620
ataagttttg	ccccaggga	r gacactgtt	: cacttaggga	a gtcaggacco	c ccagtcctta	46680
caadattcad	r ceteteaaaa	tagagagaga	: agttccagg	ctgggctgg	j ttetgtteae	46740
actaggagag	ggcaagtgac	, taatattta	, gatgtgggg	a agtattatga	a aaacagagat	46800
getecaatte	: ctagtgatar	r gaaaccatta	a agctacttgg	g catcttaaa	a ccaagagegg	46860
ttcaacttct	t gagattotta	: acacacetta	a caacaccqc	c geegttatta	a ggaagaagct	46920
ctatttaata	acateceaes	ctataaata	ctttatgaad	c aggaatttg	tttttcaaat	46980
ocy cocyac;	, <i>y</i> = = 00u00		-	- •		

47040 cccagagaag taagattaaa gttggctgtt ctccatcctt gaaaaatttg gttttagggt qaattcaaga atqactgacc atacagaatg gggagcaaac ttgggaagaa agaaggcaca 47100 gttcagaget ctcccaatag tcaccectga actgcacceg gaccatcagt tatctctqtq 47160 ggtagagctc aggaatctaa aatccatttt aaaattaaag tatatcgggg ctgggcgcgg 47220 tggctcatgc ctgtaatccc agcactttgg gaggccgagg tgggaggatc acgaggtcag 47280 gagtttgaga ccagcctggc cacatggtga aaccccgtct ctactaacaa tacaaaaatt 47340 agccaggcat ggtggcagac acctgtagtc ccagctattc ggaaggctga gtcagaagaa 47400 ttgcttgaac ctgggaggca gaggttgcag taagccaaga ttgtgccact gcactccagc 47460 47520 acatactgtt acaggcacag accttaagtg tacagcccaa tgaaatttta cacatctata 47580 cagctatata actaccacct atatcaagac acattccagg aactcagact ccatcatacc 47640 cctcctcagc agaggtaaca gacccacacc tctcctgctc cggtggtaat taaccactat 47700 tctaactttt ctatcaatta gttttgccca ttcttgagct tcacacagat atacattgtc 47760 aggcatgatg actcatgcct gtaatctcag cactttggga ggccgagacg ggagtatcac 47820 ttgagcccag gagttggaga ctactctgga caacatagtg agacccccga ctctacaaaa 47880 aaaataaatt agctggtcat ggtggtgcgt gcctgtagtc ttagctattt gagacgctga 47940 48000 gagaggagaa tctcttgagc ctgggaggtt gaggctgaag tgagccgtga ttgcaccact 48060 gcactgcagc ctaggtgaca gagtgagatt ctgcctcaaa aaagaaaaaa tatggccggg cgcggtggct caagcctgta atcccagcac tttgggaggc caaggcgggc ggatcacgag 48120 gtcaggagat ggagaccatc ctggctaaca cggtgaaacc ctgtctctac taaaaataca 48180 aaaaaagaaa gaaaaaaaaa ttagccaggc atggtggcgg gctcttgtag tcccagttac 48240 ttgggaggct gaggcaagag aatggtgtga acccgggagg cagagcttgc agtgagccga 48300 gategeacea ttgeacteca geetgggega cagagtaaga etetgtetea aaaaaaaaa 48360 ggaaaaagaa aaaatatata tacattgtgt actttttggc atctggttta ttttgctcaa 48420 48480 tatcacatct gcgaaattaa tctacactgt gtgtatgaaa ggttggttct ttttgttgtg atgcagtatt ccgtcgtgtg actacgggac aatttgctta tccgtattcc tatcggtggg 48540 catttgggct gttaccaggt tctggctgtt atgaataaag ttgctatqqa tattcttqta 48600 cactacttct ggtgagcgta tgcactcatt tcgcttatgt aaatatcttg ggtggaatta 48660 cctgatcata aggtaggtgt gttggctttg taatgtgctg acttggttat gctgaattcc 48720 cttttttgtg tatttctggt tagagcggaa catgagggtg tctcttcagg gaatctggag 48780 ggtggaaggg aagcaggagt cggtttctgg ctcacacatg ttgtgactga actgctggta 48840 cacctggttg gcatggagct ggcttctcct ttggcgttgc ctactgttgg ggcaggtgtg 48900 48960 tatgtggtta gctccatgca atgaacccgg gcttctgcaa aatacattaa caacgacaga 49020 gacaacaaaa gctgatgtgg atttaaaggc ttcagttcan nnnnnnnnn nnnnnnnnn 49080 nnnnnnnnn nnnnnnnnc cagcagtggt tctcaactga gcatagtttt gcctcagagg 49140 ggacatttgg taatgtctgc agacattttt tgattgtcac agcccagccg agaaggtact 49200 actagtatct ttttggtaga ggctagagag gctgctaaac atctaacaat gcacaggaca 49260 ggcctctgta acaaaaaagt atccagtcaa aaatgtccac agtgttgaga ggtttaggta 49320 agtaggcgct aaaacataag gagactgtgc ctgagagcaa gaaggagtaa ttggaaagtg 49380 ctggtgtgat tagctctggg ttttagaaag ctcattttgg ctgcttgtag acagtgcatc 49440 agaggtggag gagggtggta agactggagg cagggaaagt aatttgggag ccactgaaat 49500 gatccaggtg aaaaacggtc agcaggtgac taggaaagtg gcagaggcaa tggggatggg 49560 tggctggatg agatggtgaa gaaagcacta taactaacta atgtgtggat gatgggcagg 49620 aggggtgaag gatgaccaga gtcctgcctt gcaggtctag ttggaaggtg atggtttctc 49680 ctgagaaagt gaccacaaaa agtgaagcag gtttgtqcgt gtgtgtqtqt gtgtgtgtgt 49740 49800 gtgtgtgttg agttcagtct gagatgtgtt ggactcacaa tgtccatggg acatccaagt ggagaagcat cttgggtgac catatgtgtg agtctgcagc tcagaaacag gcctggggct 49860 ggagatgaag acttgggaat gatctgcgta tatatttggt agcttgagcc acaagagtag 49920 atgacataac ccgtggtggg tgtgcagaat taggagagac gtgcaccaag aagccaggtg 49980 atccccaata tttaaccatc tggaagaata agaggagcct gccaacagaa attgggaggg 50040 aatggccaca aaggctactg agaagggaag cagttcttaa gaagggggaa gtgaagaggt 50100 50160 atcactactg cagaggtcaa gtaggataag aactgaagaa tgtctgttgg gtttggcaat ggggtagtca gtgggcacct gggcaaaagc agttttggtg gagcaatagg gataacagaa 50220 acaagactgc tatggtaaga ggaggaagag ggtgttgagg aagtggccag cgagtctaca 50280 ccacttgctg gaggagettg getttggtgc aaagcagaga agccagetca etcattgact 50340 taacctccaa gaaacacaaa atcatccata tcctggctca aattccagca ctaccaggag 50400 atggttggcc cctaqaaatg ccatcccact tctcctctgc ttatcctatc ctatctgtca 50460 gtctgttgag cccaggctaa gcqctacctc ctcaaqcaaq ccttctctqc ctqccqtcac 50520 50580 actttaagtg atcctgacaa cactgaaaat gtgtgtctct tccattcatg ttagttctac 50640 acttctgagt atctcctcaa tatattgcct tgttttacta atatgctcqt tctgtttgcc ttatttatca gctaccttaa acctccctgc aactagagat tctctttaag tatttgttga 50700 50760 ataaatgaat gaatcaatcg atgatccaga gcctggtaga ggcttgtgtc catggtggat gaggeteaga aaatacetgt agaategaaa taaatgeatg tgtgetetga tetaaaetea 50820

gctaaacttt	ctccaggggg	taaagttcaa	gttgattagt	caattgatta	attaattcat	50880
tatotaatoo	aaaaactcct	tctatgacct	gggcagagtt	ataggcagtg	aacaagacag	50940
acaannteet	tgttgtcatg	aagtttgctt	tctgaaggag	agagataata	aacaagaaac	51000
cagtaagaaa	gcaagattat	atcattttag	taaatgttct	tgtggaaata	aatgtgatga	51060
tototaacaa	aagtaccaaa	taggagagtg	agatagataa	gcttctttta	gaaagagttc	51120
tcagagaaga	cttatctgag	gaggtggcct	tttaaccagt	acaaatgctt	tagcttggcc	51180
agtggaggtg	ggaccaggat	gacaagggtc	acttotcato	ccagtgagtt	tgagcttgta	51240
dacaadadcc	tgatcatgaa	agactttgca	gatggtggta	atgggtttgg	gttaattgct	51300
actatgtggg	aagactttga	atgggaagca	tagagacaat	ggcctgtgat	acatqttatc	51360
aaatataatc	gcaggggcta	ataagataac	agcagagata	gggagaagta	gacggactgg	51420
agaaggtaga	agatggggca	ggggaggcaa	ttactgcaaa	gacatattcc	ttctaagctc	51480
actgagtgtt	catggtctct	addadcadad	gttcctggag	gggaaagagg	ataatgtcac	51540
ttcctgagga	agcgggaaga	acccatctga	gacgtgggga	ctatactaat	tcgtttctaa	51600
agaacettee	agatctcaca	tgccaatcgt	cttggtctat	gtcaattgtt	ggggcatcca	51660
aataaaaaa	tgttgtccag	accastttca	cagaacaacc	gcccagtcca	tatctcccga	51720
accettcec	cttgcagtgg	cattaactct	ttcaccagct	tttatctgcc	ccatagagat	51780
gttggccaag	cccagttaac	aagcagttga	tcagccccag	agatcaggtc	cctggagtct	51840
gtcagttaag	tgagggtggg	dageageega	tagaacaaaa	catotaacta	daadddccac	51900
ctaacttact	atggtctgag	agagaacce	gtgggatctc	tagcctgaat	caaacctccc	51960
tttctcactc	tccatcttac	ctctctacta	taccttcgtt	attttccagc	agctcctcag	52020
cccattccta	tgggaccctt	ctctgccaat	ccctacaccc	actotaaatt	tcaccataga	52080
aggagatag	gccttgaggg	ctgtattagt	cttctattct	gcataacaaa	ttgcctcaaa	52140
tttaggagacgg	tcaaacaact	catatttatt	ageteategt	gagttcatca	acaatataaa	52200
cccagcagce	ctaggttttc	tactcagge	ctcacaagge	taaaatcaag	atattatata	52260
aactatatac	tcatctggag	tttagggttc	tettecagge	tcacgtggtt	gtggcagaat	52320
tetetteest	ggagttgcag	aactaaaatc	ctattttctt	actaactate	agatgaggg	52380
tactataga	tcctcgaggc	tacccacatt	acttaccaca.	tacataatet	tttccatcct	52440
tgaagggagt	gatggagaat	ttcccttcca	ttgaatcacc	cacatggttg	gactetetga	52500
cttcaccage	agagccctgt	ctcttttata	adatcaccta	attagatcat	acccatagag	52560
agcagttect	tttccttaaa	atcaactata	ggattataaca	tcacacaacc	acaggagtaa	52620
aatccatcat	atttacagtc	ccanagatta	tacacaatac	accaggggac	aactgaattc	52680
tacctatcae	aagggccaag	caggggttta	ttaataaaaa	acagtggaat	gtcattcttg	52740
attettecaa	aaaaaaatca	ctcagtaaag	ttagaggttc	tcttaccttt	tgggaagtca	52800
tcaaagaatc	tcatggaggg	tttggacctt	caccctagaa	acatcacacc	atottttcta	52860
taattgcagg	gttcatggtc	ccttgaagcc	tattcatagt	ttccaggttg	aaaagctctg	52920
ctgcagggtg	tggggaggga	tacaaataaa	ggtgagggct	gaatagtgtg	agctgcatat	52980
ctggagctgt	ggtggttttt	ttagtcttta	agctgtcatg	tattagagat	tgggcatggg	53040
aggggatcc	caagagctcc	ttaatattaa	caccatctcc	aaggtgatct	ctgctctgcc	53100
tootocacac	atgtttttct	cctqttqcaa	cagcccactc	ttgtagaaga	gcagacccct	53160
cagtaccagg	tctgaccctg	gacagettgt	accaggaget	acagcacact	ccccacaag	53220
cctaaagttg	ggatgagccc	cccgagaatt	agatcagaaa	agattaaatg	cagaggtgat	53280
ctatcagatc	ccctttggaa	gtgctggtat	ggagaggatt	gactgagtct	gtttaggaac	53340
ctccaagctc	tgtagtaact	ttagggctag	aaaggaggat	gcctaagatt	caggatcctg	53400
cagtgatgag	tcaacatttc	ttqqqqaagg	aggcagggct	gaggattaaa	cggagatgat	53460
gggtatcgtt	ctcttgctca	aaggcactgg	accccaaggc	ctccagctct	tcgctcccat	53520
ttgaaattca	agtcctgagc	acaccacagt	tgtgatgcag	ggaaagaatg	tgcttatcag	53580
agagcctggg	caagtgggcc	ccttgtgagt	accgttcaac	ctcatttatg	tcattggcac	53640
caaaagtaga	catcagtctc	ttgaaagttt	gattaatgct	ggtcacactc	aaagaccctg	53700
ggtagcattc	atttactaag	caattactaa	ataccagttt	ctgtgctaaa	tgctgcatca	53760
gtcagggctc	ttaatggcag	gcagcagaaa	ctctccttgg	ctgatctaag	tagaaaaatc	53820
caggactgaa	aggaaacgga	gtagctcatg	aaattgcagg	aagggccgga	aaaccagaca	53880
tggagccaaa	gtcaggctgc	agaacaggtc	tagggaggat	cccactgctg	ctgagaccta	53940
gaccttgtgt	ctggcaccca	ggatgttgta	gggctcagac	cctggatcaa	tgtatcctgc	54000
agtgcctctg	tgggtactgc	aactccagga	actcaatctt	gtcaacgcca	ccgccagaga	54060
gaggccttct	tggcctccat	ctttttggtc	actagctcca	gattcaaaat	cttgaataga	54120
tgcttcttct	ctttgataga	gcccagtcat	atgcgttagc	tgcaaaggaa	gctgaaaatc	54180
tattaggaac	ttttgtcttc	aaaaatgaga	ggcctgtcct	ccaccaagat	ccataggaaa	54240
tggaatccaa	gaaaccacag	gaaggggtga	ggtgactggg	cagctcacag	catgcatgct	54300
acatgtgaat	tatctcattc	atttctcaca	ctacccagtg	aggtaggtat	tgtcatccct	54360
acttcataaa	tgatgatatg	aggtacagaa	agtttaagga	acttgcccag	gacacgacac	54420
gcagctatta	agtgctagac	ccagtcaatt	tgagtctgac	ttggactgtc	tgactccaga	54480
agccaccctc	tcagacactg	ctgtatactt	ccagtgaatg	ttgatgaaat	tttcagggtt	54540
gctaagctgt	ggatttcaga	tcctggattg	tatgacctaa	aagagagact	tccctaggag	54600
tgagggtccc	tgaacagtca	actggtttcc	aagaatgggc	tccctctcat	caccttatga	54660

cagtaatcct ctgtccaaca gccaaagagg tcctgtgggg agggcttgca gatgggagtg 54720 cgcagagccc agetcaaage teetgactag getettgttg agtatteett tgatteetge 54780 ttctgtcttt ttaaatcaat ggagacaggg gagggttatc tccatcctcg gctcaagatg 54840 aaatgcatcg ttcctcgttt ttctcattcc ttcccaatgt gtgtactgtt aactttagtt 54900 atgaaggaaa ttacagtgtc ctgtgcatat accaaggctg tccaacctcc acacctttgc 54960 55020 tcaagctgtt cottotactt gaaatgcctg tttccttccc ttctaattgc atotttccat ccaggtagga atcagetect tggttcatgg ageettttct getetgtttt actatgcatg 55080 gacticcttc tgaattagca gaggatgttt cctagcttgg tcttaaccct tctccttttg 55140 tttgacctca atttactcat cttacaaatt aggttgtaag ctaattgaat acaggatcta 55200 tgcttcactc tgattttatc tccacctgga tagcatcatt tttgacacac aagcaggcat 55260 atgggagggg agagaagttt ggtgccagaa agaactggat ttgaattcta accctgttgt 55320 ttacqtqaqt acqttactta accattaatt acttcaatgt atatttatta aqtacctact 55380 atgtqccgqq cactgtacta aqcaccaagg atacaatggt qaqtaaagaq atgcagcctt 55440 caccatcacg aaggaagaca gatgttaatc cattaaccaa gtaatctcac aagaaaagta 55500 aaatgactaa ctgataagga caagcccctg gagctacaag agggtgtata cagggcatcg 55560 atccaataag ggcagtgttg cggggagatc aggagccaca cagagcctgg gttgtctcac 55620 ttggaaaatg gggtatcaac cacctacctc actaggtttt taaaatcagg ttaaatgagg 55680 taatacttgc catgaacagt attttgttga ttgatgattg attgaaacgg agtctcactc 55740 tctcqcccaa qctqqaqtqc aqtqqtqcaa tctcaqctca ctqcaacctc tacttcctqq 55800 gttcaagtga ttctcctgcc tcagactccc aagtagctgg gattacaggc agccacccct 55860 atgcctgact aatttttgta tttttagtag agacaaggct ttgcaatgtt gaccaggctg 55920 55980 gtctcaacct cetgacetea aaagatecae ecaecteage eteceaaagt getgggatea 56040 caggcatgag ccactgcatc cagccacttg ccatgcatgg catttaaaaa tgttcagtaa 56100 atgttaccat aatgaaggct ggtaggttgg ccaactgagt ggtctgattc agaaggaaag aagttagaca tacgtgaaca tittcctgtac ttgaagatcc tcaggacagt gactcctaga 56160 cccatcttcc atcacagtca gctgggaagc ttttaaaaaa atgcagacat ctgaccttca 56220 cgctagacct attagccaag cagaagtttc tgggcagggc atctgcatat ttttaaaaat 56280 ctttaataag gcagcctcaa aattacagat tcagcacgca tttaccataa ccactgaaga 56340 aatgcaaagt tataaaaaga agataaacaa caatctgtct cctgctttct tccctctct 56400 cccctgcttc tggaggcaac aaggtcaact atttggtgtg attcctttta gcattccctc 56460 catcaatggt cacataagga tgctcacaga taagcaccta tgcgggggtt tttttttcc 56520 ttgtaaaact attcacatac taaatacttt cctcagtatc ttgccttttt tcacttcatg 56580 tcacagaaac atctcttcag gtttatagat acaggtccag ctcttcttt catagccata 56640 taacattctg tagaatagag aggacacatt ttactcagtg tccgattgat ggatatcaat 56700 56760 tataggcqca tttatqccta aaggatagtc tcaaaaqagt gaaactgatc aaatgtqcat 56820 56880 ttttttattt taataggtat ggacagattt gttctcaaaa tgtttgtggc agttcaaaac 56940 accagtaaaa caggggagat atgtattttg gaaaagcacc caaggcgatt ctgaagtgta geocaggata agaaccattg eccagagetg ttecagatgg eccetgggtt ectgaagtgg 57000 gtatcgggag agaaatcttc actgaatgaa tgagtgggct ccccagggaa gtgatgaaat 57060 ggtccttatc agccttgcta tctccctctg acagaggcaa actctctctc cctgggggaa 57120 gttcctccaa ggcctctata taagaagtct ttgtgagagg aagcaaagaa ggacctgggc 57180 tttgggaaga tctaaagacc caggaaggtc tctgggtggg tgagtgcttt ctctgctgtg 57240 gtggagctgg tgacagttta ttctcccagg aggtccctgg ctgtggctga cagtttctgg 57300 aggoctggca ggcgtctacc tgtggctttc aggttatgag gatgtcagca ggggcagcct 57360 tcatcctctg ccttgcacat tccttctgcg ggatgtgaaa gtgctccttg gctggggaaa 57420 ggagatggtg gagacatgga ggagggtgtg ggtggcttct tgaactctga ggaggggaca 57480 taccttctaa gtcctatgtg ttcctaggaa agccaataat cattgcttct cccgcctttt 57540 ttatqtcata qactctqaqq qacccattaa qtacaaacaa ataaqcqtaa taqtcccttc 57600 tttacttccg ggcctgaagg aaagccagcc tcagccaccc ctcagggttt gctgcgttct 57660 gtttagaaag aggtccttgc gtcctggatc ctggagcatc aggagctggg cttggcatga 57720 gettttetgg eccateetga tttetattea ggeettettt ttetecaeet eacteecaeg 57780 gtcccctaat ggtgtgattg tgatgtgtgt gcatgtgtgt ctgtgtgtgt caatgacaaa 57840 etgtgttete egttgeagga taaagceaag atgaaactee eettaettet ggetetteta 57900 tttggggcag tttctgctct tcatctaagt aagtgttttt tgccttcagt ctttctttct 57960 ctgtttttc cctttctatg gtagatgggg tcagagttac acacccaccc ccttctttga tcgtcttcta tttctgaatt tctgtgtgct taaagggatg gggactctat ggccaggagt 58020 58080 tgaaaggatt tctcaaggcg tctgttatgt ctgtggtctt ggttctactg tgacattccc 58140 aattttgtcc tttctccatt atgcttactt tgagcttact gagtgccttc tctcctttaa 58200 ctctcttagc atcgccatga agtaggtggt attgtatacc catttcacag aaatacagct 58260 ggtggatgat ggaaccagta cccaagccca tgactgcccg actctaagtc catgctctta 58320 accacettga cettgteagg eagettgggt teceeteata gagaetgggt tecaggttee 58380 ccttcccagg Cagagttgag cactctgatg cccagggcaa ggtgtgagct gtctgtggtt 58440 ctggggagga acaaggggag atgtgaagga aggacactta gctatcctcc ctgccagggt 58500

ctgagacttc cacctttgag acccctttgg gtgctaagac gctgcctgag gatgaggaga 58560 caccagagca ggagatggag gagacccctt gcagggagct ggaggaagag gaggagtggg 58620 gctctggaag tgaagatgcc tccaagaaag atggggctgt tgagtctatc tcagtgccag 58680 atatggtgga caaaaacctt acgtgtcctg aggaagagga cacagtaaaa gtggtgggca 58740 tccctgggtg ccagacctgc cgctacctcc tggtgagaag tcttcagacg tttagtcaag 58800 cttgggtgag tggcctatgg ctgaggctga ggtgggagca tggaacgggt gtgggatatg 58860 ccccagcat tgctatcact ggctcttttt cccattgagg gccctggggg tgtcagtaga 58920 acctgagect cagagaggtg ttggggtaag aggggaggge cacctacaaa cagaagttge 58980 attttggtct ccaaccttca aatggttgtg gcaggggagg gagggaatga attgtgggga ctcaagaccc atgtgaattc atgtaggaag gatgctccat tctttgtctt ttatcctgcc 59040 59100 ctgtagttta cttgccggag gtgctacagg ggcaacctgg tttccatcca caacttcaat 59160 attaattate qaatecagtg ttetgteage gegeteaace agggteaagt etggattgga 59220 ggcaggatca caggctcggt aagagaagtg tgaacactaa atggggtgca cctgctgatc 59280 tcagccagca ctcagcttgc atcagatttg tctgtttttc tcctgtataa tctccagaag 59340 aaccagggat agatggacac ccacagacaa cactgagggg gctgcctggg cattcaggga 59400 agagetaagg atttagaate aggaggtttg ggtecaagtt cetttecate teteactate 59460 59520 tatgtaactt aagttagctg ggcatggtgg tgcatgtctg taatcctagc tacttgggag 59580 gctgaggcag gagagtcact ggaacctggg agacagaggt tgcggtgagc cgagatggag ccattgcact ccagcctggg caacaagagc gaaactccgc ctcaaaaata aataaataaa 59640 taaataaaat aaaaaaaaa ttaaaacaag accatgagtt tgtttcctca tctctaggat 59700 59760 gagttggcaa cccttgttct accttttgtt agggctggaa ggacaagcct gtcactggga tgcatagaat ctgatggtga taattgccgt ggatcagcat ttcagatgac taggacagtt 59820 cccatcatgg tccagcaggg aagggcccat tgcccggtgg gcagcagaaa gagctggcag 59880 59940 atacggggcc aggtctgctt ctctgccttc cctctgcccc atcccttctt cccctcttgc 60000 tttctccagg gtcgctgcag acgctttcag tgggttgacg gcagccgctg gaactttgca tactgggctg ctcaccagcc ctggtcccgc ggtggtcact gcgtggccct gtgtacccga 60060 ggtgaggtgg ggctggggat gaacgatgga aaggtctggg agatgggaag tgccccaagg 60120 aggagatgct acaaagagcc tgaccctttg tgggagaggc ttcctgggtc ttttatatac 60180 tctgactcca cagcagtgtg tgggtgggaa aagaggccct cctgtgggtt gagttgggat 60240 ggacaagagg ctgaaagtcc ctttctgttc tgccttcaca ggaggccact ggcgtcgagc 60300 ccactgcctc agaagacttc ctttcatctg ttcctactga gctggtccca gccagcagtt 60360 60420 cagagetgee eteteetggg cagetgeete eceteetetg ettgecatee etecetecae 60480 ctccctgcaa taaaatgggt tttactgaaa tggatttatt ttctcctctg atcgcggatc 60540 cactetgett ageceteatt gaaacttett cettateate tetececaca ceacaacttt 60600 cataqaaqtq tcaqaaqcta ctactccttg aggaggagga tggagggtgg agttgggtct 60660 atggagett ttggagatgg aggaatggge teagetagtt etetteatag aacacetgat tactgggcac ctgcatagtg ctgccaggac ctttcaaggt tgtaggtaga ctcccaatgg 60720 eccagtttgc atctctgtaa ccaaaggeet tttctctctc tctctccaac cccagaactg 60780 tggttggttt tatatgtaag gaagttaaca tgtccctggg aacagtccac aacattcagg 60840 aatgaatgta taagtaccgc aatccccggc ccctcaagtg gaataaatct aacatgtatt 60900 gggcaccatt teccagtgge etgetgtggt agttggeett attecatgea tttttatggg 60960 ctgccttccc ttcctcaact gcattctctg ctccttccta ctctctgcaa ctcccaaata 61020 aacacttgta cgcaactccc tctctcagga tctccttctg gggaaacctg atataagaca 61080 gcttgccatg cgtcagactc tgaatgaggc ctgggaatac aagacatagt cctctggcac 61140 ttgggatata tggttatttg taacataggc acaaaaacat ctactagttg ttatcgctta 61200 61260 ttgaqcaccc acaacatacc ccctgctgtg gcaggcacct tgcctagatg acctcatgtg 61320 atcaataatt atgagcccta ttttacagaa ccaggctcag agaagttagg atctgtcaaa agacttgccc aagactgaac ctctaaatgc aactcatatt gaaattcaac tctgctccaa 61380 agcatgttac tttaaccctt gtgcttttac agctggctac tctcccctta tggtcacacg 61440 gggatgaagc acggggggag gaaagccaga ctgtctcact cttgggttca tcttgggaca 61500 61560 tctcaaccc ttctgtacta gggaggtcag cagaagaaaa taattcaatg ttctaaagcc 61620 61680 attttttttt ccagcattcc tccaattcat agatcttcat atgggattag gggctcagag aggggtgaaa caagaactct atttttttgg agtgtggtat agagaaggga tgctacttct 61740 ctaaggtcac atagtaagtt gagaaagaga gagaaatcaa actcaggttc atttcaacta 61800 ttgttccaca agaatctgtt gatttcaaag atggtggact atgggttcat ccctgtggtg 61860 agtgctgtga ggatgcagct gaggtggaac tttcactcct tgccctcttg gactttatat 61920 tctggtgtgg aaaggcattg cttcccttat ttcaatatta acaacaaagg gtaataatat 61980 62040 ttcccattta ttaagcattt actaggtgtc aggtactgtg ctaaatgtta ggtgaacttt gtcttgttcc tcataaatct ctgccgctgt gggtgtgtac tttgacagaa gtttgacttc 62100 cagtccacag agatcttctt tgggggagta atatcaagaa ggggcacgaa ggaagctgca 62160 gggctcctag tcccatcctg tatctcgacc taggcatgtt tacattggtg cattcactgt 62220 gaagtttccc tgagcagtcc actctatagt gtgctttata ggagcacatt gtacatccat 62280 tgaaaaattt ttcttggccg ggcacggtgg ctcatgtctg taatcccagc actttgggag 62340

gccgagacag	gcggatcacc	tgaggtcggg	agtttgagac	ctgcctgacc	aacatggaga	62400
			ttagccgggt			62460
teceagetae	ccaggaggcc	gaggctggag	aatrgcttga	acctgggagg	cgaaggttgc	62520
agtgagccga	gategtgeea	ttgcactcca	gcctgggcaa	caaqaqcqaa	actccqtctc	62580
aaaagaaaga	aagagatttt	ttetttttet	taaaaagtaa	aaatcatgaa	ataaggggac	62640
			tgtgaatttt			62700
ctaagctctg	tgaaactgtt	tatctatggt	tctttatcat	tgaatccttg	gagttcctta	62760
			tcaacagtgc			62820
			aggcatagtt			62880
gatnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnn	nnnnnnnnn	nnnnnnnnn	62940
			nnnnnnnnn			63000
			tgtttctgat			63060
gttttcttcc	tattattatt	ttattttatt	tgtaaaacat	ttacatatca	gacatttaca	63120
t+++cccaaa	aataaaacta	tassacssas	tatattcaaa	gaagtttagt	ttccctctct	63180
cccccaaa	ggcaaaaccg	egaaacaaga	cacacccaaa	gaageetace		
			gtaaccattt			63240
attgtgtagg	tgtatataca	tqtattaqtc	tgttttcatg	ctgctgataa	agacctatct	63300
			acttacagtt			63360
			cttacacggt			63420
gaagaatcaa	aagtggaaac	ccctgataaa	cccatcagat	ctcgtgagat	ttattcacta	63480
			ccatgattca			63540
						63600
			atataattca			
cacagccaaa	ccatatcaat	acatttccct	ctcttttaga	taaaaggtag	tatactgtat	63660
			gatgtaactc			63720
						63780
			cctgggtctc			
gttgccacag	cattcctgta	ctgatgacta	tttggattgt	ttccagtctt	ttgctattac	63840
cagtagtgtt	acaaagagga	tctggctaca	tgttcagggt	aggaaggaac	agatgtgtag	63900
						63960
			actgagttaa			
gagtcagtgg	ggttggagag	aagtgggcac	atttgaatga	tatgtaggag	gtgaatgatc	64020
agcattattg	atgagtttga	ggtggggcat	gtggggaaag	gattcgagga	tgactcccag	64080
			ctcctcccct			64140
			gagagcttct			64200
ggttcctcca	ctttggcggt	ggccctctgc	tcgacggtgc	cttcgctggc	cctgacatcc	64260
			tcagtcccca			64320
						64380
			ttcctctatg			
accettgegt	aagtggcctt	ggggcgggct	ctgtggagac	ggacacactg	gggcaaagag	64440
aagctggagg	taaagaaatt	gggaggcaag	gcggggcctg	gaggcagtca	ggtgcgggag	64500
			gagaccagag			64560
there	ggggcaggcg	-ggaggggc	gagaccagag	geggeggaa	ggatagaaca	
			gccctctccc			64620
ctcgtattca	tcctctgagg	cccacttctg	tttcagttct	ccagggaaga	aatggaaaag	64680
			tagtcttact			64740
			tcttttcttt			64800
ggtcctgtct	gtttttccag	ggccccgcat	gtgccttctt	ctgggttctg	tgggtcaaat	64860
gtctgagcag	agctgaagag	ggaaaggcca	gacaggtgtg	gttggaggg	aggectagga	64920
						64980
			ccccagaggc			
gggtccctga	agctcactgg	aacccctctg	gtttctctcc	ccagtttccc	ttcagagcac	65040
tttggcaagc	tctttgggct	ggtgatggcc	ttgtcggctg	tagtatctct	gctccagttc	65100
			cagaatgacc			65160
			ccttaggcct			65220
gtgatggcct	gggtatgtag	catggtgcag	cttcccaaag	ggtctgtgtt	attcaagtat	65280
			aacagacatt			65340
********			aacagacacc		gegggaace	
Clcacqaaac	******			444		CE 400
-	ttcaagcaaa	atcctgagac	ctcaaaggtg	tttcctgctt	gtggtgagtg	65400
caggcccacc	ttcaagcaaa	atcctgagac	ctcaaaggtg	tttcctgctt	gtggtgagtg gccccaggga	65400 65460
caggcccacc	ttcaagcaaa ctggcctctc	atcctgagac ccctaggccc	ctcaaaggtg acacagggtt	tttcctgctt tccacagttg	gccccaggga	
caggcccacc caggacctct	ttcaagcaaa ctggcctctc gtgctttcac	atcctgagac ccctaggccc ctctgtgtcc	ctcaaaggtg acacagggtt ttacacctgg	tttcctgctt tccacagttg agggatgctc	gccccaggga tgaggtcctg	65460 65520
caggcccacc caggacctct ctctaggagg	ttcaagcaaa ctggcctctc gtgctttcac tggtcgtgag	atcctgagac ccctaggccc ctctgtgtcc tctcctgctc	ctcaaaggtg acacagggtt ttacacctgg tttgcagaaa	tttcctgctt tccacagttg agggatgctc ctgaggctca	gccccaggga tgaggtcctg aagaggttac	65460 65520 65580
caggcccacc caggacctct ctctaggagg ttacgtgttc	ttcaagcaaa ctggcctctc gtgctttcac tggtcgtgag agaggcacca	atcctgagac ccctaggccc ctctgtgtcc tctcctgctc gctaaggagc	ctcaaaggtg acacagggtt ttacacctgg tttgcagaaa aaaagtcaac	tttcctgctt tccacagttg agggatgctc ctgaggctca tttgaattct	gccccaggga tgaggtcctg aagaggttac gtgttttgac	65460 65520 65580 65640
caggcccacc caggacctct ctctaggagg ttacgtgttc	ttcaagcaaa ctggcctctc gtgctttcac tggtcgtgag agaggcacca	atcctgagac ccctaggccc ctctgtgtcc tctcctgctc gctaaggagc	ctcaaaggtg acacagggtt ttacacctgg tttgcagaaa aaaagtcaac	tttcctgctt tccacagttg agggatgctc ctgaggctca tttgaattct	gccccaggga tgaggtcctg aagaggttac gtgttttgac	65460 65520 65580
caggcccacc caggacctct ctctaggagg ttacgtgttc tactgcacag	ttcaagcaaa ctggcctctc gtgctttcac tggtcgtgag agaggcacca ctctatttgc	atcctgagac ccctaggccc ctctgtgtcc tctcctgctc gctaaggagc ctcattttt	ctcaaaggtg acacagggtt ttacacctgg tttgcagaaa aaaagtcaac atttttaaag	tttcctgctt tccacagttg agggatgctc ctgaggctca tttgaattct cagcaaatct	gccccaggga tgaggtcctg aagaggttac gtgttttgac tagaatagga	65460 65520 65580 65640 65700
caggcccacc caggacctct ctctaggagg ttacgtgttc tactgcacag gtttaaatcc	ttcaagcaaa ctggcctctc gtgctttcac tggtcgtgag agaggcacca ctctatttgc atcacttgga	atcctgagac ccctaggccc ctctgtgtcc tctcctgctc gctaaggagc ctcattttt gaaaagaaag	ctcaaaggtg acacagggtt ttacacctgg tttgcagaaa aaaagtcaac atttttaaag actaaatgtt	tttcctgctt tccacagttg agggatgctc ctgaggctca tttgaattct cagcaaatct ttttgttttt	gccccaggga tgaggtcctg aagaggttac gtgttttgac tagaatagga gttttggaga	65460 65520 65580 65640 65700 65760
caggcccacc caggacctct ctctaggagg ttacgtgttc tactgcacag gtttaaatcc cacgatcttg	ttcaagcaaa ctggcctctc gtgctttcac tggtcgtgag agaggcacca ctctatttgc atcacttgga ctttgtcacc	atcctgagac ccctaggccc ctctgtgtcc tctcctgctc gctaaggagc ctcattttt gaaaagaaag caggctggag	ctcaaaggtg acacagggtt ttacacctgg tttgcagaaa aaaagtcaac atttttaaag actaaatgtt tgcagtggca	tttcctgctt tccacagttg agggatgctc ctgaggctca tttgaattct cagcaaatct ttttgttttt caatctcggc	gccccaggga tgaggtcctg aagaggttac gtgttttgac tagaatagga gttttggaga tcactgcagc	65460 65520 65580 65640 65700 65760 65820
caggcccacc caggacctct ctctaggagg ttacgtgttc tactgcacag gtttaaatcc cacgatcttg ctcgatctcc	ttcaagcaaa ctggcctctc gtgctttcac tggtcgtgag agaggcacca ctctatttgc atcacttgga ctttgtcacc tggactcaag	atcctgagac ccctaggccc ctctgtgtcc tctcctgctc gctaaggagc ctcattttt gaaaagaaag caggctggag cgatcctctc	ctcaaaggtg acacagggtt ttacacctgg tttgcagaaa aaaagtcaac atttttaaag actaaatgtt tgcagtggca atctcagcct	tttcctgctt tccacagttg agggatgctc ctgaggctca tttgaattct cagcaaatct ttttgttttt caatctcggc cctgagtagc	gccccaggga tgaggtcctg aagaggttac gtgttttgac tagaatagga gttttggaga tcactgcagc tgacactaca	65460 65520 65580 65640 65700 65760
caggcccacc caggacctct ctctaggagg ttacgtgttc tactgcacag gtttaaatcc cacgatcttg ctcgatctcc	ttcaagcaaa ctggcctctc gtgctttcac tggtcgtgag agaggcacca ctctatttgc atcacttgga ctttgtcacc tggactcaag	atcctgagac ccctaggccc ctctgtgtcc tctcctgctc gctaaggagc ctcattttt gaaaagaaag caggctggag cgatcctctc	ctcaaaggtg acacagggtt ttacacctgg tttgcagaaa aaaagtcaac atttttaaag actaaatgtt tgcagtggca atctcagcct	tttcctgctt tccacagttg agggatgctc ctgaggctca tttgaattct cagcaaatct ttttgttttt caatctcggc cctgagtagc	gccccaggga tgaggtcctg aagaggttac gtgttttgac tagaatagga gttttggaga tcactgcagc tgacactaca	65460 65520 65580 65640 65700 65760 65820 65880
caggcccacc caggacctct ctctaggagg ttacgtgttc tactgcacag gtttaaatcc cacgatcttg ctcgatctcc ggcatgtgcc	ttcaagcaaa ctggcctctc gtgctttcac tggtcgtgag agaggcacca ctctatttgc atcacttgga ctttgtcacc tggactcaag accatgccaa	atcctgagac ccctaggccc ctctgtgtcc tctcctgctc gctaaggagc ctcattttt gaaaagaaag caggctggag cgatcctctc	ctcaaaggtg acacagggtt ttacacctgg tttgcagaaa aaaagtcaac atttttaaag actaaatgtt tgcagtggca atctcagcct	tttcctgctt tccacagttg agggatgctc ctgaggctca tttgaattct cagcaaatct ttttgtttt caatctcggc cctgagtagc ttgatagaca	gccccaggga tgaggtcctg aagaggttac gtgttttgac tagaatagga gttttggaga tcactgcagc tgacactaca ctggggtttc	65460 65520 65580 65640 65700 65760 65820 65880 65940
caggcccacc caggacctct ctctaggagg ttacgtgttc tactgcacag gtttaaatcc cacgatcttg ctcgatctcc ggcatgtgcc gctatgttgc	ttcaagcaaa ctggcctctc gtgctttcac tggtcgtgag agaggcacca ctctatttgc atcacttgga ctttgtcacc tggactcaag accatgccaa ctgggctggt	atcctgagac ccctaggccc ctctgtgtcc tctcctgctc gctaaggagc ctcattttt gaaaagaaag caggctggag cgatcctctc gcttatttta tttgaattcc	ctcaaaggtg acacagggtt ttacacctgg tttgcagaaa aaaagtcaac atttttaaag actaaatgtt tgcagtggca atctcagcct ttttatttt tggcctcaag	tttcctgctt tccacagttg agggatgctc ctgaggctca tttgaattct cagcaaatct ttttgtttt caatctcggc cctgagtagc ttgatagaca cgatccaccc	gccccaggga tgaggtcctg aagaggttac gtgttttgac tagaatagga gttttggaga tcactgcagc tgacactaca ctggggtttc gtctctgcct	65460 65520 65580 65640 65700 65760 65820 65880 65940 66000
caggcccacc caggacctct ctctaggagg ttacgtgttc tactgcacag gtttaaatcc cacgatcttg ctcgatctcc ggcatgtgcc gctatgttgc tccaaaatgc	ttcaagcaaa ctggcctctc gtgctttcac tggtcgtgag agaggcacca ctctatttgc atcacttgga ctttgtcacc tggactcaag accatgccaa ctgggctggt	atcctgagac ccctaggccc ctctgtgtcc tctcctgctc gctaaggagc ctcattttt gaaaagaaag caggctggag cgatcctctc gcttatttta tttgaattcc ggcgtgaacc	ctcaaaggtg acacagggtt ttacacctgg tttgcagaaa aaaagtcaac attttaaag actaaatgtt tgcagtggca atctcagcct ttttatttt tggcctcaag actgtgcatg	tttcctgctt tccacagttg agggatgctca tttgaattct cagcaaatct ttttgttttt caatctcggc cctgagtagc ttgatagaca cgatccaccc gccaaaagag	gccccaggga tgaggtcctg aagaggttac gtgttttgac tagaatagga gttttggaga tcactgcagc tgacactaca ctggggtttc gtctctgcct taaacttgaa	65460 65520 65580 65640 65700 65760 65820 65880 65940
caggcccacc caggacctct ctctaggagg ttacgtgttc tactgcacag gtttaaatcc cacgatcttg ctcgatctcc ggcatgtgcc gctatgttgc tccaaaatgc	ttcaagcaaa ctggcctctc gtgctttcac tggtcgtgag agaggcacca ctctatttgc atcacttgga ctttgtcacc tggactcaag accatgccaa ctgggctggt	atcctgagac ccctaggccc ctctgtgtcc tctcctgctc gctaaggagc ctcattttt gaaaagaaag caggctggag cgatcctctc gcttatttta tttgaattcc ggcgtgaacc	ctcaaaggtg acacagggtt ttacacctgg tttgcagaaa aaaagtcaac attttaaag actaaatgtt tgcagtggca atctcagcct ttttatttt tggcctcaag actgtgcatg	tttcctgctt tccacagttg agggatgctca tttgaattct cagcaaatct ttttgttttt caatctcggc cctgagtagc ttgatagaca cgatccaccc gccaaaagag	gccccaggga tgaggtcctg aagaggttac gtgttttgac tagaatagga gttttggaga tcactgcagc tgacactaca ctggggtttc gtctctgcct taaacttgaa	65460 65520 65580 65640 65700 65760 65820 65880 65940 66000
caggcccacc caggacctct ctctaggagg ttacgtgttc tactgcacag gtttaaatcc cacgatcttg ctcgatctcc ggcatgtgcc gctatgttgc tccaaaatgc atctgaggcg	ttcaagcaaa ctggcctctc gtgctttcac tggtcgtgag agaggcacca ctctatttgc atcacttgga ctttgtcacc tggactcaag accatgccaa ctgggctggt tgtgattaca aatgacttga	atcctgagac ccctaggccc ctctgtgtcc tctcctgctc gctaaggagc ctcattttt gaaaagaaag caggctggag cgatcctctc gcttatttta tttgaattcc ggcgtgaacc ttgtgacatc	ctcaaaggtg acacagggtt ttacacctgg tttgcagaaa aaaagtcaac atttttaaag actaaatgtt tgcagtggca atctcagcct ttttatttt tggcctcaag	tttcctgctt tccacagttg agggatgctca tttgaattct cagcaaatct ttttgttttt caatctcggc cctgagtagc ttgatagaca cgatccaccc gccaaaagag gtaatcagct	gccccaggga tgaggtcctg aagaggttac gtgttttgac tagaatagga gttttggaga tcactgcagc tgacactaca ctggggtttc gtctctgcct taaacttgaa gtgtattcta	65460 65520 65580 65640 65700 65760 65820 65880 65940 66000 66060

ctctgtttct ttatctgtga aatgggcttg atattcctcc tctaccccaa ccgatagtgc 66240 agaatgaaaa gtaactgaaa gtccttcctc cagggcacca tagtgtctgg gtgaaaagta 66300 gaatataaac tcggtagact tctggtccct tcattggtca tggaatggac cagtgcttgc 66360 ttcattgagc aacagttctg ttgttcagaa ttcctggatt tcacctcact tctgctctcc 66420 ctgcaggtga atgtgatgtt catgcttgcc attcttctga cattcttcca cccctttctg 66480 gtatatcggg aatgccgtac ttggaaagaa agtccctctg caattgcata gttcagaagc 66540 cctcactttt cagccccgag gatggttttg ttcatcttcc accacctttg aggacctcgt 66600 66660 gtcccaaaag actttgccta tcccagcaaa acacacaca acacacaca acacacaaaa 66720 taaagacaca caaggacgtc tgcgcagcaa gaaaagaatc tcagttgcca agcagattga 66780 tatcacacag actcaaagca aaggcatgtg gaacttcttt atttcaaaac agaagtgtct 66840 ccttgcactt agccttggca gacccttgac tccaggggag atgacctggg ggaggaagtg tgtcaactat ttctttaggc ctgtttggct ccgaagccta tatgtgcctg gatcctctgc 66900 66960 cacgggttaa attttcaggt gaagagtgag gttgtcatgg cctcagctat gcttcctggc tctccctcaa gagtgcagcc ttggctagag aactcacagc tctgggaaaa agaggagcag 67020 acagggttcc ctgggcccag tctcagccca gccactgatg ctggatgacc ttggcctgac 67080 cctggtctgg tctcagaatc acttttccca tctgtaaaat tgagatgaat tttggtgttg 67140 67200 aaagttotto otggagcaga tgtootagaa ggttttagga atagtgacag agtcaggoca ccccaagggc catgggagcc agctgacctg cttgaccgaa ggatttctga cagactatct 67260 67320 ttqqqqatqt tttcaagaag ggatataagt tatttacttt gggcatttaa aagaaaattt ctctcgggaa taattttata gaaaaataaa gcttctgtgt ctaaggcaac tactgtttcc 67380 atctctctag gctttgggcc ggggctgtgt gtgtgtgtt gtgtgttt gtgtgtatgt 67440 gtatgtttct gaggaggccc taccctggca tgagagggta gggaatctgg ctacacatct 67500 67560 agtqtqqcaq ctqqacccag aggtggggca ggaaccctga ctatgattca ccccgctggt 67620 cctgggatgt gggcccagag acttcctccc ccaggaaccc ctctgcttcc tcttcctctc 67680 cacateetta actaacttta geagaaceet acteeteact acacaeeeee agetagaage gctggatgga atcagaaatt cctagtttga gtttcaattc tgcccctcag cagctgggca 67740 agccccttaa ccactctgag tcactagttc cccacctgca aagtgcagtt aatcatttct 67800 67860 atctctgatg gcgattgtga gaatgtaaag tcattgcaac tgcctagcac atggtaggag cacatgaggg tttgctcctg tgtttactca tgacccttgg ggaggacggg ggcaaagagg 67920 gagaagttga gggtgcagga ggagagatgg caggtgggtg ggatgggaga atctggggca 67980 cacctgctgt ctcattccca ccttgctagg agagggacta ggaaagaaca gtgggaggca 68040 gggggatggg ggtggaaggc agggggtggc aggcaggttc atccatccat tcattcaaca 68100 aatgtttatt gagcacctgc cacgtgtcag gccctgtcct gggtgctggg gctataaaga 68160 tgcagaaggg tctgaaaccc agctcttcct tcttcctgtg gatgtcgggg tgtaatttcc 68220 aggggccagg agcctgggtc tgagggcgga caccaaagtt ctagtggtgt ctattagcag 68280 cgtttaaatc taatggatgg atttggtctt gttaccctgc tcaaaagctt tcagcagctc 68340 cccactgtcc acaggacaaa aatccagatg ctagcctggc attcaaggct gtcactagtg 68400 tgatctcaac ctctcccctt ccctctttac ctcctaccaa cagcggggca gagcccaccc 68460 68520 ctgtggacca agattcccag tctctgggtc tgtgtgtgca ccagttcctc tgcgtgggtg gctcaccctg cctcagcttg tgaaatccat ctggtctgct gggatcctgc tcaaaatgtc 68580 68640 atcttctcca aaaatcatta ctcaggcttt ccagcatgtc tgagtccctg gcacttggtc 68700 acaccettee tggtgaetgg catttgeete cacateatga ceeteceace cettgeetgg gcagcatact ccaggaggca aggtctgttc tcgcctggct ctaattaatc tgtgcttacc 68760 atccacatgg taccagctaa ttcttgttga atgaatgatc gttgaatgag tggattcttg 68820 ttttggcctc agaaccaatt agaaggagcc agaaaaacac atgggggtgg gggaggtgca 68880 gtgtggtgca gtggaaaaaa accettctgg aaatctcage tctgtcactt actttgtcag 68940 ctctgtgact ttggatggac cacttctttg tcagtatggt gggagaaata gacatgcctc 69000 tctgggctgt tgtaaggatt acaaattagg tcgagtgctt ggcatgtggt gggttgaaca 69060 gatcacagct agcattacag atgatatatt aaagccaaaa aaagatgcct aatgtccacc 69120 agttggtgaa cggacaaagg aaatgtacca tatttgggat attatttggc aatcaaaaaa 69180 agtactgaca cctgctacaa cacggatgaa tcttgaaaac attagactaa gtgaaagaag 69240 ccagacacaa gaaactgcta atgattccat ttaaatatga aatatcgggc cagggtgcag 69300 69360 tggctcatgc ctgtaatccc agcactttgg gatgccaagg tgggcagatc acttgaggcc aggagttcgt gaccagcctg gccaacatgg cgaaaccccg tctctactaa aaattagccg 69420 69480 agtqtagtgg catgcacctg taatcccagc tacttggttg gctgaggcac aagaattggt tgagcctggc aggtggaggt tgcagtgagc caagatcgtg ccactgcact ccagcctgga 69540 tgacacagtg aggttccgtc tcaaaaaaaa aaaaaaaaa ggaaaaagaa aaaaagaaat 69600 ttccagaata ggccaatctg tagaggcaga aagtagattc atgattgggt aggcctgggt 69660 gtggaggcca tgggtagtga tggctaatgg ggaaggggtt tcttttgggg tgatgaaaat 69720 gggtggactt atggtatgtt aattatacct caataaaact gttatttaaa ggaagaaaag 69780 atgcctggat tccccaggaa gtgtacagta gacttctgtg agaatcagaa atgatttctg 69840 gggaagatgg gcgagaggag agtaagtggg agaagtgacc acgtgcgcaa ctctcatcgt 69900 tctgccctga gagccttcct cctgcaactt tatttattta tttattttga aacaggttct 69960 cactctgtta ccctggctgg agtgcagtgg tgtgatctca gctcactgca gcctcgacct 70020

gccaggetca agcaatecte etgtttgage teetgagtag etgggaetae aggegeatge 70080 caccacatct ggctaatctt ttatttattt atttatttat ttatagagat tggggagtct 70140 70200 cactctqttq ctcaggctgg tgtcaaacgc ctggactcaa gtgatcctcc caccttggcc tcccaaaqtq ttqqqattat qqqtqtqaqc cactqtacct qqcacctcct qcaacttctt 70260 70320 cctcaaqtqq aaccaatqaq qaagcaagca actcagagct ttcacaagtt ttgatttcaa tragcaargg gritteraatg caarestict ricetgiaar ragericagt agagaggaar 70380 70440 tggaggtgaa ttggccccca tcacaccccc acagtgccaa gctgggccct tccatcaggg 70500 ggagaacaca tgccgtgtaa gggacagcca acagcataaa ataggaattg tgtgatgatc 70560 ccttttaagc ctattcagcc cagggaagtg catatgatca gccccatttc atagatgaag aaagtcaggt tcacccatta gcacattgtg gggctggtat ttaaaccagg tctgtctggc 70620 70680 tettettett ettettette tiettettet tettettett ettettette tiettettet 70740 70800 70860 70920 70980 tcttgctcta ttgcccaggt tgaatgcagc atcatcatac ctaaatgcag ccttgaactc 71040 ctggccttaa gcaatccccc tgcctcggcc tccaaaagtg ccaagatttc aggcatgagc caccatgccc agcctgcatt tattctcttg taagaaagat atcatttaaa acagacgaga 71100 71160 aaataaagag ggacatgaaa aagacgcatc accattaatt ggaccactca gagataatca tggttaacat gttggtatgt tccctcccgt catttgactg gatgtatgtg ataatttaaa 71220 tgatctcata agcttttcct tatgtaatca aatagtagcc aaaaacatga ttttaaatgg 71280 ctgctcacaa ccccatctcg tggttctgcc acgccttgtt tatccccatc cacccctac 71340 tecettteee etteeetgee tqtqtqqqqq teetagatga eggtqageea gagggeagee 71400 ttggtcagca gattggagag tgcaaataat aaaaacactc agaaggcgag ctqttgtcaa 71460 71520 gtgggcttat cacaaaagag caccttggga tattccagag aatgacctca tacccgctaa 71580 tcactatcca taatctggtg ctaactgtac tttagctgaa ggtgctggca ggtcctgccc 71640 aggtgctgct aagaacactt ctattctgtg agaatcagag atgatttcta gggaaaatgg gcgagaggga gtaagcagga gaaacaaccc acaggcacag ctctcatctt tctgccctga 71700 71760 gageetteet cetgeeacgt ggttttgttt gtttgtttgt ttgtttgttt cagatagggt ctcactctgt cacccaggct ggagtgtagt ggcaagatca tggctcactg aagcctcgac 71820 ctcccaggct caagcagtcc tccccaaatt caaagcttgg agtgatggtc ccagtggtta 71880 71940 tgtctaggag ccctttttcc tgccagcccc tcaggggatt gatgactctc aaatgcttca ggtgtgacat gggcacagca gtgagtcatt cctctgacat tctttgggaa gaacattttc 72000 72060 catccaggct tccaggcata agatccagtc ctctggtgat aaggagttca cagacaggac 72120 aatgtctgag tgtatcttaa acccaggacc atggcttgtg ttcacaccag accctccagg 72180 gattttqaqq tqttttqttt gtttgtttqt ttgtttgttt gttttttgag acagagtctc tctctgtcgc caggctggag tgcagtggca cgatctcagc tcactgcaac cttcgcctcc 72240 cggttcaagc gattctcctg tctcagcctc ctgagtagct gggactacag gtgtgcacca 72300 72360 ccacacccgg ctaatttttg tatttttaat agagactgtg tttcaccatg ttggacagga 72420 tggtcttgat ctcttgacct cgtgatcctc ccgcctcggc ctcccaaaat actgggatta 72480 caggcatgag ccaccgtggc ccgcccaatt ttgagttttt atgttctaat cccaaacatc 72540 tgctcacagg cccctcagca tattctttcc tgggtccagt gtcacctccc aggcctgcag 72600 gctggctaga gcagtagggt gtgtgggaaa gctctgggct ttgcaggcac tgatcagctg tgtgacctta accacctga acctcagttt cctcacctgt aatggaaata ggtaccacgg 72660 cagtttgttg caaggactag agagtaacct tgggaataaa aggtagcagc agcttgggct 72720 72780 ctggagatgg actgtccaag accaacttcc agttcctccc cacacaagct ctggcactta 72840 gattcctggt acctccgctg cttcatctgt aaaatggagt aacaatagga atactttata gagttgtaag gattgagtgg ctggatgaac gtcaagcact tcaaagggga cctggcatgt 72900 agtgagtgat caatataaac cacctggctt gtagcaggtg tgctgtgtgt ggctgcaggt 72960 gttattagta acatctgtgt gcccttcaga gcgtgcacca cacttcacac cttgtggagt 73020 ctggaatgcc actattatag ttcaggatag aaaacctccc tgcaagcact cgctttagct 73080 tgtctccacc gaacaaaaca acacaagttc tttattactt ggaatgggaa aacttcaaag 73140 73200 gcaaaaaaaa aaaaagactt tcgagttacc ccaaatctta agccaaagtc aatgaaaaat atcaatcttc atattcaatt tttgcgatac ttttgtctcc ccagcagtca atggagagaa 73260 tccaagcaca cagaaatgtc aattaccagg ggcagggcta tgaattcctt tcagagccct 73320 73380 gggctgggga agagtgcagg cagacagatc tgggtcctgt tatcacgttc ttagattggg 73440 tgtccttgta ggagtcatga agcatcttag tgcctttgtt tgctacctat aatgcctacc tcagagagta ataaggataa gtaaggctct acgtgaaaag tgctcggccc tggcacatag 73500 73560 taggtccttc attaatggca gctactaatt tttattacat acgcaaaatc acattacagg 73620 tcaagtacgc tacatgacag tgaaacagtt tttttgtttg tttgttttga gacagagtct cgctctgtca cccaggctgg agtgcagtgg cacgatcttg gctcaccgca acttctgcct 73680 tcaagcaatt ctcctgtctc agcctcccga gtagctggga ttacaggcat gtgccaccac 73740 gccagctaat tttttttggt atttttagta gagacggggt ttcaccatat tggccagact 73800 73860 ggtctcaaac tcctgacctt gtgatctgcc caactcagac tcccaaagtg ctgggattac

tqqcatqaqc caccgcacct ggctgtgaaa cagttttatt gtgtttctgt ggaatgtgtc 73920 ctacccaacc tatagctaac tectatagtt ccctcagtte teageteaga tatecettee 73980 74040 tttctqtact qttacctaqt actqqttttc ataqcaccaq qtacctctct qqcataqaqc ttgtcacagt tgcagtttaa tgtaccatca taggatttta aaaatattca gttgtgtctt 74100 74160 ccattaggct ttcatttqqq aactccacqc aggcagcagc tgtatatttt gtattgccta 74220 ctgtatcctg agaactttgt accctactta gcacagaatg gaggctcagt aaatactgga 74280 74340 aatcccaget ctgagettet agtteectga tggtgaggae tgtgatgtgt etcacaeggt 74400 aatgagcact tatgcagaag aggctcagaa aatttctcct catggccaac ggaagactta 74460 gagttetttt ccaageteca cegtttgetg geatgeaaaa tttggaetat caettaagtt ttccaagcct tgcttttct atccctaaca taggacaata ttcagcattg ttgtttgttt 74520 gttgggggca ccatgtttca ggcacttagt agattattgt accaccacat ttcaattggt 74580 74640 cctcctcaag ccctgcaaca tctgtgaggt ggtcatcctt aacaactcac agatgagcaa 74700 caggagactg gggggatgag ggaactgcca aggaggtcca gcttatgggc agcagagcca agaatqqaac caqqqtcttt tattttttta tttttttatt tttatttttt aaccagggtc 74760 74820 ttttaacatc cgaggaccac attctttgtg ctttccaaat catcacctgc cccatgcaac 74880 ttacagggta agttacatta aacaacgtat gtaaatggct ttgtgctagt tattcaccac cacaggggaa gtgagtcacg gacaagagtg cagccgctcc attcggatcc tggctctgac 74940 acttacctgg aaaatgactt aaccattccc aggatcagct gtttgtctgt aatttaggta 75000 gtttaatggc acttgtgtcc tagagttgtt tagaaggttg aataatatgg agcacttaac 75060 atacttagca cctagaaaca cttcctaaat attagttgct gctgttgtta tcgttattaa 75120 aatttctgcc taagatctca tttcagggag cccaactcaa tctttgacaa gcttaaacaa 75180 aaattgcttt tcttcattta ttcacttaca cagcaaacat gaattgagcc tgtactgtgt 75240 ttccaqaact qtqcaqqacc aqaqaqqcac aqqtqaaqqa aqcaagqctc tqqctctact 75300 ggggaaacag caagaagatt gctacaatga ggtgggaaga gggctggact agagagaagc 75360 75420 cctqattaqt qtccttgcta cctttctctg ggagagccaa ggcaggcttc ctggaagagg 75480 tgatccttgg ctgaaacttc gatgaagaaa aggaaagagc gcagtggtta gggaggaaag ggcattctgg gcagatgaaa tgacatgtga caaaatatgg gtgatcannn nnnnnnnnn 75540 75600 nnnnnnnn nnnnnnnn nnnnnnngca ctccagcctg ggtcactgag tgagagaccc 75660 75720 tgtctcaaaa aaattaaaaa aaaaaagtcc agaagaacat ttgggtctca ctctgtggcc caggetggag tatagtggca caatcatage teactgeaca tteaaactee tggeetcaag 75780 75840 tgatcctcct gccttagcct tgaaataagc ttggattaca gatgagccac cacacccagc cagaccatta ttcataatag ccaaaatgtg aaaacaaccc aaatctccat caactgacaa 75900 75960 atggataaat agaatggtgg ttgatccata caatggagta tttactcagc aataaaaaga 76020 agtcctgata catgctacaa ggatgaacct cgaaaacatt atgctaagtg aaagcagcca atcacaaaaq qctacatatt acaagattcc atttaaatga aatgttcaga ataggtaaat 76080 76140 ctaactttta tcacaggcaa agctatgaca ggaaatagat gagtggttgc ctagtgcttg ggggcagagg tgggggtgag gcgagtgagt actgctaatg gtacagagtt acttttgggg 76200 76260 ataaagaaac tgttctgaaa tggactctgg tgatggttgc actactctga acatactaaa actgttaaat tatatacttg aaatgggtga cttgtgaggc atggaaatta tatcttaata 76320 76380 aagctgtttt acatatttta catatttaaa aatgcaggtg gagggatgag ccctctaaag 76440 agaagcagga gtttgaggag gttctaaata ttgtgtggtg ggtactgagg catataaatt tgtcagacct catcaaaatg tatgatgtaa tcttcaagaa agttgatttt aaagaaacac 76500 76560 caccagcacc aggtggagaa ggcaggaaga agttacacaa ggggtaggcc aagagtggtg gctcatgtct ataatcccag cactgcggga ggccgagctg ggtgggtgac ttgaggtcag 76620 gtgttcgaga ccagcctggc caacatggtg aaagcccgtc tctactaaaa atacaaaaat 76680 tagccagacg tgctcgcgtg aacccagggg gagaaggttg cagtgagcga agatcatgcc 76740 76800 cataggggac agtggcaggt gtcaagggca ggcagggtct ctcctatctc caggataaac 76860 tcatagggga cttagatgcc atgtgggtcc ctaatagccc tccacttggt tcttgcagcc 76920 actettatgt gtateattte atgteaggee tettettece aacceaceea gecateeeag 76980 cctggctqcc aaccccacct cctccagccc ctgtcacccc ataattgggg ccaggaggca 77040 77100 tgggagagtc gccatctctc ggtgccatct gttgcatctt tacagataac catggctgga tgcggcagat cctggggtgg agcagccgct gttcagagca gtgatcaaga cctccccatc 77160 tccacccctc aaggaatcgg ttttcttcca tagccacatc aggtgctgtg caggaaggag 77220 ttgaaacgag aagccaggag caacgagaag gacactaaca tttattaagc actgcagact 77280 ctcacagcac tcccacggaa tcgatattat tatccccatt ctgaagacca ggcaactgaa 77340 gctcaatgtt taaggaactc accgaagtca ccaactgata aaagtgatgg aagctgggat 77400 77460 tcaaatccaa gctaaacttc cttccaagct tactccacaa cacagaggtt ggggaaaggg gataaaaaga gaggggagcc caattccatt tccacccagc tcctgaggcg gagcttgtca 77520 gcacagetet etecttecca quataggaag atacceatea gaggeaagte etagacacea 77580 gcagtggtaa ctccctgccc caaggcagct gcagacagcc tatggctgta gttactgctc 77640 ccaaagagtg ttagaattcc cactcccagc ttcggggcca ctcacacaag gtgattgaag 77700

tggaaaccag	agactctcca	caatgccctc	ctagagtaaa	tgaggctatg	taactttgtc	77760
casatgagta	atttgaaaac	ctagagactc	ccagetecta	aaaagggaag	gatgtggggc	77820
						77880
	catactccac					
aaattcctct	cccagcacgt	ctccttcaaa	gagctctaga	cctgaggctg	tcagaggctt	77940
	ctattagtcc					78000
						78060
	agataaatga					
gaagaggtcg	agaagtgagg	ctgtccaact	gctgaccctg	ctttctgtcc	acctggccac	78120
	ctggcttcca					78180
						78240
	atacctgggc					
cagggagccc	cagcccagga	gtacagcaga	gaagaagagg	ttctccagca	cagccgtgca	78300
ggccatccac	cagcgcctcc	ggtacgcctg	ttgcagcgtg	ggggccatgc	taaccccaaa	78360
	aacagagcgc					78420
	gcacccgaga					78480
catagagccc	tgggcttccc	agccggtgcc	aaggagctgg	ctccgcgcgc	actagcagtg	78540
	acgcggcacg					78600
	tgcagcttcc					78660
	tgctggggag					78720
gcagagcgcg	ctctgaagca	ccgcgggccc	atgtccggac	tctcgcgcca	ggaaagaccc	78780
	gcaggaagaa					78840
						78900
	gacctctcct					
gtatcaggtg	acccacgacc	ctacagtctc	tcgggccaag	ccaacagctg	ccacgtggag	78960
ggagacccag	gacgggctct	cctcggttcc	ctcctcccc	gcgcgcccct	cactcactcc	79020
	gggcaccagg					79080
	ggacttcggc					79140
gcggatgggc	tggcgggcgg	gtgtgtttac	caaagggagg	gaaagagccc	cagctccccc	79200
	gctgcagcct					79260
	gggatgagac					79320
agaggggagg	aagtaccagt	cacttcttcc	agggggactc	ggtattctca	tctgtgaaac	79380
ggggctttgg	gttcaagcgc	tccaggaggt	ccgctggaac	tctggcaaac	gcgcagctct	79440
	agtgcagcga					79500
						79560
	gggaaggacg					
gcaagtaacg	gtctttcctt	gggaagcctg	gcagtgtcgg	cgggagccgg	cctcggtgtc	79620
tctcagccga	cgcatagccg	gagaccctac	gcqcqccccc	tccccgccca	cgctgctcac	79680
	cggcaaatga					79740
						79800
	tccggagtcc					
tctgcgtgca	ggacccggcc	gccacggagc	ttcagcctga	cagcccggtg	gcctcgcctc	79860
cgctgtctcc	tcggaagaag	cgggggaact	gggaacccgc	cgggcgccag	aggtctgcga	79920
	ggatgaagtg					79980
	aggtgggggc					80040
acgcgcacgt	gactcgcccg	ctggtcccgg	acactctccc	tctggcacag	ccccagcacc	80100
tacatttcca	ccctggaccc	ccatcttctc	ccccaagccc	ccagactaac	atcaggcagc	80160
	tccttgttca					80220
cagggeegee	ttgggtgggg	ttttgaactg	tgcagctgga	agcagtgttt	tccgagaggc	80280
agagtggcac	gggtttcttt	ggagttagtc	agatcgaggt	ctgagtcttg	actttttaac	80340
tgactaccct	gggttaccta	gggcaagtta	cctctctgag	cctcagcttc	ctcctctta	80400
	aaatggaacc					80460
	catagcattt					80520
	cctggtgatc					80580
ctctcagcct	ccctgagcct	cagtatcctc	atctgtaaaa	tagactacta	taatataaa	80640
taatgagag	taatctcatt	acatotoaot	ttaattatat	attaagagta	ctactaatac	80700
						80760
	taatacctag					
tttacctacg	taacaaacct	gcacattctg	cacatgtacc	ccagaactta	aaataaaaat	80820
aaaattttt	taaaaaaaga	gtgatactgg	taaccaaata	tagtagttca	tocctotaat	80880
	tgggaggcca					80940
	tggtgaaacc					81000
	tgcagtctca					81060
	ctgcagtgag					81120
	ctcaaaaaca					81180
	cccctgaaca					81240
agacagggca	ctttccaaaa	taaaaatact	gttattaatt	cctcaagaca	tcatggtccc	81300
	catagctttt					81360
	atgcagagtc					81420
	aatggcaaga					81480
radccaaadc	acatqtcaqq	ctctgatggt	ttaacttctt	aaaatgcaat	actgcctccc	81540
-99						

agaacttcca	gatcaaggtc	aaactcctca	gctctacaca	gggggaccta	gagtcaactt	81600
tctaagctag	gagagtcatg	gatccctttg	agaatacaaa	agacagtggg	cgcggtggca	81660
gtggctcatg	cctgtaatcc	caacattttg	ggaggctgag	gcaggaggat	cacttgagcc	81720
caggagttca	agacctgctt	ggtcaacata	gtgagacccc	tatttctaca	aaaaattcag	81780
ctgagcatgg	tggcatgtgc	ctgtagtctc	agttactggg	gaggctgaag	taggatgatc	81840
cctgagcctg	ggaggtccag	gaagctggag	tgagccgaca	tctcgccact	gcactccagc	81900
ctgggtgaca	gagaccctgt	ctcaaaaaaa	aaaaaaaaa	gaagaaatat	gttattgatc	81960
tactcttgac	aaaaatgctt	gtgtgaacat	ggacacacac	actcatcaac	attcacattt	82020
caaggttttc	atggaccctt	tccatgaggc	tctagtggtc	catggacccc	catggctgga	82080
acacttoctc	ttcctcatct	caacccacat	ttccatggag	ttggactgtc	tgctgcatga	82140
ggacacaggc	ctcatttggt	gtgttcattc	actgctgtgt	atcccagcac	ccagaacagc	82200
acctcaccta	aggggcactc	agcacatgtg	cagtgaagag	tcagtcagct	ggtttcacac	82260
ctcccagtct	ttqcacctgc	tattccttct	tgtgggaatg	acagatttcc	ttcatttctt	82320
tttttttt	ttttgacaga	ttccagctct	gttgcccgag	ttggagtaca	gtggcacgat	82380
ctcagctcac	tgcaacctct	gcctcccagg	ttcaagcaat	tctcatgcct	cagcctccca	82440
agtagctggg	attacaggtg	cacaccacca	cctgtgagct	gatattttt	tetttettt	82500
tctttttcc	tgagacagag	tctcactctg	ttgcccaggc	tggagtgcag	tggcgtgatc	82560 82620
tcggctcact	gcaagctcca	cctcccgggt	tcaagtgatt	ctcctgcctc	agcctcccaa	82680
gtagctgaga	ctacaggcgc	gcaccaccat	gcctggctaa	tttttgtatt	ttttagtaga	82740
ggcggggttt	caccatattg	gacaggctgg	tctcgaactc	ctgacctcgt	gateegeeca	82800
cgttggcctc	ccaaggtgct	gagattacag	gtgtgagcca	ctgcactcgg	ccatttttttg	82860
tatttttta	gtagagatgg	ggtttcacca	tgttggccag	getggtettg	aactettgge	82920
ctcacgtgat	ccacccacct	tggccaccca	aagtgttggg	attacaggca	tgaaccactg	82980
cgctcagcct	ccttcttcat	ttctaatgta	ctcatccttc	ttatage	caaguuta	83040
cttctctctg	gaagetetae	tctaggctgg	atteagggee	natastoso	ttagttttct	83100
tactctgctt	acctctatgg	aagtccccac	ttataaaaa	aataattagt	acataataaa	83160
gccccatcc	cgccccatga	gatgtacatc	cctagggggc	aggaaccacc	caaccaacat	83220
tgatttgtgt	geetgetgee	tatcacaggg gaatggtggg	assagesaget	aacaageeeg	actaaaatca	83280
ctgttgaata	aacgaaaagg	ggacggcggg	tttcactctt	acadaggeag	taacaggaaa	83340
gtttggaatt	ttatttatt	ttggttttgt	ttattttaa	tgaagggtag	cattatcatc	83400
agettttat	atttaattaa	tggagcatat	attggaaagg	acagagacct	taaagcagtt	83460
agguerecge	cataatagtt	cacattttgc	agccataaaa	aggaatgagg	ccaggcatgg	83520
taactcactc	ctgtaatctt	atcacttcgg	gaggttgagg	caggcggatc	acctgaggtc	83580
aggagtttga	gaccagcctc	accaacatgg	agaaacccca	tctctactaa	aaatacaaaa	83640
ttatccaggc	gtggtggtac	atgcctgtaa	tcccagctac	tcaggaggct	gaggcaggag	83700
aatagcttga	atctgggagg	cagaggttgc	ggtgagccga	gatcgtgcca	ttgcattgca	83760
ggtacatgga	tgaagctgga	agccatcatc	ctcagcaaac	taacacagga	acagaaaacc	83820
aaacaccgca	tgttctcact	cataagtagg	agctgaacat	tgaaaacaca	tggacacaga	83880
ggggaacatc	acacactagg	gcccgttggg	gagtgggggt	tggggggtaa	ggggagggaa	83940
cttagaggac	gggacaatag	gtgcagcaaa	ccaccatgac	acacgtatac	atatgtgaca	84000
aacctgcaca	ttctgcacat	ggatcctgtt	ttgttttaag	aagaaataaa	gaaaaaacca	84060
agaagaaaca	aacaaacaaa	aataattccc	atttaaaaca	ataa <u>a</u> aaata	ggccaggcat	84120
ggtgactcag	gtctataatc	ccaacacttt	gggaggccaa	cgcgggcaga	tctcttgagc	84180
ccaggagttc	aaggccagcc	tgggcaacat	ggcaaaaccc	tgtctctaca	aaaaatataa	84240
aacaaacaaa	caaaatagcc	aggagtggtg	gtgcatgcct	gtcatcccag	ctactcaggt	84300 84360
ggctgaggtg	ggagaatcac	ttaagcctgg	gaggcggagg	tagcagtgag	ctgagatcgt	84420
gccactgcac	tccacctgga	gcaacagagc	aagattttgt	ctctaaataa	ataaataaaa	84480
taataaaaaa	cagagaagag	gaaagacacc	tgagatatat	tectanact	gaatcaatag	84540
gatttatcaa	cgttctcctc	tacccccaaa	actaatteet	actatactac	tgttctcctg gggctcctgg	84600
acactactca	taggttaagt	ataacagcat	raccacattg	gergreatege	tctaaatcct	84660
ctagaggctg	cttcacaget	atatasttt	gagcaccgag	ctccatctca	tgagcctcac	84720
ggctctgcag	ctgattattt	tassatas	agtatocaat	tcaattcatt	atttaatgaa	84780
tertetagee	torcaagige	cyaaaacaaa ctattataaa	tatttaddct	addacadata	gctcacgcct	84840
gtaatggcc	cadidadiay	daccasadta	. caccadatcec	ctgagtcagg	agtttgagac	84900
gradicecag	eacticityyya	aaccccatct	ctactasass	tacaaaaatt	agctgggtgt	84960
ratagestat	acctotaato	ccagctacto	aggaggetga	ggcaggagaa	cgcttgaacc	85020
ggugguaugu	addctdcadt	gagccaagat	cotoccacto	cactctage	tgagcaacag	85080
aggagacag	tatataaaa	aaaaaaaaa	aatctctgca	tgaagaatgt	acataaaatg	85140
gtgcagccat	ttcggaaaac	agtttggcag	gtcctcaaat	agttaaacat	agagttacca	85200
ctatagccca	gcaattccac	: tcctaaatat	actacaccca	. agagaattga	ı gaatatttgt	85260
taacacaaaa	atototatac	: aagtatttat	agctgtatta	ttcattacaç	, ctaaaaagtg	85320
caaacatccc	agcagtccat	. cagctgatga	acggagaaac	: aaaatgtggt	atacccatac	85380

85440 aatqtcatat tatttggcca taaaaaggaa gtactgatac atgctacaac atggatgaac cttgataatg ttattctaag tgaaagaaac cagacacaaa agaccacata ttgtatgact 85500 85560 gcatttatat gaagtgccca gaataggcaa atccacagag acagaaagta gattagtggt 85620 tgccagagac tggagggagg agataatggg aaatgtggaa tgactgctaa tggtatgggg 85680 tttcttcttg gggtaatgaa aatgttgtac aattagataa tggtgatcat tgtaaaactt 85740 tgtgaatata caacatgctg aattttatac tttattatat tttattttt ttgagacaag gtctcgctct gtcacccagg ctggagtgca gtggcacgat ctcagctcac tgcaatctct 85800 ctgcctccca ggctcaagca atcctcctgc ctcagcctcc tgagtacctg acactacagc 85860 85920 atqtqctacc atqcctggac aatttttgca tttttagtag agacagggtt tcgctatgtt 85980 qcccaqqctq attttgaact cctggactca agtgctccgc ccacctcagc ctcccaaagt gctaggatta caggtgtaag ccaccactcc cggcctaaat tgtattcttt aaaagactga 86040 86100 cctttgcgtg tgtcaggcac tagggattcg atgctgaata agacacagac cctaccctca 86160 86220 qaqaacacag agcccagcag gagagagtca cagatgaatc aagtgttaca tcatctatag qaaqcqccat ggaagaaaga catggtgcca tgagaacata cgcttagaga agggaatttc 86280 86340 atctagactg gggctcaggg aggaatcttt cagggtgatg cttgtgctca gagttttcca 86400 tgtcagaatc agtagaattt atcaatcctc cagaggagga aacagcaaat gaaaaatctt 86460 acaacaggag gatgcggaga cattccgaga gctgatcaag ggctggtgtg aacaaagcac ataggatgca gagcctgtgg tgtgaggttg cagctggaaa ggtaaaacac taattacatt 86520 ggatettetg agacaataaa gagtatgeaa taateteaaa egaeegaaac tgaeetteet 86580 86640 cctccctaac tigcttgctt ccactgttgc ccgtatcata aaagcaccac cctcttctac 86700 ccagtggctt aagacacgaa actcaagtca tcccaggctt tctcccacc tcactctcca catccagect atcagegage ttgtgggtet taccaegtaa agaettetea tetecageta 86760 86820 ctaccatccc ccaagcccag atcaccatca getcaggect ggactcctgc aacctttcta accgggtctt cccaatccta cccccgcaac atgaccccaa tagcccatca gaatggacta 86880 atcgagatgt agatttgatc aggccacatc ccttgaaagg cttcctgtga ccctcgggga 86940 aatgcacaaa ctcccaatga tggcccctga gtcctgtgcc atctgggtct gccctctgcc 87000 ctctgtgtct ttgccatggt aacctccttc acacccatta atactccatg ctctctccta 87060 cctcaagttc ttcctgggct ggaacattct ctgcactagc ctagccaact aaccctttag 87120 atcttttgtt tgtttgtttg tttgtttgtt tgtttttgag acagtcttgc tctgttgcca 87180 qqctqqaqtq caatgqtqca atctatctcq gctcactqca acctctqcct gccqgqttca 87240 87300 agcaattett etgeettage gteetgagta getgagaeta taggeaceta ecateaegee 87360 cggctaattt ttgtattttc agtggaggtg ggttttcacc atgttggcca ggctggtctc 87420 gaactcctgg cctcaaatga ccaccctcct cggcctccta aagtgctggg attacaagca 87480 tgagccactg tgcccaggca acacttcaga tcttaatgat catttccttt aagtgcctga cctcttgtag taactagcct gactccagca atgaatcctt ttgcaatgta acctatataa 87540 catctqaqtt tccctttgat aaaactcatc atatatttgt tcctctgaca gttcagaggg 87600 87660 caaqqqcctt tqcccacctt cctcaccact atcctctcac cacttaacac agaactcacc 87720 acccaccatg cctcctgcct gacaaattcc taaccatcct tcaaatctca ctcacctatt accttctggg aggcagtctt ccctgagcac caagacaatg ggacacattc ctttatacac 87780 87840 cctgctgaac atctcttttt tgaggggcgg gtagagatga gtgtctcact atgctgccca ggctgacctc aaactcctgg cctcaagcga tcctcctgcc ttggcctccc aaaatgctgg 87900 gattacaggc atgagccact gtacctgacc gcaactgggt tagnnnnnnn nnnnnnnnn 87960 88020 88080 88140 aaaaaaaaaa aaaaaaaaa aaattatttt aaattagcca gacatggtag tgcatgcctg tagtccaagc tacttgggag gctgaaggga gaggatcact tgagcccagg aggttgaggc 88200 88260 tgcagtgagc cgtgatcgta ccactgtact ccagcttggg caacagagtg agacctcatc 88320 cctaaaaata aagaagaaaa tatggcaatt tgactgtaca tctctaatgg gatatatcct 88380 aaggatgaga aaggaataag gaaggacaga aaaaaggaaa caaagaagta gcaacagtat 88440 ttagcaattg tattgttatc aagtaacatc aatattggta aaaccagtaa ttatatttaa 88500 aatactatat atgtgtatgt acatttacat atgcatatgt taggaaccaa gtttatcaga 88560 ggaagagaaa gggctacaaa tgtaaaatca aggaaataaa aatttgaata aaaatatcag 88620 tattaagtat ttatgatatt tttcttataa aaaaattata tatatgttaa ctctatccaa aacccaaaag cagtgacaac ccaggagcaa taaaaaacct cagcatccag actgtagtct 88680 88740 ctaccatttc caattaaaga aacccagggc tagttgggaa aaatgacaat ttcatgtcta gggcaagaaa cacacctagt gaaatggacc tgaacattta attgtgttag aaagtaagga 88800 88860 aactetetag aaataatgtg attteateta aaagacacag attetggget ggtaaagttt 88920 tcaatggcca aaggtgagac aatttgagca tcaagaagaa tcatgacaga acagattaaa acatgtcaaa tatattttaa aatgaaatat tataaaagaa acaattagta gccatccctg 88980 aaggtcacta gggcaccaac tcatatttca aactggtaaa taaatgtgta agccaagcat 89040 ttatttctgg gtaacaaaat agtaaggaat gttttcttt ctagaagaat tctagtgatt 89100 aaaagtagaa gatagaaata gaaaatcatc cttttggcca ggggcagtgg ctgtaatccc 89160 89220 agaactttgg gaggccaagg caggtggatc actggagatc aggagtttga gaccagcctg

qccaacatgg tgaaacccca tctctactaa aaatacaaaa attagccagg tagtgggtgc 89280 ctgtaatgcc agctactcgg gatgctgagg caggagaatc gcttgaacct gggaggcgga 89340 ggtcgcagta ggctgagatt acgccactgc actccagcct aggcaacaca gtgagactct 89400 89460 gtctcaaaaa aaaaaaaaga aagaaaagaa aatcatcctt ttgcgatcct aatgaaataa tgggcctagg cattgatcat taatggctcc taaaatcact aagtatatgg ttgatgggaa 89520 actttatagt ggatggatca gactcgcaat gtctaaacca gttgatcaat cttaacatcg 89580 89640 taacaagaca acagacacca ggggctgctg acaggagaac agaggaaacc catagctcta ccactgagtt attcacggca aaaaaaaaaa aaaaaaaatt aaactgcgtt tcctccaagc 89700 89760 89820 aaaacaacgc caaatccaaa atatggggaa atgacccagt ttcttcaaca aataaacaag aaaaggtagg ggggaggact gttctagatt ttaaaagcta tagaagacac agcaaccaaa 89880 tacactgcat ggaccaggca tggatcctaa ttggaacaaa ccaactgtaa aaggatgtat 89940 90000 ttgaaatgat tggaggaatt tgaacagtga ctgcacagta gatgatatga agaaattatt 90060 qttatttttt aggtgtgatc atgattttat ggtgatgttt aagtaaaaga ggccttattt gttagagata catgtacggg tatagagaaa tatttacgga tgaaatgata cgatgtctga 90120 90180 gatttgcttt gaaaactcta gcaggtgtgg gagaagcagg tgcatgggtg ggggaaggga 90240 tagatqaaat aaqtatgcaa aatgttagtc tacttttgtc cctcctgacc cagcaggtta 90300 aaatacctca qcatacctct actcctccaa ccaggtccaa ggatcaggcc aaaactccct 90360 gatgtggtaa acagcctgac cccttcttac ctctctctct ccagccactt ccctaagatt ccccagtgct ctgtgcccta gccagcccga ctcatctgcc cagattcctc aatgtttcac 90420 90480 tototoatto accattttga coccactgtg ctcctgggcc actotocaag gccccgcctc ttcatctcct ccctccttac tcatccttca ggtcttggct taggtgccat tccctccagg 90540 90600 aagcettece tgacaccaat cecateetea eetagaacag attatgtgeg ettetttgtg cccccatgg cccctgtgg gtttgcttca cggattataa ctgcctgact acctgccttt 90660 ctccaccctc tagactgaga acaccttgag aaaaagaaca catctatctt gtctgtcatt 90720 gaatccctgg tgtctggcac catggctgac acataactat cactcagtga ctagtgtttt 90780 90840 aatgaatgaa tgagtgcaac tagacagggt taagaacaaa agagaagacc aggcatggtg 90900 cttcacqcct qttatcccaq cattttqqqa qqctqaqqcq qqcaqatcac ccqaqqtcaq 90960 gagttcaaga ccagcctgac atggtgaaac cccgtctcta ctaaaaagac aaaaattagt 91020 gggggatggt ggcacacgcc tgtaatccca gctacttggg aggctgaggc aggagaatct cttgaaccca ggaggtgcag gctgcaatga tctgagatca caccactgca ctccagcctg 91080 91140 91200 agatgtcatg gggtaaatga agacctccct tcctggttcc ctgaccagcc cctgccctcc 91260 cccqcatctc acctqtcttt cttqcttcct tctqqtactt ctgtttaagc cggtccatga 91320 gcaggccatt ccagggggca cacagcactc cgaactgagt gaaggcaaag gcatttgtgt 91380 aggtgctgac tgcagaagga agagagggt tggttgatga gaagtttcca aaactccctt 91440 ccaggcaggg actctcccac cttacccttg tctgcatgtc cctcctcccc acaccatcag accetectet ggtgtgtaca gecetgetgg gaggetetgt gtteecaget gggacatgea 91500 gatgggctac ctcccagccc taccacatac ctcgtgccat gtccccaccg gccatgttgg 91560 91620 tcagcaagga gttgagagtg ccaatgaaga ggtagtgcca caactgtatc acagacagcc 91680 acaccaggtg ccaggcaaag cgccgagaga aagcgtagct ccagaaggag cggagttcct 91740 qcttctqccc tqcccctqqq qtctctaatq qggagaggag gatctgggcg tgaattacga ggaaagtgga caggtaggat ggggagtgtg gaggcttcaa tggaacattt cagatccggg 91800 cocacctict accettgget eccagaacte acceggegtg etetgeacet geeteggact 91860 cacacatece caceteetg etttgteatg etggeeetae cacettggat gaceetetgt 91920 91980 gttcttctct attgaaatcc gatctgtctc tcacagcctg gtcaatgaca cttcttgcag 92040 taataccttc ctgatctttc tcagcgagaa aggtgaaagg aacgacaagg agaggagaaa 92100 gtcagaaggg agaggagaat gagtgtggat actctgttct aacctgctcc tcagcacctc 92160 cctttctttt gataecagta tcctgagttt ctttgggaaa tcttcctcta ccctaatctt 92220 catggtccag atgggaccat gaattcagtg ttctgttcct ctctcaaggt taaccaatga 92280 gatggttcct cctaacaagg cagaccggcc atgagtttag attaggatgg acttaatcta 92340 aaataggtcc tacaccctgg caagttcaat gtcctccctt gattttggaa gcttcccaga accctattct tctttcttta aaataaataa ataaatacat gttttggatc caattgtcag 92400 92460 atggtaaaaa taaaaacaaa aaaatcaatt ttattctgta tatttaagat atacaatatg 92520 aggtcatagg atacatatag ctactaagat ggttactaca gttaagcaaa ttaacatatc 92580 catcatctca catttctacc tgttttgtga caagagcagt taaaatctac ttgtttagga 92640 aagtcccaaa cacaatgcag tttgatgacc tacagtcttc gtgctgtgca ttagatctct aggeotytte atcetyctea tetycteett tityteette gaeetycate teecatetee 92700 92760 tctcccaccc cgttcttatt tctactgtag ctagctgcgg tttgtgatgt gtgtaaccaa agacgcagaa cagagaggaa ggaaaggaag cagtgataga gttgggacaa taagagaggg 92820 92880 cggacccagg agacctggag aaatgggggc actgtaccag acttagtgca atggcatcac 92940 agaagaggc agaaccgagg agtgggggga agggaaggca acccatggca ggcgggcttc 93000 aaggggtggg gaagtgatag gatgcgaaat agagaaaaga gggacagaaa agagacgaaa 93060 gccctggacc ctccattaag tgagagggtt gggaagatgc ctaaggccct ttttctgtcc

tgcctttcct gattctgggt ccctggggga gctctggagg tgaggggcca ggaaaggcac 93120 aaggagaggc ttgggtctgg aggagagatg ggttagccag cagggctcac cttccttcgc 93180 tgaaaggaac tcctttgact gtagctccct gttttcatgc tcagctgttt ccttcttc 93240 93300 ctttgtggtg ccattcccag ggcacaggct atggaaacaa aagccccacc agcaaggcca aggactgtga gccgaacctg agactcagac tggagggaat agcatggtga atcccacatt 93360 93420 ccaccqcact ttggaatcac cttttagcca ctctgatqcc caggttgcag accagaccag ttaaatcaga atgtctggag gtgagagcca ggcttccttt tctaagatct ctatgtgaat 93480 ctagtgattc taataagcag caaagtttag gaagcatgaa aagagtaggg caggcccagg 93540 ttcaaatccc agctctgcct cttcctagca acagaaagat ggctcagact taacccttct 93600 gagcctcatt ttttgcattt agaaaatgga gataaggata tctcagagga ttattgtgag 93660 gatgaaatca gagagcacat ggggtctgac aattagtaag tgagcagcaa aggaatgccc 93720 ttectetact cettgtggca aatgactgca aaaatgatca catttettea cetectetgt 93780 atttccccca atttgaatga gactgcagct ctatttcccc atgccctgaa tctgggccag 93840 ccttgtgaac tgcttcagcc aaaagaatgc agcagaagtg gctgtgccaa ttccaagctt 93900 aaatctcaag aacgcttgtg catttctgca ctctttcaga accctgaaat cacggtgtga 93960 atgageceae getggettge tggaggatga cagecaegtg acceaggeat ecetgteaet 94020 ccaaacctat gtgagtgagg ccatcctagc atagccagcc cccatgtaat cctccaaatg 94080 atcagatgta tgaatgagcc ctgtcaaaat catctacatc tggccctgat cagcggaact 94140 agecagetae ceacagaett gtgaaaaata ataaatgett aacattttag getgetgagt 94200 tttgagatag tttgttatgc agcaatagct aacagatgca ctgctccagt cctcctcctc 94260 tectgtgata ggtttgettt accetgteea teccaceeta gggeeaatga ggggetetgg 94320 94380 cccacaatca ccagatagtc cttacccata gctgtagttg gggggcagtg ggtatgggat gtgcccccgg ggcatcagga ggaaagtgcg tgctacatgc caggtactgc agacagagat 94440 gaagatgaag gaggccctga ggctgatgcc tttttcataa agaagctgca gaaggagaag 94500 gaaaaagtca gtgtcacacc cacgttcata gcagcactat tcacaatagc caaaggatgg 94560 aagcaaacta agggtccatc agcagatgaa cagctaaaca taatgtgatc tatacacaca 94620 atggaatatt attcagcctt aaaaaaggaa agaggcaacc atgctggctc acacctacaa 94680 teccageact ttgggaegea egaggateae etgageeeag tteaagaeea geettgaeaa catagtgaga eeeteaeee ttetetagaa aatttttatt taattagetg ggtgtggtgg 94740 94800 catacacctg tagtgccagc tactcaggag gctgagtggg aggatttctt gagcccagaa 94860 gtttgagget geagtgagte atgaetggge cactgeacec cageetggae aatgaaacat 94920 gaccttgcct ccaaataaaa aaaaaaaagg aaaggaaaga aattctgaca catgctgcaa 94980 catggatgaa ctttaagagc actatgcagg gccaagctca gtggttcctg cctgtaattc 95040 tagtgettta gaagaccaag acaggaggat tgettgagte caggagettg agaccageet 95100 gggaaacagc aagacctcat ctctactaaa aataaataaa taaatcagct gggcgtgatg 95160 95220 gtgcacgcct gtaattccag ctacttggga ggctgaggtg agaggatatg attacatgat tacatgcctg taatcccagt actttgggag gctgaggcaa gcagatcacc tgaggccagg 95280 agttccagac cagcctggcc aacatggtga aaccccgtct ctactgaaaa tacaaaaatt 95340 agtggggcat ggtggcacgc acctgtaatc ccagctactc gggtggttaa ggcaggagaa 95400 tegettgaac cegggaggeg gaggttgcag tgagccaaga teetgecace geactecage 95460 ctgggcaaca gagcgagact ctgtctcaaa aaaaaaaaa ggttaagata gtaaatttta 95520 tgttatgtat attttattgc atacaaaaac atcagcagaa gaggcagggg ctggaaccct 95580 gttttctaag gagtcctagt acaagccatc acctactatc ctgtaagctg attagggaca 95640 cctggtacac acatgccccc acccaccca agacacaccc ggcagtagag gagtcctcat 95700 acqacccatc cccacagccg gtggaqcctc ctcgtgtggc tccccagaga tcttctagcc 95760 cagtgccttt tttcccccaa cgacagcaaa ggccttttgt tcaaagaaaa ttttacacaa 95820 aaattcatct tacaaaacac accaatgggg agcttgccag tcatctccct ctttattctc 95880 cttggtgact ggtatgacat caaagagaat ccctaagttc ctcaacagct cagtttgaaa 95940 accaccgacc tagcccaacc tcctcccatt ttacagagag tgacgttgag gtccagagag 96000 gtgcagtgaa ttgctcaata aattgacaga gtaagcagca gcaaagtcag attaaactaa 96060 gaatteetgt teetgeteee ttteeeette caactetaga gagacaggag agaggetggg 96120 catggtggct catgcctgta atttcagcac tttgggaggt caaggaaggc ggattacttg 96180 aggtcaagag ttcaagacca gcctggccaa catggcgaaa ccccatctct actaaaaata 96240 caaaaataaq ctqactqtgg tggcacqcct ataqtcccaq ctactcagga ggctqaqqca 96300 ggagaattqc ttaaacccac taggcagaga ttgcagtgag ccaagatccc accaatgcac 96360 96420 aggaaagaaa gatgaggcag ccatctgggt tctccagggg aaggagggag aacccagaaa 96480 gtgactctta tqccaggagt agaaaqqctt qaqtqcctca ggggctcagt ctctqcataa 96540 ccctccaaac ctccaaagct tatgggacta agctagactc atgtctgggt ggtgactgcc 96600 agagatecte ttetetgeee ceataacetg caggeagtge caactgeetg tgacetaaca 96660 ctaagcccag agagaagtcc caggttggat ggcttgagat ccacactctt cccttccttt 96720 cactcagcca tetgtggtgt getggettta gteetecage ttgetgeete ataattgaag 96780 catggttgcc acaactccag ctatcacatc ctcacaccac aacattcaat gaggaagact 96840 ttgtttttac tctgctttca ccttgcgtca gggaagaaaa gtccccttga atcttccact 96900

atatacactc cctttatctc attaaaaagg actggatcat atgctgacct ccacctatca 96960 ctagcaacgg gtaaatggat tgccatggtt ggctttaatc aatcaggatt catcccctgg 97020 97080 gctaagcggg tcactgccca gataaaactg ttcgcaatga ataagacaga atggttgttg 97140 attgacctct aatagccttg gcaacagttc atcccctgat accccaacat cagccactgg gacagetgga caageetetg tgtetgeece tgetgtacee actageeact tgecacette 97200 97260 ttqtccaaac taqaaqctca caqcaqcaaa cgccccactc taaaggtccc ccaqcctcta 97320 cccaacactq qcccaaqcac attatgacca ctgccacaaa agcttgggca agtctgaaga 97380 aggggettag eggttacaag etcaggetet agaacegaca ageetgggtt caagttecag tatcatggct actagctgca gaaccttcaa caagcttttt aacctcagag actcaaatgc 97440 ttcatctgta aaatgggggt aacacagtac ctacctcacc gagttgatgg agacaaataa 97500 tgcaggttca caagacaagt gtctggcata tacaagtgcc cagtgaatgt aggctgttgc 97560 tatatttacc ttaataataa ggaagactgc cgaggaagag tcaaatgctc cattgtacag 97620 97680 agtgatgatg gtcgaacggt gttggccaaa taggttccca atctggggat gataggacta 97740 gcctggatca cttatttatt catgaaacag atacttcctg agcacccagc atgtggcaga coctcottat acccaaactc accctccacc gctagagctc ccacctcagc ttgggccaac 97800 cccatctgag gcagccaatt atagaaaagg gtctctcctt ccctccacct tcccgccacc 97860 ctgccgagtg cctgggatta gggaaggctc ccacctgcag gttggtgatg agaaacagga 97920 ttcccccaat ggtgagcatt ggcatggcca ggaagagcag cacggctgag cctggaccat. 97980 caaagtcaga ggtagggtgg tgtcatagtg caacccaaac atggagcccc aaactctgct 98040 cccacctqct ccaaattccc aacaatcctg gtatccaggc cccaattcta gccagcgttc 98100 cagcgtcctt caagggtttt taggataccg gccaaggctt ccccagatat ctctgtggaa 98160 98220 gtcttctgag ccaccttctt cccaaccaaa gttggtcctc agtctgtggc aggccaggaa 98280 qtctacaqac aqaqqcaqaq ctctaaqtga agccacctct ctcttccctc agtaaaccac 98340 aagctgcctc tccctttcat ccttgacact cctggaaaag aagaccctgg actcaggtcc ctggctcaac cctctagccc attccctaat tcatggtatt ggccttgagc ttcaatcatc 98400 98460 tgittaatgg gaacaacagt tootgotott cotgtotoag gtgotatgag aactgagtga gaaaaggacc atggtctttt ctttgttcac taaactctga gcacttcttt ggtgccaggc 98520 attgtgcttg gcactggaaa tgcaagatga atcagatagt ccttgccctt aaatagactg 98580 acatgcaaac aaatggttat aacaggtctg gtaagtgtga gaccacagca aaaaagctca 98640 98700 agagetggge taggggaace ettgacaaat tetteeteee caaaccagae ttetgeecae 98760 cattattctg gccacaacct atgcctgtcc tattatttgc taaaatgttt taagttgact cacttttatc caaaaagtat ctatttttaa aggacacttt atatcactac tgtagatgaa 98820 98880 aacactggca ttacttgtca tgaatagaaa gtaactgtca aaataaatac aatgaaagga 98940 aaacaatqtt attcaattqt agctqqatqc atttqacctt agaatqttca aagcctaaga cctqctcttc ccatcagtgt taaaatcaca ctggccccac atgaagacat tctttcatga 99000 99060 aatcagaagg actgaaagag aaataaaaag ggaatagctg ttctaccagg tgatttgatg 99120 tttqttagtq tagttcacgt agtatgcgtg tgcccctaac atcctcttaa ctaccgtgct 99180 ataccttaag aagcactgcc aagagctaat tttagagtat tcacacagtt taccattcaa tttctgtctt tataaaatgt acatctctcc tactactaaa ggttggagac tcctttcaca 99240 99300 atagagteet tatgggetea atgetttttt caaaactgaa aageeetata ttatggagga agaggaggat tgttgctcag acgatttgca ggcacgagtc aaacattacc cagccaccac 99360 ctccacattc agttqcttaa aaatcattta caggctttta gagtagatga tgctggtttg 99420 ataaggagag tggtttgaaa taattggttt gaggtgctgg gccatctcat gagatctgtg tgaacaaaga cactcagcct ctgtgtttgc ccagcatgag tgcagacaat ctcatgatgc 99480 99540 tgtcagcttt agcatagctt acacacaa gagtaatgta ctttctttcc taaaccaaaa 99600 attgagccac gggtctaaca ctaggaagga atattgggag gcatctcgtg gccaccataa 99660 ccaaggcaat gacagaaaga agagtgaggg atcaggaggc ctgcacatca ggcccacctc 99720 ccacttgctt tetetgtgge catggacatg tetttgcaag gggteetget gtggetteag 99780 tttctcctct gtgtaatggg tggaagggtg gtggaaaata aaccagattg gagttccaga 99840 99900 cttaacagac tggtgaaatt ttaaaacaaa gattttgagt acaatagggt tgtcaacttt 99960 taccctgcta agtaaggata tttgcaaaat ggtcattcat ataatcattt cattaaaaag agaaagagaa cattttaaca cataggagaa ggatgtaaag gttttttgtt gttgttttgt 100020 tttttagggt tttttgtttg ttttttggta gagtctcact ttgtcaccca ggctggagtg 100080 caatggtgtg atcttggctc actgcaacct ctgcctcctg ggttcaggca attctcctgc 100140 ctcagcctcc tgagtggctg ggattacagg cgcgcaccac catccagcta atttttgtat 100200 tttttttagt agagaaggga tttcaccatg ttggccaggc tggtcttgaa ctcctgacct 100260 cagatgatec accegectea geeteccaaa gtgetgggat tacaggagtg agecactgca 100320 cctggccaga tgtaaagttt tgaataaatt ctactctctg aagtaatccc tctccatcat 100380 ccttgctttt cacattttct caataaactg ttttcacaga ccagcaatag ctcaagatcc 100440 ttccaggatt ctttcaagct gcagatctct gaataaccat gtggtctgta tatcttgcct 100500 atagecetet geteacacet gececageca ceaggtgeet etgagettge atecetecea 100560 100620 cccacctgac agcactcacc tgcagaggtg aaggctatga tgagtgtggc ggtggtgtag aaaaatctga aacacataac aggaaaaagca gaatattgtc aaggagggag aaacctggga 100680 gaaaaaacat gattctgctc agccagccca caagtgtagg acttgaccgc accctcagcc 100740

tgggatgcaa cgggcactga tgcctctgag ccccaggctc aaaaccaggc gcaagaagcc 100800 gcgatgagat tgagatgtgg tcctgacctc atggacagtg cattttgctc attctgaggc 100860 100920 ccaaggctag catggaaagt cttggacaat gagctcagct gacgatgtga ttggcttggg acttagccag gacagaatgg gcaaagcgaa ggtcctccca cctggaagcc ccaacagccc 100980 aaccccttgg agaaaggggt tagtgcctgg tctgcaaatc aaggccttga gttctaactc 101040 ctcctcactc tgtgaccttg ggcaaggcgc tgtccttctc tgggcctcag gagccttttc 101100 tataaaaaga aatgatcgga ctgatctagc tcagagtgct atgatttcag gactacagtc 101160 ccaaggttat caggeteet tageatttgg gggtettgta aggeatggag taaaaaaaa 101220 aaagcaatat cctaaggctg gagaagaggg aggggacaaa ggaaggggag gaaaggggag 101280 gtagcaggga gccaaggacc aagaaggact gaggtacagt cattctgcat ccaaaggctt 101340 aaattqtaaq qqactqqctt tactctqqct gtttccqqaa aggcaggccc agccagccct 101400 cccqtctctc tctctgacag ccaatctcac atgtgcctcc ctgggagcac ctgctctgag 101460 ctgtatcagc ccccagcagg ccgctgatta ccactgagcc tggccacaga gcacgagatt 101520 aggatgcagc aacacactgt gtgtgagatc acgtcccgaa ccttctgact catctgcaca 101580 ggaaaccccc ccagtctccc ctccagtcag aagggacctg aaattccacc agtggcaata 101640 ccaaagaaac ttcctattag ctaagcccct agggagtgat tggctgttgg ggcggggagg 101700 101760 qqqqqqqtq aqqaqqatqa qqatqaaqcc tgggcaacct ggatgtgagg ctgtgcaggg 101820 gatgaggaca aggatccttg gggtgaagga agagaagagc aattttaggt tttgctaatt 101880 ttgtaaccct ggctccaagc cagcccttac aggaagtcac cctggcctcc ggctcaattc agcacgtgat agggaagcca catttatgca gagcagggaa cgaggtaagg aaatggaagt 101940 ggggctgtgg tgaagtgggc aagtctagag agagtcccgc tgcctggggc tgttcctaac 102000 agetgetggg agegagetge aggtgtggtg cetggeaggg tggeeggget gtetgaetet 102060 ggatttcact ccaagctagg ctgctgcctg aaggattcct cttacccacc tttgcctggg 102120 ctggcctttg ggacttacat ggctatgagg cgtgccacgg tggtcttgaa ccggtcaaag 102180 atgtagccag tggggaatgt catgaagttg ttcatgaagg accccagggt gaagatgagt 102240 102300 gagaacctct catcctgggc tttgcagtct ggagtagaaa aaaggtctcc catgcatccc agecttectg ccaaatgage acacaggetg ggeteceete caectcagae agettgtegg 102360 tcgcaaactt gtcccttaag ctgagttgaa atgtggctgc ccctaattac ccctcaggag 102420 102480 .ctggtgcctc cctcccaggc acttcccaga tcaagtgggg tgagagctgc tgacccttcc tctcatcata gaaagaggg tgggcagggg gcagagtcct tcctgctcct tgccaccacg 102540 tgggagccag acttaacttc cttagaaaag tcatccctgc ccttaccagc ctgccctgtg 102600 102660 gcattgccaa tcggcccagc atctggtcca cacagatcct taaagtaatc ttcattcttg 102720 aagacaaaca ctagtgaagg ccagccaaag aggacgccag caaagcccag gcattccagc 102780 agcccagtca gcagtgtggc cacgtgcagg ggcaggccct ggcccgccat gagcagaagt 102840 ggagtggatc ttcaaatccc actitgtect cctggacgga tcacaggegc cgtaagcctg 102900 tggttgtttc aggcctgggc aaaaaccatc agcgggtgat tctctggatc ctgtagaata 102960 aagatagagg ctgctggaag aggaggcctg cgggaaaggg aaaggtagac tagagttatt 103020 103080 tqtqaqqtqc attaagaggc aggatgatca tggccgctgg cagcaaatgt ggggaataaa tactccaata catcatctta ggcactgcat ttgagtaacc acgtggcaag tagagaggca 103140 ggtcttgatg gccacctgga gtcacaggtg agataaacga cttacccaat agctccccgg 103200 103260 gagcaggtgg agaagcggag ctcctgcgct cgaattctga ataccgtccc ctaaaataat gacagcaact caaccaggtg cagaggcagg gagatttcat acagaagaca caaactcccg 103320 ctgccaagtt ggtgttatct tcagtttact gacaatgaaa caaaagctcc catggatttc 103380 aggaacttqc ccaaqqtcac agggctagtt tagtcacgac gcaggccatt ctactgccag 103440 103500 aaatacccc aactcccatq accctcqcct aggactcqca aacctggtcc ccqccqccct 103560 tectegeate aacttetace aggaaageet eegggggeeg eteceegeea geeteegeac cccgctccag cctgcggcct gccctccccg cagaggagcc cgaggggcca ggccgcgctc 103620 103680 ggcgcccat ggcgccgaa aggggaccet tegecetace egcetgetee gegeegggge tetecgegee ettteegeae gggeeaggtt egeattegeg cetetegeag eceeteceag 103740 teceetgete geeteegeee eeteetgeee geeeggaagg ggetggggca gaeeteeeae 103800 tctccatcac ttccttcttc ttttcccttq ctcacagcct cccgcgccct ttttacctct 103860 103920 ccctcttgaa acttctccct ctagaacccc ctagaacccc agcggtgtct ttccctccct cctcgctgcc tttcagcctc ccagcccct tgcctctgcc tcccctaacc aagttagttg 103980 aatgctgtta ctcgctcagg cccacctagg gaaaatgtca cacccagcac ccagaggaca 104040 cacagacage acatgaggge atagggacae acacacteta tttgtgcatt ttgccttgae 104100 cgctgggttg gcagggaaca tatttttcct atttgctcac cagcttaacc gtctctccca 104160 gtttcacact cccagagctg ccaaaaaaat cccaaccaca gaatcaggaa gccaagaacc 104220 104280 aggactgagg gcttttcaga aaccatcccc tggaggactg ccccatattt tcactcccaa 104340 aaaccctta gatgactccc tgcctcaccc ccgccccca ggttctgaaa gagccttccc gccagactgc attgattaac cattcattgc cccatttttt attaatcaaa gacatatata 104400 attgctcatc ggagcttgtg atcagcgtga ggccttacta agcagctgcc ttactatcct 104460 tecageceag ageaegtgag etgaegtett etttggeetg tgtggeegtt teettgeeaa 104520 aageteagtt tggggagage ttettgegta ttagatgeag tetgeagaet cecaacecea 104580

gctacctgga tcccctgagg gcccaggaac tccagctatt ccaagcccac tcctctttt 104640 tttaagagga agaaatagag gttacgatag gggacagcca gaactgagga ttttccagct 104700 104760 caccaccaaa gcacaaaaga taaaagtctg caaccaccct agtgacttga ctgaatggag gaagggtggc tggggtcctg taccccaagc tactcactag ttatacaacc tgaggcaagc 104820 tetttggetg ecceacetgt aagacgagga caatagtace ttaattatag gaattgteat 104880 aaaagaagta taagatgggt gtatgaggtc cctgcatggc gcaggtgcta taggcagatt 104940 gtagggtagt agattttcta gtctgcagtt atgtagacag agccagagaa gcagctctgg 105000 ggaggaattt caaaggaact tgcccacggt cattctacaa agctgcagta ccttcccaac 105060 totgaaacgt atgototoat caccocgtot taacaaacat ttggacatta gagaaaacaa 105120 gtcttttctt aaaataacat tatttatggg agaaaatcca caaaaatata gcatcccagg 105180 acaaacaggg cttaagatgc aagattttct attttactgc aagacacaaa gactctgaaa ttaatgcatg ccctatcttc tgctctggca tacattttag tctcctgggg ggatcagtaa 105300 gtgtggaagt agcaagggag aaacagaaaa aagtcaaagt aaagagacag attttagaat 105360 gttaatctgc aggagcctgc cagaaagatc tagctcatgg gctatctgta catccaggac 105420 tgaagcacgg gacacggggc aggtcgtcca gggttctgtc caccttatct tgttacctct 105480 cttgactctt agagcctcca ctccacatct cccatcaatg tctgcagaag acgtggcctc 105540 cactaacaca agtettactg aactgatggg acaggaaatt agaatateet etgaaccatt 105600 105660 cccatgttct ttggttcgaa ttccagcagc tagaaaaggc agatgctatt ctgatcactc tcctgcgtgg ctccaatgag gattaatgag taacatcaga gagagaagtg attataataa 105720 105780 qqtctgacgg tgcacccgat gtcttcatcc ttttctcttc gcctccttcc tcatcatctc acaccttttt ttttttaatt gactgattgg ttcaacaaat acatgtggta cctcaggctc 105840 tgtgccaagt gccgggattc gtagagaaga gattcagtgc ctgctctcaa ggggctcatt 105900 ctcttgtggg agagacagac aaagaaaccc aagatttctg gagtgtggga atggtcttcc 105960 aggcagatgc tagcacagca cattgaaagg cacggaacct caacaaaaca ataacattta 106020 ggaaccagct agagcacagg gtggtgaaga aagtggaaag atttgaggcc agcgtcgcca 106080 tctaagtgag ggcattaaga attcagccca catcaatcaa tcatgtccta ttgatttcac 106140 cccttaatat ctctcctatc tatccgtggc cactgctcta tgcagacact catcatctct 106200 cacagaggea teatetgett ecaageeate gecattetee tgeaagagtt tattteeatg 106260 gttcccactg gatggcttca cttaactgct caaaaccctt ctgaggtcca gtcaactggc 106320 106380 tggtaaggac cagtccaggg tctggggatg ccagccatga gacattgctt tgaggggaag agggagcata gaactggatc tcctgcatcc tactgcccaa gtaccaatgc tggaggtggt 106440 106500 tttccttccc atcatcagca agtctggata tccaggatcc accctatgga tgtttttatg 106560 qacaqaqtqq qaaqatqgat atgtttaggt tagggaaaga gggtttgcca aagagggcag tataagtgag ctgcactcca tcattcccct ggcacaaaca atggctagta tcctctagtc 106620 106680 ctcaagagca ccaccttcca atgcagtccc tgcctgtcca cagacctctc tcctcaaact 106740 tcctctqaac aacctcagcg agggcaattg ccactctctg ggcagagtcc agatattctc tcctaccctc tgacatcact ttctaaattt gtatatgtag ataaactctg agccattcac 106800 ataaagggct ttgatttcgg atacgccaaa cacataaaca aacaaacata agctttcctt 106860 tcacaatggg ctcatgtaaa ttaaaatgtt tggttttcca cctacggtct tgaaaggggt 106920 106980 ttctacagcc tgttttggaa gtcagaaagc aaaaggtaaa tgcaaacatc atttcacctg cagagaaaat tctaatcctc ttgaggcagt gccaaaaata atacaagcac actgctatcg 107040 agccaattac tggtatctct gagcttccgt ctcctcatct ataaaattgg aatcgagctg 107100 tatggattaa agataatgta tgaaaactgc ccaattagta cactattaat aaatagcagc 107160 tactgttgtt aacaaatatt attgacttac tggaaaacaa agaggaaata aagtcacatt 107220 107280 tagggagaat ttcaaagtgt tcctaaccta aaaaagaaat aaattagggg gaaaaccact 107340 aaqtaatqqq tqaqctcaqt ttaccttqct taaqaaqtcc caccctagag aactgatctc 107400 tagatgacac ccaaatgcac tcagtacaac cccccaagac tgtctgggct taaggcaggg 107460 gcttggattg tcctgtaagc tgtgggaagt ctgttcatga gccacagtag acaggaaggg 107520 gatqqaqtct tagagctqqc tcttcagggt atctcctagt gtgttcaaag cagttctcag 107580 gagggtgggg aactactaca tagccaagta aatatgaggc ctccttgctc tggggagacc 107640 tttctcttta acagaggtga atctgaaagg atacccaaag aggcactgga gggtgggggc cactetggee ceteagagea geeageteag etteagtgga tgetagagge ageagaggat 107700 107760 cagectggat cagecteect tteaceatge agaaaacaga geteeceeae cagaecagat 107820 actggaagca ctgggccagg cctaagagaa agcagagccc caagccccac cacaccaggg cttatgaggc tactgctacc caccetecca agececaget ccacttetat gttcatcaag 107880 107940 caactgttta ctggtaactg cacttcccga tagactttgc tagaaaggaa tgcctcagtg cactgacaat atctaaacct gcaactctaa ggactaggct ggggaacact gtgtcaacat 108000 ggaggcacgt cctaccctg agaagaaaaa taaggaatat caataatacc tgctgggcac 108060 108120 tgagcactga ctatgtatct gattcgaagc gctttttgct taatctgtca ctgaatctca 108180 cgataggtgt tgttattagc atctattatc tgggccaact gaggcctaga gggacgaagc 108240 aactccccca acatcaccag gtagcagtgt caggactggg atagaaacct gatgctctga 108300 ctgaaactaa tgctttttt ttttttttt tttttttt tgagacagca tctcactctg 108360 tcaccaaggc tggagtgaaa tggtgtgatc tcagttcact gcagcctcca cttcccaggt tcaagtgatt ctcctgcctc agcctcccga gtagctggga ttacaggcgt gcaccaccat 108420

gcccagctaa ttttttgca ttttttgtag agatggggtt tcgccatgtt ggccagactg 108480 gtctcaaact cctgggctca agtgttctgc ctgccttggc cccacaaagt gctaggatta 108540 caggegtgag ccaccatgee cagecagetg atgetettaa tetgtgeeet acceageett 108600 cctgggaggc ttcccaagag ctacacagag catgagttct ggaatcgggt tgatgggggt 108660 108720 108780 accacaccca cccacacqca tgatcatgaa aagaggaaat ggatccagga gaaggagacg 108840 actcctgagt gaaaacaacg gggtttttca cattgagagc tttgcccaac accccaaaga 108900 tqaaaagagc aggaaactgc tggggccgat tgaacactgg acttttgttg tggaaaaagg 108960 caaagggaag ccggaagaga ctggaacagt ttccatggtg ctggaggatg gggaagtggg 109020 tagggattag ctggagggag aaggagaagc tggggtggga ggggaacctc cacttgccag 109080 gagagcacat gtaggatggg aaccccagat gatactcaag gcatggcatt agaccagaag 109140 caagtctgtg gtgaaattag ggaaggctcc actgcggact gtagacagag cactggacaa 109200 ggaagtggga gacccagggt ccagtcctgg ctctggagcc ccctgggtgg gctgcccqg 109260 geacettict ctcttggggc ctccattect acctetgtga agegagtget gaacetetet 109320 tagccctgac ttgctgaaat gctgggactc tgtacagagg ctgacattaa gcagggatct 109380 gtcgtggggt gctgcaatgt tcctccagat gctgcacggg agagggcaga aaaggcctat 109440 109500 atggtgagtc cgccctggga gcctctgctt ggaagctgaa gtggcctgag agtgactcag aaaccacgga agttcccggg gctgatgggt tcttatagat tgtacatgca gctctcctcg 109560 109620 tgggctgcaa aaccgcaaga tgggctgtga ccactctcaa ggaaagagcc ctatctgcaa 109680 aaagcattct gccctccagg tcttaaagca aacacagact caatccttat tccttttaag acaaaattgc ctcaggggca tcagggaggc agcaggcctc aaatgtgtgc ctttctagaa 109740 ttctcaatga aagcaccctt ttgggtatta ataatgacaa cagtaatgac agtcatttac 109800 tgagtgctgc ttttgggaca ggcattgggc taagagctat atgtaatata tattattatt 109860 tgatgcccac agccaccca taaggaggcg gaggtactat cattatgcca actttaaaga 109920 tgaagaaact gaggcctcaa gagatgaagt aacttggcca agtcactcag ccagtaaatg 109980 ggaagagata gacttcccag tatccagagc ccatgttttc accattatgc tgaagtacct 110040 cttttcctgt gccaatgtga tctgcctcca ggaatcctgt cttgatgttc ccttccccat 110100 acagaagtcc tctctgtgtc ctcttcagcc tgatagtata tcttttcata ccattctttg 110160 gacatetetg ttatactact ecaatggtgt teeeteect acceeteect gggagettag 110220 ttgttgtgat taagtatagg ggaaatgacc cacactaaac aaactcataa gagactgatt 110280 gataaacctg aaatgcaatt tattaattaa cactgagaaa tgaaaccacc cagcagatgg 110340 qaatcctaaq qctqactqqt caqcacaatc tctttcaqqa aqqacaqqct tttqqqaaaq 110400 110460 gaaatcaata ccaqaaqqtt ctttqttqaq tacaaaqtca gagggaaggg aqttgatgga ttgacacata ggtgaagctt gacatacctc tataaagcct ccatcctgcc aaggatcaga 110520 atatccaagg cagggagcca tctgggtgtc ctctcctttg gacagtgctg gattttctg 110580 gatcctatga agatcttacc tttctggctg catttatcat gattgtggaa ggctttttgt 110640 ttccttgttt gcttagatta atttctgcgt atttaataga actgaaaggc aatttcccat 110700 tgagacccac tgaagaggaa taatcaatac atactagttg tgttgccctt tgcagagaat 110760 teacttetgt gitgteactg tatecteatg etteettata atggagggae agagatggta 110820 aaaacatgga cttggaagcc agaccgtctg ggtttgaatc ctggctctgt tacttataag 110880 ctctgcaacc tcgggcagat tacctaagtc agtttcccct tctctgaatt ggggatataa 110940 tagcacccac ctcaacatct gtcaagagga ttcaatgagg gaatacacat aaagtgctca 111000 gaacagtgtc tgccatctgg taagcagtcn nnnnnnnnn nnnnnnnnn nnnnnnnnn 111060 111120 nnnnnnnnc taatttttgt atttttggta gagacagggt tttgccatgt tggccaagct 111180 ggtctcaaac tcccgacctc aggtgatcca cccgcctcgg cctcccaaag tgctgggatt 111240 acaggcatga gccaccacgc caggccccac acacctttta aacaaccaga titcattcat 111300 cgggaagtgc ctgtggggct ggtgtggaca tgtgggtgaa ggtggcactg ggagaagtta 111360 ggatteteca tgacetetgt tacteatatt eccacactee teaaattage etgagteteg 111420 aggacagtet gatggetggg caaaccetge ggcaaaccat tecceageee tgeeetetea 111480 accagagtcc ttccgataca tgattctggg cagctgttgt tacccgtgtc ctccatgttc 111540 ttccagagat atccatgcat gcatcggcat atgtgtataa ttattatatc tatatttcat 111600 cccacaagct tttgacatca atagtagcat attattaaat tgttctgtac attattttat 111660 taacttggta tctctggtac tgctcaatat aagaacatat agacctggcc aggcacagtg 111720 gctcacatct gtaatcccag cattttggga ggctgagatg ggtggatcac ttgaggtcag 111780 gagttcgaaa ccagcctggc catcatggtg aaacccccat ttctactaaa aatacaaaaa 111840 ttagccaggt gtggtggcag gcgcctgtaa tcccagctac ttggggaggct gaggcaggag 111900 aattgcttga acctgggagg Cagatqttqc aqtaagccga gatcacgcca ctqcactcca 111960 qqqtaqqcaa caaaqcqaga ctctqtctca ataaaaaaaa aaaaqqaatq tataqacctt 112020 112080 ctttattctt tttgatggct gtaggtggat gttctaaaat ttgtgtaacc aatctcctat 112140 tgataatatt taagttatgt cttcagcatc atatgaaact tacaaacaag gttgcattga ctatccatct gtaaatgtct ttttgaacat ttctagaata attgcaggat aaactcctaa 112200 aatgagaatt totgggtoaa agaggatatg cattttacat ttaatagata tttgtcaaat 112260

tgtcttccaa	agtggtcgta	ccaattaaca	ccccgacctg	taatgaatga	gagtgccttt	112320
tttccccaca	ccctggagag	atgaaaaatt	tatgggccca	ctttggagtg	catggtggag	112380
gaagetgttg	occottatat	aaccctcgtc	attaataagc	ctgggggtgg	ggggggagaa	112440
agagagatta	gttagtgggt	gcaaacatac	aattagatag	aagtaataag	ttctaatgtt	112500
castaggeea	adaddataac	tatagttaac	aacaatotat	totatatttc	aaaatagcta	112560
cyatagcaga	attasaatat	tccaacacat	agaaataata	aatocttoto	tacaaccata	112620
gaacggagga	teteaaacac	cttgtttgtt	cttagaaact	aacgoogtt	gaacctggtt	112680
ccaccctgaa	tgtgccagat		teneggaagee	aagcagggcc	ataccctotc	112740
agtatttgga	tgggagaaat	gataaatgct	tgaggtgata	tataccetaa	atatotação	112800
gaacattata	cattctatat	atgtaacaaa	atateacacg	tattetataa	atacycacaa	112860
atataatgta	tcagtaaaga	gagggctggg	cacggtggct	cacatetgta	accedageaa	112920
tttggcaggc	cagggtggga	ggatagcttg	aggccaggag	ttcaagatca	geetgggeaa	112980
catagcgaga	ctctgtctcc	acaaaaaata	aaaataaaaa	cgaattagcc	aggegegege	
atgcatgctt	atagtcccag	ctacttggga	ggctgatgca	ggaggattgc	ttgagcccag	113040
gagtttgagg	ctgcagtgag	cctacgactg	caccactgca	ctctccagcc	taggcaacag	113100
aggaagacca	tgtttctaaa	agaaataaat	taaataaaat	aaataaaaat	aaaaagactg	113160
aaaagcagag	tggtaagaga	aaggactttg	gggctcaaca	gtactagcct	tgaaccctgg	113220
ctgttactta	cccatcgtgt	gataagcaaa	tgccttaacc	cctgtgtgcc	tcactttctt	113280
aacatataaa	atagaagtaa	aaatcatacc	cacttcaagg	gtcattataa	aaagccaata	113340
gagataatgt	atataaagct	tctggaataa	tgcctggcac	acagtaggag	tttaataact	113400
ggaaattcat	tattataata	ggcagccttc	tgaatctgtg	tcctctttgt	ccactaatgg	113460
ctttgatctg	gatttggctc	aggcaagacc	tggggaaggg	cagagactga	gggcaactgg	113520
aggtataggg	tagtctgage	ttccccagca	gagtgaggct	gggaaaggtc	tgggagacag	113580
accadacada	toctoataao	accggaatgg	gaggetggag	cataaggcag	ttcagttttt	113640
cccaaaaaaa	aatatacaaa	acgatctcgt	atgactcctt	tatactotta	atgttttcat	113700
tttatcacac	actgaaaaac	aaaaccaaca	tatttaatga	atgattccaa	ggggattctt	113760
acttttacaa	aaaatootaa	agtaggcatt	cacatottta	aaaattgagt	tgatttaaat	113820
tttaaaatta	ctaactcata	gtacataatg	tataaaccac	agctatcccc	aaaatcatga	113880
taggataga	ttaatgactg	aagttcttta	aacatcaaca	tacaatgcca	attccagaat	113940
tcagcgacaca	ttctgcaatt	acacaggctg	gggttgaaac	ccagcttttt	tactaactat	114000
gtaaaattag	acsadadac	taacctcgct	gaateteaga	totctaotct	gtaaattgaa	114060
gedadactag	ctttttatct	cacagagttg	ttgtgaagat	tcaataaaat	cacaacatgt	114120
gacaatgete	taactataac	acctgtcacc	ccactgatct	ccagagttga	ttcggctgat	114180
cagggggggg	agacagatat	cccctttctc	cctcaccact	ccgcatgcat	tcctcccgaa	114240
actocacact	tggtcaaaga	ggaagacctt	tcctgataga	ggaggaccat	tcttcagtca	114300
agggtatatg	agcacctgtt	ctgtcctgcc	agaatctccg	aaggagctct	cagtaaaatc	114360
acaagatttt	attotocato	gtagcatgag	cctgtaatcc	cagctactca	ggaggccgag	114420
ctaggaggag	tacttaaacc	caggagtttg	agaccagect	gcgcaacata	gtgagaccct	114480
atataaaaa	aaagaaagaa	agaaagaaaa	gaataataat	agtaataaat	cacctgtgca	114540
acatactcac	ttctctctt	ggaatgtagt	aagtgtacct	aataaatgtg	atcattgtaa	114600
tcatcacact	gagcacaggc	taaagcatct	toactttatt	ctataagcaa	taaaagagga	114660
tttatttta	cagaactcat	tatgttgtga	aaataatttt	ccaacattaa	caaagaacat	114720
tetteaarta	aaaagaaaac	cacccatcat	tctcccaacc	ttcaataatt	ttcaattttg	114780
catattetee	agactttgtc	aacatgaata	cttactttac	atggtcgcaa	tcagtgttca	114840
		cttttataaa				114900
tttctcctt	ttctttataa	ttatcatttt	gtggctgcat	aatattgcat	tgactatgtt	114960
aactgcagtt	ttcttaacca	tttcactgtc	tagagaaata	gaggataatg	ccagggtcat	115020
acctgaaget	ttttttata	tattgcatta	tattcttaag	atcaaatccc	agcagtgaga	115080
ttagtcagtc	aaaaadtaat	aatattttca	aggetettat	tatattttac	tagattgttt	115140
tccagaagtt	tacacactac	tcccagagat	gtaggaacac	agacgtcatc	caaccttgcc	115200
actactacat	getactett	ataaacttct	gctaatttaa	taagtatgaa	atgctatcct	115260
cacacacactt	tcatttctat	ctctttgatc	attaacaggt	tgaactattt	tccaagtatt	115320
totttactct	ctacetecae	tettaggtga	agtagtcato	cacttccttc	acctgtttat	115380
ctattasaat	cttgaaactt	gttttataaa	tataaacaaa	cacttcagag	tcaatagaca	115440
ttaattaatt	ccegaggeee	ttggccactg	aggetectga	gcaggggaat	gcatgatcaa	115500
aactacacco	taaacaaatt	aaattaatto	gagaaaatgg	gctgagagg	agagatatgt	115560
atcactacco	tactotott	gatectatag	tagaaaccta	aactggggca	acggcctgag	115620
teccecacta	caecycyce	gaggetecat	atatececa	tattagagct	tgcggcactt	115680
ccatttacca	cacctcct=c	aataccccac	: atacatotac	tcactctccc	: ttgcaaatct	115740
agtggcttcs	acceacada	tttaagggga	aaggaattgt	tctatcctat	tcacttactg	115800
cadaaatdad	. aaaancotto	ttcacatoro	atcacctaat	gaagggatgc	catccccaac	115860
aatacctata	, addaaataac	ggagggttgg	agagttgtg	: aaaatacaac	agggaatcat	115920
cadadtetet	. toccccatos	tagagggttc	tcaaattaan	agagtctaca	gcaactaatc	115980
tcacaaccec	: totadocado	gcttcccaat	gcttccccaa	cccacctcc	atcctagact	116040
ttacccacto	tactasacs	agatgttacc	catagcacct	tgcaccatga	ttgtttgatt	116100
Jeaceacte	gccgaacac					

aggaggtggg	acagtagact	gtgtttctga	taggtcagca	acatttacta	agcacctact	116160
	gtgccaggtg					116220
	cagagtcaag					116280
aaacaataaa	actcaacttt	ctaaccaaga	gaactccagg	gagetaaaat	tetgaettet	116340
aaacaacggg	ggtgtggagc	ttcattaaaq	aagaaaagat	tcacccagac	ttgagttgat	116400
agestagett	tgcagctttt	aagtcatgta	acctttgatg	aagttatgtg	acctctccac	116460
ageeeggeee	ctaacacctt	aagccacgca	acctergate	caaaaaaaa	cactagtace	116520
ceagetgeee	naganaga	gcaggggcag	agecggageg	acctetacce	caeeggcaee	116580
	aggcaccacc					116640
	caactgcaag					116700
ctaggittaa	atttagaatg	acceagetee	cogaagetee	acacagaaac	atagetagea	116760
gecaggeceg	gtggctcacg	cetgtaatee	cagcactety	ggaggccgag	atttatacta	116820
cacttgagga	cagaagttcg	agaccagcci	gaccaacatg	gtgaaacccc	gtttccacta	116880
aaaatacaaa	attagccagg	catggtggta	cacgeetgta	accedageca	cccgggaggc	116940
	gaattgcttg					117000
	agcctgggca					117060
	tccacttccc					117120
	atatccaacc					117120
	accetttggc					117240
	gggccgggaa					117240
ctaagtgtgg	tctagaagag	agatgcagct	tetgggagge	acattecttg	gtettaggga	117360
cttettgeee	ccatggaggg	aaactggcta	gatgagggcc	aaagcagagc	ccccaaagc	117420
	gggaaggact					117420
	atctgtaaga					
	acacgtaagt					117540
	aggccaggcg					117600
aggaggatgg	atcacaaggt	caggagtttg	agatcagcct	ggtgaaacct	catetetace	117660
	aaattggccg					117720
	gagaattgct					117780
	ccagcctggg					117840
	tacatacata					117900
accctaaaaa	tgagacaggg	aaagagaaaa	acatgttctg	acaaccttgc	CCTTTATACT	117960
aatttaggtt	ttcttgcctg	ttttagaaag	ggcctggaca	ggageeeegt	teeecteagg	118020
ccaggcagaa	caaggtgtgg	aactcactgt	ggaagggttc	tgggtgacaa	tanana	118080 118140
grecerecae	ctcccagcac	agtaggeage	acgugueuce	attgactggc	ccaggagcag	118200
	cagtgggaga					118260
	tccccaggg					118320
	ctgagaggct					118380
	cgaagatgta					118440
tagangana	tgggacactg	aageeeacag	aggagaggtt	tagaccagee	ttacttttac	118500
coggaggeag	agaccaggct	agaactcagg	accettaate	tatazzaata	atcocciciac	118560
tactactors	agccctagca	testatetas	agggtggaac	ccagaaggcc	ctctaccact	118620
cagtacacgt	gggtaggaag gagaccacag	atactacta	gaactgacce	cacctacaat	cccagccact	118680
tacceccat	aggcaggcag	attacttaat	tageggeeea	caccigcaac	ctagcaccc	118740
	cccacctcta					118800
agetacttcc	gaggetgagg	tagaaactag	acttanacct	addadacada	aattacaata	118860
agccacccgg	atgccactgc	acaccacct	gartarcaga	gggaggcgga	atracacact	118920
atctcaaaat	aaataaataa	ataccageee	atcatcattt	ttctttctac	ctctagactg	118980
castocctat	ttctccaggt	actactac	ataaaantaa	aaataatatt	atcaggattt	119040
	gggtcagcta					119100
accaaacaca	atgagctggg	aacaadtato	atcattatta	ctcccatctt	atttatttat	119160
ttatctatct	atttatctat	ctattcattt	atttatttat	tttgagacaa	ggtccttcta	119220
autcaccacac	gatggcctca	aacttgaget	aggaactagt	atcaccaccc	cccaatttct	119280
tttattdatt	gattgattga	ttgattgaget	ggttaattt	gaggcaggg	tetegetaag	119340
togacaggg	tggtcttgaa	ctcctantct	taagcaatco	accedectes	geeteecaaa	119400
ttactagast	taccaacacg	agccaccatg	cccagcccct	cccatettet	gaataggaaa	119460
actaggattt	gaaaaggtaa	acaacttace	caaggtcccc	tccctaccta	gagagettea	119520
	acaaacccat					119580
acactaacco	ccaagtgttc	tacacagtga	aggtgacaaa	gaggtgaagg	gaagagccag	119640
ggaggttetg	tggactcact	cogtogotat	gcccagaggg	aagggggatc	ttgggtggca	119700
cattgagag+	agctgcgctg	ttagtaagtg	agaactcoga	agtccagact	catccagtct	119760
gtgccaataa	accetteett	ctacctootc	tcctttccaa	agccagctgt	tctccagaca	119820
atggggtggg	cgggggcggg	tatectecte	cttctcaggg	aaaatccgac	gctgagccca	119880
tctccagaga	tcttggcttc	ccatagaact	gcagatccac	ctagagccac	cagagggggg	119940

gccagcactg cggccaaggc ttgaagaccc agcacaccaa agcccggcca agcctccagc 120000 ccagtgtcca agagtccagc cagaggccga gtcctcgatc tcaaaatgtc taactgcaga 120060 agcccaactc atgttcaggc atgatgtgtc tgattctact gggacaatca ttgccaccaa 120120 agaattactg ccaaaatagt aacgacatta gctacctacc acccctccac acaccaacac 120180 acctcatttt accaagcact ttctcatgcc tggggtgcct ggagacttaa tgcagcctcg 120240 cgatgaccgg gtagcctcac cgtacagatg aggaaactga ggcacaagga aggggagtac 120300 attgtctagg gtcacctgga gaactctgat ctccagactc aaatttccaa ttcgtccccc 120360 ctcccccaa ccctaaccgg agctaggtgg ggtggggaca gcaaatgtgg atggggggag 120420 gtaagagggg tcagagtgct ctacagagaa gaccaaatgc attgtggcac ctactgtaaa 120480 atgagaccay ccagccaccc acccaccagc cagccaccta aaagtcttca gtgggcacct 120540 gctggaaaca cgacaatgga tgacacgagt tccctgccct caaaaagctg gtagtctagt 120600 tgggggtgga gggggtgagt cagcagataa ttatgggaaa ccgtgacacc tgtataaggg 120660 120720 qcggggatga gcagaggggc tgcgactgcc tggagccagg gattcccgga cggggcttcc ctttcctcgc agctcgtccc aggaggagga gctcccccc agcttcgggg ttccgcctgc 120780 cttgggggcc cggggtcccc tcccaccct ccccgaagag cgcgggcccc gggaaccgat 120840 gacagcacac ctgagtcagc ccgccgccca cccgccctc agcgtctgtc tccgcatctt 120900 gtgatatttc gctccccggg agccagccc actgcgctcc ggaggcagct cggcaaacaa 120960 acccagegae agattgtgee geggeteatt ceggggaagg acgceaaace ccaccetget 121020 accccaaca ctccctcccc gccgccgcct ccaggccctc cccccaggcg caggccctag 121080 teggggtggg teetggggaa acgeagggte etgteetgee teetggaaat agggggagee 121140 121200 ctqqqtqaqq gaaqacggga gccccagaga cttttctttc tgtttctacc tgatccgaaa 121260 acgagagggg cgggaaagga aatttagggg cacagagagg agctgggggg ccgagaaggt 121320 ccqaaaatqq aaccaqcaqq qqqcacccqa qaqccqaqqt gcccacqgqc cqgqaqcctq 121380 ggaatgaaac tggggaagag ggggagagaa agggaggcag agacaccgag acacacagag acgagagaca gagacgcagg gagccccgcg gggaggagga gagagacgaa gacacagaga 121440 gacagtgaga aagacagaag accgggcagg gaaacagacg agtagagaca gaaaaggtcc 121500 gagagagagt gagggaggga gggaacagag agacagagac cacgaaatat gagtaagagt 121560 cgggggagaa aaccagagaa atcgaatgag aacgcgagaa gaacgagaga ccgtggaggg 121620 agcagagaat gaatgggaag aataagacca acatttatca agagccgact gtatgccagg 121680 121740 cactgcattg gaccctggca cggataggaa aggaggagcc gcggcgcggg cagcggggcg 121800 aggggcttct gtgctcgcgg gagcggcagc ccagggggct cagcagcccc ggcaccgccg cacctgcggc tccagcagcc ccaaccccgc cagcgctgcc tggccaccgt acccgaagcg 121860 121920 gctccccga gggccccgag cctatcctac gccggggcgg ctccgcggac gcgccgggcc 121980 gagtcaagac ctgggtcaac cgccctgcag cctttgtagg gaagtgccta ggtgatgggt ctgctgatac cgcctgtgac caggccatga agggccagag gggctccagt gagaccataa 122040 122100 tecgecete tttaaaaggg ggtagaggaa gtteaegega agecaaeagt etteteeca 122160 getttgggte eteteetgea eeceegeggg agataaggte teeceteeeg gacacateat 122220 acatacacaa aaaaacgcac acactcgcac gcgcgcccat ctcgcacccg cttgtaaatg cactaagggg catacacaca ccgggcacat atttctttcc acccatcccc aagatcgcaa 122280 122340 gcgcaaaacc tcgcacagcc tcacgtttcc caccagctca gacatgcacg ctggcggact ttcagcggct cacccgtgtg cacactcacg tgccccccc cccgcttccc caagcccgta 122400 caaagggtaa cgggcaagca tcctgagtca cacctgcaca agcatccttg cgcgcacqtg 122460 cacgeteata tgcactegat ettgcacgea caaactettg catatactat tettatagte 122520 122580 gcacactggg cttgaggtct gggagtggaa ggaaaagtgg aatcttggag ctgtcccagg 122640 ggacagaaat gctggaggct gggacactgg cgcgagggac gcggctgggg gcgggggagg gggtgaccca gaagctcatc ttctcctgga aagttgggag gggggaacag gacaagtcca 122700 cggcgttcct ctaaactacc gcattccccc aagaagggat ttctctagaa gagtggcgcc 122760 122820 gcgaggacga tcgaacacag tcctccgggt cgcttaagcg ggggggaggg gggcggggtg 122880 gaggggtta gaaagccgct cccgcctcct agtggtcgag aaagggttaa gtcggcaagc caqcaaacqa qqqaqqaqcc agcgagtgcg ggaaggagtg ggggtggttg ggaagagctt 122940 123000 cctcgctgtc cccactctcc ctcggctagc agcctgggca cacggacaga cggactgacg 123060 gactetegag eggacagege agetageggg gegegggege tgggegtega eggeeageee cagoottooc ogcooogtog ogcooogco ogtooogtog gggoogatgg otootoocga 123120 ggcccgcagc ccgggcggcg cagggtagag cgccgcggcc cggccacgca gcccggggac 123180 123240 tecegggeee teceggagee eegeggggte eeegeegtge ateeggeggg eteagggage gagtgggage geeeteece egetgeeee teeceegage ategagaeaa gatgetgeee 123300 gggctcaggc gcctgctgca aggtaagaac gccagcggcg ggagagcgga gggcatcctg 123360 123420 gggagagaag cagggcgtcc cctctttcag ggattgaggg tggggcagtt ggggaggtgg 123480 ggtaacctgg ggaaggggaa aagctcagcg ctggggccgc gcccccgccg ccagggctgt teteageagg agggeacttg getgggagee egegggegeg tgegaggage tegtgaeega 123540 ggtgggacgc agggggcagg tggacccggc ccggagcggg gagggaggct caggttccgc 123600 tgtccccgct ccacctgctc cgggggacgc tgaggactcg ggccggctgg ggaagcgccg 123660 123720 actcagcaac tectectgee eggtgeetea geactttetg gecaectggg aagacaggag 123780 atgtgggtag ggggctgtct ggggaggtag gaggcgcaga gggaaatcca agtggccctc

tctggtagga gagatggagg gcgctagaaa gaggatagtt ctactgattg agtgacagat 123840 aagggtgtgg gccagagact gggggtgggg tggggagggg tcagggggag agggatagga 123900 123960 aggagaactc aaagatggag aaagtggtga gggaagctca aaggaggagg gagatggagc 124020 gggggagggg gagaaggaat aaaggttaga tgggaaaagc gtggagggaa gtgggaccca 124080 ggtgaagacc aaggaagagg gaaggagagg aaagaccaga tcaggggagg gatgggaaga 124140 agactatgga cagggaccca gaatcctggg atggaggtag cgggaaagag aatcaggact gggaccctgg ggactggaat ggaaaaggag aatggaaaga tcagaaacca gagaaggatg 124200 gggatggtga ctagagaagg ggtatcagga accggcgaag agggttggag acagggaacc 124260 124320 atggatggga gaggggctgg agaggaggga agaggaggag gaagagaaag gctgagagag agggactggg gattgggggt gctgcccagg gatgagacaa agaggcttct ggtaaccact 124380 tocacgtggg aagccctcca ttcccaaagc gcctgcctgc cacatttctt ctctcaggga 124440 124500 gtggctggtg ggccagatgg ggggtgcttt gagctcaggg ccctgggggt ggctgtgagg 124560 gacagagggt gaggactttg gaaggggagt gacagcctcc gagggtgggc aaacaggctg gctcctqtqc tqccatttat ttatccqqcc cqqacqttqq attctqcaqc cqctqccqcc 124620 124680 accacqqtqq ctqcttattt tggggtgtta cattctggca gagtgagaag ctgtttgcag cagctctaaa cctccgtcac ccgcgtcagt gcctccccag gcccctgcgt cactggcatc 124740 accaccacct ccatcccact cctcagctcc cacctcctca gcccctgccc cctcagcatc 124800 tgcccgcagg ccccagccct tccctgaagc agcccgttgg gtgtggagcc cttgcttctc gtotgggacc ctgtgcccct ccttccagag cgagaggcct ctgctgcctt tccagggagc 124920 atcettteet gggaccacte tgcaccageg actetgeeet gtgggtgggt ageetggate 124980 ctgccccta ctttgggtcc agttttcttc tcctcaagtt ccttcttcta caggggcctc 125040 cggcccaaag agtggcctgt gggctgagaa ctttgtttct gagccttggt actccaaggt 125100 125160 ttgatagcca gagtcctgga cagtggtccc tcagtgaaca gatacttttg gctctggaca 125220 cttcagcctt cogggatcaa taccatgttc tggcctctct tggctccctc ccctggtcag ttctggccat atattctgga caggggtcat ctcttcttga ctcccacatg taatcactac 125280 tctagaacaa ccgcaactgg aagcctagga ggtgaaagtt gcagagagag ctggagtccc 125340 125400 ttoottgoot tgaccotgaa tagocaaaca gactoagoat tgtggctggc coagocotag 125460 gcacctgggt gcaatttctc tcctgtcttt acctcaaggg cagtgtctca cacattcagg cgtggtttct gcggaggatg tggccacctc ttaaagaaag atcagagtgt ctctctgaca 125520 125580 tgggcttgat gtccctcttt tccaatctgg gttccacctt gtactagctg catgacctga 125640 ggccactgtg tcatgtttct ggggctccct tccttcatct gcaaattggg ggccacaata ttgacctcca ggggattatg tgtgttgtgt tcaatgtata aagaagttaa cctgtacaaa 125700 tgcagtgcct aggacaaaat aggtgcttct tggtttcctc ctaccctgct gtactctccc 125760 125820 ctgcagctct agccatcccc tgctgacttt agaggagggg gtgagcagag agggtggggg 125880 aggctqctac aaaqqqcttt cctctgtcca tqaagtagtg gagggatgaa atgaaggctt ctgagaaaga caatgaaggc gagctgtaga gacctggtca ggaggcctgg ggtgctcaga 125940 126000 aactcacact teceeteece ageceteaat ggtgttacet atgatgtgag gggteggete 126060 taggtggcca ccgaggtatc cccctttcca gctctgatac tctgtgcatc ttgccccagt ctccaccggg aattcacaaa atgaaggcca ggagtggagc cgtggtcctc gggagagaca 126120 ggaggcctgg gcctggaggg aaggagtggt ggtgctgagg aggagtgaga acagggggtg 126180 126240 ggggagagag ggaaaggcac agctctctag tcccccaacc ccccagtccc accacctctg 126300 ccctggagtg ctcgctccag ccccagcagg cctggggcag tgaagcccag agcccctcc 126360 126420 cctccctcc tccttgcctc cagtgagagc cgctgcgtga attatggatg agctccttgg 126480 gttacagctg ctttgcacgg cagtggcaag ggccagaaat ggcaacagag tcactgttat gcagcagctg ttatggagga gcccccagca ccgggtcgct cttcagagag cctgcaggga 126540 126600 ccactatcat gggctggggg aggtgagccc tggttggggg agacatggga acaagatgga aggagagtgg ggaaagagaa gagaagtagt ctaatgtggg caggtgggga gcaggagagt 126660 ctagggagag aaagaggagt aggcaccett gccageteet gcagagttta ccctcaagge 126720 cggaaggaac cctgatgcca ggggaatggg ccttgcctct gagattgcac atccttccct 126780 126840 ctgtctctcc tggggcagcg gtcagtccgg aggctggggg aaagctctgt aatcctccag gggctagcgg ccatcagggc tcacactctg gtgagcttgt ggataagggg taggattaag 126900 ggatcagaga aggatttggc ttcttttggt gtcaagtcct tagggaagtg gagatcagag 126960 ggtgactctg acaggaaggg aagtgccctg gctgggcatc aagagacttt tctggccctt 127020 127080 tecetgecaa caetttgetg tgtgaeettg ggtaagtege ttgetetete tgageteeag tcatcacctc agtagaactg atgcttgaac cagaggaatc gaggggacct ttgcggcttt 127140 gaaatctcca gttctaagcc ccaaacctca accctcatga aacccactca gggtccccac 127200 127260 tgtgcttcca cactccacct ctgcctggtt cagatgaggg gtaagagaca ttgctcctcc accccacgtg ggtctaagaa actcgggagg agaaagtaat cgtgaaacgc cgcacggggg 127320 aggggtgaga agggccgaga aacgcggagg tggtgtgaac gaatggaaca gcagccgctg 127380 127440 tgtcactgag tattacatca cacccagect acacaegeae ggggeeegge geteaeaeae acgeggagga cagecageac geacegaege ageacegaeg cagegecagg aggggeeggg 127500 gacactcacg gtggggccca aaagcgagga gcagcacact gggagtgtgg atcttccacc 127560 127620 ccgcacctgt gtgctccccc ctctggagga ggaacaccag ggcagctggg atgccagcgc

127680 cacactoggg gcctgtcagt cccatgcgtg cacacctggc tgagcagcac tgcatttggt gagcacctgg ctcacgccac tacccaaaat cacagataca tacacacatt cacgcacacg 127740 gcaacctcag gagcgtgaca caacacaca aaaaccacca ctaagcaagt gcaatttgca 127800 gccttggaga ccccacactc aaaatcacca acccctcagt ctctcccagg gtctctgaac 127860 cccaaggagc cccaggatgt cagagtgcag aaacaagtct tcctcccctc tgccttcaaa 127920 agcctaggac gttgcttgaa gcagaaggtg ttcagtcact gtgtgcccag ggaatgactg 127980 cctggctttg ggggtgcagg ctcccttttt ccccaggcaa aactgccaga agaaaatccc 128040 aggagtcacc tggaaatcat aagaaagtgt agaggtcaag ctagttccgg cctagaactt 128100 tatcagctat agtgacggca aaggccaggg atgatgggag gccctgcacc cctattaaaa 128160 tatgagtaca gacacctgca ctccactctc tagcccccag gctctctggg cctgcttttc 128220 catcagtatc ataataagga tggatcatat ccaaccttca aaagttactt tgggggaaaa 128280 aaaaaaaaa gctttggctg gatgcggtag cttatgcctg aaatcccaac actttgggag 128340 qccaaqqtqq gagqattqtt tqaqqccaqq agtttqaqac cagactqaqc aacatagcaa 128400 gaccccatgc ctacaatttt tttttttt tttttttt tttttttt tttgatacag agtctcgctg 128460 128520 tqtcacccaq qctqqaqtgc aqtqqtgcga tctcggctca ctgcaagctc cgcctcccgg gttcacacca ttatcgtgtc tcagcctccc aagtagctgg gactacaggc gcccgccacc 128580 atgcccggct aaatttttt tttgtatttt tagtagagac ggggtttcac cgtgttagcc 128640 aggatggtct cgatctcctg acctcgtgat ccacccgcct cagactccca aagtgctggg 128700 128760 attacaggcg tgagccaccg cgcccggcca aaaattttta aaaaattagc tgggtgcagt 128820 qqcacqqqcc tqtqqtccca qctcctcagg aagctgaggc aggaggattg cttgagccca 128880 agtgatccaa gctgcaataa gctgtgatcg taccactgca ctccagcctg ggcgatggag caagaccctg tctccaaaag aaaaaaagaa agaagttttt aagtaactgc gaatgaggag 128940 129000 agcctggggt gtaaaatgca gattcccagg ctgtcccccc aggaattctg catagttcct aggactggct ggtggcctca cttagagacc cgacccttaa ggcccctccc ggcacaaaga 129060 ggctctgact ctgcaagggc gaaaagtaca ggaaagtaag ggcactgggc accagtgggc 129120 tggcaagacc agaccccaga gtgagtccat ttcacacggg cctcagatct ccaaagggtc 129180 129240 ccaagttact tccagtcatt ctccaatggg gtgactttgc cccccagggg acatttggca atgtctggag acattttggt tgtcacaact ggaggcaggg tgctgctggc atctagtggg 129300 tagaagacag agatgctgct aaatgcctta tatagggctg cccccacaac gaggaactat 129360 ccggcccaac tgtcaatact gaggcagaga aaccctgacg ttagtctttt gacattaatc 129420 tctagacaag gtcaaacatg caatagtgaa aacaggaatg aagagatgat cattcttcaa 129480 ccaatttgca gtgctttcta caatggcctt ttggcattat tttttaatat atgagaagcc 129540 tcagaaagtg gaagtggcca ggccacttga ggctataacg ttgtcccctg agcccccaga 129600 catgggagca ccagggctct aggcctttat ttttattttc tatttttcc cctgaaacag 129660 129720 ggtcttgttg tgttgcccag gctggagtgc aagggtgtga tcgttgctca ctacagcctc 129780 aaactcctgg gttcaagcga tcctcctgcc tcagcctccc aagtagttgg gactacaggc 129840 acatgccacc atgcctggct aattttttt tttttcttgt aaagacaggg atctccctta tgttgcccag gatagtctca aactcctggc ctcaagcaat cctcctgcct tggcctccca 129900 aagtgctggg attacaggtg tgagccacca tattcagccg ggtctaggcc ttttaccaag 129960 130020 ttggggggct ggcccccagc tggcactcct gccctggaag cccacctagt aagttctgct tecectecee acageteceg ecteggeetg ecteetgetg atgeteetgg ecetgeeeet 130080 ggcggcccc agctgccca tgctctgcac ctgctactca tccccgccca ccgtgagctg 130140 130200 ccaggccaac aacttctcct ctgtgccgct gtccctgcca cccagcactc agcgactctt cctgcagaac aacctcatcc gcacgctgcg gccaggcacc tttgggtcca acctgctcac 130260 cetgtggete ttetecaaca acetetecae catetaceeg ggeaetttee gecaettgea 130320 agccctggag gagctggacc tcggtgacaa ccggcacctg cgctcgctgg agcccgacac 130380 cttccagggc ctggagcggc tgcagtcgct gcatttgtac cgctgccagc tcagcagcct 130440 130500 geologicae atottecqag geotogicag cetgeagtae etetacetee aggagaacag 130560 cctgctccac ctacaggtga gcctgccctg ccccaccct cagccccttt ctggtttcct 130620 ctctctgtgg gcccctctgc tccccgaccc tggcgtgcgt ccctcctctc tccccaggcc accettectg ceteageate tecatttete tetgtetatg tetetttet etettacatt 130680 130740 ctccaggggc tttacttttt cccttctgcc tctctacctg tttaggtccc ttgctgttcc tctctctct tctccctcta actccacaac cttcacctct ctgcctctgc ctgtctgtct 130800 gtctatccct ttccatccat cactgcctct ctcactaact tgcctccccc atctgtcttc 130860 tgcctcttct gtctgtctcc cttcacacac ccactccgca tacaccccca tgtctgtctg 130920 130980 cgtgtgtgta tctgtctctt tctgtgatct cacgtgtttg ccttcagggc actctgcctt 131040 ccccagggt ccctgcca aaggcctttg cagctgtttt tctcacccac cctcaagtct gcccacatca cggtgaagta gagagagaag gcagagccac agccactggc atcccacaga 131100 aagttgcgct tctctccaat tcactgggca atgggacggg agaagcccac accccttcta 131160 131220 gattcccatt ttccaaacct gtcatctcaa tgcaggggaa gaaagaaaag ggtaaatctc 131280 tgttatgcag ctggagaatg gatgctctga aaatggaagg aataccagta attgttattc attgttatta ttattgatct aattattgtt tattgttgtt atgctgactg tttgacacgc 131340 131400 aaatcatccc actccatttc cccaggaagc aataacacac cctccaaacc accctgagag aaaatcttcc cttggctaca gagcctccgg ctggaagggg gtgaaaatat ccaaattctg 131460

131520 ccctctccct acttgaacct ggaacgtgct tcctctgcct catccagggc tagtgcctaa 131580 ctagttatca atctgctagt tggaaaatca ggtcagtgct gatgatgcta atgataataa caatagccat aacaacctaa caaacatact gagcacccac tacgagctag atgctaagaa 131640 tacagtagtg aacagaacag accaaaccc ctgccttcac agagatacca ttcccatgag 131700 gagggaaaga agtaaaatgc acggtatatt ggaaaaatat gtcttatatt attcttattg 131760 ttgcctaaat agtgacagta atagcagtag ccgccaccac ttagtgggta cacagggtca 131820 gccacagtgc caagcacttt ataggtatcc actctgccat ttacaagcgt gtgacatttt 131880 tttttttac ctcctcagac ctcagttttc tcatctgtac aatggggtag caagagcacc 131940 catctcctag ggattttgaa agcattaaat gcatgaataa tttgtaaagc acttagaata 132000 gtgcttggca tacggtaagt gctatataaa tgcttgttaa aatactattt taaaaaaaqa 132060 aacgagcctt atttaacatt ggtttcagtg aagtggccca acttggactc catcctgaag 132120 132180 atgtgggtca acttcaagga ttatactaag gtcatgagtg agtcccagaa attgcacctc acagtttatg aagtgcactc agccacctca tetcatttet acageccagt tgggagatta 132240 132300 ttttcacctc cttqttaaca atggagaagc tgaggctggg ggccctgaag accctataga qatataqtca cctccaatca taaatctttt caaccattgt cggtgtgacc ggaggcttat 132360 gtcttctcac catcatgttg agcctcacaa caacctggtg atagggacag ttaggggcac 132420 tagggacatg gaatgaatgt tcctgaggcc acacacccag gaagagctgg cgcttgaacc 132480 tcatggtctg gctacaaggg gacagtactc tggagtacaa ttgagcaggc tcatttttga 132540 aagcacacag tttggactca gcaagaccta ggttcaaatc ctggctccta tatatatgac 132600 tttggacaaa ttacttaacc tctctcagtc tccatttcct catctctaaa atggcaatca 132660 ggatagtact taataataat ctttttttt tgagacgacg tcccactcta tcgcccaggc 132720 tggagtgcag tagtgcgatc tcggctcact gcaacctctg cctcccaggc tcaagtgatt 132780 ttectgeete ageeteetga gtaactaaga ttacaggeat gtgteactae acceagetat 132840 tttttgtatt tttagtagag aagggtttca ccatgttggc caggctggtc ttgaactcct 132900 gacctcaggt gatccactca cctcggcctc ccaaagtgct gggattacag gtgtgagcca 132960 ccatgccag ccaataataa tccttattta agaagttttg taaggattaa aatgtaaggc 133020 atttagcaca aggattaaaa tgtaaggcat ttagcacata tgggcactat aataataatt 133080 actactacta ctactactaa tactgagatc aaatactact acaaattgat catgcattta 133140 atgctttcaa aatctcctta tcaatatata ttagttattt aggaggaatt tggagtcaga 133200 gggcctgagc ttgaatcccc gatctactat tttctgactt atttaacttt aagcaggttg 133260 133320 ctaaccetet etgaacetea ettaetttat etgeaaaetg ggaataatga aaataatace 133380 ttccaccaaq aatggctgta aataggaaac gagttagtgt atagaaagcc catagttcag gctggtgtgg tggcccatgt ctgcaatccc agcacttcgg gaggccaagg tgggtggatc 133440 133500 acttgaagtc aggagttcga gaccagcctg gccaatatgg tgaaaccctg tctctactaa aaatacaaaa attaggcagg cggggtggca ggtgtctgta atcccagcca ctagggaggc 133560 133620 taaggcagga gaatcacttg aacctgggag gtggaggttg cagtgagctg agatcgtgct actatactcc agcctgggtg acagagcaag actctgtctc aaaaaaggaa aaaaaaaaa aaaagcccat agttcagtgc tgaagaaatc atgttattat gaccccatcc tccattgact 133680 133740 133800 ctcaqqccaa caacaqcaat caggacctga ggtcagcaaa ggcttgggca gaggggacct caggtggaca ttggggtctt ctgaaatggg aagtgtttgt tctctacgcc cctggcatga 133860 atggtaccag gcatcatggg aaggaagcaa cttcacacct ggccttttat agaggagatg 133920 gaaaacacag cctctgcctg tgaactgcct ggtagggctg ggctgggaga tgccacaggc 133980 aggtgaggaa acatgggctg gggtgagatc cgcagggtgc aggtgtgacc caagatggag 134040 134100 ccaggcctgc cccaaagggg agetttggag gaaactccac cagaggacca cagettttca 134160 qaatqqqqaa qqqccaqqca ctgtqccagg tgagttcatt catcaacaga tatttactga gtatctacca catgccaggc aatgttccag gtgccaggga ttcaggagag aacagaaaca 134220 gtggccctgt tctcccagag catattccct actcaagtgt agccagatga taaagacact 134280 tgttttcttt ctttttttt tttgagacga agtctcgctc tcttgctcag gctggagtgc 134340 agtggcacga teteggetea etgcaacete tgceteceag gttcaagega tteteetgee 134400 tcagcctccc aagtagctgg gattacaggc atgtgctacc atgcctggct aatttttgta 134460 tttttagtag agacggggtt tcaccatgtc ggccaggctg gtcttgaact cctgaccaca 134520 ggtgatctgc ccaccttggc ctcccaaagt gttggattac aggtgtgagc caccgcaccc 134580 gccgacactt gttttctctt tcagtcatta cagtggcctg catggttttt gtttgttttg 134640 ttttqttttq tttttqtttt tqaqacaqtc tcactatgtc acccagctgg agtgcagtgg 134700 cgcaatcttg gctcactgca gcctcacctc ctggggtcaa acaattcccc catcttagcc 134760 tececagtag etggaactae agacatgtge caccatgtee agetaatttt tetatttat 134820 agagacgggg tttcaccatg ttgcccaggc tggtctcaaa ctcctgaact taagcaatcc 134880 accogoctog gootoccaaa gtgotgggat tacaggoatg agcoacogta cacagotggo 134940 135000 ctqaatqqtt taaaaataqt ctttatgctc aagcagatca gatctcagtt tgaattccag ccacacctct aatttgctct atggctttgt gcaagttatt taaccactct gagcctcgat 135060 ggacccatct gtgaaatggg gataacctgt accttggcga gcaggggttg tgaggattaa 135120 aggagatact actgagctca cagcccaatg tctggtacaa agtgagtatc caatgaatgg 135180 tagctatcca ttaacaccag ggaggacacc aactgaagct cagcaaaata aaagcacagt 135240 ccaaggtcac ccagctagta aggaacatga cctagaattg gcccaggtct gtctgactcc 135300

agagtgcagt tgttcagagg tctctggagt tggaagccac gttccactgc atattagctg 135360 ttggacccta ggcgagtcac ttcacttctc tgaggctcca tctcgtaatc tctgaaatgg 135420 135480 agataataat agtatccacc tcatagggtt gtgacaatta agttactata taggatctgt 135540 gtagcacaga gcttggcaca tggtaagagc tcaatcagtt acctgcttga caatgctgac 135600 qccqatqatq acqatqatac ccatcctaga ctgatgagct ctgtaagcgg gggtgcctgg 135660 cacagagtag acactcggta cagctctgtg gaatgaatga ggcacatccc agaactcacc aattcataaa aatcagatgc agatgggatc ttaaagatca cctatcctaa gtcccttgtt 135720 tcacagatga aaagacccag gcccagagag gtgcttggag ctgcgcaagg tcacacagcc 135780 aagcagctca tttgattagt gtcagagcca agagctggga gtttggaggg aggcaaggtt 135840 aagaacagga tgctgtragg gaagcaggca gggatgctgt gttaagattc caaatggatg 135900 135960 cagagagetq tgaaccggcc agtggggagg caagggaaat gtggtttttg aaatggaaga ggatgacttt agcagaggct ctcagcccag agggagggga gatagggagg ggagataggg 136020 aggggcgggg ggagggctag ggctgtgaaa gtcaagagct tattaatgca tagagaacgg 136080 ttttaacagt ggagagaga aggaccggat ttgaaagcta cattcaagga agtggcaacg 136140 136200 ggatttggca acagcttgga tggggggagg aggcaatgga ccccaaggca gaggctcaga qaaqqqaqqq qcaqqacttt ttgcagagaa acaaaaggag aggagaggag gttagaatca 136260 136320 agaaattctq tgggccaaaa cctggggctg tgggtcaaag gcacctgaat tccctaggat 136380 ctetggaact ttggtctact cttctgacct cccgaggtcc cccaaaatgt ggattacccc tgctcactct cccccaaccc ccggcccctt atcgatcctc tgaccataca tctctgggtg 136440 tgtcctactc ttgctgacac ttcataaaaa gaggaacccc atttaggtgt tttgagtggc 136500 136560 agggattcca agcctacccc ctggatgggc ctggaagaga acaagagcac caggccatgg tgagtcaggc tgaggccagg gaggtgcaag gagccagctg gaggcctgag ccaggatttg 136620 gggtggtggc agcagggggc ggagaatggt ggtgtcagag gcagccgaga aggttgaggg 136680 ggacggatet caatgtggee aagaggaggg etettggeae geteagttee tgtagegaag 136740 136800 agggcggaag ccagatggga gggggcgaga acaggcagga gcacaggaag gtggaggctg 136860 tgggtgtagg ctgggagtca atgccctccc ccaacctgag gcctccgacc aggctcctgg gtggcaggca tggggaggaa agcgtctccc caggcagtga gggagggaga gccacagtca 136920 qqqaacaqqc cccctqqqtq aactqqcctq aqcaqagtgg atgctcctgt tctgagaccc 136980 137040 agacctcctg gaacctgctg accacagtga tgccctgcac aagaggggag gacctcaagg cagtgaggtc agggagctga agtcctgctt ccctctctgg caagccctta tctctttgag 137100 ccccagtgct ctcctctaaa aaagtgagct gggctgatgg gtgccaaggc attagctccc 137160 137220 aaqtcaqctq atcatcagaa tcccctggtg agctggttat aatgcagagt ccaggaatcc 137280 ccactggccg tgggccacac acaccegccg cccccgctg ttaattctga accatagttc 137340 caaqqtcctt tctqcactaa tgtggcctga ttaggtgact ccctagcacc aggcaggtgg gacagegeet ctaaggggag tagtaatgea atgtggette etteetete teeeetgeeg 137400 137460 cctctggggg tggagctgat gccctcacc ccaataccca gcctagtagc agtactttgg ttcccccagg gagctcctct tttaaagaaa agggacagga cccaattgtt actgagcccc 137520 tattgtcata gtagccacca tttattgatg gttgactatg cacctgccag atactgtacc 137580 cttaacagca tttatcatcc aaccctcctt tagcctgctg agggggttat acataataag 137640 gaatattgta catactgagg aacctgagac tccatgaggt taaaacttgc ctaaaataac 137700 acagetaggg aaaaggcaag etggattitg aactaggget etaagtgetg ageetgtggg 137760 cttcataatt ggaccaaatc cctgtgtgct gggcacgtgt ccagcacttc cctcatatga 137820 tetttatgtg aaccateete tggaateete agaacaaace caggaagtag gtataeteat 137880 ccccatttta cagatgagga aacaggcaca gagagatgac tggcttggcc aagttaagaa 137940 taatggctaa caaacaaaaa caaaaacaaa aattaaaaaa aaaaaaagaa taatggctaa 138000 138060 ctcatggaac tcatagaact ccacaaggaa aggtgttcta agcaccttca tacatgctgc 138120 ttcatttaat ctctacatta tacagatgag gaaactgagt cacagatatc ctgagtgact tgcccacggt ggcatcagtt aatgacagat ccaagatttg aaatcagaaa ggctggctcc 138180 ccagteteca taetteacea aaccagaagt tetgaaacte aaactgtggt cetgecaatg 138240 138300 gccacactgg cttccctggg gaacctgtag acatggggat tcccaggctc caccccaaac ctcctgaatt agaaactctg cccccgccc caccccgctc agagatccgc aggggatcct 138360 aatacacccq aaagtttagg aaccactgac ctcaccaata ccactttttc cacagcaaat 138420 138480 aggttagagg aggcagaatc caaatccagg atgctatgaa tcaaaaggtc aaccctttct 138540 cttctqccac qqtqcacccc cttccctccc ccqqccaagg ccccaqcqgg gtctqcaccc tgcctcaggc ccattctctt cttctgtgcc ccactccacc ccacccagga tgacttgttc 138600 geggacetgg ccaacetgag ccacctette etceaeggga acegeetgeg getgeteaca 138660 gagcacgtgt ttcgcggcct gggcagcctg gaccggctgc tgctgcacgg gaaccggctg 138720 caggggtgc accgegggc cttccgeggc ctcageegcc teaccatect ctacetgtte 138780 aacaacagcc tggcctcgct gcccggcgag gcgctcgccg acctgccctc gctcgagttc 138840 ctgcggctca acgctaaccc ctgggcgtgc gactgccgcg cgcggccgct ctgggcctgg 138900 ttccagcgcg cgcgcgtgtc cagctccgac gtgacctgcg ccacccccc ggagcgccag 138960 ggccgagacc tgcgcgcgct ccgcgaggcc gacttccagg cgtgtccgcc cgcggcaccc 139020 acgcggccgg gcagccgcgc ccgcggcaac agctcctcca accacctgta cggggtggcc 139080 gaggccgggg cgccccage cgatccctcc accctctacc gagatctgcc tgccgaagac 139140

tcqcqqqqc qccagggcgg ggacgcgcct actgaggacg actactgggg gggctacggg 139200 139260 ggtgaggacc agcgaggga gcagatgtgc cccggcgctg cctgccaggc gcccccggac tecegaggee etgegetete ggeegggete eccagecete tgetttgeet ectgeteetg 139320 139380 qtqccccacc acctctgact gcggtgctga gatcgaagag gccagtgtcc gatccccgct toccgtocac coggggotge ggetcoggce coagtogcec cacettocet ggcettgetg 139440 cctccctttc ccctcccagc tcctctcctc cccggggagc aggccgcctc tccttgcctg 139500 139560 ccccctqqqc tqtcctqact tgtggcagcc ccaagagggc gtgtgtggtg gctcagccct 139620 qccctccca qttctgqcca ttaactcttc cccatcccaa ggctggggtg gggcccccca ggcagccgct gacccgcact cctaagggcc cacagcggac accagagggg cttttgtctg 139680 cagagogtot tocaccagoa gagootttgg aagotococo agggagococ acccaggaco 139740 ctttggggga tgcctcagtc agggccaggc tgaccctgac ccctgcttac cctagtcccc 139800 tcaacctcct gacactggag gaatactttt ctcctaagtc taccctggac actttttagg 139860 gcacctggag agaactttcc tctccactgt ggcccctgcg tggtgaagat caaaagaagt 139920 tgtttgggaa aaaaaattta ttaaaaaatt ctattatttt atctactgta agatttgttg 139980 140040 acttgggacc ccgaaagcgg gatgaggtct cagaatgtaa ggattgcagg gccaggaggg ttggagaagg ggagccgtcc cccgccatca aagagcttcc tggtggctgg aggtggtgtg 140100 cgctccccg ccatgaggag gagctgaagc cctgcattct aggtgaggcg cagtgtggca 140160 gccaagagtg ggtgctggtg gcacctcttc tcttcatttg tccaggggaa gagctgcagc 140220 caaccetgag tggtctggcg cetgaggaac taagcetggg gaagacetge tgtctggtta 140280 140340 acagecetet tecagaceet gtteetteag gaaacaagag cagtteteet geaaggagga 140400 qtcacataca cactcctggt cacagacagc cccaacatgg ctttgggtaa atgtgaacaa 140460 qqcactqctc cctcaqqqaa acacaqcccc atqccagagc aaacacctta gcaaacagag 140520 accaaggetq qqtttccqcq tacacttgcc tccttggcta agtgcccttg tgcagtgcac agegtacaca cetgeacaca geaaccetgt gggtatgtgg tetetetete ageteetgtg 140580 aggtagaagc catcagggat gaaccaggtc agagaagcag gtttccaaac aggctagaag 140640 agggaccgag gaactcgggt gatcagaggg acaggaatcc caaattggga tgcattactg 140700 140760 qcttqaqqta caatcagaac cttcatcttt ctggtgtgtg gaagagaggc tggggactgg gaagagetea ggetaagaag gaettgggtt gggatttagg ggtgagtete atcagaetga 140820 gcacttggag agaagtttgg tagtttgaat ttggagctaa gaatctagct tgggcagggt 140880 gtggtcgctt gcacctgtaa tcccagctaa ttgggaggct gacgtgggag gatcacttga 140940 141000 qqccaaqaat ttqaqactag cctggacaac atatcgagac tgagtctctt aaaaatgttt ttttaagaat ctagtttgga gtggggtgtg atgtctcaac gtctgtaatc ccagcactct 141060 141120 qqqaqqctqa qqtqqacaga tcacttqagg tcaggagttc aagaccagcc tggccaacat ggcagaaacc ccgtctctac taaaaattca aaaaaattag ccaggcgtga cggcgggtgc 141180 ctatagtccc aggtactcag gaggctgagg cacaagaatc actccagcct gggtgacaga 141240 141300 gactctgtct aaaaaaaaa aaaatctagc ttgggaggtg ggaatagaaa gatagagggg 141360 gcctagatgc tagggcttga ggaagcaggc tgaggttctg tgattctggc tagggaggtc 141420 aaatgatctt gagaagaaga gaagaaagga gaagaaatca gcatctaagc ctgaggcagg tagactecgg ttaagggtgt ggggtggget gggggagagt gagageaget ggteagaaae 141480 ccagggagct cggagtctgg ggtcttgcag gggcttgtgt caggctggct gtgaggaggt 141540 141600 taatgggttg gattggaggg acagccagac aagagctctg gtggaggagg ggctgctggg gectgggcag ggggagggga getgetggta aattagagge aggetgteea ggteatagaa 141660 ttatcattgt gaaatattca tgggccatcg gtccagatgc tatttcagaa cagtgaaagc 141720 aagaggagtg tgtgagcctc aggaagaagc ctgaagcaaa gccactctcc accaacccc 141780 accoctocca ccaccagece agacagacee acggacgece atcacgtgea cacccacact 141840 cccgaqctct cacacact cgcaccaagc agagccatgt agcacgtgca agcaccacaa 141900 ccacccacgg gtcccacaaa caggcaggtg tcccctaaat tctgacatgc acactgacat gcacacccac tcaatcagga cccagcagag atcacctcca gcgatctcac atgcgcagac 142020 ccccaaactc tccaaacaac ccagattcac caccttgacc cacacacct gagataggag 142080 ggatgttcaa ggccatccag cccaaccccc accaatgctc tgatggggaa actgaggcca 142140 tagaaaggaa gggatttgtc tgagattcct ctatcccctg aaaaaagcaa aattcattca 142200 cctcccacat tctgagtgta cccccattct gcattttcgt ctgccagaca cccagcctag 142260 ttgtaattaa ctcctcctt tctctaattt cctgcatcta ttcagttacc cagtccccca 142320 cccagccaca gtctatccct tectteccat tetececace acctecetge tecagetact 142380 cattacctca tgcctggaat ataaaagaaa actgcgataa cctcctcgct ggtttcctac 142440 atggaatete tecetecete ecacecagee atacegtggt gaccagatte atetgateaa 142500 142560 aatttgcata tgttatgatg tcactcagga gcctgtaatg gcttcctaat gcctataggg taaaggtaaa acaccttagc agagcatcaa agatccctca gagtctggta ccaactgctt 142620 ttctagcctt ttctctcaca atctcatccc aaaccttcac tccagctaga acgtttgtat 142680 catactggcc accagttatc atgtatgtga aacccaccaa ccgactttga gtgccccct 142740 aaaatttctc agtctctcct gaagtaggaa acctcttccc cctcctcaga tctcagactc 142800 cagageeett teccaaggee aagaetgeae etetetgaee atatacaggg gttetteaaa 142860 gcagcagaca gaggetcagg etetggetce etecaageag aeggetgeee eegactggee 142920 accttgggaa gcacagccag gtttcagtcg tctagaacag agaatgagca tctaaccgcc 142980

143160

143220

143280

143340

143400

143460

143520

143580

143760

143899

```
tggggagagg actaggacac cagatgataa ggtttataag cccttaagcc tctaaggttc 143040
ttacacccag agtagggggg ggacggttct cagccctgtt tccctagctg cgggctccca
attttcgatc cctaatccga gaggaactcc tctccaatga aatacagact tgggactctc
aggacactgt ggaagggaaa tttcccaaca gactctgaga gtccaggagg ccagggatag
accaggtggc aggcccaagg tccagctggg gtcaggtttc tatatgaatt tttaatgctt
ccagatagac ttgtcagatg ttctgaaaac tgagcatctc ctttcacctc tgtacatgat
gcccttctcc aaccccattg cccctgcagg agggcaggcc tgggacagat attcagtggc
ctctggagaa acggttttgg gacagtagaa gggtaaatga cctagttatg ttcccactag
taagctgtgt gaccttgggc aagttactta acctctctga acattagagt tctgtgggtt
tgtttttgtt ttgtaagctg gggacaatag tgccagccta aatcaatttg ttgtggggac
tcagtgcaat agcccatggc aaagtgacct acatgcttgc tgttattatt ctctttcctc
aagttctgcc tccctcttcc agcttttctt ccaaccccaa agatgtctct ggctattgct
tcgaaggtag gaactttggt tggttctccc ctttctcttc aggcccaaac tccccacctc
aagateettt ggeetttgta gaaactteag gtgaggaggt ggeagagaaa taagaaagtg 143820
tgcaaggctg gtggagtgag agaggaggat agatggcgaa gccctagcag aggggaggga 143880
agtgggcagt ggagagagg
<210> 16
<211> 215980
<212> DNA
<213> Mus sp.
<220>
<221> modified base
\langle 222 \rangle (1001)...(1100)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (2123)..(2222)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
\langle 222 \rangle (3728) ... (3827)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (5168)..(5267)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (7481)..(7580)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (8849)..(8948)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (10375)...(10474)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (12270)..(12369)
<223> a, t, c, g, other or unknown
```

<220>

```
<221> modified base
<222> (13438)..(13537)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (15902)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (15939)..(16038)
<223> a, t, c, g, other or unknown
<221> modified base
<222> (18223)..(18322)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (20974)..(21073)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (24403)..(24502)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (27574)...(27673)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (30892)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (30901)..(31000)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (34443)..(34542)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (38205)..(38304)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (42373)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (42386)
<223> a, t, c, g, other or unknown
```

```
<220>
<221> modified base
<222> (42393)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (42461)
<223> a, t, c, g, other or unknown
<221> modified base
<222> (44809)...(44908)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (51380)...(51479)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (56740)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (56765)..(56864)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
<222> (62818)...(62917)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (68518)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (68534)...(68633)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (74552)...(74651)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (81446)..(81545)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (88519)...(88618)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
 <222> (93791)
 <223> a, t, c, g, other or unknown.
```

```
<220>
<221> modified_base
<222> (93794)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (96565)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (96570)..(96573)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (96579)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (96590)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (96596)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
<222> (96602)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (96616)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (96629)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (96633)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (96668)
<223> a, t, c, g, other or unknown
<221> modified base
<222> (96715)...(96814)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (104447)..(104546)
<223> a, t, c, g, other or unknown
```

```
<220>
<221> modified base
<222> (114521)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (114527)..(114626)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
<222> (127063)..(127162)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (139133)..(139232)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (151051)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (153242)..(153341)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
<222> (164706)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
<222> (164708)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (164710)...(164809)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (182242)..(182341)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
<222> (192158)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
<222> (192192)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
 <222> (198842)..(198941)
 <223> a, t, c, g, other or unknown
```

```
<220>
<221> modified base
<222> (199437)..(199438)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (208276)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (215974)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (215976) ... (215977)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (215979)
<223> a, t, c, g, other or unknown
<400> 16
                                                                   60
ttqqqqqtat aaacccaqaa gtqqqattac tgcaccatac aataatcctc taacttcaag
                                                                  120
caatttttcc acaatqqttq tatcatttta cattcccact ggctacgaga aqggttccca
                                                                  180
cttctacaca tcttcaccac catttctqtt tttqtttttg agtaacagct gcctaatgac
                                                                  240
tgtgaagtgg tatcttatct cagtgttgat ttgcatttct ctgatcatta atgtgggaag
qcatcqtttc atatqtttat tggctgtttg tgtatcatct tctttggcga tgttgattca
                                                                  300
agttatttgc ttgttttttt aattggagtt ttaaaaaatt gttgttgagt tgtgggagtt
                                                                   360
                                                                   420
cttcattagc tctgcatatt aataccctga tgaaaatgat taacaagtat ttgcttccat
tttgggggct tccattctgg gctgttttta ttcttttgat actcttttga ttctcaacag
                                                                   480
                                                                   540
tttaatctga ctaaaattca gtttatttct tcttttaatg gccatgctat tgacacatcc
                                                                   600
cqtaatcact gccaaatcca gtcatgaaga gtttctttca agagatttat agttttagct
                                                                   660
ctttaagttt gtcatgtctg tttcacttaa ttttgtatag tgtacaaaag tctaacttca
ttcttttcta tatggcttgc tactagtata cgaagagcta aatttctctt tccttgagtc
                                                                   720
                                                                   780
tcaacctctg atgtgtagca atttcttcag aggaaaacat ggtgggaagt tccttaaaca
                                                                   840
taggatgctc catggaggtg aaatagttca tcctacaggg aagcttgtta aacacaggaa
                                                                   900
qtacatactc agcagctcta gtaagtgagt gaaactgact ggaggcacta ggtccctcct
tccctacgca tatagaagct gtaaggattg ggaagagata ctgtcaggtc agctcagctg
                                                                   960
                                                                  1020
ctgcccggaa gaagctcaga cccactggcc tggctccaag nnnnnnnnn nnnnnnnn
                                                                  1080
nnnnnnnnn nnnnnnnnn atcactcttt actcaggcca cctacacgct gtttatagcc
                                                                  1140
tgcctttgtc tctttggcta tacttcctgt ttatgtctat gcctcccctc tttcttttc
                                                                  1200
titetettet etteteatet cateteatet ttetteaggg gggageetgg tetagaacte
                                                                  1260
acaaagattt gactgtctct gtctccttgc actaattaaa aaatctttta caagcatctt
                                                                  1320
                                                                  1380
ttagcaattc ttacagggaa attttggaat gttaaactct gattgttagc gggctgaaga
                                                                  1440
taacaatagc totgatgata aattgottgc caggcaagtg tgaaaatotg agtttgatoc
                                                                  1500
aaaaagccgg gtacagaggc caaagagtcc ataatcctag taggggcagg aatcagggat
gggtgggtcc ctggggtttc ctggtttgtc agcgtagccc aattgggaat agccaggttt
                                                                  1560
cagtgaacga tgctttctgc aagctgagag aggtccttgt tcaatctctg tgacccaact
                                                                  1620
ggagggagaa gagagccagc tctccagaag tggtcctctc aactttgtgc atgcatgtcc
                                                                  1680
                                                                  1740
atgttcacac agggaatgga taatgcttaa aaggaagacc ggcagggggt tggtaatgca
cctcctttgg tgacatgctt tcctcttgtt catgctgctc caggtgtggt cggcagcacc
                                                                  1800
aaaaaccagg tgtatgtttg taatcccagt attctctggt cgtcagtagg aaatgaaaag
                                                                  1860
cgaggtcatc ttcgtataga gttagcaaac tctaagccag cctcggctac atgagacttt
                                                                  1920
gtctcaaaac aaaggaaaaa tcaaggagga cggctcccga gcactgtcac ctgaagctga
                                                                  1980
cetetggeet ceacatgeat gtgcgcaaac acatgteetg cacaaacaca cagacacecg
                                                                  2040
catctgctcc ccgacaaaag aacctgaaac cagtatactt tgagaatttc ccattcatag
                                                                  2100
                                                                  2160
2220
2280
nnggtggtgc ctttctctta cccagtctag aagggctgga ggcagggtgg atggggcact
```

ttgaactccc acctaggcaa aaaacccagt gatctctggg ccagtgtgtt gtttgcaagg 2340 gaataaggta gagagccgcg gaggaagaca ttgggggttc tatgagtatg tgaaggggtg 2400 cacacaccac acacacat tttttttgtt ttaaatttac aaacattaaa ataggctgta 2460 atgtggctca gtgggtagaa aaacctgctg tctaagcctg gtacgagttc aatccctgac 2520 aagctggaag gagacaacca accacaactg ctagcagcca gaagcactgc ttgctaacac 2580 2640 tcaaqaqaqc ctggagtgga agacactgga tccccagcag gcaagcctgc aagaagatgt gccttgccta gacaacggca gaacaaacat caaggctggc agagctgtcc aggactgttc 2700 2760 atattaatca tgtatagata agagggaatg gcacagacag aacaattcaa cacacggggt atgaaaggaa aggaacaagg cacacaaagg acaaagaacc tagcatacaa gaaagcctaa 2820 gcagagagtg gcacttccca gaagggagtc ataaaataga ctgaattcat taaaacaaga 2880 gccaaagata aacggctcaa aaaactcacg gaaaacaggt caaaataacg tcacccatct 2940 3000 gacagttgat actgtcaact taaccgtatc tagaactcca gcaggcacat ctccaggcat gcccctgaag gggtctttgg actaggttaa ctgacgtggg agtgacacca tctatggacc 3060 3120 gcttcctgtc tgtggctgca gcgagacacg gtgcttcctg ctttagctgc catgacagac 3180 cacaccetea aacegtgaac caaaataace teetetetac attgettta ecaggeattt 3240 ggtcacacca atgagaaagg ttaactaata cagcactcaa tacttaaaaa cataaacacc 3300 aaccttgttt gcatgtgtga gactttgaag ctcacgggcc agttatgccc aatgccaggt 3360 ctgctggcta agggtgagag tgcacaccta taatcccagc tgctgtggaa tcagcaaaag 3420 cgctacagat ggaaggcagc cagggcagct gagactgact caaactgata gaggtgggag 3480 qcataqaqaa aaccagatta atagagtgtt ccccactatg caagaagccc tgggtttcag 3540 3600 gacgagagaa ctaagaatac agaagtctac tgtgtagaag cactgctagg tcacacagaa 3660 acatcactca agtqtctctq qatqctacac ggagggcgtg tgaagtattg cttcctgatg 3720 atctgtatct actacagcac tgctgtttta gtatgcgctc ctccactaca gctcctcacc 3780 3840 3900 aaacacacac caccagttag agaaagttaa tcaggccgaa tggcggcttt cccctgtatc caggetaccg teaggacgge teactgecae tggcaactet geetgaacaa ageeegeage 3960 caacgtgggc ttcaggggct ctaaacactg caatcaaagg ttgtgtgtgg gggtgggggt 4020 gctgctgcta ttcaaggatt cccaaagctt agatgtattc atcatactca caggaaagcg 4080 4140 tgttcaaccc atcactcatg agcagtcggt accggggtga cctattccct gtagaaatgg gacggatgtt ctggaaaagt tgacagaaaa gttgattcat taggcaggct ctttgcccaa 4200 gccctgaggg taagcaaagc taactggcag gagactaggt ttgccattaa tctgagacaa 4260 gatgaaccac ttgcccatcc tcctgacacc taaatactaa tgaaagaaca atggattgag 4320 ctggcattat taaaaacgat agaaacagaa gtatcaatag tcatgtgttc tttctcccat 4380 atqtcaaaac aatqtqtaaq atqqcatcga acacatqcaq aaactqttta gggaacatqc 4440 4500 tgaaaatatg aagtaaaatt aaaattggaa agaaagacaa tttgcctaaa gcagctcaga 4560 gctggagaag ggaccgaggc agagataaca gcaacgtgtg gacatacgga tctggggcag agcagtcacg gactcagccg gaaagggtgg ggcagcctct gaaggaagtt aaggtaaata 4620 gagccacaag gtgattggcc caggagtggt gccaccttca cctcctgcct caaagtctga 4680 aggaatgatc ctggagtctc ccatctattg atatatgaaa ttcacagtat gttttagaac 4740 ccactgaatg atgggtagat taactaaaag aaatttaagc ggggtggtgc aggtctttta 4800 atcccagcac ttgggaggca gaggcaggtg gatctctgtg agttcgaggc cagcctggtt 4860 ccaggacage cagagataca tagagaaace etgactegaa aaaacaaaat taaaagetea 4920 4980 5040 tagtacctgt tggtgagttt gagtgagtga gtgagtgtgt gttagagaga ggggcgggga aagtgtgttc tggaaatggg agaaagagaa tgtgcatgtg tgtttctggg atgtagacaa 5100 5160 aactacatgt cttccatcaa atgcaatgtt taattatcta tgagttgaac catcttcatt 5220 5280 5340 caaaccagta aacaaaatcc tgtaagataa agcctaagac aagacacttc ctggggctgg 5400 ggaqttgctt agaccataag gagttcataa tccaggcgtg agagcccgag ttcaggtccc 5460 tgggcttcca agtcaggagg agaccaagga atcaacaagt ctcgactttg gtctctagtc ccatgcacac acacgcgtgt aaatacgtag atgttcactc acacacagaa gactgcacct 5520 ggctctctca catctcagcc aacatataaa gcctgcatta tcagaacatt ctaggttcta 5580 5640 gtttcagtca actcttacac agaatggcca tcatactccg tctacaactt ctcctgatct 5700 acccacgtgt cattgcttca gtattaacaa aacccagaat aaccagctgc gtagatcctc 5760 cctgatgccc cagtcattgt cttactgaga ctactaagtc acaaggtagc actctggatc 5820 caaaaagcaa tatccaattg agagttacaa cctataagga ggagtttacc ttcattatag ggcactggat tcccaatctt taatccaacg tcttcagcag atttcataac ttccaagtcc 5880 atcaaaacaa ctactttcct acaaagacag acacaagtta gaattaagaa ctctgcagcc 5940 6000 tttcagatga gttactaaga agettacttt agtagttgtc tggctaaaac tgtatcettt accaaccttt totoattotg gactaacttg agaagtatta attootaagt aaatacttoa 6060 cttattcttt ccccacatct ccaatgtttt tgtctttaat ttattatagg gcaattcatt 6120

tcctatctag ttccctgatt aaaacagtag accttgctgc atgccattat cctcatggag 6180 qcactgatac aatttagatt attaaataca aaaccctaaa acacaaaaag atgatttttt 6240 6300 tttaaaacaa gattttaaaa aaagcatgtg ctacgcttcc ttctgccact aagcctacac 6360 atggtcctct gactgaattt ttcccctcat tctgcttcat ctaatatgtg cttttcaaac ctgqaattga accagggact tattcatgct aggcaaatgc tctaccatag agctataccc 6420 ctccaactcc catctcaaat atcatttcca aagacatttt cttggtctct tatttagatc 6480 aggtttcttt gtcctcctgc agctatgact tcattccttc agaacactcg tcttagcttt 6540 aaqttctqta ttaattagtg attgttttca ttctctctgc tagaatgcac tttcaataaa 6600 ggcaggtagc cagccacagt gcttaattaa gcaacagccc aacgatgtca ttcactacat 6660 actgggacaa gatgcctaac atcatctgca gataaagacg aactactggt gtcaggagac . 6720 agctaagggg tccagggctt gggcacgctg agtgtgagca ctggagtccg ggtgcccaga 6780 aacgcacata aatgcaatat ggatgtggca atctacctct aattccttct ttaagacagt 6840 qqctctccaq agcaagctgg ctagcaagac aagccatatc agtgagctct gggcttgacc 6900 6960 aaqaccctqc ctccaqqtqt aactcccaaq caaaagqatg atggctcaca aatctcaggc tatcatqttc atgtacaaaa tgtcaaccgg catacacaca tgcacacaca tgaaaactgg 7020 7080 gagaaaataa gaagaattgc aaccaaaaaa tgtaatttga ggacacataa ttgcaggcgg ggagtggggg gatgacagaa ggtgaactga gtggaccgag ggaaagctgt gctagcggca 7140 atgagaagaa gggttggggca gtctgagcaa gggttcagca atcaccacgc tttactgtct 7200 gcacagcctg gctgtagaat gctgggcttt atcacacaga attattcagt atgtgctatc 7260 7320 tttacagtaa aqttattcta tcaggctatg ctacttcaat agaacaagcc tgaaaaagtg 7380 qtctqctqct qaqaacctqa caaaqatqac ctqttagaac tqtctqccaa qtqtqgaatt 7440 ccaqcactqq ggaccaggag ctcgagggtc accccagatg cagggagtta gaggccagtc ttggcaacat aacatcatgc ttcagaaatt aaaaacaaaa nnnnnnnnn nnnnnnnn 7500 7560 nnnnnnnn nnnnnnnnn catgagatag ttaataaact gaagaaagcc atacaaggag 7620 taaagtagat agttgcaagc atgaagaaag acaaaccact tgagcttttc ttttgtcgta 7680 7740 aggaggaac cagacaggtc cagagagatg gctcagagat taagagcact gactgctctt 7800 ccgaaggtcc tgagttcaaa tcccagtaac cacatggtgg ctcacaacca tctgtacagc 7860 7920 gaaaaaaaaa aaaaacctaa ccaatcagcc aggcgatggt gacacatgtc tttaatccca 7980 gcacttggga ggcagagaca ggtggatttc tgagttcgag gccagcctgt tcttcagagt gagttccagg acagccaggg tgatacagag aaaccctgtc tcaaaaaaaa aacaaacaaa 8040 8100 caaacaaaca aacaaaaaag gaggaagcca gacaggatgc actttatacg tgaatggaat tqacaaaaqa caaqttctat aaqtgttagq qaaaggggga ggacaacggg ggttcatgtc 8160 8220 tgtggtggaa cacgtattag aaggctctgg gtatcctgtt tccgacaaac aggcactccc 8280 aatcacacaq qccactqqat qtctcaqqca qaqaaaqatg tgataqattg actttttaac 8340 aatcacagac tgtgtggaaa atatttgtaa ggttgtcatt gtcacccagg atagagctga 8400 tggttattca aacgaggatg ggacaacaga aatgggagag agggatgtga gaaccatttt gaaccagggt gatttactgc gcacgtgtat agggtctaca gggagtggga tatgtagagg 8460 aggectatgt tectaacttt ggtaatgage ttattacagt tactatgeae ageetggaag 8520 atactggaaa aggtgcaggc taggctagaa aggtactaac tgagggtttg acagccctt 8580 ggatgtcagg atgcagcaag cctacctctg tatgtagtca atcccttctc aggctatggg 8640 tectgeagat cateegtete tgtatecatt atteccagte cateetetga gtggeteeet 8700 cttatccagt ttaacaaaat gctgactgca agctcccaag cccagggctc tggctccttt 8760 actccttgtt attgtacttt accctgtttg cttgggatag agtgtgccct ttataaacat 8820 ttgtgaaagg gggaatgaag aagaataann nnnnnnnnn nnnnnnnnn nnnnnnnnn 8880 8940 nnnnnnnag agageteaat ggttaggage actggatget ettecaaagg tetecagtte 9000 9060 aattcccagc atcaccatgg cagctcacaa ctgtctgcaa ttccagttcc aggggattca 9120 acactcagaa acataagtgt aggcaatcta cgtaacataa aaataaataa atgagctgga aaagaaaaca tgtttcaaaa tatacaagta atggggctgg aggagatgtc tcaatgggta 9180 agatcattgg ctgctctttt ggaggttctg ggttcaattc ccaccaccca catgacagct 9240 cacaactgtc tgtaactttg gtcctgtggg agctgatgcc ctcttctggt gtgcagacat 9300 acatgtagac aaaacacctg catacataaa ataagttttt aaaaaagtta cacatacacc 9360 cqtqtqtaat ataacacaca ctqqcttaac ttcctcaqca ctqactqttc accatacqqa 9420 ttcccatgag gttttggttg cattctatca ccgaaaaaaa aaaaaaaaa ttagaagaaa 9480 gtatatacat ataaacctct ccctaaaata aagttttctt ttctaaaagt acatccttat 9540 ttttttattt tttttttt ttaagaaatg ggaacaacag ttctgctcac actgtatttc 9600 9660 tagcatgtaa catcttgcaa gtacttaacc gtattctata tcagctcaac acacttacta ccgaagactc aagatcacaa aaaaaaaaaa aggacccaga ctggataatt aaacgtttct 9720 tttqttqtaq taaqcqacct cttccttaqa aqatactaca gtaatqctqa aqaaatqaca 9780 catchactgt aatctgttct ctgggattcc aacttgtttc ctctgctact cctcccttgg 9840 9900 eggeaatgtt egtetgeate eggetgaget eetegetgee ttgttaaaee teetteetga acttecgace tgtagttece getetacagt geaagegagt ggataaggaa gegeatacet 9960

accatctttc	agggtgttga	cgatgaactt	gtggacctgg	cagacacagt	tgctggccag	10020
ctaccetece	tcdaccaddd	tottcaocto	cgtggccagc	atgaacgctg	caaaagcaga	10080
~~~~~~~~~	ctcactctcc	aadcctttcc	ttaacccgaa	adctcatcac	aaggagaacc	10140
gagagagggg	t-bbb	adjectece	aataasasas	ageceacoas	atgageer	10200
attaaataca	gctgtttaaa	acticitiege	cctgcagaga	ggaaagcage	accaaccogc	10260
cccatgtaaa	agtctgaggc	tcttcctaaa	tggtatctgt	tteteacage	Ctccaaatca	
tttttactgt	aattctagtt	tctggggaaa	gacctttctc	ggtctttagc	cccgtgacta	10320
gagacaacag	gcaaatattc	cagaaaggcc	cccattttct	ttttaaagct	tctannnnnn	10380
חחחחחחחחחח	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnn	10440
**************************************	חחחחחחחחחח	חחחחחחחחח	nnnngcacat	cttgtgaagt	gtccacatct	10500
		+++c++c+aa	gacgtggtag	catataacta	tcactccadt	10560
tteggteeet	cgaacciggg		gacgeggeag	targegaceg	actacacage	10620
gcttggagca	gcagagggt	caggaactcc	aggctggcat	LageLgeaga	gerggageag	
gtcctggaga	acagaaactt	tggttgcagc	attaatgaac	tagaagaatt	tttttgtctt	10680
ctgttaaata	taaatacctc	cattatcttc	tcataaacag	tgttgccttt	ttatttaagt	10740
ttttaaggat	caggcacaga	gactccatgc	cagactacca	ctcaaccact	gagctacacc	10800
cccaacttgc	ctttctqcta	ttttttaaat	tgtatcagtg	gccaccaaac	atggggagag	10860
atcadadada	tacqtqqaqq	aattotttct	ctcctaccaa	gtgggccca	ggtttcaaat	10920
teresteres	tacgeggagg	aceagacacat	ttacccctaa	accateteat	taacttcatc	10980
Leaggigace	Lygereggea	gcaagcaccc	- actataca	tatatagggg	taactaacct	11040
ttttaatggc	cccttcccct	getetgagge	aggetetece	-tacacageee		11100
caggctcgca	ggtccaccag	tgagcaccag	gtttctgctt	gtccttacct	ccccagcact	
gtggttataa	gcatgtgcca	ctgtgtcaaa	ctcagtcact	aagctttgcc	aagccatagc	11160
ccagcccttg	agtttactgt	ttgtctgtgt	ggtgatttgt	caaaccactt	ttgttccact	11220
gaggtatttt	gtcaagtttg	acaaaattag	ttgagtatgt	aggtcttttt	ttctggaatc	11280
ttctgttata	gcttagtctg	gtcttgaact	catgatcttg	cctcaacctc	acqattattg	11340
annattattn	agatggacag	actatatasc	catgctcggc	tatatattt	agcatgcatt	11400
294554	agaoggacag	ctcatcacac	tttacaggtc	ttccatgttt	gatatgtttt	11460
agicalliga	aaaacgccgg	agaagagagagagagagagagagagagagagagagaga	gctgagacag	gaggatetea	aggtcaacct	11520
atttaatcca	aagtaattcc	agcaccagag	getgagatag	tataataaat	aggecaacce	11580
agagatgcat	agcaggcggg	geceeacteg	gttaggttaa	Lateateace	gactttagga	
gaaaagtctt	aagtattggg	gactaaaagc	aggaggatct	gaagttcaag	gtcatcttta	11640
ggaacttagc	agacttgagg	ccagcttggg	cgctgtggga	ccctgttttt	aaaccagaaa	11700
acaaattgaa	aggaaaaaaa	aaaaaagctg	gaggaagtga	atgtgagtgt	tcacatagtc	11760
ctqtttccac	aagaaaacag	ggttactttt	ggcaacaaat	aggtgctttc	tttgaaggct	11820
ggcatttttg	tgacttgtca	ttggagaaat	gatttaatta	agacttttct	actgagtgcc	11880
tctgaagagg	ctcttttaaa	tttagtttaa	ttttatctca	ttgttagtgt	ggtgtgcttg	11940
tacacacaga	aggcagettt	ctagagtett	ttcactctct	cctccacage	tcctggagtc	12000
aaactcagg	cctaactaaa	caagetetta	ggacagtgtt	agctgtagct	tattaagttt	12060
ttaagge	ttataacact	ctatttttct	ttctcaggtc	atratacarc	aggaaaatac	12120
ctaayaattt	ccacaagacc	aggettet	andtaccac	atgucuougo	agcataatga	12180
acccacaaag	-t-t-t-	aggicacigi	aagtaccggc	acgegegeee	ageacaacga	12240
agatggttca	cttatagtta	alladacall	ggattggatg	gaagacacgc	agttttggtt	12300
acttcccaga	aacacaaatg	cacattettn	nnnnnnnnn	nnnnnnnnn	nnnnnnnn	
nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnn	12360
nnnnnnnng	aattcagagc	tgatatgtag	tactaactcc	tactcaatga	atcctttgtt	12420
cttctattcc	ttcattacat	tactgttaat	agtggtaact	atgtaccaaa	gagtcaaata	12480
actcttggac	catccaaggc	agaaggaagg	ctggcaaaaa	tgtatgatga	tctgggatgg	12540
					aatgcataga	12600
cctgtaggat	ctcagcactg	ataaaaaata	agaaataaaa	gtgaagggc	gggaggttaa	12660
acccacaata	otcataaatt	caaagtctgg	gtcctggaaa	gaggactaaa	cgattaagag	12720
ctttacctct	tettetaga	aacctaatat	gateceage	acatootoco	tcacgactgt	12780
		aactetaaaa	accecage	accetetata	gatacagaac	12840
ccgaaactct	garretaggg	ggatetgaaa	accecece	tatacatasa	3+3++++++	12900
acacatggtg	cacatacata	catgeaacce	aaacaaccca	tatatataa	atatttttt	12960
ttcaaaaaga	cattcaaatt	cttcctcggc	tatatagtgt	ttaccaaacc	tcaaaaacaa	
aacaaaacaa	aacaaaacaa	agaatcatta	atgttttgcc	ttcatgtatg	tctgcccacc	13020
acggacatgc	ctggtaccca	gggagattaa	aagaagacat	tagctcccct	ggaatggaga	13080
taggtatgat	ctaccacttg	ggtgctggga	acctgggtcc	cctgcaaaag	cagtaaatct	13140
ttttaacccc	taagctgtct	ctcccaacgc	ctaaagattc	ttgtaacaca	gcatgatgag	13200
cactoocaao	catagcatgg	taatctgact	tcagggcgcc	agattttgag	cttaatgctt	13260
gattattage	agtaacgtac	tagatttaat	gcctggagct	tcaagcaaca	aaattaactg	13320
aaraataaaa	ataaaaaccc	taccaaccat	gatggtaatc	ccagaactto	agaggcagag	13380
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	tetatattt	desaddeesa	ccacaatcta	cataggaggt	tgcagtannn	13440
yeaggegate		nnnnnnn	nnnnnnnn	nnnnnnnnn	nnnnnnnnn	13500
ananannnnn	manaman	mmmmmmmm		ataaatetae	- acatatasas	13560
תתתתתתתתת	nnnnnnnnn	nnnnnn	inninninega	ataaatttat	acatgtaaaa	13620
agaaattcaa	agaaacaaat	gccaaataaa	Lacacatatt	y caa caaaga	gataattgtc	
taaaaaactc	aaggctttaa	atggtaagat	atcatattct	rggargaaaa	gatctaatgt	13680
caaaatatat	caatttaatg	caattatgta	tattcaggag	atctctggtt	ggcttttgaa	13740
cttgatagca	ctcttataat	tcacatagaa	gaaaaaaaac	catgaaaact	gccaaacatt	13800

attagaatac tccacagatg gtattttggc agcacataca tcgaagggct gtgaaagatg 13860 13920 tgtagatcat ccacgccttg ctagggagag ggcgggtgtg tgtggggggt atagctgttt gggaaaataa cctggtaatt cctcattagt taaatcatag tcagaacctg gactagcaac 13980 ttctctctaa aatacattca ccctcagcat ctgcattgcc aggaaaccac tcctagcagg 14040 atctgtacgt ggatcaaggt agtagcatct gcatttaatt gacattctcc taaatgcttt 14100 aaattatete tagattaett atagtageea agatgatgea aattatgtta caetgtatta 14160 tctggggcgt aacaagaaaa tgtctctact caggttcatt caggtgcagt acttcccctg 14220 aatacttctg aatacacgga tcaagaagcc acagaaagag ggctaaccat atacaagcat 14280 atagtacact aataaccatg tacaaccata tagtacacta atattcagtg cattactcaa 14340 aatgcaaaca gatggaaaca atccaacage ctgtaagetg aaaaacaaga taagcaaaat 14400 qtqctqqqcc taqaqqccca qqtctataat tccaactaaq qtcqaqqcaq qaqqatctca 14460 14520 ctgaggatat agctcagtat agagcatctg cttagcatgt gcactgacag ccgtatcaca 14580 gaggaaaaaa aaaaataagc aaaatgtgat ctgtctgcac aacaggatat cacagccccc 14640 taccacaggg qaacqacaca gtaacacaac aaaaacttag ccctgaaaat actatggtaa 14700 ataaagaagt gtcactgagg atcaggaaat gcatgactcc atttacatta tatagaaatg 14760 agaagatcag tgagcctcta ggactcaaga gatttgggat tggcagctaa agggtactgg 14820 gtttctttat qqqqqtaaqa aaacattcta aacttaactq tqaqaatqac tactcaacaa 14880 tgtcaagtgt tcaaaaatca tactttttt tttttttggt ttttcaagac agggtttctc 14940 tgtgcagtcc tggaactcac tctgtagacc aggctggcct cgaattcaga gattcacctg 15000 15060 cctctgcctc ccaagtgctg ggattacagg catgcgccac cattgtccgg ctcaaaatca tacttttaaa aattgcccag tgactcatga atacaatcag aggcgggaga ggacagtggc 15120 aaactcagga taccagtgtc ttttatgtct gctgcccaac tatcaatttc ccatagttac 15180 cagagaactt tttggtttgt ttcatcttat ttgttgcttt tggtagaatc tcaatatagt 15240 aagatacaag gotggootca tactatatag otgaggacga otttgaactt otaatootco 15300 tgcttccatc tcccaagtgg tgggattaca ggggtgtacc gctatgccca gcaagcacaa 15360 agccatttga accacccc agccttttca gagaaacctg tacaagcctt agtgccttag 15420 catattaagg caacaaaaga cataatgcgt ggctaccata gagtgtttgc ctaccatgtg tgaggctcta ggctaaatgt ccagcactta taaaaaagag ttaaaaacac tcatgactca 15480 15540 aggatgacta tgcagtettg tgtacaaage eeegcattea ateeccagea eegtgeacat 15600 15660 caggcagget etgtagagga eccagettaa ggteateett aggtaagtta gaggeettag. atgoctacat tagatgagac cettteteat aaacagaata aataatttaa ageteetgat 15720 caaacactat gccttcccat cacactcaga ataaagcact ctactggccc tttaaggact 15780 gcccatctgg aagagaaacc taagttacat tccttgcttg tgtcatatgt gataacaaac 15840 tcactggaaa tacgaaaata cagtcttaag cttggtcaga aagcttcccc agcaacatga 15900 tntcagagga cataatgcag aaagtggaca aatgcaaann nnnnnnnnn nnnnnnnn 15960 16020 16080 nnnnnnnnn nnnnnnnaa tcagaggaca tctttcagga gttagttctt tcctccctct atagctttca gggatcaaac tcaagtgtgt actgagcgct tatgcccagt gcgccatcgc 16140 accaggectg cttetttgtt ttttatgggt etgaateaat tageaceatt acaacaatgt 16200 tgacaatcag caagtacctt tctctacctg gctagtaaga gaagtaagtg cctttggtgt 16260 gtgaacgcag tttctcttgt gaagtgcatg gacttgatct ttgctcacaa cgttttttag gtccttaagt tgcttgggtt ttatgggaaa ggctcttggg ttttttgaaa agattttact 16320 16380 acaacttgat ataatcatta tttttaatcc tttaaatagt atgacttatt ttaacagatt 16440 aatattgaac tgttctttca ttcttacata ataaatcctg ccttaaaaaa taatcctctt 16500 agcttccttt ctctattttc aaatttgttt tatatttttg catgattttg aacatttata 16560 aaagtaggca gacaacacag tagaaccaag tccccatata gctgtgcaca tagcttcaga 16620 ttattgcctq ataataggtc ctgttttgtc tctgttttct cacagggatg tgttattgtg 16680 tgtgtgtaca catacataca tatatgtatg tatgtatgta tgtatgtatg taatgaactc 16740 cctttaacaa aacaagtact gggctgggaa gacagcacag ttagttatgt gtttaaccgc 16800 acaagcatga caaccagagt tgagatcccc accaaccgca taaaaagctg ggcatagtgg 16860 cattgacctg tagccctggt gctggatgaa agctggggag gcaggtagat cggcagagct 16920 tactggcaac aaatctgccc agtaggtaag ctctgggctc agacatccta tataggaaaa 16980 agatgaaggg cgaggcgcag cggcacacac ctttcgtggt agtgcttgag aggcaggggc 17040 aggccagtct ctgtgaccag cagcctggcc tacatgtcaa gttgcaggac agccagagcc 17100 accacctact gagactgtct cagaaataag ttttttaaaa aattgagatg aaggagctgg 17160 taagatggct tagaaggtaa aggcacttat cactaagcct gaagccccga gtttgaccct 17220 ggaccccaca ctgtagaacc aactcctcca agttcttctc agacctccag cagagcacaa 17280 gtgtatgcag acacacacac taagtaagtg aatgtaaaaa acatgacgta gtggcactgg 17340 cctttaaacc cagcattggg aggaagaagc gggtggatct cttgagtttg agaccagctt 17400 agcctacata aggaatttca aggcagccag ggctacctag aaagtagctg tttatgaatg 17460 aatgaataga aggaaggaag aaagagagac agacttaaaa aatatatgct ggagagtaac 17520 agaagaggac accggcttgc tggtgtcttg acctctggct tgtacacata cacatgtgta 17580 gtgcatacac ccacatacaa ttgtactcag acacacacaa acatgtactc attcatatac 17640

	aacactcaga	+	202001200	tttacacctc	catattcaat	17700
tgcacacctc	aacactcaga	aaatyaaaaa	acaggiacia	titacaccic	to the test of	17760
ttccaaccac	tcatatgtat	gggttgtaaa	tgcttatatc	tgtatgtgtc	tgtatatttg	
tgtatacatt	caaagttgag	tcaggatcca	acgtaaactt	ggatagtagt	gggttgatgg	17820
tetagaagee	tgctcgcagc	tgtcttttc	tcctcgtacc	ttttcccctg	tttgtttcta	17880
cascsacsaa	tcatttgtct	ctaagtgtta	gtttcccatc	ctctctcttt	tactaataat	17940
-cactteta	tagtcacctg	tattetetat	aaaataactt	taccatatta	tttcaatato	18000
ageerigiag	Lagicaccity	Lycucture	aaaatggccc	testestes		18060
ctatcatcct	catcttgcta	tatttcattc	aatatatgta	tatattacaa	gatagattaa	
aattatttta	attttatgct	tatgaatgtt	ttgcctaagt	atattgcacc	ttgtgtgtct	18120
agtgtccaca	gaactcagaa	gaaagtgtca	catattctgg	aactggaatt	gcaggtggtt	18180
gtaagccacc	atgtgggacc	togaaaccaa	atccaggcgc	cannnnnnn	nnnnnnnnn	18240
nnnnnnnnn	nnnnnnnnn	חחחחחחחחחח	nnnnnnnnn	nnnnnnnnn	חחחחחחחחחח	18300
	nnnnnnnnn		annantaat	anattteana	tttaattaaa	18360
nnnnnnnn	nnnnnnnnn	nnectriggt	caaayatttt	Cagtiticgat	CCCGaccacc	18420
cagacttcct	gtttctctca	tggaacagtt	tccccctgag	atttactagt	ggaagaaagg	
cactcaaaaa	gcagggagcc	ctcgtacaaa	tgagacttcc	tagctatata	attaggccga	18480
gatgcacaca	tccacagtca	ttacccttct	tcagagcctt	tgtcatgtca	agtgtatttc	18540
	actttagaac					18600
2++~~~2++~	tgttaaattt	atamattmat	ttadddadad	ctdacaactt	tacantatta	18660
accygyaccy	Lyctadattt	acagacccac		terest	tttata	18720
aatgttttca	tccgcggaaa	aggttgtctt	gecaettaet	Egggerreer	tttatgecet	
taagtaaagg	tttatagttt	tctttatatc	agtcttgcac	atttcctgtt	agatttattt	18780
ttgcttgtaa	ggtttccttg	gttggtattg	tgtataaaca	ttttctccca	attacatacc	18840
ataattgatg	gttaggagta	taaataaaag	gtagaatttt	aaaattgctg	tatgaatgac	18900
tactttacta	taattcaaca	tcttttcatt	tttatgccaa	tctacttgac	atotttaggt	18960
tocctugeda	tatctgtaca	enetantest	etentena	atttacagat	cttactttct	19020
taaatgatga	catetgtaca	gagiaalcci	Cigalcoage	actiguatat	t t - t - t	
aacgtccata	gcatagatac	acatcttata	ctgttgagta	catatatatt	taaggtattt	19080
accatagtct	tataatatgc	agcgtgcttt	ggttcaagac	agttgccctg	tgttcctcaa	19140
cattaacatt	tttttcatca	caaatacaca	ttgaccttta	tcaaattttt	aaaactatct	19200
tgagagaaat	gaccattttt	cttaatctgt	taatgtaaaa.	tttttataaa	aatagttata	19260
224224	gcctacatat	ttettetet	ctctttttca	actettagaa	tragagtatg	19320
						19380
gragicicag	actaaaccag	gagetteeta	telgittete	Lgllcllaag	Caccatat	
	tgctgtgtat					19440
	aacagtctta					19500
aattoccaca	ttcaagctat	aatattqtta	tctaagggaa	tatcttcact	tctagcagat	19560
	atctaaaggt					19620
tactactact	cctcctcttc	ctcctcttct	tectectect	cttcttcctc	ctcctacttc	19680
	catcctcctt					19740
						19800
taggtaaccc	gtaacttact	atgtatgtag	accaggctag	cctctgtctc	ctgagtgctc	
atattaaagg	tgtgtatcac	catatccagc	aacacttgct	ttgagatggt	tagaggaaaa	19860
aaaaatatac	gtaaataaag	atggatgcca	attactaaat	tgttacttcc	agtcaaactt	19920
totacctact	ctaaggccaa	aatagggatt	ttttttctac	tttgcaagtt	ggctccatta	19980
	cttctcttgg					20040
agaggettee	ggagtgggag	ataatataaa	caggaaggag	cartarrete	atatatttaa	20100
aageggeega	ggagtgggag	gragigidac	cyayaacacc	cagtaggett	atacacccaa	20160
atatttggtc	cctagttgat	agaactgttt	agaaagatta	ggaagcatgt	cttaggggct	
ttgaggtttc	aaaatttaat	gctagaccca	gtctttcaag	ggaggggggg	gtctgtctct	20220
ctctgcctgc	tgcatgcaga	gctctcagct	actactctag	tgtcaagcct	gtgtgcttcc	20280
tacctcaata	atcataaatt	aactgtaagc	aagcctccaa	ttaaatgctt	tcttttatag	20340
ttaccutuat	catggtgtct	cttcacagaa	atagtaacct	gtggtgattt	taatatgcct	20400
acaccacaca.	gtggcacttt	taggaggat	aaccttatta	agaggaagtg	tatetetata	20460
ggaccaggga	geggeacee	caggaggaac	ggccccgcca	agaggaageg	atattaaaat	20520
	atgagaccct					
tcagatgaag	atgtagaact	ctcagatcca	cctgcaccat	gtctgcctgg	aagctgcctt	20580
tgttcccacc	ttgctgcccc	aattaaatgt	tgtacttata	agaattgttt	ttggggggct	20640
ggagagatgg	ctcagcagtt	aagagtactg	actgctcttc	cagaggtcct	gagttcaatt	20700
cccagcaacc	acatggtggc	tcacaaccat	ctataataga	atctgatgcc	accttctggt	20760
atatcadaad	acaggacagt	atacccacat	acattaaata	aataaataaa	taaataaata	20820
						20880
aattettit	aaaaaagaat	rgerriggie	auggigeety	Licacaguag	Laaaacccca	_
acataaccct	gactaagaca	acaagtgagg	aaaggtgttg	tgtgacactc	eggatetetg	20940
gaagctcacc	tcagcatgaa	gcttgtcgaa	gcgnnnnnn	nnnnnnnnn	nnnnnnnnn	21000
nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	21060
nnnnnnnnn	nnnatctaag	tacactotac	tgtcttcaga	cacaccagaa	gagggtgtca	21120
gateteatga	cagaggttgt	gaactcagac	ctttggaaga	gcaatcagtg	ctcttaacto	21180
ctanacatat	ctccagccca	aaataattet	tactactasc	atogacast	caagttttat	21240
+-+-+	- state -		20240	acygaacaac	catatoctec	21300
catatgatac	atattaatca	acttataagt	acatgattat	gcacattat	Latategege	
aaccatcact	gctgtcgttt	tgttttgttt	tgttctttg	aggcccggtt	cctgtgttgt	21360
tctggaactc	actctgtaga	ccaggctggt	cttgaactca	atgatctgcc	tgcctctgcc	21420
tcccaagtgc	tgaaaacaaa	tgtgtgcacc	accacctctg	gctatcactg	ctgtctttt	21480
				_		

tttttttta	acagttattt	atttcgtgca	tgcatgtgtg	tataagcatg	taacqtatqc	21540
	atgtggaggt					21600
	gaaccaagct					21660
	tggccctact					21720
	ataaacctca					21780
	cgaatgtgtt					21840
	ctggtcctgt		_	-		21900
	ggatgactgt					21960
	cttaagctgt					22020
	atcagtgaga					22080
	accaagcctt					22140
	tttcaaggag					22200
	gcaggcaaat					22260
	gggctataca					22320
	caaacaaaca					22380
	aaaaacaaca					22440
	tgtttaaaaa					22500
	gtgtgtagtg					22560
	ttgagtagca					22620
ggagtggcct	tgttgcagga	attgtgtcac	tttgaggtcc	cagcaacaag	gttgctctga	22680
	agacattcta					22740
acacaccttt	aatcccaaac	aatgaaggta	aagttagttt	ataaaaagaa	gcacccatgt	22800
ttgaaagtga	cgtttaatta	agagtgatga	attagagaaa	gatctgctgt	cacagagcag	22860
agaggaaaga	gaggcagcat	aagagggagc	atggcagagg	gagagggagg	aggggttttc	22920
accagggcat	ttgtacagag	acaggttgca	gagctagaac	aggtgaagac	agaacaagcc	22980
	aaggagccag					23040
gcattttagt	cagaaactga	gagaagtcaa	attgaatcag.	ttagcttgga	aaggagtttg	23100
agcagcaaca	gctgagttaa	actagccaac	agaatccaga	aagaactaga	aaagatgagc	23160
	gcaaatctca					23220
	ttccagggct					23280
	aatacagaag					23340
	gcctgtctgc					23400
	agagatggtc					23460
	caagagactt					23520
	tttagtataa					23580
	cataaagatg					23640
	cctgatttga					23700
	cagaaagatg					23760
	gcctttaatc					23820
	tggtctacag					23880
	acaaaacaaa					23940
tatteattet	actacaccaa	gaagagacat	gerigggaea	tatastatas	taaaggaaaaa	24000 24060
	agatcaggtc ctgttgtttt					24120
	gtaactttcc					24120
	aaaggtatag					24240
	acccaaataa					24300
	atacatacat					24360
	agttgatgag					24420
	nnnnnnnnn					24480
	nnnnnnnnn					24540
gaaccgtgtg	cctctgcctc	taaagtgctg	ggattaaagc	atotaccacc	acaacccagc	24600
tagtttaaat	gtttcttatt	tttttgttta	tagatettt	acctgtatgt	atgtgtgtgc	24660
	tgcatggtgc					24720
	gggttgtgag					24780
ctcttaatag	ctgagcctta	tctccaggcc	gtcccatgga	tttggggggc	tttgtttcat	24840
tttattttgt	tttgagacag	ggtgtgtagc	tcatgcttga	atttactatg	aagccctgac	24900
tcccctcaaa	gtaaagatcc	tcctgcctct	gtctacagct	gctaggattc	gaggtcttgt	24960
accacatgct	cagcacagcc	atgattcata	acaataaaaa	aagaaagaga	gacctaaatg	25020
gccttagaga	taaataaatt	atttttttt	taaagattta	tttatttatt	tattacatgt	25080
aatgcacact	gtagctgtct	tcagaccccc	cagaagaggg	agtcagatct	cattacagat	25140
	caccatgtgg					25200
	cccactgage					25260
gtaaggtggg	atcatctcag	tctccgggaa	tcttgcctgt	tactccttcg	ctctcccttc	25320

tattcatgct tgggtaactg gccctggctg attgatgaga gctgatttcc ccactgccct 25380 gtggcaggga ccactgcgcc cacagggctc cctcaggatc ctcagtacag agctgcacag 25440 ctgggtggaa gtagagggct gcatatataa cacgatctca actttatttc tttaaataaa 25500 aattttattt aaattttata cagctctata taaacgaagg aactattgaa ggttcagcaa 25560 qqacctqcca acqqttqtca agggtaatgg cgatgtagtg atttttttc ccccttccat 25620 25680 tttacttcca tactttctac attaccccac aactggcaag tattatttta aaatgaaagt aaataqtqac aqatqacttt gaaggaaaat tgaatcggta aaaagaaagc tgagagacca 25740 25800 cccqqqaaqc ccaqqctaaa tgtaatctgg gtcaggcctc ccaggcctgg ggtctcaaga 25860 tgqtcaqctq aqqqaccctq gtgaccctct tgggccagca gggacgggga ggagccggaa 25920 gctgagtacc caaagtgctc ctctgggctc caagggcctg cacagagact gtgtgggaat 25980 caaaggatac aggcatgagg actgaggcct gacgaaccca gctatcattc gtcctagaac 26040 aggaggcaga gctccaagag tccaaccaag aggcaggaag ctttgggacc cgagatgggc gatgggatta gaaaggcatg tttgcaaata ctttcaaatt tacgatgcac actcactgga 26100 26160 aaccccacc ctgggtgtcc cttccctgcc tcttgccaca cccaatagct gacatcactg gagaaagtcc caagaccagg ctggctggag ctcctgatag gttccaccct cctgcagagg 26220 qccctcqaaq actagcttgc tcgcccacac cgccagatgt ctgtgtcttt ctctcttttg 26280 cctcccaccc tcgtctcttc ctccaacctc agtggagggt cccctgcttc ctggggaaag 26340 26400 tagaacttgc cagtgctcac tgtaatgtcg tccctgtagg tgtcatggtc ccccattact gggagcaggt atgcctcaga tctccctcta ttcgctgccc tttcaggctg tctcagtttc 26460 26520 tetetgacag tteeteteet eetgaateet gettgttgge atgegaacag geteaatate 26580 ttccatctca aaaaacaaac actgggaagg tgttgagaga cagagagcat gggtaatggg tgcccagct tggctgggaa ggggtaactt acaatgctct actgcccagt agggtagctg 26640 caqttqtcaa ttaattqtaa atttcaaaat agctagtaga gaggatttta gatgttccca 26700 atcccaacac aaagaaatga taaacattca aggcgatggg tatgctaatt gctctgatct 26760 gatcaccgca cattgtatac atgtttttga aatgtcaggc tgtaccccat aaatatgtac 26820 aattaccqtq caqtqattca agataaaaac tataatttta aaaaqctaaa aacaqaaqqa 26880 26940 aataqctqcc cttqaccccc ccaccccac aaqqtccttc ctgtttgtcc agccacttaa 27000 tgtcagagct tcctgtggga gggtggtttt ggtgtacaca gacactcctt cctccctcct tccccataag aggagtcacc cctgtcccac gatgccatgc agggccacat gcgtgatatt 27060 aaccagtaag atgtgagcag ggatgatacc tgtctcttat aacaaacgga aaaaaaacca 27120 caccaaacca aaaacaaaca aacaaacaaa caaacaaaaa cagggttggt ctgtccctgt 27180 gtcttttccc acataaagtt aagcacacaa agtagccacc atttatttat ttgtccctc 27240 ccccaccct ccccgagaca atgtttctct gtataacagc cctagctgtc ttggaactca 27300 ttttgtagac caggctggcc tggaactcac agagacacag agattcacct gcctctgcct 27360 27420 cccaaatgca gggattaaaa gcatgagcca cgaactaacc agtaccccag agctcttgac 27480 tctagctgca tacgtatcaa aagatgacct agttggccat cactggaaag agaggcccat tggacacgca aactgtatat gcctcagtac aggggaacgc cagggccaaa aaaatgggaa 27540 27600 tgggtgggta gggaagtggg ggggagggta tggnnnnnn nnnnnnnnn nnnnnnnn 27660 27720 nnnnnnnnn nnnggcagga tcctgtgttc atgtgcaaca ctcgatgcaa gctgtgtagt qtttqqttct qaqcacctqa aqqqqaccaa qcaqqctgat gcccaggcca cgggttcttt 27780 27840 ctggccccac tgcccactcc caccctctgg catccccatg atgaacatgg ccacagatca 27900 cactactctg ctcctctccc agatccacgg agccataggg tccccagatt catctctgca gctaacaagc tgggcagtgt cacctccctc aaggttcctt tcctgctctg agcagcagtg 27960 28020 tctcccacag tgagacactc atgtccactg gaagatattg tagccattaa attcctgtgc 28080 taaaataact agggggactt gtcaatcact acactcttag ccccggactt ctgactcata gagggtggtg acagctcagg gacctgcatt ctaccaaata gccatgtgtc cctgatggag gaactgccc tggacaacct ctgcagcaac tgaaccctct gtggtctcct agttcttctg 28140 28200 gacaggtgtg accccagtac ctagtgccag gtgagagagt gctagggcca cactaagggg tgacaggaca aggttggagc tggtagatgt ttgggccacc aaagagaaca ggtcagtagt 28260 28320 aaaagccatc atggcctgag ccagcctgcg agtctcctct gcagttggga cactcttgca 28380 gtgtcctggg gacctcttga gggtagcatg gtcaccaaaa tcctacaagg acagatcaga 28440 agtcagtgag gtcaagggaa cagctctagg ttctctgtgt ccctcacgga ccttttttt 28500 ttttttttt tttttaagat ttatttattt attatatgta agtacactgt agctgtcttc 28560 agacagetee agaagaggge atcagattte qttacggatg gttgtgagee accatgtggt 28620 28680 tgctgggatt tgaactcagg accttcggaa gagcagtcgg tgctcttaac cactgagcca tctctccagc cccctctcag tcctgatgcg acagggcagc aaaggccttg tcccagatct 28740 gaggagagtc atgctgaagt ccttcctacc ccacccttc cgaacccctg aacatcagcc 28800 ccataactac tgactccccc acccccattc ccttgcttcc actgatccgg tcctcctctt 28860 ccctctggcc ccacccattc ttccccagcc ccacctgatt gtacctggtt gtccaacttg 28920 28980 aagagggcag gcaggggcag cttctgctgg gcctgctcac tcactggctg tagaaatgag aaaggagatg aagaaaaggc cetteceatg ggteeceate ttgeeaagae ataggtgagt 29040 29100 ccctttggct cttccccta aacctctcac ttttgagtac ctgctggccc gggagatcca cggcgctcac cggagagaac tgttgagaaa agggagaaca gagaactcag cgttcctccc 29160

tctccaccct	tctggcctct	cccagatttg	ccccgcccc	ccagcatctc	cttcagcctg	29220
actgaccact	tcccactcag	acctcagctc	tgcctcaccg	tgaaacaggg	accttgcagg	29280
caggacaagc	tgagtacgag	gagcccccgg	agcagtgcca	tgttcctgta	tccagaacag	29340
ggagtgttag	ttcctacctc	acgctcgaag	gccaagcagt	agactgctat	ccatgggttc	29400
cttgaccgca	ccaggctgcg	gaacctggac	tcaaaacata	gcagctgtgg	acctcactca	29460
ctctgagagg	tgggatttcc	ataagctttt	tttttcacct	gtacatttag	tcttcattct	29520
tttcgtctta	cactgtggat	cagtcctggg	ttcaaattta	aagccctcat	cttgcaagag	29580 29640
				tcttggtaat		29040
				agaatctctg tgttgttcat		29760
gcatgatgcc	ctggcccccac	cctagcaaag	gggtgtgage	gctaatctgg	actage	29820
carcaraaa	cttctttatt	gaccaatgaa	tractorcc	agacaccttt	gaacttacaa	29880
daactacaad	cctcatccca	cttctactcc	aagttctgat	ccagggtgct	tcagggaagc	29940
ccactaga	daadaaaaa	ggctctcagc	ctagagagcc	ttcctttcca	tecteageee	30000
cctacccagg	ccttatttca	ggcaccagct	cttctaaaag	gtccttctgt	tatccctaga	30060
cctccacaac	totottcaag	aaccttcagc	cagggcctca	tctccaatct	ggatatatga	30120
tttttctcqc	caagagtagg	cctccaggtt	ttggagttct	agaggtttct	cctggagctg	30180
cctggacctc	tgctcctcac	caccccagga	cgctgtgaag	ctgcaggctc	cctgaataaa	30240
ttcatccaga	ccccttgcca	aggtgccagc	tgtctacttc	ctctgctgcc	caagcagcag	30300
				cgcagcacac		30360
				gcagccagca		30420
				tcagcttgtg		30480
				gggccagaag		30540
atcaaggcta	cccagaaccc	tgcctgagcc	tggagaaggg	gtttacagga	gcagataagt	30600 30660
gaggaggttg	ggcctggcaa	gccttctaat	gateceteaa	cataggggat	tatecacage	30720
cagtgaggct	cagagaggct	grgrggccrg	tgtaagggcg	cagagtgggc accaccacca	ctaccaccac	30780
				accaccacca		30840
				acccatacta		30900
				nnnnnnnnn		30960
				tctatgaggg		31020
				tatttaggct		31080
				caggcatgca		31140
				gtcaggaagc		31200
ccctttagct	ggcttctctt	gtgaagggct	atgtcttctt	ccccttccta	gcatggagac	31260
				gcaccagttt		31320
				gctctgactc		31380
cttggaccac	aagacaaaac	tgcagcctgg	gctgtgtgtc	ctcgcacatc	attectgtge	31440 31500
ccccctggag	tcaggtctag	gggaggaaga	cagggttcac	gactcagaaa gctgatgtgc	agaccactgg	31560
				gacacatgca		31620
				agtctgccat		31680
				ggcaacaacg		31740
tcattcctta	ttcactctgc	ttttggcagc	accaccagca	ggaaccaacc	tagetetece	31800
taatccctca	tctatagcag	gtctcccggt	gggaatttta	gggacctctg	tgttctcatc	31860
caggggcact	gccactcagc	tgctcaggga	gagacccctt	agaacaacaa	agaaatcaat	31920
gcagatttag	gcttcttgtt	tcccttccca	gcccctccca	tcacaggcaa	cagcctccct	31980
tggctgagcc	tcaggaggct	gatttatcag	agaggtgctc	agagaggcac	ctctggtccc	32040
				ctgggcatcc		32100
				ctcccggggg		32160
ggtggtggga	gtctaagtca	cagatetttg	ttaccacgtg	gttagactga	ggactgaatc	32220
tgaggtggga	aatctgatgt	gcatggggaa	acacagaggt	ccaatgctgg	ccaagagcta	32280 32340
caagcaggga	caggigetag	ggggatgttt	gaatgiteea	ccccaagcca	caggaataac	32340
yyaaatggag atacaaaac	ctaactacee	taactggatt	agggegedea	gcaggggctg tcattggcta	accaggacac	32460
				agccagattt		32520
				ctctgagtca		32580
				ttgtggtctc		32640
tgagaagaca	agtgggagcc	agtacatqtq	tttcagatta	aacccagtcg	gagacaaaca	32700
tgttgctcct	cctcctccca	gagccaagct	gccttcaagc	cacatggcag	tgaatatgcg	32760
gacagtgcag	gggaggacac	ctctctctcc	actggctcaa	ggacagtttc	aaggggttca	32820
				gtttggggtt		32880
				tgtacctccc		32940
gaaaggtcag	ccctgcagaa	cagaactctt	rggtccccac	ccatccccct	cagccctgga	33000

ggctgaactg	atgggcagct	aaggtccaga	cagtggctgg	ctcttggaaa	gcctgtctct	33060
ttcctttgac	tcagaccact	ccctgccgtg	gcttacatca	ggaggtgcaa	gggctgcagg	33120
adddcadcca	gaccccacaa	accadctado	ctaaatggtg	cttattattc	gcaagaggcc	33180
atgageageag	ttgtctccca	actetttaa	taagagagaa	Dagnagaga	ctggacagag	33240
atgatettat	acet as aces	accasatast	cattactata	adda a accau	caccaataat	33300
aacctagcag	gcctcaggca	gcccaccycc		agggaaccag	cattgatggt	33360
tctgaaaagc	agcgatccga	atggagtcag	gctgagctgc	aggaagetea	cetteettge	
tcactgctgg	tggaagcaac	ttcaggaaga	gcccagccta	tgggactata	gctcctccgg	33420
ggtactgctg	agtccagccc	cagagettag	ctccctgctt	cccaccaccc	accaccacat	33480
cctttcccaa	caccattcaa	aaccccagtc	cagcctctcc	tactqqtcta	cagtgagcgg	33540
ctaatagagt	cctgggcctc	tatececea	attetetete	ccctctcatc	tattcacctt	33600
ccaacagage	ctgcaggggc	tactataacc	ctacctccac	ttccttccac	ccctcttttc	33660
ggilectada	Cigcaggggc		teactictac	anagage	attacatata	33720
tgctctctgg	ggtgcccctg	ccactcccag	Lecciciage	cagggagccc	the transfer	33780
tgtcttcccc	aggctagacc	aggcgctgcc	ttacctgtgg	ttgcggcagc	tteteteaca	
gcctgcactc	tgaggggctc	caggaagcag	tgaggggagt	agctgcctct	caaccagcgt	33840
ccagcaggct	tcagattaca	gctactcttt	tcttaaagtg	acctgactcc	atttggaatc	33900
totoattoca	tcattgtctg	gtgttaactt	taacccactg	ctgcccttcc	gccatgtggc	33960
tocaadacca	cacgttggcc	accetectet	cccaccacat	ctcccttgga	tctttatctc	34020
tetteattee	gaccttcatt	aggacatgat	ggctaacttc	agggggactt	gggccagcct	34080
tto	atgagtctga	agttgacatgat	ctassacast	taactaaaaa	acadactaca	34140
ggggtaggtt	atgagtetga	accigaacac	ctgaaaggat	attacagagag	ettaggtege	34200
tggagagact	gtgagccagc	cggtatggag	argergggri	ccccaggeg	citygetety	34260
gctcactgca	ggtgggagca	aggtgattct	teteceetee	tcacctggaa	aatgaaggaa	
tgggactgta	cctgacagct	ctgaaggttc	caaaggacag	tggggtgggg	actagagagt	34320
tggcccagtg	cttatgagca	ctggctgctc	tcgcagagga	cctgagttct	gttcccagct	34380
cacatagcaa	ggactcgaaa	ctgcttggaa	ctccagctcc	agagaatctg	acgctatctg	34440
ctnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	34500
	nnnnnnnn					34560
antagattt.	atcctagaac	tazaazaacz	aancanatno:	acatctcast	ttdaddcccd	34620
catgeetta	attettagaat	ctaggaggca	angeagaegg	ataagaaggt	ttctcaaaaa	34680
cattgtetae	atagcaagtt	ctaggetage	caggiacati	acaagaaccc	ccccaaaaa	34740
ataaataggg	ccagttggca	aaatttagct	tgccctccta	acacaagaac	Ccaaagccaa	
ccccagcaac	catgtaaaaa	gaagcaaggt	gtggtggcac	ttgcttgtga	tccagcattg	34800
tcaaggtgga	gacagacgga	tccatggggc	tcactggcca	gccagctagc	tggtctactt	34860
agtatgctcc	cagccagtga	gagactgaaa	aataaataaa	taaataaggg	gttaggaaga	34920
ggtaacatgg	tggctcagtg	agaaaagata	cttgtcatac	aagcctagca	accctcaatt	34980
ttcagtggcc	actaaaggtg	gaaggagaga	accaactcca	aagaattgtc	tcctgacagt	35040
tttatactat	ggtacacaca	cacgcacaca	cacacttott	acatgcatat	gcatacaatt	35100
2242244422	aatgttatgt	gtatgggtgt	tttgcctaca	tocatatett	tctgtgcacc	35160
acctatatac	aatgcctgtg	aadactadaa	gaggacatca	gateceeteg	gagttacaca	35220
acatgugugu	aacycccycy	aaggetagaa	202222002	gastettcca	aaadadactc	35280
gggttgttag	ctaccatgtg	gattetggga	acaaaaccac	atttataaa	atagaggeee	35340
ttaatcactg	agccatctct	ccatcecete	aatagtatat	atticityggg	ttggagagat	35400
ggctcagagg	ttaagagtat	tgactgctct	tccagaggtt	ctgagttcaa	ttcccagcaa	
ccacatggtg	gctcacaacc	atctgtaatg	gaatctgatg	ccctcttctg	ctgtgtctga	35460
agacagctgc	agtgtactca	tatacataaa	gtaaataaat	aaaccttttt	tttttttgtt	35520
ttgtttttt	tgtttttcga	gacagggaga	cagggtttct	ctgtatagcc	ctggctgtcc	35580
tgaaactcgc	tctgtagacc	aggetggeet	tqaactcaga	aatccgcctg	cctctgcctc	35640
ccaagtgctg	ggattcaggg	tttgcgccac	caccaccacc	tccaaggctg	ctgctgcggc	35700
caccaccacc	ccaccaccac	actacctgac	tatttaactt	ttaaaggcag	ccatctcatg	35760
gaaaatgaga	cctaccatta	tectetaate	cctacatgac	cccatgtgca	aacacatacc	35820
taataaa	cccagcaccg	cataagtaaa	cttactctcc	ttattttaaa	aatgtgctat	35880
Lycataada	Cacacaaca	cataaytaaa	tteestees		attaaaaaa	35940
ggtttggatt	gtgtccccc	aagggaaaaa	ttgggteeea	gagtagtact	attggaagag	36000
agtagaactg	ttagggttta	ggcctggtgg	gaagtggcca	tggctagaga	gacatgccaa	
ccaaggggaa	tctctggctt	catcttttcc	ctttgctttc	aggtcctaag	acagtcacaa	36060
ggctgcttca	ccacatgccc	agaagcaagg	ggagcagtca	tggctgggac	cgctaatgca	36120
gctgttgatt	tccccagata	tttgtagtag	taagagacag	gtgaggaacc	ccacagcaag	36180
tottagtaat	tgtgtgtgga	ggtgccctcc	ggggacgggg	gccctcctgg	ggcaggacgt	36240
tectettect	catccacctq	cactccgaga	acaggaaatg	gtgactttgg	cagagcttaa	36300
מכפתפתככנת	ttcatottac	aagtatgtaa	attcataagg	accagtttct	ctccatatga	36360
222244664	sacaddadaa		aacattaagg	aaaaactctt	ttattgcaga	36420
aacayuuda	aacayyayaa	gguagaayca	adalatatata	atcarcttcc	ctctgggggt	36480
ggctacactg	aayctactgg	+	taaast-s-	cattetect	atraararar	36540
cctgtagagc	actgagacat	Laagtactac	Lggggtecag	gaccetgeet ++~~++	atgaagagga	36600
gggcccccgt	gtccgtgtcc	ctcagaacaa	agaggaaagg	LLGGCLAAGG	tgatagtcta	
gcgggaaggt	gaggcggacg	ggctggaggc	ctgggctggg	gctgcttcct	gcccctctt	36660
cattccactc	gaaagcagcc	ctatattcca	cttqqqtqag	cttcacgggt	ttgccagtaa	36720
tcttactaaa	gtcgggtgat	tcaaacaaca	actgtagctc	: tgtggagatt	cagagattcc	36780
attaacacca	cacacacaca	cacacacaca	cacacacaca	cactccctgt	ttgtgtaggc	36840

tgattttcaa gaaagcaagc tagaagtgga gtacctcaca gtgacttgtg agctatgagg 36900 cactctgtga caggetcagt gacetacetg agaacttata gecaagatgg etgaagecag 36960 acctggcctg agagaatgtt ttgggctgtt ataggacaca tagagataca cacacacaca 37020 acacacaca acaccaagga ctgagtctaa tgggaggtgg ttcttcattc ccctccctg 37080 taatggtgtc acatgttccc tgagccaccc tacaaagaaa gccacaggac tcagttctgt 37140 cagcaaggtg gcaggctcca agactcagcc ccgagcgcaa agtggccttg caaacatact 37200 catgtcctgc agagacttgg taagttcgcc ttcgaagctc agcttcagct tggggacagt 37260 cagcacaget tggatagtet teagtteteg gtegatgtea tgaatgaact cagaggtgag 37320 gctctcttct atcatggtca agttctgggt cacggtcagg ggcaggaaga agatgatgct 37380 catacttect gteaagggea getgggeaat etaacceaac agagatgege acaggttagt 37440 tgtgagccag aaaaaacaaa acaaacaaac aaaaaaacac caacagctgc cttcccctct 37500 gctgtaacgg ggccccagcc ttgtgctccc cagcctcagc ctgggctgta ggctactqgt 37560 tactggcagt ccttccatga gtagggagtt ttcttctcag cctaaaaccc acagaagttt 37620 aatgaacaca cgtttgtttg tggttccgct acggtttcta ttgtgataaa acatgactga 37680 aagcaacttg gagaggaaag ggtttatttc atctgacaat tcgcagggtg tcttctcatc 37740 37800 actaagggga ctcagggcag gaactgaagc ggaagccgtg gaggaacgct gctttctggc ttgctccccg tggcttctta gcctgctttt ttatgctatc cagaaccact tgcccaggag 37860 tgacactgcc cattgtgggc tgggccccc cacatcaatc actaatctag aaaatgaccc 37920 acgggtttgc ccagaggcca gtctggtggg ggcattttat caattgagtt tcacccttcc 37980 aaatgactct aacttgtgtc aagttgacca cacgaatcag ggcctggttc ttaggagctg 38040 aagtggaatg tcccccagag actgcctqcc agcactqctg accatttqct ttqtataqaq 38100 cattgaacca gaaatgaaca ataaaatgga tcctttgaac agatgtgttg atcctagggc 38160 ctgtggacac agcgactggg cttcccagag cccccatgga atcannnnnn nnnnnnnnn 38220 38280 nnnnnnnnn nnnnnnnnn nnnntggcct catcaggtat cagagagaga gagagagaga 38340 gagagagaga gagagagaga ggataaaagg ttagcccagt ggtggtggca cataccttta 38400 attocaacac ttgagaggca gaggcagggg gagctctgtg ggccagtttg gtttacagag 38460 taagtttcag aatagccagg gctacacaga gaaaccctgt cttgaagaga aacacacac 38520 cacacacaca Cacacacaca cacacacaaa taagatettt aagaagaaaa gaaaggatag 38580 tggggaaaca tctgagcaga ggaagaaatg gggtgcgcag gacacccacc ctcagaggag 38640 gccctcactg gaggtgtctg cacaggagaa cacttgcact cagcttgccc tagggcgtca 38700 gaactcagaa ttcagtttca aagcactgac aggagcagtg actggggacc ccaggttgaa 38760 tccccccttt atctaaaatg agtaagaacc aaaaaaacaa aagtgtttgg gatttggaat 38820 ctgggttatt tgcatctaca aaagaggtct tggggaggaa acccagttct acccctggaa 38880 ttcatcagtt tcctataccg ctgactacac aggggctgaa ggtaatctca atgttttcat 38940 aactggtgtg gtgctacttg ctcatgatcc caacacttgg aaggtaggtc agaagttcaa 39000 gagcagtett gactacteag tgaatttgag getageetgg getacatgaa aacteataaa 39060 acaataaaag aaaagaaaag gtggcgagtg aggtggccca tcaggtaaaa gtgccaacca 39120 cctcgcctga aagcctccac acggaagggg aaagccagct tctacatgtg gtcctctgcc 39180 39240 etcegeatge accatggete gtgeacecee acacecacee acceacecae ceacatgaca taaatacttg taatgattag tttctgaaga acaatatttt cgttgatctt gtttagggaa 39300 caaagttcgt gcacattgac ctgtcgaccg tgtagtacgg gatccgctcc aggaagctaa 39360 agattttggg atgettcatg ttgcagctac tctgatgaac agtqttgctt tctgqqccaq 39420 gtaatggtgg catatacctt tgatcccagc acttgggagg cagaagcatg tagatctctg 39480 tgagttcgag atcagcctgg tctacagagt gagttccagg atatccaagg ctatacagaa 39540 aaacccctgt ctctaaaaat cactaattta aaaaaaaatt cctttctaaa cctatataac 39600 aaatgttttg taggctgcct taacaaagcc caatggccat tcagagaagg ctcaaaagag 39660 aaagtttagg ggactctaca agcatcctca ggaaggccac agaaagcaga gcctgggcca 39720 gtgagacttt gcagtgggca aggttcagct ctttatgtag gaagaagaga gtcaacagtc 39780 agagtecage tttecataaa acetgtgeag ggeetetagg caaageeetg tgttagggge 39840 aaaggcattt gcagtctaag cccggtgaca tgagctcaat ccttggaacc caggtggaag 39900 gagtgtgctg actccacaaa tttgtcctct gatctataca tgtatgcacg tgcacgcaca 39960 ctcacataca tgtccacatg cacacatgca tatacatgcg catgcgtgca cccacacaca 40020 gggtcaaaag cagcaagaga tgccctgtga aaaacgtctc attcagtctc ccatcatcca 40080 gtgccacact ctgagcacag gtggtactga tatcgttcct gattgatcga tcagttgatt 40140 tgagaccccg cctcactatg tagcccaggc tggcctggaa ctcacagtga tcctcttgct 40200 tctgcaagat gagcccatca tgcccaccat gttattgaag caataccatg ctctataaag 40260 caaacctagg caggcaggat ggtggactcc tgtaatctca ggacttgaaa agtagaaggg 40320 agatgaggag ttcacatcaa tctcccgtat gcgttggagg ctggagtggc tgttccctgg 40380 gcgcttctgc cagcacctga ccaatgcaga tgcagatgct cacagccaac catcagactg 40440 agctcgggac cccaqtgagg gtgctggggg gaggactgga ggagctqaga cgggattgca 40500 agcccatagg aagaacaatg tcagctggcc aaaccaccca gagctcccag ggactagacc 40560 acgaaccgag gactgcacat gaagggatcc atggctccag atgcatatgc agcagaggac 40620 agccttgtct gacagcatgg gaggggaggc cattggtcct gtggaggttt gatgcccag 40680

tgttggagga tgctggagcg gtggggcagg agtgggtggg taggtgggga gcaccttcat 40740 agaggcaaaa gggatggggg agaaggcaga tgggatgggg gggttgtgga ggggtaagaa 40800 agaaaaaaga tgtctctgaa agtaaaaagt acttgtcact aagcatgagg atatgagtca 40860 accccaagc cccacagggt ggaaggagag aaatgagtcc cacaagttat tttctgatct 40920 40980 atacgtgcaa tccatggcat acgcagaaac gcaaagacag acaatgagtt gggtgtggtg qtgcacatgt aattccatca ttcaggagac agaagcagca gagttgttgg aaatctaagg 41040 ccaacctaaa qacctacacc caaaqaaqqa caaactataa qqaaaaaqqt qqtcqaccaa 41100 tgtaacatta aagttagaaa tctctcttca cactgtgtag atactgtaca aggaagagaa 41160 aaggcagcca catcaaaaca gtgtaaatca acgagaaaac cagaaacaac tcaagagaag 41220 41280 gctgcagggg cctgaattct gttctcagaa cctgcatcaa gccaagagaa tcaaaactgt 41340 ctgtaactcc agctccctgg gatccaacac ccatttctgg cctccatcag catcactcac aggtgtgcac acatacacat caataaaaat caaaaccagg gatgaagggg tagggaggtg 41400 41460 catgtggatc tgggaggagc tgagaggcac tgggtgaata caataaaaaa tttggtgcat ggtggtgcac gcctttaatc ccagcacttg ggaggcagag gcaggcgaat ttctgagttc 41520 aagaccagcc tggtctacag agttagttcc aggacagcca ggtctacaca gagaaaccct 41580 gtctcaaaaa aacaaaacag ccgggcggtg gtggcacacg cctttaatcc cagcacttgg 41640 gaggcagagg caggtggatt tctgagttcg aggccagcct ggtctacaaa gtgagttcca 41700 ggacagccag ggctacacag agaaaccctg tcttgaaata aataagcatt tgttgctgtt 41760 acagaaaact ccagcccagt ttccagcaca cacagggtga ctcacaacat cataactcca 41820 cttccagggg atccaatgcc ttcttctgac ctctgtgggc accaggattg catacagtgc 41880 41940 aactaataat ttaaagaaaa aaataaggaa gccgggggtg gtgtcgcacg cctttaatcc 42000 tagcacttgg gagacagagg caggcggatt tctgagttcg aggccagcct ggtctacaaa 42060 agtgagttcc aggacagcca gggctacaca gagaaaccct gtcttgaaat aaataaataa 42120 ataaaaaata aggccaagta attcttggaa gaatcccaag gggacactaa gtgtatataa 42180 aggcgttcca tagggctagg aatgaggctt agcgagagca acttcgctgg tgtatgaaag 42240 teceteaget geatqtqqta cetttaatet aqqetetece gaageagagg cagaaggatt 42300 tctgtgagtt caaggccagc ctggtgtaca tagctagttc caggacagaa agggcgatat 42360 aatagaaaca tcntacctag agcccngcca aanaaagggg agacctgaga ccagagagat 42420 42480 gactcagtgg ctaagagcat tgactgctct tccagaagtc ntgagttcaa ttcccagcta aaaatttatt taaatgttta ttacttgtat tattatttaa atttaaataa ataagtaaat 42540 gggagcctag gtttgagtcc ccaaatcacc aagaaaaaat gttatcattg ctaataatca 42600 aattaagagc ataagaactt ctttttaaag aattcttatt tattttatgt atgtaagaac 42660 actgtagctg tcttcagaca caccagaaga gggcattgga tcccattaca gatggttgtg 42720 42780 agccaccatg tagttgctgg gaattgacct caggacctct agaagagcag tctgtgctct taagtactga gccatctcta cagctcttat caggttgata aaatttaatc tcgtggagcg 42840 42900 ctgagaccaa gaactaaagc tgggagattg aaaaatgcag accaccaagg ccctgctcat ttctccagtt ctgatcagct cccgtaccag gggtctaacc aggcctgtgt ctgcttccct 42960 gagtagacca gaggccccat ctaaacagcc tgcctgcagc agctcctctc tctaggtgga 43020 cagatgggaa tttcagacca atgtcatttc ccaggacatc aacacagcag ccaaatttat 43080 tggtgctgtg gctgccacag ttggtgtggc aggatcaggg gctggcattg gcacagtgct 43140 tgattattgg ctatgccagg aaccagtctc tcaagcagca gctcttctcc tatgccatgc 43200 43260 tggggtttgc cctgtctgag gccatgggac tcttctgttt gatggtcgcc ttcctcatcc tettegecat gtgaggetee etggggteae ceageegtee etgetgeett gaeteeatge 43320 cagtcctggt gctggagtct actgagattt accattaaac agcaacgttt ctctaaaata 43380 ctattaatta attaattaat cacgtgacaa ccccagcgtc catatgggtg tggaaaatga 43440 ggaactctac ccatcataca tggcgactat gaagaacaat gtgacagaaa atgctaacat 43500 catgtgtgac cgcatgcatc agccctgact gctaaaagtg gacaagcccg aagcgaaagc 43560 ccaatgttct acttctaaat gcatgcacca aacgcctccc acaggaccag aggtgcagct 43620 ctgatagggt ccttgcctgg catgcatgaa gctgtggaca cgaggcatta ttcgcaagaa 43680 cattetaget gtetggaggg cceteaatce actgtgtteg cgetgtteca gcaccagtge 43740 ctcctggggc tgcacctgaa aaaggggact gcttaagagg gctcctacca agcctactgc 43800 cacagatgca tgatgggaaa gccttctgga agcaactggc tgccaaaggc tctggacaag 43860 agatcaccct ctactggaaa ggtggtttca gtctaggttc tgtgggattc caggaaatta 43920 gacaacactg gcagtccaac agacagacga tctaaacttc caaggcacag ctggtagaac 43980 ttgctgcgga accagacaac aaggtacgag ctactcccat acaacataca aaaaagcaga 44040 gagagagtca gagacagaga cacacagaga gagacagaga gagagtctaa agagagtcag 44100 ggtctcagga ctgaqqqtat agtctactgt agagcatttc cccagcatat acaagaccct 44160 ggattcaatc tgaacacagg aaaaaagggg gggggggact tcgattatct caaattctcc 44220 tttttgtgac acacccctaa agtcactgcc tacttccctc accgccatga agtaaagagc 44280 tgtttgcgct tatgtctaca cagtctcggc tcccacttcc tcctcccctc tgcttctgtg 44340 ctcatctcct ctgaaaccac tgcagcaagt gacttgtgtt gactgccaca cggaaactct 44400 cctcagtagc aggcagcaga gcagagctct gtcttctcgg agcttcttct ctcttgtcgc 44460 cattttctcc cacccttaaq taccctatct tctctgtctc tqcttqttga tccttggacc 44520

cttttccttt ctatgaacaa aatatctcct taaaggatct cttctagttc agggtccccc 44580 egececact gtggagaaaa eccagggeet tgcacatget cageaggage tecatecagt 44640 44700 ctctagctcc atgacttaaa gcatctctgt gctgtcaaat atacacttcc agcccttacc aaaatattca qtcaactcct tgccattcaa aatggatgac ctcaaagcca gagtcagcgg 44760 tgctatgact cccagatcca tccacttggt agcccaggaa tgaactcann nnnnnnnn 44820 44880 44940 nnnnnnnn nnnnnnnnn nnnnnnnngg ttactgggat ttgaactcag gacctttgga agagcagcca gtgttcttaa ctgctgagcc atctctccag ccaccaccac caccaccacc 45000 45060 accaccacca ccaccaccac caccccacca ccacccgcc ccacctgetc attectgatt 45120 qqttqqttaq tttaqtctqt gagacaggag ctgtcccttt tctatagtgg aaggtgaata agaaactcct gaaagtgaag gcctacaaaa cagccacact tatttgttgg aaaatactgt 45180 aaatgtgaca tgtaaataca tgctaaaata attcgttaag tcagtgaaca accttaaaac 45240 acagtotgta gootgaatta cagacacgac acgagcoatg acagaggotg aaataagacg 45300 cctttgcaag gagaagggca gaagcttcca tccttgctag caaatctttg ttccaagctt 45360 tatcagattt tattgctttc tctttctgtt tttctttatc atatttgttt atttgttggg 45420 ggaaagccta atcttcatag cccatgtatg tgagcacttc agcatatgtg tgtgaacacc 45480 aacagcacac gtgtatgagc accacagcat aggtgtgtga gtaccacagc acatgtgtgt 45540 45600 gagtacqata gcacqtgtat agagttcaga ggagaactga gagagtccgt cttttcctcc tactgtgtag gtctcagggg tggaacttgg gctcagcctt ggtggcaagc tcctttatcc 45660 acagagical ectgecage cagettiete tittietete tgttatgtet atecaetetg 45720 ttcaaggcta actcactgac tctgagttat cagaactgct tgtgagagca ggagtaactt 45780 tggacatctg tgctggtagg aacaccatcc ccactcggct tggatgacga aggggaaaaa 45840 aagcatcacc aaggagttcc accacctcaa ccagcaaata tttacctcct atacatggat 45900 aggtggggtg ggtgagcctt gtgatttatc gttaggatct catgggagtg attacagctg 45960 gtctactcca tgaccaaaat ggtgacggtg gctgaccaaa aagaaacagc tacacctggc 46020 46080 tetagttttc tttctttctt ttttcttttt cttttacccc acggtactaa ggattgaacc 46140 caggaatgca agagctctgc caagtgagct acattcccag atctgttttt ccatttcttt 46200 ctttcctttt agattttatt tcgatttatt tgtctatgtt tgtgtgtatg tgtgtatgct tatgtgtacg tatcagtatg ccatgggtat acagaaacct gagaaggcca gaagagagtg 46260 tetgggttac aggagtttcg agctgtcctg tgggttctca aatgcagcag caccaccacc 46320 46380 aatcacccc accccaccc agccttcgag ttcaattctc atcatcacaa aaacacacac acagacaagg gcctgcaaga tggctcagca ggtaacgaag ctcgtgtcat aagcctgaga 46440 acctgagttc actgtctgga acccgcgtaa agggggaagg gaagaatcaa ctctatgatg 46500 ttgtcctctg ctctccccat gtgtgccatg gaatgaacag ccctcccaaa cacacatcaa 46560 gaataaataa aactaaaatt agcttagtaa cttttatgtt gaaagtggtt tttacatgcg 46620 tgggcaacaa taacaccgag agtagaaagg caagcatgta tgtcactgaa cagcattgaa 46680 gaaaaaacaa acacatttcc tgtacatcgt tctgggagtc tgagttaggg tttctatgct 46740 gggataaaaa caccctgaca aaaattaacc tggggaggaa gctgtttatt tcagctttta 46800 tgtctacaac atgacctgtc acccagggaa gtcagggcag aaattcaaac aggtcagaag 46860 46920 cctggaggta gaagctgata cagaagccat ggagctgctt ctggcttgct ctagcacaca ggagtactag cctaggggct gtactgccca cagtgggcta ggctctccca cagcaatcat 46980 47040 aaatttagaa aatgcactac aggtttgcac acaggccaat ctggtagggc cattttctca attgaggttc cttcttccaa aaggacttta gcttgcatta tgttgacata aaaactagcc 47100 agcatattgg gattatagat attctcataa aaaaaagaca tttagattcc cacataacac 47160 catattcaga aattaactca atgtgaacca gaagctctga aagtaagagt taaaactatg 47220 aaaaattctt acaaccatcc ataacaaaaa tctgatgccc tcttctggag tgtctgaaga 47280 47340 teaggetggt gagatggete agtgggtaag agcaccegae tgetettteg aaagteeaga 47400 gttcaaatcc cagcaaccac atggtggctc agaaccatcc gtaataagat ctgactccct 47460 cttctggagt gtctgaagac agctacagtg tacttacata taataaataa ataaatctta 47520 aaaaaaaaa aaactatgaa gaactatgaa ctacaagaag tcaggaatag ggctgggggt 47580 gtaacccaac aqaaaaacac ttgcctggcc tgcgtttggt ctctagcacc accaacgtag 47640 aaagagaaca gcagaggatg agggcatcct gacttgagtc aagtgacaag tgataatcct 47700 cgagacacca aaatcacaat gataaaagag atcaacaagt tgggctttat ctgaataaag 47760 agctgtgtcg ttaaatacca cgcaggaagt gaagaggagc tgagtctggt aacacaggcc 47820 tgaaatccaa gctactgggt ggactgaggg aggacaacag ctagctcaag gcccacctgg 47880 acgccagagt taactcagag agcagcttgg gtagctttaa tgagactctg cccaggccag 47940 tgcacaggag agatggctca gtggttaaga gcattactcc tcttgcaaag gacctgagtt 48000 caattcccag cacccacgtg ggcacttaca atcatccata actttagttt caggggatcc 48060 aatgcccttt tcacagtacc aggcatgtac acagtgcaat tacatacata catgcatgca 48120 tgcatacata cacaggcaaa acttacataa aatactaagc agataaatct taaaagaagc 48180 cgggcgtggt ggcgcatgct tttaatccca gcacttggga ggcagaggca ggtgtatttc 48240 tgagttcgag qtcagcatgg tctacagagt gagttccagg acagccagga ctacacagag 48300 aaaccctgtc ttgaagaaaa taaaaaaaaa aaagaaaaaa atcttaaaag aaaaggagag 48360

gactggagag atggctccac agttaagaac acttgttctg aggtctacag agtgagttcc 48420 aggacagcca ggactataca gagaaaccct gtttcgaaaa accaaaacca aaacaacaac 48480 aacaacaaca acaaaaccac ttgttcttac agaggacttt ggtttgattc tcagaatcca 48540 catgatggtt cacaaccatc agttgcaggg atccaaggtc ctgtcttctg tgggcaccag 48600 48660 aggaggctgg gtttgtagcg cagaggtaga ggtaaaaaga ctctagcttg tttaatgttg 48720 48780 acatgaaaaa aaaaagacat ttagattcct gcatcacacc atatccaaaa attaactcaa 48840 tgtgaatcat aagctctgaa agtaagaata agcctagtat gcactgtaag gctctgggtt 48900 cactccccag cactgcaaaa gatcatgaaa ccagaaatgc agatcctctg aaccacagca 48960 tgggaatgta actcagecga tgeagtgete acetgtegta tacagageae aggataaatt gattgtggtg gtgcatacct ataagctcac tacgtggaaa gtagaggcag gacgaccaaa 49020 ggttcagtga catccttggt cacatagaga atttgaggcc agtctggtct gctggtctat 49080 ttggaatgct gtctcaataa ataaaagaaa gaaagaaaaa gaaaagaaga agtcctatga 49140 ttgtcttaac ctctgacctc tgtgttcatc aagtctcctc ctcaggaact cactggtcat 49200 cttgtgaaaa cctaccccag agtctctgtt cagaggaccc aggctccagc tgtggttacc 49260 acataggatt tttatactag aaaaataaaa tgaataagta tgtattttt aaaaaggtgc 49320 49380 agaqctqqat atqqtqqtqt ctagttatag catccagaac tgagacagga tagccatgag gttgagaaca gctagactat acggtctcaa caaacaaaag taagggatct gagtagatga 49440 49500 ggttttaatt tttttctttg tgtttgttac ctaacgtgta tggttgtttt gaatacatgc atqtctqtqt atcacttgtg tgcctgaaac ccaaggaagc cagaggaggg catcgggtcc 49560 cccggaagta ttattacaga aggttgtgag cagccatgtg ggtgctggga atcaaatctg 49620 49680 aaagagccac ctcgggctgg agagatggct cagtggttaa gagcactcaa tggctgctct tccagaggtt tggagatcaa atcccagcaa ctacatggtg gctcacaacc atatgtaatg 49740 ggatccgatg ccctcttctg gtgtgtctga agacagctaa agtgtactca aataaataga 49800 49860 tcaaaaaaga aaaaagaaac agccacctct ccactctccc tttttaaaat cctcttgcct 49920 ctqtccctta atqttaataa cacaqqtata tgatactatg ccttqtttat gaatagaaaa 49980 tacacqtqct aaaqcaagtg tgaaccttaa atacattatg ctgagtaaaa ggagtgagtt 50040 qcacacaaga cttttctgct caagagtatc tgtatgaagt attgaacatg tgaactctga 50100 aatcgggagc tgaggaagat atggggagtt ctaatggcta caacatttct ttttggaatg atgaggatgt totagaactc aaaaatggtg ataactcagc atatatacta aaactcattg 50160 50220 aattgtacac tttaaatgaa tgcaataaaa cttgtctcag taatgtggtt tagaagatgt acagacatgt gtgtgtgt gttaaaacat ttcttggcat ggcaataaaa atacagtttt 50280 agccaggtgg ttgtggctca aaaaataatg ataataacaa taataaaaat aatgaaaaca 50340 50400 gaggetggag agatggetca geggttaaga acactgactg etettecaga ggteetgagt tcagttccca gtaaccacat ggtggttcac agacatctgt aatgggatct gatgccctct 50460 tctgatgtgt gtctggaaac agctacagtg aaagtcattg caaggacttt acaatagtga 50520 ccatgataac attgaagcta gacttgctac tactgctgag tgtgtctgct ggctctttct 50580 aaggagtaat gttagctttt tgtcctaaat ttgtttcctt cctttcctct ctccctctgc 50640 50700 tgttttttct tacccctctt ttactttgct ttcccctctc atctcctctc ttaacagagt 50760 tqtcctatqc aqcccaaatq ccatcttcct gcctcagcct ccccagtgtt gaaaaatact 50820 ctttccacag gttatgttag gagactggag tctgctcagt cggggaggga gcctgggtca 50880 ttctttcttt ctttctttct ttctttcttt ctttctttct ttctttcttt taagacaggg 50940 tttctttgta taccctggct gtcctggaac tcactttgta gctggcctgg aattcagaaa 51000 tetgeetgee tetgeeteec aagtgetggg attaaaggtg tgeaccacca etgeecagee 51060 ctgggctcaa ttcttaacat tgtggagaga aaagtattgt agctgttctg gccacctgga 51120 attactttgt ttctgatctt ttgctgcagt caaatccttc tcatccatct ttcctcgtca 51180 ggctataata tagactetee ttgcaatact tggaaatget ctacagteag ctacateete 51240 agtcctgctc ctatattttt tcctaagett ccttctaagg tctttattgg tttatgattt 51300 acacagaaca ttttttttc ttgtctatag catgcgttag agtgatcgtt gccagataga 51360 51420 51480 cagetactga tteetectee teecteetee tteetecete eteeceagee teatgetetg 51540 51600 ctcatcttqq acttctqcqc atqtcctcag cccagacctt ctgctcttgc ttctcctctc cccagcagcc ccccagttct cttcctgaaa cttctgaggt actctccatc acctcctttg 51660 gctcctgctc tgattggtgt cacctgctgg ataggcttgc tcctgactcc actgttcgtg 51720 totcaattag ggaccotcac cototgatat accacacatt tocctagtgt otocacctco 51780 cacceccace ctatacgeae atacacactt agetgeatea ggatectaca ecagggaett 51840 cttaccette taateeteee caeeggacae tgeecaggga caetgggget eeagaggget 51900 attgccacac ggacacacag gagateteat caaggagatg tgcctacccc agagggtage 51960 tctcaccatt cacaagcaca ccacttctgc ctccagcttc tactctctcg caggaagtag 52020 ccageceggt gecaagtate eccaactaca tecceaaaat teteagacae tgecageete 52080 cagetqteaq cetqqcecq qetggeggge geetgeteet ggeatagega etagggtgta 52140 attagaaacc cgctagctcc ctaattgcca gttctgagct gtccttgtta ccggctgccc 52200

gaggcacaca	tagaggaaaa	ggctgagagc	tgagccaggc	tggcatggag	gtagccctag	52260
tagacctaga	gaggactggc	atgtggccag	ggaccaaacg	toocacagag	agggctcagt	52320
cagacccaga	tt	ctoccacca	catecattte	cccaraactr	tracritcasa	52380
gcaatctgcc	ccgtgggtgc	tttttageta	taccaccig	-t	tt	52440
ccagcccggc	ccattcattc	tttattcagg	tggcataaaa	atcactacaa	aaactttaca	-
aaagagtctt	gggagctaaa	gggtcccttc	cttgcctcag	tccccaagat	tcctggcagg	52500
adaddacaad	agagagaaga	aggaggaaga	ctcctggcag	tottoocatc	tccaaatacc	52560
ggaggacaag	attagatasa	- 55-55-5-5-	ttaaaascct	asstatette.	adcaadddac	52620
agaggggtga	cttgggtgac	aygacacayy	Leggggacee	gaacgcccc		52680
actcttgtag	ggtaggtcag	cctccaacca	tgaagtataa	caccaaggcc	agtetaaget	
tgggagacca	acacttgtct	ctccttttcc	cacccagggt	gtctggaața	tgtctaaaga	52740
tagestates	agcctctgct	tacaaatgtg	gagggaccct	aagttaggga	cttgcctaac	52800
-tagetetag	ccaaaactgt	atcacaaat	accaacccac	aaaadatcac	cccctgagec	52860
clacecciag	Ccaaaaccyc	5	teesteeste	aaaagaccac	cococgagos	52920
ccttgggaag	aaatgaagat	tececatgee	Egectteete	caggeeecae	Cocaccegee	
gcaagagaac	agcttctaca	ctggtgatgg	teetteeggt	cccaccctat	cccacaaagc	52980
toottagaaa	gagtcacagg	agctgagagg	ctgatccagg	tggggactca	ggatgctgct	53040
acceaaaacc	cctcctcact	tagagagaget	gaactggggg	tagtcttcct	ccatgcgggg	53100
t		casagggggg	acctccataa	aagtcagctt	tatcattcta	53160
tgcaagtttc	aagtcaggac	Caaaggicii	gccccatgg	aagteageee		53220
gcctatgagc	ctgttgtcag	gggaatctcg	ctgttcctgg	agerggggea	gegegeeggg	
gttagggttc	ctcacactgc	ccacaaagag	gggcacgcct	atggtgtcct	ccatgatgaa	53280
даададдаад	ggtcggttca	cagtgaagga	ggagagggac	attcgattca	tggctacgct	53340
autauctucu	gctgcctcca	caccadecte	actgagetee	atggtagact	gatgttgcac	53400
ggtagetgeg	geegeetea	aatananant	900949000	tetaggeest	gaaacaatto	53460
getagacace	accagattct	gercagagar	cccacgaagg	cccgggcccc	ggaacaacce	53520
ctgcaggcct	gcccagaaca	gcagatgact	ggtcagtgct	gccccaaggc	tatgtggatc	
tgtctagcat	cctggctaaa	gggaacactt	gaacccagcg	gttgattgga	atctgttaga	53580
cctcagtcta	gacaacactt	ctagaaacct	tttttttt	tttttttt	ttttaaatca	53640
gastatacac	taggtacagg	acadaaadto	tagaggagga	tatcaaatgc	toccatocag	53700
ggattegege	caggeacagg	tangaaagee	tagaggagaa	catactatac	ccadaccacc	53760
gaagcagggc	cacctctggc	ccaggcacac	Lygiagette	cycaccccyc	ccagaccacc	53820
taggggcacc	ctatccccaa	gctccttacc	cagttggctg	agggtggcca	ccaggtccag	
ctgctgttgc	agatggagtt	taggcagcca	caccttggtg	ggcctctcct	gcagcgaggg	53880
atggtacaga	gtatcccagg	tcaggttggc	tagtacctcg	gacacgttcc	actcaaaata	53940
anthomocato	acgaccacaa	agctcatgtt	gttcttaaag	gggaaatgag	ccacctacag	54000
2+2242222	gagagaacat	agaaccaa.	carcacctur	acctatctaa	agtetgggee	54060
ataayaaaay	gagagaacat	gaggaccaga	cagcacccgg	aggattagg	tactttcact	54120
aaaattactt	ctgtactttt	gagacaagag	CCayaaaccc	agggctagea	rgccccacc .	54180
taactggtga	agtggaataa	taccacttac	ccctttgcaa	ggtgacatgg	gaccaaatga	
gataatgctt	ttacacctct	ctgtgtgcac	acataagcat	atatgtttgt	atcggtgtga	54240
gtgtgtttgc	tcatgggtat	atggagtcag	aagtaggtaa	acatcagtcg	tcttcctaca	54300
ttoctctcca	cttttttt	ttttttttq	gtgttgccat	ctttttgttg	ttgttatttc	54360
aagacaggct	ttctctgtgt	agccctggct	gtcctggaac	tcactctgta	aatcaggctg	54420
aagacagget	tgcagagacc	cacctaccta	tacctcctaa	atactagast	ctaagatgtg	54480
geetegaact	cycagagacc	tattttt		+ cat ~ cat ca	coaagacgcg	54540
tgtaactaca	catagetece	tettttttgg	acacagggcc	ccacggaccc	caagetgget	
ttgaaatgac	tgtttggggc	tggagagatg	gctcagcggc	taagaacact	gactgctctt	54600
ccaaaggtcc	tgagttcaaa	tcccagcaac	cacatggtgg	ctcacaacca	tccgtaacaa	54660
gatctgactc	cctcttctgg	agtgtctgaa	gacagetaga	gtgtacttac	atgtaataaa	54720
tasattaatc	ttttttaaaa	agagaagaa	atgatggcta	catacttctc	teteatetet	54780
	testesset	agagaaagaa	203203300	caagettget	atatttaaa	54840
cigececaag	tgctgggatt	acagagetgt	acaacaagcc	caageeegee	gegeeeeaga	54900
catgctaatg	tatcccaggc	tgtcctcaga	ctctctatgt	aacccagaac	gaccityaac	54960
ttcttttaag	gtttatttt	atcttatgtg	tatgggtatt	ttgcctgagc	atttgtctgt	
gtaccgtgtc	cttgcagtac	cctcacagtc	cagaggaggg	caccatttcc	ccctgaactg	55020
gttgtgagct	gcatggtggg	tactaggaat	caaaccctgg	tcctctgcaa	gagaagccag	55080
taagtactct	taactgctga	accacttete	caccttgage	ttttcttcct	cctatctcga	55140
taagcacccc	ctagggatgg	gecaeceee	ttestetee	taatttatat	attactasaa	55200
LCLadaagta	ctagggatgg	cygatytycy		cygectaege	geegeedagg	55260
gttgaacaaa	gggctttgtg	catgccaggc	aagcactcaa	Caactgaget	acacaccccg	
acagactttg	actcttctag	tagtagtgtc	tccactacag	cctgagttct	ctatctgctg	55320
tcagcaagct	gtacaaacaa	gctatgggcc	ttcctgtcct	tgcctctcag	ttctctccgc	55380
aggtggggct	actggctttc	aaaatgaccc	atagaggagc	cacaqcaaac	agtaggaagc	55440
ttacccctca	tctttcaccc	teteccadad	agtcagctat	aattcgagtt	tttttttcct	55500
statetetetet	ttaaacagga	+c+aa++-+a	taaccetaac	tatettease	ttcagtcttc	55560
		abarra the		2000000000	aatasassa	55620
ctgcttcaac	cttctgagtg	ccgggattat	ggrgcaagcc	accacactca	guidadada	-
ccttttttt	tttttttt	tttaaagaat	ccatgcagtt	aggacagcat	ggaaatgacc	55680
aggctcaggc	ctccctgggt	accagcataa	tgcctgcagg	cgggtcctct	gccagtgggg	55740
ggatggaaag	atggagccag	aggatettte	ctctctgaac	ctcaatgtcc	cacagtgaga	55800
cactcatoto	cactgggaga	tactotaota	ttcaaggaag	aagcaacagg	aaggtgagag	55860
ctaactccac	ctgagcaggc	teatateete	teaceacaa	ctacadadaa	atctaactac	55920
accet acces	taactaat	at agains at	. ccaccacyyy	aacccaac++	accesates	55980
ccccccaca	tggctcctcc	ccycagaact	gycaacgctg	ggcccggcct	guccayuda	56040
actaaccaac	: agaatggatg	agcatgtgtg	gtgccacaca	cctgggaccc	caycactcag	36040

acagctgggg cagaagggtc atgagtccaa agcgaacttg tgtaacattg tcagaccctc 56100 gaacaaacaa aactagcccg tcctgttatc tcagccacag atgatgggcc caaggatcag 56160 tactctagcc aaggagtcac ggttaggcta gaagcaaggg aagccttagc tgagacagct 56220 tggcacggag cttcatccaa tcagaatgtt cagagcaata agctttgaaa cccgacttcc 56280 atctatgaag cactgtgtgg gaactcctct cttcccttac gagcagggcc ctggtcctct 56340 tgggctccgc taaaacccca gcacagagaa cagttacctg gcacgtgaca aaaactcaat 56400 atattttett tgaggagatg aacctcaaag aagctgtgte ctggatagac acagcataat 56460 aaacccttca ggagctacct acccagggac cagactttac ctcccagtac caggcctcgt 56520 ttgccagcca aaggcaaagt ccagactgac ctgtatctca ggttgctcca gcaggaacca 56580 56640 tcgaagagga tatgacaccg cgtgcatcat gtccaccgac actgtgaacc gctcatccag 56700 gtggaagaaa totttotggg tgaggotogg gtoaaacttg gtootocaga aacetgcago 56760 caggcagagg gcaggagcca tgtaacataa aatcagcctn ctgcctgtct tgcctagaac 56820 56880 56940 qqaaaaaqqa atcttaaatt agaagatgcc ttgataagat tggcatgtag gtatgtctca ctaatgattg atgtggaaag tcacgaggga tggtgtcacc ctgggcagat ggcctggggt 57000 atataaaaac acaggctgaa caaaccacaa agcagtagtc ctcaatggct tctgctttag 57060 tttctgtctc aggttcctac cttgacttcc ctcagtgaag gcatgtcaca tgagagttgt 57120 aagaggaaat aaaccctttc ctccccacat agtttttggt tatgatgtta tatgtcaaca 57180 57240 acagggtttc tctgtatggc cctggctgtc ctggaactca ctttgtagac caggctggcc 57300 tcgaactcag aaatccacct gcctctgcct ctgcctccca agtggtggga ttaaaggcat 57360 gcgccaccat tgcctggctg gttttctttt ttttttaata catttataat gcattttaga 57420 57480 tttaaaaaaa aaaatqqcca tggcatataa tataaaaaga agtgcttaca aatcaccatg 57540 tgcccttgcc ataaattatg taaaaatttc catatggaca tcagtctcaa gcttacaatc tcagcactca tgagcctgag gcagaggcag gaggatggtg agctcaaggc cagcttagtc 57600 tacataacaa gatcctgtcc aaataataac aacagtaata atttcataca tagaactaga 57660 57720 aggggccact gcaaagacag tatgacaaaa ccactggccc tgcctaattg tattttaaat aactgtcctc ctctctgtaa ttttcagttt ctaattttta cataactacc atgtattctt 57780 57840 tttgtaattt taattagttt tttaataata gaaacaagct aagtgctaag aatattttca tatgaacatt ttcaaggcac ttgatacata cctcagattt gccctccagg tgagcagtac 57900 caattacgtg ccaccagcaa tgttagcttc cttttttccc taccatctga ttctgtttca 57960 58020 gtctattcgt agttctgatc ttgttatatc cctttttatt gtttccctgg gttccaacac ctcccagttg agtgttctca ttgaatttca ttagcagctg tttcattaat ggcacagaag 58080 58140 aaggattaca gtgttaacta ggatagactt tgacaaagaa ctatgagaac atatcttatt 58200 atctttgcat aaattctttt taatcaaagt tcctcaaaag cctctctctg ttcccatctc agggagtagg tctggccact gatgagtgtc caggccacag tacaggtgtg cgtggttctg 58260 tccctgtggg aagggcacat ctgtgttgta acaggattcc tgtcttaaca agccttgctc 58320 aggetetaag tggteetgag etagetaact geeettgget tteeettgat taccagataa 58380 ctattcactc ttctcatttt gcagagcact taccaggtag ctatgtcctg gaagtacgaa 58440 58500 tqaqtccttc tattgttttt cttttactta aatcccattt gaaatgcgcc agggacactt 58560 caatccaagg tacacttttg ctaaagaatc actcattttt atatgcaaaa tgtcacctat 58620 taactgcagc tgatatggta catacatatt ctctcttcct attatccact aataggtgac taatgcgaaa tattgagtaa tttttaaaaaa tcaatactca attttttaga aataattaga 58680 gagacattca actotgacac cagcacccta ctcagttcct gagcottcct ctgccggagg 58740 agaatctata aataactcac gaagctgaca ttactcactg tgttgcagtc attttttct 58800 gagaaaattt tagcaactgt tctaatagag cctgccagtt atcagtagtt gagaatgcaa 58860 gtcaactttt aattatgcag acgctgatta ttcagacgac aaattgttgg tgcctgcacg 58920 getectteet getgeetace tttaacegtt etcagtgete attageacat gttecagaag 58980 gtaggctttg gaggggcgga caggcactca aaccagctaa gcacttagag aagctctgat 59040 gaaagatgtt aatgcagttt gtagaattat tgactaaaat tgagtcattt ggattccctg 59100 59160 tquattqtat ttacatgccc tgtccctgtc ccccatagca acagataata ggattgtctg cagagagaca acatagttct tatatttaat tttttccttt gtcgaacatt ttcacatgat 59220 ggttcgtggt gtttcctttg ttcattacat ttgtatccag actagttact tctgataagc 59280 ggttagttag gatteetgge acgeggacag tgacaccaca gttgtetgat egttteecac 59340 ttttttacaa aaccgtttgc ctttaagagt cagtgttttg cacatttcac ccagattatt 59400 ggaaatatta tttccctcct gcttaaaccg aagctgtgat cataatttaa gcctttctag 59460 gtagccgatc ttacatgtat catacctatt tctggcatat gtttgtctat tacaaagacc 59520 59580 gagtggggat ggccttttgt gtgccccaag gctgttgtgt ttcacacagt tgttttctgc 59640 ctcctctggt ctatcactat cctgccactg ccagaaaacc ctgctgtgtg ttccccgcgt 59700 ggaggatete tgettetgaa ettetttgge etgagaaact ecataaccaa atcagttage 59760 attttgttta aagagcaggt aggctgttag agcttgggtc ttacatgtct cccaggtcca 59820 cttgccagcg ccttgaccac tgttaacttt tgttaaccaa ctcatctttt gctgcctgtt 59880

59940 ttttqqqqqq tttttttqgt tttgtttaag ccaagatcag ttatatggcc caggctgagc 60000 ctctcttccc agcctctcaa atgttagaat tacaagcatg catccctcag catacctttc 60060 ctttgctttt tttaaaatag agttttgcca tagcaacaga aatctaacct aactaagcat agccqtqcac atggtatgag gaactcacat atgtgtgaat ggaagttcat agagaccggc 60120 atcactgcct agaggcccct ttcttccttc cttgcagttg tcgtgctagc tgactgtact 60180 acaaaagagg ttgtctgagg cataagacta ccttcaataa aacatgcaca gacagtttgc 60240 ttctctgaga tttcagagca gtgactacct tcaataaaac atggacagac ggtttgctta 60300 cctgagactg cagagcagtt tccaaaaatt ttagacaaag ggtaggatga agaaggctgc 60360 ggggttttgc acacacttaa ggtgcgtaag taaataaact gagctacact gacaqqatqc 60420 togttotagt ayccaaccaa agagcagttg aaccaaagca cotagactto aaacatogtg 60480 gggagataat cttaggagtg ctatgcttct gcgtcctaca agtattatga aactgtctag 60540 aaagcacccc actggtaatc cctttttgat tattttttt ataaattcta gtcttggggt 60600 60660 tttgagtggc acacagacat aatggttagg cttcggtgtg tgctcattca ctttgcttcc 60720 tggggaccag agtttgcgat gagtcatgtt ccatctgatt tctgtcggat ccggctgcag 60780 agccatgact cagatgggct tcaggcccag ctgctcagtt catcttctgg ggaatagatg 60840 acaaggacgg gacaaatgtc ctgacgcaca tttccttctg ttcttgcact tccagggtct aacgagagca tcattaccaa cagcaggcag atacgccttg ccacaggcat cttccctgtt 60900 gtcagcctcc tgaaccactc ctgcaggccc aacaccagtg tgtccttcac tggcactgtc 60960 gccaccgtcc gggcagcaca gaggatcgca aaaggacagg agattctgca ctgctatggt 61020 gagocagoot tiotticcae taccotgotg tgootcacae otcacatgaa aaggataagg 61080 ggacaggaat cagcagatat gggcccagtg cctctactca tcctctgagt ctttcctgga 61140 aagggcaatg catcettggg ccaataaaaa aggtettetg getgtaataa aaaageeegt 61200 tgagggcagt gagccatatc cctccatgcc ttgtagacag cctatcctga aaatgagcga 61260 ggagcacttt cttggcttct ttcttcctgc cccagcagct tggaaacgta tccactttca 61320 cccgtgtttt gttgtttttt ctgagatgat agggcagagt acccaacctc atataggcta 61380 ggctagtgtc tatcactgag ccaggacccc aacccagcac caccatgcca gtcacgtgat 61440 gactaggcca gcccctcggt agagtaggca ttgactctct tggtgtgact aggaactgtg 61500 ggtaatctct ctccagggcc tcacgagagc cggatgggcg ttgctgagag gcagcagagg 61560 ctgagttctc agtacttctt tgactgccgc tgtggggcct gtcacgctga gacactgaga 61620 61680 gcagctgcag ctcccagatg ggaagccttc tgttgtaaga cttgcagagc gctcatgcag gtaaatctct gctgttccca ggggcagggc tccagctaaa ggttgtcagt cgccaggaga 61740 accattcctg cttcccttct tgtaactcct ccctacatgt cgcccggtcc tgcagaaaac 61800 acaggttgta tttcctaata ttttccctat aagtgacaca aaatcttaaa ttacacaaag 61860 61920 qqaccaaaaa aaaaaaaaaa aaaaaagccc tagaaattta cttgctcaaa taagtcatca aaagttgtgc atcaggccta gcacttgggt actggtaacc ctagcactca ggaggctgag 61980 gaagaaggat ctcaagtcgg aggccagtct caagtgacac cccatctaag agatcaccat 62040 62100 tccaaggagc tatttcagag atggtttaat ctggggaccc agattgtgga ttttctgtct gttcaattcc atctctctgt gctggcctca tcagacacac tctgtagtaa ctgtgggaaa 62160 62220 atccqacca cataqttttc cctcaqcctt tqacccagag ggaagagcca cagtggagag 62280 catgagagca gaccettggg tgctactgcc aggtaatggt gtagacactg gagtettcaa cattcatgcc ccaatgcaaa atggtctcca caccagagca tggcattctc attagaaata 62340 agtaaatgga attggctgtg ttgaaaattg taaagccaag ggtcaagaat gaagccttcc 62400 62460 ccaqcatqtt ttqttttqtt ttqtqtttta ggcagcgtct ctctgtgtag ccttggctcc 62520 tgccctctgc tacctctccc aggtgtgcca ccatgctggg cctaagcgcc ctgtgcatta gtgctccctc gatcctgctc actcttgaga cagtcttcct tctactctgt atccccagat 62580 aacctagagt tcacttcaga gcccaggctg gcctcaaact tgagatcctc gtgtcccagc 62640 62700 ttctcaaatq caqtqatatt tacaggccta cacctggctt tccctgatag attcctagta agatgattat cctttgagcc atatctctct tctgcttctt cctctttcc tgcagggttg 62760 atctagaatt tattctaaag ctgactggcc tcagaattgc catccttctg cctttagnnn 62820 62880 nnnnnnnn nnnnnnnn nnnnnnnnn nnnnnnnaca tagtgtcaac tttcaaattc 62940 tqccttaaqa qttctttqtt tatqqqaatt tatqqqaatq ttccacaqaa cccatccagc 63000 ggagttctgg ctgttgtttt ttaatcttta ttcatcttgc gtgtgtgtgt gtgtgtgt 63060 gtgtgtatgc gcgcgtgctc aacttgcaaa attgcaaaat tcagtctcct ctttccaccc 63120 tgtaggtect ggggateaga etetgttagg ettggtggta ggtgetttae tgagecatet 63180 tacaqqcccc ccatqqacaa ctttttcttt gaaaacctgt ttctggcttg ggtgtgatag 63240 63300 ctcacacctg tgaccctacc accactcatg aggaagaggt aggaggacta acagaattgg 63360 aagccagect ggactacaca gtgagtaaag gctatctata tactcaccac atggcaagac cccgttttaa aacactgggc aaggtgaaac aaaagtcaat taatttcaca taaagtcaat 63420 63480 agetteatta acqqcctagt tatetttaaa actgtatgca ggttagtact tggtttcaat tttattactt tttctctgga acatttaaaa gtactttagg ggctggagag tcagttaaga 63540 acagtggctg ctgccaaagg actggagttc actcccaagc acccaggtgg caatcacaac 63600 63660 tqtctqtcat ctaattctag gggatctgac acceteacag acteacagge agtggaacae caatgtacat aaaataataa ttaaaaaaat gaaataaaat accaggcaag gtggcacacg 63720

cctttaaccc cagcactcag gaggcagagg caggcagatt tctgaattcg aaggcagcct 63780 ggtctacaga gtgagttcca ggacagccag ggctatacag agaaaccctg tctcaaaaaa 63840 aaaaaaaaaa aaggacttta aattgggctg gagagatgga ttaaaagcat tggctgctct 63900 tcccagaggt cctgggttca attcccagca ctcaaatggt ggctcacaac tgtctatatc 63960 aacqcaatct aacaccctct tcaggcatgc aggttacatg tagacaaaac atccatatgc 64020 64080 ataaaataca taagtaaatg agtottttaa tgtatactag aagotgggtg gtggtgcatg 64140 cctttaatcc caqcacttqq qaqqcaqaqq caqqtqqatc tctqaqttgq aggccaqcct 64200 ggtctgagta aatagageet tgtaetteta ettateaeta eagttaeatt ttataaettt qqqccctagt gcttccattt tccactgttt gcttaaccac tggggcctga agcttttgtg 64260 64320 ctgacacttt tgttcgctaa tcatcaggca accaatggtc tctacactcc atcaccatca acacaaacaa aacaaaacac aacactacgg atcctggcat ggtggaacat ctttagcccc 64380 agtacgtggg cttgagttca aggccggcct ggtctacata gcaagttcta ggatagtagg 64440 64500 gatagtettt aaaacaaaac actattttat ttatgaacaa aacatgtaaa gaaagaaaaa aaactgcaaa tttatctatg aatgaagtct aagtaatact tcaatattgg aaatagcttt 64560 ctaaaatatt tttatttaaa gaaaactcag caaattattc aaacaacctt ataaacgttc 64620 gttataaaag taaagaatta tttgcaattg ccttaagggt ccaaggtggc agcctcttaa 64680 aattcagaac aatccaagct tcacattcca gttcaacatt tctacagccc taacgtattc 64740 64800 anatacctcc attctgacaa ctgtttcccc tcttcttttc ttctaagctg cttagatgtc tgtcccaggc ttttcatgat tttagtcatt cacacaacta gcaaacatta tctagggact 64860 aaaacttgcc agatactggg atatcaccct aaagggggac tgaaagtagc tgcaggctac 64920 agtototaca atotootgaa tgaaatacaa agtagotaat atttaccaaa taaacatgta 64980 65040 cacctgtgat gattgctagc tgtactagca gaagctaaac actaaatcta gaaactcagt cctccaacta gccccttgct cggcttcagc ctcattttta caaacaaggg aaagagtttg 65100 gaatgttgcc caaagccata cataagtgaa caaaaaggag ttggagtctc caaatgcatg 65160 gatttqqqct aqttactttq ccaaccaact cagtaacaac tgagctgaac aggaacactg 65220 65280 tggtagcaaa agaaactgga actatcaatg gcctctagag caaaaatata tttaaaaaga 65340 aaaaaacaaa caaggcctgg caaggagact gtgagaagag tgtgctgact gaaattgact 65400 agttcagcca acaaaagact attccagggc tggtgagatg gctcagtggg taagagcacc cgactgctct tccgaaggtc aggagttcaa atcccagcaa ccacatggtg gctcacaacc 65460 atccgtaaca agatctgact ccctcttctg gagtgtatga agacagctac agtgtactta 65520 catataatca ataaataaat ctttaaaaaa aaaaaagact attccagtgg ggatggaaaa 65580 gttaagtgtg gagttaaaat atacttcaac tggtgatgga ctaggtgtcc agagtcgggc 65640 aaaaggatgc tctgtggtag aggtgcctgc tgtgtaagcc cagctacctg agctcaatcc 65700 acagaatcca cagcggagtg ggaagagaaa caacgtccca gagttgtcct ctggcatccg 65760 65820 acgcacatte gecatececa agatgteata catatgtgta catactacae actggegeae gcgcacacac actctttttt aaaattcaga cttagaggga cataaaggat ttgctctgat 65880 atatgttcaa ttgaaaatga ctttgaagat agagggcaga tcgaaggaag ctcagcagga 65940 66000 aaqaattaat aacatgcagg tgaagggcta taaactagtc tgcagagggc cttggctcga caaaaaaatc tatggggttt gccggtaaaa taaggaaaaa gttgtcaaca tgaaacacag 66060 aacactagca agagaggagt gttagcagaa agaagccaac aagctcaaac aattaggtcg 66120 gctgaaaaat tttaaaatgt cttctgattt ggctactggg aagccactgg tgacttcggt 66180 66240 cagcgttttc tctctcgtga ccagagagat gtctagtagc aataatgagt taggaggatg 66300 taaaagaagt aaaacagccg aaaacaagtc caaaaagttt ggggtgatgg agaaagggag gaaacagagg ccgccgaaga tagacagcgg catgtttatt tgtcttgttt tcttagatgt 66360 66420 aaacaaacta aaaaaactcg tgagttcttc tgccagtacc gggttgcctc cagcatcctc tgatggtctt agagaccccg ggatgctccc ccgcggccgt ataatttcct ccctgacgct 66480 ctecegateg acageggete ceteeceggg teetettige acegeteeaa ggeegegetg etagggeeat egageeeget cagggtegte teettacete gatggeeece tegeteaggt 66540 66600 66660 gtcccaccat ggctgcaccg ctaactcccg cgctcgcgct cttgcaccgc ctgagcttct ctgccggggt cccgcgggct gctcaacgat tggctagagc aactgtgcgt gccgatccgc 66720 ccccagcgtg agcgcggtgc gaggggcggg cctagacgcc gatagccacc gcattggcta 66780 ccgcgcggca ggcagagcac gtgactcttc cgaggccggg ttcgaggcct agtggcggga 66840 tggcgggacg tgagggcggg gcgctgggtc gcagtgcgcc tgtgtcagcg cggtgctact 66900 66960 gagttgttcc cccgccagct gtcggaactt tgcccgccca gtcctttggc ggacagacag aatqqcaacc caqqqaacaq tcqqaqctct cccctggtaa ctgctgctaa atatagtcaa 67020 67080 ageagtgace tgggtactte tteacgeagt gcgtgcccgg cgccggtgcc aggcccagag 67140 cttggcactg tgggataaac aaggtaaatc agactcagtc tccgccctct tgagttccac ctgagagttg tggccgcaag gaacccagcc tcaaggatgg tagacgcgat atgggccaca 67200 catgtggagc tccagagtgg gggtcaaaaa tcaatcaggc tttcgagagg cgatgcggtt 67260 tgaactgagt taaagtgtgt gtagaaattt gtcaggtgga ttccagtgag gatagtgatg 67320 ttcctaaaag cccaaatggc ctatgcaaaa gtattggaga gcctggcgtg ctggctgct 67380 67440 ctgatctgtt tgtaatccca gcctttggga tgtagaagca gcaaaagttc aaggtcaccc 67500 ttaacaccgt tqaqttcqag gtcaacctga actaaatgag accctgaaaa atcaaaattt 67560 gggacccagg cgtggtggca ttcgaggtaa aagcaggcag atctctgagt tcgaagccag

ccaggctaac ataagatccg gtctcaaaaa aaaaaagtaa taaaaataaa aagggagaga 67620 ggctatatga actgaaagaa agacctggag atcaaaacag aaaactgagc cgtctaagaa 67680 67740 atgaaaatat ttaacttcat agttgctgga gtaagaagtc tggaaaactt tgggcaacta aggtaaacag gtctagaaag actggaatag tagccatcta ctggtatttt gatctctgtt 67800 tgtacaacca caacctacta tagtttctca aacagttcca aagaatatgt ctgggtgaat 67860 tggtaccaca ccacagatta acteteette agcatateaa cagetataga aaaceecaga 67920 agaaatgatt ttggttgcgt gtcacttggt aggatgaaat ctcgattttc tagaactatg 67980 cattaataga aagctgaatc ttcatgttct gactttacag agctgcggca gcatggatct 68040 accggtggat gaatggaagt cctacctact taagaagtgg gcttcactcc cgaagtctgt gcaggacaca atttctacag cagagacttt gagcgacatc ttccttcctt cttcttccct 68100 68160 tcttcagtaa gtgaatggaa acttcaggga aattttggtc tggaaaatgt tctgccttgt 68220 catttggtct gaatatctct tttttatagg agagagtagc tttatattct ttatagtatg 68280 gggcatttag cagttactgt tggttttcac gtttctccct agtctgtgat tactagaatg 68340 ggtaggcact aactgctttc ctcttttggc atgtgttata cttaaggaat gtagtatctt 68400 gctgtcgtcc cagtgctgtc actcatagga tctggtgcag gttgtgtagc tgcccctaga 68460 ageteattea gtectaatgg ggagaaagaa ceetggeact tggttagttg agacecanaa 68520 68580 68640 68700 tocaagtgcc actttactgc aatgtgtcac cacatccaga gttctgtgtt tgtttatttg 68760 tctgtttttg agacagggtt tctctgtgta gccctggctg tcctggaact cactctgtag accaggetae ecteaaatte actgagatet geetgeetet geeteeagag tgetgetgta 68820 cactaccacc acccatccag ctttctatat tggttttcct atggcgtttt aaaatagcca 68880 ttatacgtgt gtttatcatc taaagtcctg gtcccaaaag gagatgagag gggctgctaa 68940 ggtgaaaagg attacaaacg cttatcaatt ctgttcaaaa attaaacctc agagtgggat 69000 tagctgcttc tttcattaga attgctatca gaattcactc aggccttgtt tgcgtgtgtt 69060 attgaagaag tetetteete atcaggteag tgaeteetta geteaagtae atgeaatatg 69120 cagtattgat aactgttctc gcttaggaat aaaaatagaa ctgacttcca cagggaaatg 69180 atgtgctgag ctgtagcaac gaatcttgca caaactctgt cagcagggac cagctagtct 69240 69300 ctcqcctqca gqaccttcag caacaggtct gcatggccca gaagcttctc cgaaccggta aaccaggiga gattggctcc ctcgccctag gcctcagccc ttcccttgtt tattttggta 69360 tcaccttgcc ttactgagca gtcctcaata aatgactgag gacttgaatt taattatccc 69420 agcaccaqcc acaaqatqqc tatqtaqqcc aqtqaqacca gactqtgacc agctqttact 69480 ctggtgccct tgaaagtctt cctgatggtt taagctgtgt ctgctgcgcc agatagttct 69540 agcagetega geaccagaaa ggetgtetga ettecatggg etttgtgtgg etceagaggt 69600 69660 ccaatgccat catctgattc ccagcttaag gacctaagct ccgagaaggt tgctctgccc 69720 tcaqcagcag cagcaagtcc tgagtgctgc ctgggctcgt ggtgtgactc aggagtagag ctcggtagct agcctgagct gagagctgag agaaagaaag gactcctctc ttttcagaaa 69780 gggatttgca gaactcgatg ttagaccctg acatggtagg aatctgtttt gactattcta 69840 gcctagattc tgaagttgac ctttagccta gagtcaagaa aactaatgat tacaggagga 69900 atgtagagtt ggttgttaaa tgttggttgg aaaatggatg ttagaagccc agggtaaatg 69960 tgaqqaaqcc tcatctaaca cctcttttac tgaaagagaa aacataagca accaacagct 70020 tecetggaat georggetgt tgaeteegtg agataaagag geatttteae tttgaeetaa eegatagaga eettgeaaeg tggteteteg tgteeaggae tagatetgta tetgttgtga 70080 70140 ggcattittc ctttgaatcc atagagcaag ccattcagca gttgttgcgg tgccgggagg 70200 ctgctgagag cttcttgtca gcagagcaca ccgtactggg ggaaattgaa gatggcctgg 70260 cccaqqccca tqctacctta ggtatgctac cttaggtata gccggagttc tccttccctg 70320 70380 ccqtqtqttc aqtqcqqccc ttqccttqtc tqtttqqttc tctcttqcca tctqaattqa 70440 cqctcttctc cctcccattc tqcattcctt gcccccagag ccttaggcta atggtgtttc 70500 ttttccggaa tgagacattt ctcttctcac agggaactgg ctaaagtctg ctgcccatgt 70560 acagaagagt ctccaggtgg ttgaaactcg ccatgggcca tccagtgttg aaattggcca tgagetette aaactggeee aagteetatt caatgggtag geetttettt tteetagtgt 70620 ttggccaggg cacacagtgc tctgtgtttt cctaggtgct tctgtgtatg gctttttgct 70680 acagtgcttt aaagcatgtt gaaactcttt tatttcctct ttaggacaga tatttgccct 70740 ctgcttcact gatagacttt aagctttgaa ttccttcctg aggatgtgga gaaagccatt 70800 aggtctgcat qqagcttccc aqqqaggatt tggaggcagc ctcacccgcc tctagcattc 70860 ctgtctgctt aatcacacct cccttggctg cctcagtccc tgctctctca actccagggc 70920 teggeeettt ceetggtttg cetettatte ettttaaage agtggtttte aactagaagg 70980 gattgcaaat ggcatttggc agtgtttaga gacagttttg attgttatgg ctgccagcat 71040 ctaqtaaaqq ctaaacctac aqtqcacagg accgcctcca cagtqgagag acccaagtta 71100 71160 gctatgtgaa ggctgagaat ccctgctttg gagattaaaa aaggaagctg agggaaccac 71220 tcaqttqqaa qcacccttqq tqqcatqcac aaggccctqq ttctqtccct agctctgcac 71280 aaaaaataga atacaaggaa qaqtaaccct aatgagctgg tccctcaccc agtgtgccac tgaggtcact tgaagggaag tctagcccca atttagtatt ttttgtggct gccatacctc 71340 71400 cagcettgat caaateteat ggtatacatt ggtaagaaaa agggtttgaa acatagacet

71460 qatactcqqa catqqaaaca gtatqtttqq tcaqaqaqaq cqaaqqacct gataqacqaq ggcaatatca gagagaggc atcagtcggg ttagacacga gcattccaca gtgagcagct 71520 ctggataagc ttttataaat gctggttaag gttttgaatt tgcccaattt tgtcaggatc 71580 ccagagtcta tcacaaacat acacagtttt ctcaaatctg ctttgcagta tgcccgtgaa 71640 71700 tgtctcttat ctatactttc agatggtaag accctgaggg cagaggaact cagacccttt qtqcccctq taagacctt ggggatgcag tggacccgac tttgtgttct ctgcacagaa 71760 aggagtccac tttcgttgag actaaggaag ggaactgaca agcttccctt tctggcttca 71820 ggttggcagt gcctgaagct ctgagtgcca tctggaaggc agaaaggatc ctgttggtgc 71880 actgtggccc tgagagtgag gaggtccggg agctccggga aatgaggtcc tgcttactgg 71940 actcgtcatt cgtccctgtg gggcccttgg tgtagagcaa tcatcctcac cctcaagaag 72000 qaqctctqqt qatqactqaq atqttctqtt qqcttggagc tctcatcaga gaggacggga 72060 72120 ccttcccacc tqacctgagc ctagtgtctg gcacagagag cacttgaaaa cagattgaga 72180 cactcacctg ccatgctggc tgctgcttgc aagagctaac tgccctctga tggaaacccc 72240 atgcccagaa aagactaaat ccagtatcta aaggctgctt taaagggttg tcactgcagc cgggcttggt ggcacacgcc tttaatccca gcactcggga ggcaggcgga tttctgagtt 72300 caaggccagc ctggtctaca aagtgagttc taggacagcc agggctacag agaaaccctg 72360 72420 72480 aaagggttgt cactgatctg caggcagctc atgctagcct aggcttttgg ctcgatttca tctcactaaa cgatgaatct gtttccctgg aacattccta tggtttctag tagtaatgaa 72540 gtgctgtgtt ccactccagt gagaacttca attcttagtc ttgtattata attgaaaaat 72600 aatatatagc aagaaatcag tatgactgct tacctcaaga gacatacaat tccacttaca 72660 72720 atatectget teettaaatt titeattaag actggtgata tataatitigt gaatggagaa 72780 ataaatacgt cttactgttg gcagtttctt cctgggatgg caactctgta ttggtttcct accagtgtcc taattcttac tcagtggctt tcattgagtg ttcttggcac tcactgtcca 72840 agcactgatg caaggcaacc ctgtagcatg acttcatagc acaggcctcc ttgttagcac 72900 acctgaaagc agaccactct ggctgtttca cttgcagaca gaatcttact ctgtaagcca 72960 73020 gtctagcctc aaacaacatc ctcctgcctc agccttccaa gttctaggtt tataggaaaa ggccaccttg cccagcttga gactgcttct tactgccatg tctcttcagg ctcacacatg 73080 aagtccaggg cactccagga ggagccgtga gtctgtctgc agggcactcc agggggagcc 73140 atgagtctgt ctgcagggca ctccaggagg agccgtgagt ctgtctgcag ggcactccag 73200 73260 qqqaaqccqt qaqtctqtct gcaqqqcact ccaqggggag ccatgagtct gtctgcaggg 73320 cactccaggg ggagccatga gtctgtctgc aaggcattcc aagagcagcc atgggcgtca ctcattggta gactgtgagg ctacatctcc agatgccccg agtgctgtgg ttgtgagcac 73380 tgctgctcat ggtttccaac tgagacagag ggaaggactt tgcccctttc cctaaggatg 73440 73500 ggtagtaata gtccagacca caagggacag atagctatgg ggttttctga ctcatcctta gtacattatt gctgatgacc agtttgtttg gatgagttag tgggaaagaa gacccaagtc 73560 catacactct gctttttaga acttgctcat cctagccatg cccaaggagc agccgttgac 73620 73680 tgtcatggca ttacagtgag gaaataaaca gtcctgaagg tgcctggcag cagcttttca 73740 agaagctggt gttaaaagac agtattcaaa catctgcgga ctgggaactg ggcagcattt gagtetectg etgtetgtta atttaccetg acaaggaggt gacttgaaag gtttgttttg 73800 tttggggtag agcttttca ggaaaaagt ttagtcctac agacaactct atagttattc 73860 tagtccaaac tcatgccttg tgttttattc ctaaaagccc tgtcacactt tgtaaaatag 73920 gtgctcttcc tcaaaggata tatttaacgt tttatatatc aggccttatt ctgtgcatgg 73980 74040 aagctttttt tagatgcttt qtaagatggc tcagtggtta agagcatgta ctgctcttct 74100 ggaagtectg ggtttgatte teageageta acaccagetg ttattecagt teetgggate tgatgccctc ttctggccta tgtgagcact gcatgtgcgt agtgcacaga caaatgcagg 74160 caaagcactc atacataaaa ctaaattcaa aaaactcttt cattgtctca tgtgacctag 74220 cttgagaata cctgtgctta tattataatc tagtatgagc cagccacggt agcaacacac 74280 ctattatctc agcactcaga agattgagac tagatggtca agagctagag tctgggttac 74340 74400 aaaacacctg tctcaaaagt aaaagggctg aaaaagtgtc tcagcagcta agagcacaca 74460 ctgcttctcc agagggcctc atttcagttc ctaataccca caccgagtga ctcaaccacc tgtaactcca ggtccatgag atccaacacc tctggtcgtc tgcataagct cctacactca 74520 74580 74640 nnnnnnnn ntctagagtg tttcaggttt tttttgtttt ttttttttt gagacaaggt 74700 ctctctatta tgctgcctgg aactttctat gtagaccagg ctggactcaa acttatagtg 74760 74820 atccactact totgcctotc agtactggta ttgaaggcat gtgtcaccac accccactac 74880 ttcaagatct tagatttcca aagaagccgt agcctagaaa aggttaataa gtactgattt 74940 aaaacagaaa gaaatcaggt acacttagag ctgtagaatg tcagcatgtg acatttgtga caagttgtca aaactttgct cttaattcta aagagagaag ctgtcaaaag acttgaactg 75000 gggctgtagc caacttggtc gagcccttgc atgaagctgt gtgtttactc cccagcactg 75060 tggggtttga attgatttga acccagtaga ttcgtatatt tgaatgttta cctcatgggg 75120 aatgacatat tacaaggtgt ggccttgttg gaggaattgt caatttgggg gtgagctttg 75180 aggtctctct gctcaagctc tgcccagggt agaaagggag cctcctcctg gctgtctaca 75240

gaggacatag	tctcctggct	gccttcagat	caagatgtag	aactcttggc	tcctccagca	75300
						75360
	ctgcacaatg					-
aactgtaagc	cagccccaat	taaatqtttq	tctttataaq	agttgccttg	gtcatggtgt	75420
						75480
	caataaaagc					
cctttaatcc	cagcacttgg	gaggcagagg	caggaggatt	tctgagttcg	aggccagcct	75540
	gtgagttcca					75600
aaaacaaaaa	caaacaagca	aacaaatgcc	agcatttggg	aggtagagtt	aagaagattg	75660
ggagtagaa	gtcgtctcag	ctagtatgtt	tgaggccagc	atogaccaca	tgagacgttc	75720
tcaaaacgaa	agaaacgaat	gaatagataa	acatttgagt	gtccagtttt	ttcctttctt	75780
tettaettta	tttttggcgg	tactaaggat	taaacccagg	accttontca	tactaggcaa	75840
	ctgaggaaca					75900
acctacctac	ctgcttgtta	tatatataaa	taataaccta	catatctatc	totataccac	75960
						76020
	ggtatctgca					
acaaatggtt	gtaagctgcc	atgtaggtat	tcagaattga	acctggtgct	ctgaaagagc	76080
	cttgttgttg					76140
	gttggttggt					76200
tggaacttgc	tctgtaggct	caaactcaga	gatctgcctg	cccctqcctc	ccgagtgctg	76260
agataaagta	atgtgccacc	a a ct cca ca	3246346634	tactettase	asatasaaas	76320
tcattccagc	ccttctttgt	gttttgagat	ggtcacaaag	tacaactcag	actgagctct	76380
tgatcaccct	ccctcagcct	cctgactgct	gggggttaca	ggtgtgtcac	totcctcaat	76440
	agatcttgaa					76500
gagaatgagt	tctgataact	atttctcact	cctcttcaag	aaaaggaaag	ccagagaaag	76560
	aagccccaga					76620
acagcctgca	catctcagtg	gccatctgtg	ccatatccac	cctgcccttc	tctgacctcc	76680
ccacctccat	ccctacagac	cttgcagttg	agatcagagt	ccaagccgta	tcgtaagatg	76740
	ctgacatcat					76800
tggagggtcg	tctttctcga	gtcaaacttg	gttacccact	gccctggaag	gaaacagatg	76860
	agccactgtc					76920
						_
aaagcaacct	gagctgtcag	cagcaagaac	acaggagccg	ctgggtccca	gcatgtgtgg	76980
cacagaccat	aggctccatg	caccacaaat	tctggctatc	ctcctgtagt	aaactcagaa	77040
						77100
	gttctctctc					
taatatgctg	gtgtgtggta	cgtgcctgct	ctcctgtccc	ctggggactt	ggagtaggaa	77160
gccccagggc	tttcctctaa	gttaggatcc	actcttgcta	ctactccata	agatggtcac	77220
						77280
	aaaatggaaa					
aggggaggcc	tgtggaaggg	tctcctgagg	ccttaccact	gtctagaagg	aagttgacag	77340
	gcaggggtgc					77400
	agtgtctggg					77460
gctcatgggg	gcagagccag	gattaaacct	ggtctgattc	aaaaagccag	agatetgtge	77520
	gcagccattt					77580
catatgctac	aagcactgtg	gccttcagat	ctccctctgg	cctggtacct	gcattcaggt	77640
tcaccaccat	caccacacac	acacacacac	acacacacac	acactcggcc	agagacaagt	77700
						77760
	tcacccttga					
catttccctc	gtggaccggg	caatcttccc	tttcatctgg	gcctgcaccc	agttgttaat	77820
	tctactcgag					77880
	gcaacaaagc					77940
atgagagctg	aatcagcacc	ctcactttga	aagcatgcca	gaccccagct	tcctgctcag	78000
	tgacttgctg					78060
iggattecae	cgtttgcatt	ccccgtccca	ggccccccctg	ctgtctccca	gageceaett	78120
cctctttctq	ttcctctgtg	gtctcactgg	ctctttcctg	cccaccagtg	ccaggcctcg	78180
	cacagcctat					78240
tgaagcaact	tcacgccagg	cataatgggg	cgtgcctgcc	cttcagaagc	agaggcagct	78300
ttatgagttg	ggggaccagc	tgagactcta	tagactttga	gaggtggggt	aaaaataaaa	78360
						78420
ccaccyacce		<b>クココナナクナクベコ</b>		200tt0ttat	COMMANDANT	
	cicicaaaca	caattctgga	agcactcttg	aggttcttct	caggggcagt	–
aacagaggca	aggagctcct	tgtaggtgct	gtggatgtca	gggttggtga	tcaggtcgta	78480
gtagagagca	aggagctcct	tgtaggtgct	gtggatgtca	gggttggtga	tcaggtcgta	–
gtagagagcc	aggagctcct cggtgaatga	tgtaggtgct cagactctgt	gtggatgtca tcgatgttca	gggttggtga gctcctgcca	tcaggtcgta gagagaaaag	78480 78540
gtagagagcc gatgccaagc	aggagctcct cggtgaatga ttcataactg	tgtaggtgct cagactctgt cccgtgaggc	gtggatgtca tcgatgttca ccgcatcagg	gggttggtga gctcctgcca atagggacgt	tcaggtcgta gagagaaaag tagacatcaa	78480 78540 78600
gtagagagcc gatgccaagc	aggagctcct cggtgaatga ttcataactg	tgtaggtgct cagactctgt cccgtgaggc	gtggatgtca tcgatgttca ccgcatcagg	gggttggtga gctcctgcca atagggacgt	tcaggtcgta gagagaaaag tagacatcaa	78480 78540
gtagagagcc gatgccaagc tccttttgtc	aggagctcct cggtgaatga ttcataactg ctctgagagc	tgtaggtgct cagactctgt cccgtgaggc ccgaggaggc	gtggatgtca tcgatgttca ccgcatcagg cgatattgca	gggttggtga gctcctgcca atagggacgt gatgttttag	tcaggtcgta gagagaaaag tagacatcaa ctggacaaga	78480 78540 78600
gtagagagee gatgeeaage teettttgte tetteaggge	aggagctcct cggtgaatga ttcataactg ctctgagagc gtggaaagaa	tgtaggtgct cagactctgt cccgtgaggc ccgaggaggc ataatgaccg	gtggatgtca tcgatgttca ccgcatcagg cgatattgca ccttgctagg	gggttggtga gctcctgcca atagggacgt gatgttttag aagagctcta	tcaggtcgta gagagaaaag tagacatcaa ctggacaaga agacagggca	78480 78540 78600 78660 78720
gtagagagcc gatgccaagc tccttttgtc tcttcagggc aggttatcag	aggagctcct cggtgaatga ttcataactg ctctgagagc gtggaaagaa agctacagag	tgtaggtgct cagactctgt cccgtgaggc ccgaggaggc ataatgaccg agaagagtgg	gtggatgtca tcgatgttca ccgcatcagg cgatattgca ccttgctagg gatgtggtcc	gggttggtga gctcctgcca atagggacgt gatgttttag aagagctcta tgaagttctc	tcaggtcgta gagagaaaag tagacatcaa ctggacaaga agacagggca ccatcgtaac	78480 78540 78600 78660 78720 78780
gtagagagcc gatgccaagc tccttttgtc tcttcagggc aggttatcag	aggagctcct cggtgaatga ttcataactg ctctgagagc gtggaaagaa agctacagag	tgtaggtgct cagactctgt cccgtgaggc ccgaggaggc ataatgaccg agaagagtgg	gtggatgtca tcgatgttca ccgcatcagg cgatattgca ccttgctagg gatgtggtcc	gggttggtga gctcctgcca atagggacgt gatgttttag aagagctcta tgaagttctc	tcaggtcgta gagagaaaag tagacatcaa ctggacaaga agacagggca ccatcgtaac	78480 78540 78600 78660 78720
gtagagagec gatgecaage teettttgte tetteaggge aggttateag etaccetgtt	aggagctcct cggtgaatga ttcataactg ctctgagagc gtggaaagaa agctacagag ctgaggagga	tgtaggtgct cagactctgt cccgtgaggc ccgaggaggc ataatgaccg agaagagtgg gccagctctg	gtggatgtca tcgatgttca ccgcatcagg cgatattgca ccttgctagg gatgtggtcc ctcacggcag	gggttggtga gctcctgcca atagggacgt gatgttttag aagagctcta tgaagttctc ctgtacccct	tcaggtcgta gagagaaaag tagacatcaa ctggacaaga agacagggca ccatcgtaac agaacctggt	78480 78540 78600 78660 78720 78780 78840
gtagagagec gatgecaage teettttgte tetteaggge aggttateag etacectgtt taaatgacta	aggagctcct cggtgaatga ttcataactg ctctgagagc gtggaaagaa agctacagag ctgaggagga aaacacgata	tgtaggtgct cagactctgt cccgtgaggc ccgaggaggc ataatgaccg agaagagtgg gccagctctg ggaggccact	gtggatgtca tcgatgttca ccgcatcagg cgatattgca ccttgctagg gatgtggtcc ctcacggcag taaggaacca	gggttggtga gctcctgcca atagggacgt gatgttttag aagagctcta tgaagttctc ctgtacccct aggtcgagtg	tcaggtcgta gagagaaaag tagacatcaa ctggacaaga agacagggca ccatcgtaac agaacctggt ccacttacaa	78480 78540 78600 78660 78720 78780 78840 78900
gtagagagec gatgecaage teettttgte tetteaggge aggttateag etaceetgtt taaatgaeta agtggtaggg	aggagctcct cggtgaatga ttcataactg ctctgagagc gtggaaagaa agctacagag ctgaggagga aaacacgata attgtgtgtg	tgtaggtgct cagactctgt cccgtgaggc ccgaggaggc ataatgaccg agaagagtgg gccagctctg ggaggccact tggccccac	gtggatgtca tcgatgttca ccgcatcagg cgatattgca ccttgctagg gatgtggtcc ctcacggcag taaggaacca cgccctttc	gggttggtga gctcctgcca atagggacgt gatgttttag aagagctcta tgaagttctc ctgtacccct aggtcgagtg ctgttcctct	tcaggtcgta gagagaaaag tagacatcaa ctggacaaga agacagggca ccatcgtaac agaacctggt ccacttacaa gacggcgca	78480 78540 78600 78660 78720 78780 78840 78900 78960
gtagagagec gatgecaage teettttgte tetteaggge aggttateag etaceetgtt taaatgaeta agtggtaggg	aggagctcct cggtgaatga ttcataactg ctctgagagc gtggaaagaa agctacagag ctgaggagga aaacacgata attgtgtgtg	tgtaggtgct cagactctgt cccgtgaggc ccgaggaggc ataatgaccg agaagagtgg gccagctctg ggaggccact tggccccac	gtggatgtca tcgatgttca ccgcatcagg cgatattgca ccttgctagg gatgtggtcc ctcacggcag taaggaacca cgccctttc	gggttggtga gctcctgcca atagggacgt gatgttttag aagagctcta tgaagttctc ctgtacccct aggtcgagtg ctgttcctct	tcaggtcgta gagagaaaag tagacatcaa ctggacaaga agacagggca ccatcgtaac agaacctggt ccacttacaa gacggcgca	78480 78540 78600 78660 78720 78780 78840 78900
gtagagagec gatgecaage teettttgte tetteaggge aggttateag etaceetgtt taaatgaeta agtggtaggg gcatggaaae	aggagctcct cggtgaatga ttcataactg ctctgagagc gtggaaagaa agctacagag ctgaggagga aaacacgata	tgtaggtgct cagactctgt cccgtgaggc ccgaggaggc ataatgaccg agaagagtgg gccagctctg ggaggccact tggccccac ggaaattcag	gtggatgtca tcgatgttca ccgcatcagg cgatattgca ccttgctagg gatgtggtcc ctcacggcag taaggaacca cgccctttc gtccacctgc	gggttggtga gctcctgcca atagggacgt gatgttttag aagagctcta tgaagttctc ctgtacccct aggtcgagtg ctgttcctct agccttcttc	tcaggtcgta gagagaaaag tagacatcaa ctggacaaga agacagggca ccatcgtaac agaacctggt ccacttacaa gacggcgca agttgacact	78480 78540 78600 78660 78720 78780 78840 78900 78960

ccgttgggct	ggcactggat	ctcaggcggt	acagatcgta	gccgaagttg	gagacagctg	79140
ctgccagett	gttcacaggg	accttgaaga	aggggtcctc	ctcctccacq	aactcaccca	79200
	gactggggag					79260
						79320
	ctcctggttg					
gaatgagtgt	gtgctctctg	actccacaac	ctgtgtgctg	ggaggtgggg	agtgggaagg	79380
gcaacacaaa	agggcttgcc	agacctgaac	tgtggtctga	gaacctgaag	cctggcccac	79440
+++>>>>+>>	aacttgtagg	actagagaga	tancacanta	dataaadtac	cancatocaa	79500
Litaaaataa	aacccgcagg	5009999494			+-++	79560
	ctgggttcag					
	ggcagagatg					79620
tcagcgtatt	ccatctcagt	gaggggtcct	gtttcagagg	gcctgaggaa	tgactctggg	79680
ttgactacta	gcctactctg	tatctatttc	tatctatcta	tctatctatc	tatctatctc	79740
caccctctc	tgtccccttc	cctctacada	gaactteete	accaccacca	acccccaaag	79800
	tcagaccagt					79860
						79920
	gacgccctcc					
	tcgttttctg					79980
gcttttttgt	tttgttccca	gggctttgga	tcaaagctgg	gctcttacat	acgttaggca	80040
aatgcttggc	cacccagctg	tacctcccqt	ccctgttgct	tttcggtttg	gaggactttt	80100
	tctgtttggt					80160
	cgctatgtga					80220
	gagatccacc					80280
	caacctcaaa					80340
gtaacatgtg	tgagggcctg	ggcttcaccc	ccaacagaga	agggggagtt	agtaggtgag	80400
	ctggctagtg					80460
	cacaatccag					80520
	cttcctccgt					80580
						80640
	tcgatgttaa					
	gctgcctccc					80700
acctcagagc	tgctggggac	gttctggctg	ctgccgtgcc	cgagcagggc	tccagtccag	80760
aggagtagca	ccagggcctg	catcccggaa	ctacaagaga	aacaagagag	caaacgactc	80820
	caccetecee					80880
	cccttcccct					80940
						81000
	ctgacctgcc					
	ccaccttccc					81060
tcaggcccca	agacaatgct	ctagcacaaa	cacacaccaa	ggcttttccg	tggaggcaca	81120
cggccagctc	ctttggtagg	atttggaacc	ctgtctcagg	atgggagcag	agcccaggtc	81180
	agaacatctg					81240
	gacacacaca					81300
	gttgcagcta					81360
						81420
	tgcctgactt					
	cagggccaca					81480
nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnn	81540
nnnntctta	tttttagctt	gtttgtttt	cttacttgag	acctggggag	gggaggtgta	81600
	atttgcttct					81660
	gactcaagaa					81720
						81780
	acaggtgggc					81840
	gcaagatttg					
	aggatgacca					81900
tagtggggcg	gagccccaga	ctagtcaggt	gggggtaaac	tagatgactt	tctggaaccc	81960
caaggggctc	ggagactagt	ggtgttggag	aagacctcta	atgtgttgta	aggcctctga	82020
	cgaacttgat					82080
	ttccatggct					82140
						82200
	aggggcgtgg					
					tgccggaggg	82260
gggccccttc	gaggtcccgg	gcaccgggtg	ccaggatcag	agaaactgac	tgaaacctag	82320
ctgacctgcc	cagaccatgg	catcctgggg	actccttgtg	gctggcgctt	ccttcacggc	82380
					ttcgggaccg	82440
					gagtaggggc	82500
					tggaaaagag	82560
						82620
	actgaagttg					82680
					gctctttgtc	
					tcacccaccg	82740
					tgaatcggga	82800
					gagcagatgt	82860
					agatatctag	82920
	J 5 - 5 - 5	J	J J	J JJJ9		

gctgtgcatc agctctgagc gaggagcctc atagtcttct ccggtgcctt caggttattt 82980 83040 cgctgcagat ggagttgata tgctgtggaa ccagacattg gcccaggcct gggaccttct ctgtcaccat ttggcggtaa gactctgaag ggagaggcca ggtagtaagg gagcatgtcc 83100 aactcaaggg cccaacctct ctcttcagtg ttctgtcctc tgacttttcc acaaagcccc 83160 ctgaaaacct atcctctcag acttggattg agttggaggg aggttttgac tggctagcca 83220 ctcctgggca ctgcccaagg agtttggttc tccccacaaa cctccagctg atcataaaaa 83280 83340 aaaaaaaaa aaagccagga atgaaagcta gggtatgcta tgcaaatagt gtggcttggg gtaagagaac ctctggtcca gggctgctca tgccccctag ataagggtca gcagaaaggt 83400 caggattgga ggcagtccta aaaaatgctt gggtaatata aagtgaataa ataaaaaata 83460 aataaatact aatttttaaa aagctgatac ctggaaggat gaggcagaga gtagaaaaaa 83520 catgcgtggg tgtccctagg ataaggagct gggacttgtt gggcacaggt catgcaaagc 83580 ctgaaccttg aaccttgcct gcaggtagtg agctgcctca gcaccgctgt tgtgtctggc 83640 cactatgtgg gcttctctat ggtatccctg cttctggagc tgaactccat ctgtttgcat 83700 ctacggaage tactgctgct ctcccataag gccccatcct tggccttcag agtaagcagt 83760 tgggccagcc tggccaccct ggtcctcttc cgccttctgc ctctgggatg gatgagtctg 83820 tggttgtccc ggcagcacta ccagctgtct cttgctctgg ttctgctttg tgtggctggg 83880 ctggtcaccg tgggcagcat aagcatctcc acagggatcc gaattctgac caaggatatc 83940 ttgcagtctc agccctaccc gtttatcctc atgcacaagg aaaccaagac acgtgagcct 84000 qttqccaqqa acacttccac tctcagtctg aaaggtgtgg aagttttctc ttctgtcagc 84060 ccccagggag gtggggctgg gaagaggaga tggtagccca ctgcatagtc tactatgtag 84120 84180 caaqqactaq actqtatcat cagagagaga gagagagaga gagagagaga gagagagaga 84240 qaqaqaqaq gaacattgta tgagatctcc attacagtca ggaaatcagg agatctaaat 84300 aactttaaaa gtcccacagt ctttacatat tcttaaaatt tcaatctctt taaaatatcc 84360 atctctttta aaattcaaag tctttttaca attaaaagtc tcaactgtgg gctccactaa aacagtttct tccttcaaga gggaaaatat cagggcacag tcacaatcaa aagcaaaagt 84420 84480 caatctccaa ccgtccaatg tctgggatac aactcacgat cttctgggct cctccaaggg cttgggtcac ttctccagcc aggccctttg tagcacacgc gtcatcctct aggctccaga 84540 tacctgtact ccactgctgc tgctgctctt ggtggtcatc tcatggtact ggcatctcca 84600 aaacqctqca tqaccccttc aqtcctqqqc cttcaaqaqa gaaqactaga qcctqqcaaa 84660 qtggcacatg ctgataatgc tagcacttgg gaatgacaag cagaaggatc agaagttcaa 84720 ggccagcctg ggctacaaga gactctgttt caacaaacaa acaaacaaac aaaccaaaga 84780 agagaaagaa aaaactggac atgacagccg gaacattatc tgacattcat aaggtcctga 84840 qttcaatgcc aagttggcag tgcctagttt gataagggtc tagccactct ggtaatacca 84900 tggctgactg aacaccttac ccagcaactt gctgatagac tctgccttcc agcaaaaggg 84960 aggagetteg etgaggagag aacattgaac ectattgtat atgaataaat tgetgtgcaa 85020 atgatttcat cagtctcttq tgaatqtqat tgctttgagt catttttctt ggctccagtg 85080 ttatcctggt ctgcagtgtg gtgtggagtt gtggaagctt tgagttggga gggtttcctg 85140 85200 tctctggtgt gtgtgtgtt gtgtgtgtt gtgtgtgtt gtgtgtgtt tagaagttgg 85260 85320 cggggggtgg aggggctgg agagatggct cagcggttaa gagcgccaac tgctcttcca aaggtcctga gttcaaatcc caacaaccac atggtggctc acaaccatcc gtaacaaaaa 85380 aatctgatgc cctcttctgg agtgtctgaa aacagctaca gtgtgcttac atataataaa 85440 taaataaata ttaaaaaaaa aagaagttgg catggatgat gtagtgaaga ctggcattag 85500 atatetetgg ateccetge etetacetet tagacaetgt gagtatggaa gtgtaceaec 85560 gcaccaggcc aggctagaac attctctgat ctacaaatac ctagagtatt attcctctat 85620 gatcagaaaa cagacccagg gggccacaga aatgtcttag taggtaaaaa cacttgcttt 85680 caqqcctqat aacctqcqqt tttttgtttg ttctqqqqqq cqqqaqagqc tggctggctq 85740 gctggcctgg aattcacaga gatccacctg cctctgcctc ctgagtgtca ggtaccagga 85800 tcacaqqtqt qtqccaccac acttgqccta actqcctqaq tttqaqcatc agtactcaca 85860 tggtactgag gatagaatag actctcacca gctcttctga cttccacatg tgccctgcag 85920 85980 caaacccagg tcttgtgtga tggctcagca tcaaagctac ctcccgccac agctgaccac 86040 ctggtgataa cttatagcct tgttatgctc tcctttgacc tccacgggca tgctgtacac 86100 gtatgtgtgc ccacacaaac acacaatcaa gaaataaatg cagccaggcg aggtggcaca 86160 cccctttaat cccagcactt gggaggcaga ggcaggtgga attctgagtt cgaggccaac 86220 ctggtctaca aagtgagttc caggacagcc agagctacac agagaaaccc tgtttcgaaa 86280 taaccaaaaa aaaaccactt taaatattat ttttattttg ttttgtttat cctggaactt 86340 ggtctgcaga ccaggctggc cttgaactca cagagatcca actgcttctg cttcccaagc 86400 acattaaagg atgtcccacc actgcctggc taaagattta tttttcttt ctttttgttt 86460 tqttttqttt tqtttttct aaaaaatttt tttaaaaaga accatccctc ctagcactca 86520 qqaqactctq aaqtcaqqqc cagccaggtc tactgagtga gctctagggc agccagggct 86580 ccacaagaa accetetete aacaaacaaa caaaagagaa cagacccaac cagacetgag 86640 86700 gacacacact tgtaatctaa gcccttgaga ggctgagaag ttcaaggcta gccacaagtg 86760 tgtggtgcat tcaagagcag cctgggtggg ctacagaaaa agaaagaggg agagagagaa

tggttaatga agatgactct ggaaaagtga aactcaagag aaagcccctc agatttgctt 86820 aagacgagtt gagggtggag aaccgccaaa gcggacgagc cagacagaga ctgccaacaa 86880 86940 agttcaatcg gttcaggtac attacttcca aaacgccatt gccacatcag gatgcttcaa tcagccaaac caacgcagcg actattgact tctgcatttc agagacttcc gtctctgtcc 87000 agggcaatgt cactttagct ttcctttgca gaaaggaaaa gtccctgcct ctgatgtggt 87060 agatecteae acacettetg ecagatecag acactggtat gaeteageet eggggagete 87120 87180 tatctacaga gataagggta caaggcgtgt gtgtttaaag tatgtgttta aaagtacaaa gtgagagtcc ctggaaaggg ctccctgccc tcaccatcac cgaaagcaca aaccttaggg 87240 taatatctga cattcctgga aatgtatgta tgtattcatt atgtagccct gactgtcctg 87300 gaatggggta taaaccagga tggcttcaca tctcagagac ccatttgcct ctgcctccca 87360 agaactaaga ttagaggcat gcactaccat acttggctca tgatttactt aactttattt 87420 87480 tatqttcacq aatqttagcc tgcatgtatg tgtgtgcacc atgtgcatgc ctggtgcccc agaggccaga agaaggtgtt ggttggattt cctggagatg aagtcccaaa caactgtaag 87540 cagtccaatg tgtgtgctgg agatgaaact tggttcatcc acaagagcag tatgtgctct 87600 taactgtgga ggcatatctc cagcctcaga tttcccagtt aatgtttgct ttcgcaccca 87660 ggcccatctg cgcatgcgct ggagacctcc tttaccgcct tgagcctcat tggccaattg 87720 tggctgggag acttgcagat cccaagtggt acaagagaag aataaactgg tgtgctatga 87780 actcacctct tctctgtagc cattggctga gcatactttg cctcaaccta ccgcccttcc 87840 ttcccctaat cctaaatctt tgccctctcc aaatgtgctc ctccccgca gtaatccagt 87900 87960 qqtcqctqgg gctctaqaqa gatqgqgqgg gggggaqcaa cgggtacagc ttaaggcagc 88020 tgcagcagaa cttttttgct gtatattgag tcttaaaaat tcatataaac tttgtgttct 88080 gtttctaaat ataaccccat ctgtttcaac acaaaatgca acaacaaaat gtttcaaatt 88140 gctatttgga ataattaaaa aatttcaata cttgatttaa aaatgcttta actttttaaa taaattttaa atgttattat ttttaaaaaag ttacaagttt aaaaaaaaga aagatagaaa 88200 tcacataatg aaattaacca tacgcaagtg aggctcggtg cactggtaca cagttacagt 88260 agccatttgg agtggaggcc atggcgcttc acattgaatt ttatactttc tttatagaat 88320 attttttatg cacctatcta ctactgataa caaaacaccc atgagagagt tagaattaga 88380 catcaattag ctttgatcct ctgtcataac tcgtgtccac tccctgcctt agtcctacct 88440 catccctgtc ctctttcta catcttatac tgaatccaca cactcagttg tttacacaaa 88500 88560 88620 tgcctggctc tgttttgctg ttgttgtttt tgtttgtgtg tgtgtttaga tttggtttgq 88680 88740 tittgqtittga tittqtittt ttttagagaa tcttactatg tagctcaggc tgtccttgaa ctcacagaga tctcttgtct ctgccttcca agtgctgaga ttaaaggtat acaccacctt 88800 88860 88920 tatctatcta tctaaaattt atctgtgtgt gtctgtgtgt acattcccca gagcctgtgt 88980 ggtagtcaat aagtaaccct cagaagttgg ctttctctaa tccttggatc aaacttgaat tgttaggctt ggtagcaagc atgtttaccc actgagccat ttatgacccc atggcccagc 89040 atcttccatg ggttctgggg acacaaatgt gtactttgat gtttacagga caagcgctta 89100 accaaccaag teattttece agececatee tgacteceat taagtgttet tteececaac 89160 ccaggaccaa atctagagga gtgtccatgc ccaacaaaca ctctgccaag cctctcccct 89220 89280 tactgetett etecettece tteetteatt tettegttee ttetttett tettttgaa acaggtettt tetetgeate ceaagetage ettgaacttg tgatgtaget caggetgget 89340 89400 ttgaactcac agctgtcctc ctacttcagc ttcccaaaca ctgggattat agacctatgc taccacacct ggctcatttt tcaaataaat aaaaagaaaa tcaaaaagtt cctagaacag 89460 tcacaggatt cacaaaaact ttggaaggag actaaaaatg gatttttaaa aaatgcttga 89520 agcacaaaga gttgttgaaa gaagagagaa gaggaaaagt tagcttagta ggtagaagtc 89580 aatcaagcct cacaccctga gttcaattcc tgaccctatg gtagaaggag aagagcaatg 89640 ccggaaacat tatcctctga cctccagacc cgctgtggca cgtgcatgca cacacacaag 89700 89760 caggagecet tggagggaag tectagaaat gaatettaet gaageaggte tgeeaggeee 89820 tgtgctcagc cattttattt ttcctttgtg tacccgacac gcttccattc tcaaagttgt gaqtetgaga ggaagtacte actgtgteec cagtgagett etgtettace etgggteact 89880 tagatggggt cacttagtgg tagccttggt gtggagaaag agaacacagg tccgagtagc 89940 cagtagacct gagtetttat atetgeaaag ggtgttgggg cataateaaa teteeceee 90000 tccccggggt cctgatacca ggttgtatta agtgtatgtg catggtcctt ccaagtcttg 90060 acacatcatc caactccaag tggctttctc atttttcctt gccagtagcc tcttggtgag 90120 90180 gaaatggctg aggaaaacag agttgcagaa agacagggcc atggcctggc tgcaggcttt 90240 ctctgagtct gaagagggtc agcgactctg agaaatgaag ctatttctga gtgagagggg ccaaagaagg aacacggcag agggagagcc cccgaggaga tggagacaga agccggagag 90300 ggaccetgtg cgaggetgga ggggaggaag aggggggagg agtgagacce actgtcatet 90360 gttgggcaga gaggggctac attcatctgc agtatggtgt agaggggaca gagagtgatg 90420 gtaacaggaa aaatttgggg ttgagggggg cagcctgtag ggctgggccc cagcagtgta 90480 90540 cagctaggta gagtacacag taactcccag aattctctgg ctccactaaa tccctgttcc 90600 gctccgtgca gagtaaaacc cacacagggt ggatttcagt ctcctttgca ccccctcca

concocte	acccccagct	ctggtcacag	ccagtcagag	ttaaaggtaa	ggcagatctt	90660
gtaaaagagg	ctggtgagga	catcggaaag	tctgtaccct	ccactagcaa	agtgccagac	90720
actacatasa	actttaaatg	cctcagataa	aacagtgaga	gactctcctg	ataacaaaca	90780
agatgatgag	tcagggacct	cagcgcctct	gaggeteaga	caccaggata	aagaataaaa	90840
agacgacggg	gacccctgtg	acccctcat	acadaddaa	aatoccaato	tagcccaact	90900
acaccacgga	gcgcaagcct	caagggtgt	actaattata	actgoodecg	tactacetta	90960
agetgetgga	gegeaageet	caayycctyt	gccagccacg	attactcasa	ccanatecet	91020
teccaataaa	ccctttccg	cccaggacta	gragacacac	antagettage	atastasass	91080
gatctgccac	cttatcacac	acatacaaaa	accectigag	gatggttact	accetgggae	91140
aaagcctcat	tctctgctta	acccaagtga	cacctatatg	geagateeet	gracecter	91200
cctgatgata	acaacccttg	caatccaata	gaggggaact	egggriretg	teagetteet	91260
ttatgctgat	agaaatgtac	tetgeatgtg	gggagcctgc	ettgeteace	etgagaeeee	91320
atggggctgg	ctggggcttt	gcacatcatt	gggactcaga	gatgitgact	acatgaacgt	
cccacacttg	gttgcacaag	gcagaatgac	aggatgttat	acctaatata	tgagtgtgtg	91380
tgtgtctctg	tgtgtgtaaa	acgcctctct	ctggagccct	cctgtctgtc	tgcctcttgt	91440
tcaatggctg	cacaattgtc	ctttctcttt	ccaaggacct	ctgtatgggt	gtgtccttca	91500
ttcagtgcct	ttcctctgtg	ggtttgtcct	gctagccccc	tgtcactgag	aaagtcttct	91560
	gggttgtctg					91620
	agatttattt					91680
gagggagtca	gatctcgtta	ggatggttgt	gagccaccat	gtggttgctg	ggatttgaac	91740
tccagacctt	cggaagagca	gtcgggtgct	cttactcact	gagccatctc	accagccccg	91800
acatcattgt	cttgcccacg	actgctctcc	agaatggtgg	gcaggaggat	gtgacccccc	91860
acccccaggc	accgggacac	aacatcttct	acacgtgtag	gtcttgtgca	ctggctttgc	91920
tttcttcttc	caagcaggtc	tcccaggaaa	tggcacttac	agagattgaa	gagtttaata	91980
catgtctcgc	tgcctctctt	ttcgggaacc	ccccagaggg	agcagcagaa	accagggctg	92040
gcaggggctc	taagctgcct	gggcaaagga	gcagggggta	gcatggagcc	ttagccaatt	92100
tggaaagcac	tgtgacccaa	gcacattttg	cagcagtaat	gtcaaattct	gccgttcagg	92160
catgccattg	atgtgcacgc	tgccacacag	aaaccagtga-	cacaaaggca	cagccttctc	92220
caccctcctg	gtgcttagga	actaacggct	ctaatgagaa	atgagagctg	aaaggagaga	92280
gacqqqqqqq	ggccacagca	gcgcaggctg	gcactgcgtg	ttggaggagg	ctgacccact	92340
tctcgtagag	gtaaggggcc	cactgaaatg	tcacttaaat	tagccaccac	tcccaacact	92400
agatctcctt	tgtccccata	cctcagcccc	acgcttcttt	cttttttct	tctttttctt	92460
ctcctctggg	gcagcctcaa	gcccagcacc	cactttttag	agctgtaaac	caccctggtc	92520
ctagaagccc	tcttacgtta	ggggatgaca	ggaggtagag	atcaggaagg	agggagggag	92580
gggaggagga	aaggaaaagg	gaggggagag	agggaaagag	atcgagagag	catgcattca	92640
	ccctcttttc					92700
gatgtttatg	tatttttta	gaacccgtat	ttattaacag	cctgaaagga	gagagacgga	92760
	ggaagtgcag					92820
gaacacagac	ttgtaaaggg	ttttgtaaca	tccaatcaaa	ggtgcttcag	gtattttcca	92880
aggaagcaga	aggtaaaaaa	aaaaaaaaat	tgtcccatta	gaagctgaca	ctggatggag	92940
	ggcggaactc					93000
atccgatgag	ccagagtgtg	gccatagctg	ggtcatgagg	cccagggttg	gaaggacccc	93060
actaaagtgt	gcactggcct	ttccttgaca	aaggatgcac	ctatagctag	gcgtggtggc	93120
aagtggttgt	tattctagta	cttaggaggc	tgaggcagga	ggatcaccat	gagtgtatgc	93180
ccagcctgga	ctgcatagca	acacccagtt	tcaaaataac	aacaaaagga	agtgggggtg	93240
gggagggaa	catttggaat	gtaaataaat	aaaacatttt	ttttaaaaaa	agaaaggggc	93300
tagtgagtta	gttcagcggt	taagagcgct	gactgctctt	ccgaaggttc	tgagttcaaa	93360
tcccaacaac	cacatggtgg	ctcacaacca	tccataagga	gatctacgcc	ctcttctggt	93420
gtgtttaaag	tcagctacaa	tgtacttaca	tataataata	aataaattct	ggagtgaggg	93480
ggccagagca	agtagaggtc	ctgagtttaa	ttcccaqcaa	ccacatgatg	gctcacaacc	93540
atctgtacaa	ttacagtgca	ctcatataca	taaaataaat	aaataaatct	ttaaaaaaag	93600
aagaaagagg	gtggggcagg	ggagggaaga	agaagaaagg	taagaagcta	aataaaaggc	93660
acagagatga	gcttcatgtg	gaaacacagg	cctataatcc	tggcactcag	ataaaattaa	93720
ggggggctac	agtgagagta	tcatgagttc	aaggtcaact	tgggtgagac	cttgtctcaa	93780
aaaatacata	ngcnaaaaaa	aaaaaaaaa	acatagecag	gcatgatggt	atacatttat	93840
agteceagea	cttagaggac	tgaggcaggg	cagaaagaaa	aggaattcaa	gatcagacta	93900
agctgtatgc	agtcctgatc	ctateceete	CCCCCCCCC	ccagagacag	acagacagac	93960
ggacagacag	agagaaacac	aaagaaaggg	gccttcagat	ggctcagcaa	ttaaaggcgc	94020
ttgctattca	gaccccatga	cctgagetea	aagcctggga	cccaaggtag	aaggcaagag	94080
Ccaactccac	agagetgtte	tatgatetet	atatgaatgc	tggggcatgt	gcctacacta	94140
tattatacac	acatgcacag	attagaaaaa	gaggaggaag	aaaaacataa	gattgtttca	94200
agaaaagaaa	ggctggcttc	ttccacatca	gtgtgagagg	agggtctggc	ccctttataa	94260
Ccanntectt	cccagtccag	tagaaactaa	actgaggcag	cggaggaggc	aataacogao	94320
ctttcccaac	gcagtgtcca	gcaaactcaa	ctctacaccc	totcctgate	cacagagaag	94380
cettectage	tccctcacca	atacaaaaaa	attggctccc	aggetectag	dccccccc	94440
	a	~~>~				

acacctqtqq aqtqctaggt gatttgctaa tgttgggcaa catttgccca cgtggggttc 94500 94560 ttqqctcttt ggtaatagac atgcctagca ggagggcgga gcttggaggg gggagtcctg 94620 gggttgcccg tggctccctg cagctggggt gtctggccag ctgaagaagg agccatggca cgcaaatggg agagcatgga acagaggctg tggatgctaa gcaatatggg aggcagtcta 94680 94740 agcttggaag cagcaggtgt ctgggaacgg gcctgtggcc caggcagatt tccagtgagc 94800 actccagttt tttggcacaa ggaacaagct ggctgagccc aagaggcaag tggtgataat gaaacccgca gttgaggaac agcgggtaag ggtgccatgg gagcccatgt gctcatgaag 94860 aggctggggt gtgaagaaga gcccatgcag ggaagccaca catcccctcg agttccaggc 94920 agaggcagag tccctgagtg gggctccctg ggtctcccct tacctaacca gtctcccggc 94980 accccagcaa acaaaatccc atccataatt tgaggtttat agagacctca aaggctgagc 95040 tactgtgtgc cactaaccat cagcctaacc ctcccccact gtcttctcta gctgcccctc 95100 tttcttctga gactgtgata gtggcgggga cgggttggga gtgtgtgtga agccctctcc 95160 gactotocaa coccagotga goccottgtt otgoagotoa gtaacacagt aacacaggot 95220 95280 cagttctaca ctggttgaga acactcacgg ctctctcagc tccttagaga gcctgttttc tcattttcct gtccccaaag cctagacaat ggctggtcca tttgtaagct tatctgagga 95340 95400 tgccaggggc caccccatgt ctccactagg ctggcaatgt tctctgtcac tgtagtacag aagactgcct ggtgggaggt gagataagga aagggatggt ctcccctggg gttcccacac 95460 agtgctgagc ggaaaatggc agaatgggct gggaggtaac tctgttgcta gagtacttgc 95520 ctagcatgtg caaggaaggg cctgggttcc atccccagca ctacagaacc caggcgtggt 95580 ggttcatgct ggtattctca acattcagga ggtacagtca ggaagagcag aagttcaagg 95640 ccatcctcag ctacatagct agcttgagac cagcctgggc tatgtgagac tttgtctcca 95700 acaaacaaca acaaagcagc agaaggccaa ctggcaagag gagtattacg taaagtaaat 95760 95820 ccatctcaaa aagcaagtag catgtatctt ctttcatttt tttttacatt ctataaaggc 95880 ctatcaaqtc atgtatatat gcatgtatgt ttgtatgata tgaaagtagg gggctggata 95940 gatggctcag cagttgagag cacttggatg ctctttcaaa gaacctgggt tcaattccta gcacccacat ggcagctcac aactgtctgt aattccagtc tcaggggatc tggcaccctc 96000 acacagatat ccacgcacat aaacaccaat gcacataaaa taaataattt ttaaaaaaag 96060 96120 aaattggaag taaaactctc taaggagaca aaagggactg aggggaagtg ggaggggcat gaagggggag ggcataggtg tgtggtgtgt ttaacatgca gaatacactt ctataaaagc 96180 tttggggttc attatgcaat gtatacatgt gtgggtgcaa gatgtaagct gtgcatatgt 96240 96300 qtqqqqcca aaggtctcct cctcaatccc tctctgcctt attttcattt aaattataat tattactatt agtgtgtggt gtgatgtgtg tgggtgtgtt aagccctcac ggcaatcaga 96360 ggatgtctgt ggtctgagga tgctctctta ccatgttcgt gtgggttctg tggatggaac 96420 96480 tetagtagte aggettigeaa agetagtgte titatetgee gageeacett getggeette aaccttattt tttgcattga acatggaact tcctgagttg cctggacagc aagtccccaa 96540 gaccetectg tteetgeete eccentgten nnnteacang aggacacaen gettantggg 96600 thteeggatt getgeneace teccegeene cenageetee tgeeteeceg eccetegeee 96660 96720 cegetgqncc etececece eccecece eccecece ettececec eccennnnnn 96780 nnnnnnnnn nnnnnnnnn nnnnnnnnn nnnncagaca cacacactca aattaaatat 96840 agetetaact getgttaaat teacacteet teacateece aegetaggae tetaaggagg 96900 caccagcaag gcccaggtcc agcttgactt agagcaaagc atcctcccc ctccacacaa 96960 tggaaacgga cggaaagggg catggaagca gaaccagaca acagcagcct agccaagccc 97020 97080 aggactetge teetteeece catgeetgee gtgcaactgg ggaggcaaag eeccageegg 97140 tgctttctga ccgcttagcg gaagacaagg ggagcctgtg attatgattt ctgctgattt gcaatgaaac actaatgcag tgggcttttc attaagccag atttattcaa tctaaagatt 97200 ttatttcctt tatgtagaaa gtgcatcttt atatgttgtt ggaggagcag agatgtgata 97260 aaaagaaatt totottatga actaatagca otgatacata gtggtagcta tgcctaggco 97320 97380 tetetetete tetetetet tgteteetgt geatgtgtgt gtgtgtgtgt gtgtgtgtgt atgaatgcac acaaagtagc cccccccat attattctt ctgtgggatc tccagactca 97440 97500 gcaaatggtg gtgactggga agtctggcca tgcaattctt gccttttctc ttgccagccc 97560 aatccctttg cattcaaacc cgggctgctt gctgtggcca gccctttcac ctggagtcct tectectect tacetgtett eccateettt geagacaatt atecteaata actageeaat 97620 taccettaag gacaattata etetteeate ageaaacaeg ggtgttettt eettgagtet 97680 97740 tttgatgaag tcgatattaa agagatgctt tatttacata aagtcaaata gctccctttt agaagggttt gggttcgatg tcaaagtttt aaaatcttaa ctagaggatg ggtgtagagg 97800 gcttttggct agggtagaaa agagatggag atacttattc tgatgttgct ttaaaaggta 97860 97920 ggatgcccag agaaggtgga aggatggggg agggagggtc cctcctcaag ctaatgaatc taaaagcagg gatgagctgg gcgctaggag tggaaccagt cagaagtgtc tgcctttgac 97980 tgaccacage teetgeeete eeeteeecea gtetetetgt gaaccgeeag cattaggage 98040 taatcgcttc agaaagccag attggaatgt gttgctcacc ctccactgct cagaaaacct 98100 ttattccagg caaggactga cccaaaccga tcatggcatc tgccaatcag gaggccaaag 98160 gtgccggcag ggcgggacct agctgtgcag aaacagctcc gttatggcgc gcagaaaaag 98220 ctggggggaa aggctaccgt tttatctctt ggcagatggc ttctctcttt gatgctttgg 98280

98340 qccttacctg ttactgcctg cacttgactt gacctaggca aaaatagcag cgagatacag 98400 qttctcgaag ttagaaggaa aaaaaaaaag ccccaaacca caacacaacc cggaagtgtg cccccqctgt gtttctaaag agctgttttc ttcccaagct ctacagcgtg gtggctctaa 98460 toggaaattt otttttaato atagoaggag toccaattag ogtgttgggt aatotttcaa 98520 gtagagtggg agttccgtgg ccacagagag cagaggcaat attcagcata aagccctaga 98580 qaaaqaqqtg ttqtqgqcct gtgcacacat gtgtgtcaac gcacatgtgg cttgtggagg 98640 ctggcttccc actctcaaga tgaggtgtgt gcaccccagg ccttttgatt ctcaaaqctt 98700 tattaggacc agagggactg tgtgtgtgga ggggtgttgc tcacagtgca gaaacccaaa 98760 cctqqcttct ccaqqaqccc acatgccaac aaacaggctg cacactcttg ctagtacatc 98820 98880 ccctaaaggt atggggatga gggaccaagt gctttgcaag acagcaggca cagagttctg 98940 ggacgetect gtaceceaga eteageegee acceagggee agetetgate tggettgace 99000 tactttcttc tgttgttgtt tttggaagtg ctgatgtcaa tgcagaattc agcagagtgg 99060 aacaggaaag ggcaggcaac aagacaatga ccacaaggtc cctgtaacta cactaactgc 99120 ttacctttcc tgacccccag ggcttagcca atatagctga gacccagtct tggtgctgtg 99180 gcttcaggct aagtaaacag ggaagagttg gacatgggtc tccattctct ctcctcatcc 99240 aacaagggga ggaggcagtg gccaggcagc catgcccacc gatgccatcc ttctgggagg 99300 agccagacat ttcaggcacc tctccttccc tgggtgccta gaggtgctgt gtctgcatcc 99360 atctgccatg cctgccatct gagagaggcc actgggactt ggtagagagg ttctccacac 99420 99480 atgctggcct ggaggaaatt ggtctttagg gacactgaag gcagtttcct ctgttcagtg gctccttgga aacccacgtg acagageteg catgacaact tgccggctct caactcccat 99540 tottagotgo otcaagoact gtaaggttta ggagagooco agatgtaagt atggatggga 99600 agacceteca gggagteatt geetaceett etgaacteta acatggteca getttteeat 99660 tccacaattg aggagacgcc agacctggca ggggagcaag cctttgtttc tgacccattt 99720 gcaaacccca gccactgagg aacttgcata caagaaactg cctctgggcc tctcctggac 99780 99840 tgagccctgc ctcccagggg acaactgggc aacagatcct tccaggtggc tgcagtgaca 99900 gatecatget tttatgacat agaaaggeet cagteteagg attteacaca etgtatttee 99960 ctcatcctgg ggaccaggga aggcgagcat cttctgctcc ccccaaacaa gtgtgggaat 100020 gattaaaatc attititit tetgeteeat gaacteatae agtiticaga tacegaggag 100080 acaaagccct cctgtgctga aattagaccc cgaaaaatag gttagctgac aattacttgt ttctaagtgg agtgtgatgt agtggcagga gcgcaggatg ggctgccagg gctgcagtct 100140 cccccccc aaacttactg tctcttaacc tctcgagtcc ctgggtttct tgccgggatg 100200 ataattctcc ccatctccct cctctggtgg gctggtggaa agcgtaatga atcaacgctt 100260 gaagcacgct gaagaggcca gactcgggat gccatgtaag tacacagcat cgccagccac 100320 ctctcaagtc tacacggagc tgatttattt acctcccgtg aaagagacaa caatcatcat 100380 100440 atttacactt catgogcag cttcctgcgt ggcacggcag caccccctcc ctctccgctg ctgaggactc catcaagcac gctgccttgc caggatgaca gcagcccact ctcagcctct 100500 ccctqqcctc cttacagatc atgacctcct gccccgtgag gtctgtcacc cgaaaaccac 100560 ggtacaccgg gggctgcagc ctctctatgg gggaggctga ggaaatgaat tccgtaggta 100620 100680 aaagqcttcc taggaaatca gacgctgcta gtaattaagg agcgaagcat aggtgcgtga aaggtaaatg gatgttattt aaatgttgcg tcatttaaag agtgtcctgg tgcttcagtt 100740 100800 cettgttace atgeaggget gtggaegggt ggeaattagg etggeaeggg tagageteae 100860 ctgctgagct gagggagggt ggggacacac cttccggtaa ttgctgctgg gcagctctgg gtotococac ecoegeccec geoeteacte eccaececec acttettee tgacagetet 100920 100980 ttcatttgca gcagcttaca gggcttgttg cccttaccca gaaaatcacg ttggaagaaa tataagaaaa agaggaatga aagagaaagc cagaaaagtt catattaggt tcggatctgc 101040 ggccaaacct ggccgagaga atccatgacg gtccgcgcgc atataaccct gtggcaacag 101100 ggcccggcac aacagggccc gccacaagag cttcttgagt tgccacctgc caggagacag 101160 gatgaatgaa tggatcatct gtccttagag cacaagccag gcctgattct ccaatattga 101220 tgtgtgaggg agatgtcaac agaggttccc taaagaatga tgcttctatt tccatgctaa 101280 teetggggeg teagetteag teggaacage eggacegtta cettagetet getgttetee 101340 tgtctgtaac ccgcagaggg aagggcgggg tcacccagca ttgccactcc ccccaccctc 101400 101460 acgtggtcca gacccctctt gggttgatct gctcctgaaa aacagtgttg gctcaagttt 101520 gcctctgaag gtatgtcacc gctggctcag ccagcttatc tccccggtgc tttcaagatc aaaacaccca aacgaaagaa aaactttgtt tcaagagcag agtgtggtgc caactctgat 101580 101640 caaagtgttt ttcagcatga caactcactg cccgtgacaa ccagtacttg gctgttgtgg 101700 ctcagagtga gatgcggagg gaagtggatg acaacagctg tatccaggtc caaacagagt agattcacgg ctggcagaaa atggctgaga gccttgggct gcatccctcc tcccctcctg 101760 cetetetete ttttcaaggt ggtttttgga aatgteette etgtgggttg tgtgeetttt 101820 ccatgtagga cctggggcct gtgcagatgg ccctgtgttc ctggtgctgc tgttgagatg 101880 101940 tgaacgagtg ataggaaccc aggcactaaa cacacaatgt ggttgtatct gactagaagc 102000 aaggcaagag caggaggcat ttgagggtaa aggagtgtaa ggactgtgta aagagatgag ggttctatct gggaggcagg agtcccaatg ccagcaaata caatggactc tcctggtcga 102060 cccaaccaga gagaattcaa gatggcagag ggacaggctg tctgagtttc ctatggctgc 102120

accgataaat ggtcataagc agagtagagg aaaaccacag acagaaattc atgccattga 102180 gactagaaat ctagctcaag gttgtgtgtg gcagggttgg ttcctgggtg ttcaaccttt 102240 tcacactgtg acatgatgct gtggtctgca gatgtgttgg gctgcatcca tagctaccct 102300 gggacacatt catggaccgc aggttacaca tgctatttaa aaactccaag ggaagggcta 102360 gagaaatggc ctggtagtta agtatgcttg ctgatcttcc agaagacctg agctctgttc 102420 ctagcagcca tgttgggcag cttacaacta actatgactt ctgagctcca aagctctctt 102480 102540 cacacacaca cacacaca cacacacact ttaaagaaaa aaattctggg ttggagaggt 102600 ggctcagcaa ttaagagcac tgactgctct tacagaggtg ctgagttcaa ctctcaacca 102660 catggtggct cacaaccatc tgtaatggga tctgatgccc tcttctggtg tgcgctgaag 102720 102780 gaaagaaaga aagaaagtgt aaacgaggaa aattcctaat taaaaaagaa agaaagaaag 102840 aaagaaagaa agaaagaaag aaggaaagga attctgaggg agaatctgcc ccttttccta 102900 acttccaggg ctataggcaa cctgtggcct ggggaagctg tagacaacct gtggcctggg 102960 gaagctgtag acaacctgtg gcctggggaa gctgtagaca acctgtggcc tgggggaagct 103020 gtagacaacc tgtggcctgg ggaagctgta gacaacctgt ggcctgtggc agcatcatgt 103080 caacgcctca ccctctgtgc ccaatttcct gttctctaag gacacatgcc atcaaatgca 103140 taggacactc tacatcaaga tgatcttgtc tcaagatgtt taacaaaatt acatctgcaa 103200 103260 agacctatct ttacatqtqa qqtcactcca caggttctag acatattttt gaggagccac catccaactc actatgtgac agagtcatct agagatttgt gtccaggaca gactggctgt 103320 atotgototg agagtocoot gootgooogt gggaactooc cagtggtoot taagggcoot 103380 gaggactttg gatctgcaaa gccacatctt ccaaaaccat tttcctcttt tggagagcta 103440 ctctaccctg aaaccctttt ctctgaggtg gcttttagag aggcaggtct cagcagggca 103500 ctgtgcccac aagaagtccc ggggagaagg gacccaaggg ccagtgctga actatcgctg 103560 agactgagaa cattgtgtct cacctaaaat cggtggtcgc aaggaccaag caggctctat 103620 aaatgtotta etgeetttat teetttteet eegeteeate ttaeteetea ttittgtttg 103680 tttgtgtgtt tgtttgtttt cttctgagat gtagcccagg ctggccttca gctcactatg 103740 taactaagga tgactttaaa cttctgatcc tttcttccct ccacttccag agtcctgggg 103800 caggtgtgtg ccaccgtacc ccagctttat ttgagactat gattcaggct ccatacttca 103860 tgcatattag gtaagcatgc taccaacttg gctatattcc cagcctttct ttctttcttc 103920 tttgagacaa tgtcttttt tttttaatta tatgagtaca ctgtatctgt tttcagacac 103980 accagaagaa ggcattggat cctattagag atggttgtga gccaccatgt ggttgttggg 104040 atttgaactc aggacctctg gaagagcagt cagtgctttt aaccgctgag ccatctcgcc 104100 104160 agtecttgag acaatgtett getatatgge acatattgge etcaaactea gaatcettee gcttcagcct cctaaatact gggattacat gtgagccatg gtgtttggct tctagccttt 104220 cttccttcc tttcccttc cttttcctt ccctttcct tttcccttc 104280 104340 cttcccttcc cttcccttcc cttcccttcc cttcccttcc cttcccttcc 104400 taatcctggc tgtcttggaa cttgctctgt agaccaggct ggcttgnnnn nnnnnnnnn 104460 104520 104580 nnnnnnnnn nnnnnnnnn nnnnnnaaga agaagaagaa gaagaagaag acaacaacga cgacaacacc ggcgccgctg cctccactgc catccacctg agacaggact caaatccaga 104640 ccaattttta aaaccagtgt ttcaagccgg tacactgaag tagtagtccc acttgggatt 104700 atagctcctt actttgtttt gctttgacgt tttgtgacat ggtgtgatgt agtcttggct 104760 gtcctagaac tcaatgtgta aattaggctg gccttgaact tgcttctgcc tcctgctggg 104820 atgatagact gatggtgtaa aactccactt aggaggcaga ggtgggagga tcagaaattc 104880 104940 aaaqtcatcc ttqqctatqt tqtgagtttg aggaccaacc ttggctacat gatatcctat ctcaaaaaga aataaatgta ttgccgggca tggtggcaca cgcctttaat cccagcactt 105000 105060 gggaggcaga ggcaggcaga ttttctgagt tcgaagccag cctggtctac agagtgagtt ccaggacago cagggotaca cagagaaaco otgtotocaa aaacaaaaaa caaacaaaaa 105120 agtgaacccc aacagtactg ccggacagtc tggtgtcttt cctaagtctc ctttcaactc 105180 tgtttaccca ggtgtaccca caaggtgtgt gagcagctct atacccagag gtgatacggt 105240 105300 tgtttgaatg agagaaaagt ttcccatcag ctcgggtgtg tgaatactcg gtccccagtt 105360 ggcagtattg gctggagagg tgatggggag gtgtagcctt ccggtggaga tgggctttgg gagtttaaag cttcctccac gaagaccact gggctgatct tgttaccaac agaattggat 105420 tggcctgctc ttggctccgg cctcagttta tctaaaattt acatgttacc tgatcaaaaa 105480 ctgtttcctc ccccaccct ctccctgtct gtattccctg ccctctagtg gtgctggctg 105540 tatactacac tggtgatctt gactgtattt cagtttacct cttgttctct ctctgctgac 105600 tctagagatg tcctttcatg gctgggacct ggctcagaaa tttctaaggc actgagcctt 105660 cctccatctg aactttagga aacttcttgg cttaaaggtg tatttctgac ttagtatgca 105720 105780 atgagacett ggageetgea etttgttaag caccetgggt ggtggtggtg gtggtggtgg tggtggtggc agtagtagaa ctctgatgaa cagttagtta ttcaaggccc atctagaaaa 105840 agaaaggett tgggtgeaca tggetataae teagtggega gagaegtget teecatgaat 105900 aataatgatg acgatgaaaa taattototg tgactgttot coccacttoc ctototota 105960

106020 ccctagctct tatctaccga atccctgcac aagcacccat ggggtttaca gaatctgggg cogaacotta otcacttece ttegectaet teagtattgt otttecagaa otacceattt 106080 106140 tggctagtca ctgaggaaaa cggcagctgc ctgtgggcca ccagcccatg ccaagtgagg tcagcaagaa agaagctgac agcaaatgtg ccaactgtgg gtctgctgga tttctactgt 106200 gctaagtggt ttcaagaagt ttcttcttaa ccccctacaa gaaaccacaa attttattat 106260 ctacactgtt ttgtagatga agaaaacacc attccgaagc tcactgccag tcagcactgg 106320 aactggaatt tgittggcta aitcagtggt tctcaaccag ggtggatttg gactccccag 106380 106440 gggatatttg gggacacttc tggtcgtcat aattgggatc atgtgctact ggcacctagg gtagaggcca gggtggtact gaccttccta ctatgaacag ggcagccatg tacataaatt 106500 ctctcgatca aaacatcaac agtgctaagg ttgagaaatc tcaggctgaa accctgtcat 106560 ttggccttga ggtgggtggg aggaggttag agagtggaat aaaatcagaa gggccaccac 106620 agaggcctcg agtgaggagg gaacagggct cctatgctag ggataatgga gaatagggca 106680 106740 gettgttgaa aettttettt ettecaaget tggetagage eetgeteaat tteceecaae 106800 totqccaaqt cagteceggg acttegeact aagtttgtee tggagtgaee etgacteeag cttggagctg gggcaacaca tttacctggg tcttcccagg agtgggttaa aagtcaaaga 106860 taagtggcat ctgagaagtt aaaagtgggg tgagtgggta aaggcaggag gaccccatca 106920 atcagctgac ctaggaagga agagagcaac tgaagcagca aagagctggt ccaggagact 106980 ggattctgac ccactaggct tatcttccac agcetttctt gtttaggett gggctcagtt 107040 tccctgcatc atccgcagga gcccctggag cacccacatt cagccggccg ccaggacagg 107100 107160 ctcccagca gtggcctccc cactaactga cagtggtgac aggaaatatc tcccattcca atctcctcag aagtctgaat aagtaaggga cagatgttgg ggagaggcgt cactcttggg 107220 ttgatgaaga aaagatcatg agaagcatac attttacccg ctatggttgg ggttccatta 107280 ccacccatgg cggggttgag ggggaagggc agaaaaaagg agatggagaa ggacagacac 107340 107400 gtaagaagga ggatgtggtt agggctgatt cgtcccctgg ggtcgaacaa tcagctgtta ctggggcgga aggcaggaag tctccttaaa gacacaatat tctgaacgtt gaactcagga 107460 tttgaagcaa gcccagcagt caccttagtg gagcccatac ttaatttaac acagaagcgg 107520 107580 ctatctcagg cttccctctc atttctttgt ctcagatget ctcacttaga aagcttagat gctcttagaa atgactcaaa agtcaagaac cccaggccac aagtttctct ttgggggtgg 107640 ggagggagtg aagaggtggt cccagtcttg tccctttaaa taagcaattc agcagctttt 107700 107760 gccaagtcat tgggttcatt tcggtttttg cccatcccc gcctttcaga ctctgattgg 107820 cccctaggga aggagccgcc tcttcattgg tctccacctt tgaaatcact tccctaagta 107880 qqcctqaqtc agagaagcgt ttcggagggc gggactgaat gggtgttaat cttagaaccg 107940 ggtttctggt tgatactact ttggtaaaga tcttccccta atttttaaaa agacgcttcc tctctaaaag tgagggcgaa tcctttgtta agaacgtgcc ccttgagaag ccgtgggctc 108000 ttcagcgact aagacgagac attcactaga aaagatttca ctaaacccac gagggataga 108060 ctagacctcc agtgaagatt gggcctgtgc gggtgacatt tgtccctata ccccgaagac 108120 ctcgagctag ctctccagtg aagactgggg ccgtgcgagt gacagtggtc cctatacccc 108180 108240 qaaaaaaaaa aaqtcctatt tgtggaaaaa aaaaaagact tcgggtgttc tgctgcatcg gtggctggct tccatcttta gttctactca ctcctgttgc ttcgcgtgct ccaccttcgc 108300 ttagctcagg cctcctgtga atcagttttg aggctaaaag aagttccaag aaggagggc 108360 108420 tgtagccctt taaggacttc cccgcgaccg agtcagagat cagtttaaaa atgccaactc 108480 acagagegeg etgeattetg ggaagetgag tgteacegta agaaetteat tgaeeggaat gcactgcaaa aatacacgcc tatacttcct tctgctcttt aaactgtagt ttgacgtaaa 108540 getggtetaa geaagtegee taggeegagg gttageeaca cetttteage cattggeeag 108600 108660 ttggttagtt ggtaggcgtg gcttagagaa gctcctccag gcaagggggt ggcctccttg 108720 ccaatcagag cccagacgcc tgaatgggcg ggagtaagca gaggtgctgg cgccccgag tgggtgtggt cacgttgccc agcaatgggc ggtgattggc cctgggtggt tcattcgcag 108780 108840 ctcgtgcgtc acgacgccgc cagctgatcg gagactggag ccggtgtgtg ctgggcgctg 108900 ggaagagaca gagcggtcgg ccgtgcggac aggtcgcagt gattttgctc ctctgtccac agcaacccc gcacccagca tcaggtgggt gtgatctggg gacccggtca tcccgggggg 108960 aaccgcggta accgggtgat ggggaaagta gggtcctgac ggccacaccc tgcccttctg 109020 109080 ggggaggga gaggggcgg cggggacagg ggcgctcttg ggagaggagc ctggactctc ccgagtagtg tgtctggacg tttaaagaga gagtcccgga caggagtcgt ggcagaaggt 109140 ttggagaagt aactggggag gaatatgaga ggccagaggg ccgggggggt ctaaccccga 109200 109260 cgccctttgg tttgaggatg cccgagctga ccatttagcc tagggaggat ctggacgagc gaggggtgcg gaggtgcatt gcctctaccg gcgctgactg ggtcagggcc agttcaagtc 109320 cctggcaggg aaggggtcgc tgggcggtcc ggccctcct ctcgttccct cccggggatg 109380 ttatgtaagg ggggagggga aaggagtagg gggcggcggt gcggaggcct tatgcaaccc 109440 109500 aaaggttagg gtttcaccgc gggttgggcg gaggttgggg ggggcggaca ggaggagtgc ctggaaactc tacccgcacc ccccctccca gcctaactgg ctgtcttgga cagagagaag 109560 gtcacctttg cacctcccc ctagtatgtc cggtagagag gcccctagcc cgggcttggc 109620 ctgactgcct gggaagccgg ctggctgggt ggggcgcctg ggttagtcat cgctgggctc 109680 cctctctccc cacctcctgg ccaactcttg gcccctcccc acggcctccg gttaggctaa 109740 109800 cgttcccacc tccctctggc cctagtttca gtctccaact catttggcct gtcaccctgg

109860 ctqttagagt aggctagaag ctgtcatggt gccagagagt tgatggagca gctggtcaga gggtcagtgc cctgggccca ccccgccccg cagccaaggg cacctgcttg gcacaaactc 109920 tcagcagcca gtgaaccctg tggcctgaac agagctatcc tgggcagaga gaagtggaca 109980 gagactgatc acctaggaga aggaagatcc gacaaagttt atacttccca agaggctttt 110040 110100 ggaatttgaa agttgcccac cctagtgtaa tctttccact ctctgaaaat agaaatccca aggcaaagtc tectiggeec ttetatetgg cagtggeeat gteettggae tgaetgtgea 110160 gaaccacct ctcgggctcc cagccctcta gcctgccacg cccccagccc cctccctgag 110220 ccatgctgta gggccccggc ttttactgct gattcatgcg ttggaactgt gggggcgggg 110280 cttggaactt ggaacaaagt tcagacgtgg aggggccggc agacagcctg gaattcatac 110340 cagatgtacc cggaatgtgc aagcggaatg cctggcatct ctagtcctga ggaagctgcc 110400 110460 cagccaccct acccatacct ccctccctc ctgcctttgg tcagctgtcc tccctcagac 110520 tcctgagagc ccctgctgac cttccaactc tagtgcccct cccatttcta accctacaca 110580 aaccctcctt qctqctqaat tccctaagaa caagtcattt gagttgatca cagagctcat atttctgaag tacattttt tttttaactt gggacttggg ttctacaccc tgccctttga 110640 atgccgaaga tgctgggctc cttagcaggt tgccaagagt tgccagctcc tagtctgtaa 110700 aggggcacaa agcaagtgca tttagaagcc tcttgcttct tattcaagaa cccctcatta 110760 gaaggtactg aaagtcagct agagccaggt ttggatggcc tctgggtcgc tggccctgtc 110820 acccagettt cetgtttttt ttttteetee eetteetttt aggaacetgt geeteecaca 110880 ccctcacctg gctgagccgc agtagttctt cagtggcaag ctttatgtcc tgacccagct 110940 aaagctgcca gttgaagaac tgttgccctc tgcccctggc ttcgtggagg aagaggagaa 111000 111060 gcagcagctt tgcctatcat ccggaaggtg acagaactgg ggtgggaagg tctggacagc tggggtgatg gctttatggg agggaaaccc tggtcctctg gggagccctt acccccactg gcccagtgaa agatttaggt taaaggcact gtctataaat tggggaatag gtgactccac 111120 111180 ctccccaaga ttagttgatg tctgtgtggc agtgggaaga aatagaagga aaagtctgtc 111240 tgtttactga gacttccttg taggcctgcc tttcttatct tcatcatcac catgccaaca 111300 111360 cacacacttt cctttccatg aggtccaaaa gtaaatgtac tcaggaaggg ggacattgaa 111420 111480 actccgttct aagtagtcat tigtgtattt actttttttg tttatttgtt tgattgactt tcgagacagg gtttctctgt atagccctgg ctgtcctgga actcactttg tagactaggc 111540 tgqcctcgaa ctcagaaatc tgcctgcctc tgcctcccaa gtgctgggat taaaggcgtg 111600 111660 tgccaccacc gcccggctgt atttacattt ctttatttat ttttagtctg gcccagattt tgggtttagg ggtacttacc cttacacctg tggatttttc cacctgtata atggggaatc 111720 ccatagataa gtaggcagga gggcattaaa agtccaccag tggtgactca gagcctgggc 111780 tcttcttctt ctcgtggatg gaaacgaaac agctcttcac atgaactgtt gtccttcccc 111840 cacccctga ctactcaccc agctcagggg gattaggatg gaaggaaagg ctatggttaa 111900 gtcccaggca agctcgtggg aggctagtcc tctactggct tctcaccatg catgggtggt 111960 ccaaqqcttt ccctccacct aaagcaaaac tgtagctctt ggttgggttc tagcaaccac 112020 tgccatttat tttctgcctt tgctttccag gatagtgaga ctctgctcaa tactgtgcag 112080 gcaagaaatt gtcaggggag atgggttgta tgatatgagt cccttctgct gcctctagct 112140 cctqattcat tctcacqtat gggcttggtc tctgattgtg gttcaccttt ggcccagtct 112200 tcctaacaga agatgggttc agggggtaca ggaggctgtt tgttgtattt gacaggagga 112260 112320 ggagttctag cctgttcccc atttgtgaga aactgaaagt cataggggag actagatcat 112380 ctaatccagc cccactgcag tctaagctga gggataggat gtgtaaggga ctgtagcaga 112440 cgggctgggg aggctgagtc ggctcacaca ttgcgacaaa gattgccctt ccctcgacct 112500 egettgettt ettteeteet eeetteeetg gecacagtgt gteeeteeag caetgggtae atggctctgc tgtcctcatc caacatggag cctcagaggt gagaaagggc agcctggaag 112560 caacagagge aggeacaaga cagtggagga cetggeetgg aaccacaagg geetateegg 112620 112680 acattggtca gagaggcacg tagaagcctg gagaacacca ggaaagagag cagccagcca gcctcagtga aagacacgtg cttccagcca tctcctctca ggacctgcct tcctgggaga 112740 112800 tgaagggcct ccaggaagta tggtcccatc tctaccctgc agtttctata aacagcctca 112860 aggagcatga gccacctctg aaaggaaata cacagcaaat tcaaaaagag attcaaatgt 112920 gtaacactgt gggaaaacat atctatgact ggggttgtag ctcagttggt aggtttgctt aacatgcacc aagccctggt tctgtcttct gcattgcata aaactgaaca ggttggccca 112980 ggtctqcaat cccqqcactc tqqaggtggt ggcaaaggag cctacattca aggtaatcct 113040 ctgctataca atgagttctg agccagcctg ggctatatga gactgtctca aaaaataaaa 113100 caaaataaaa taaagcattg gttagtaatt caaagaaagc agatgtggct gaaaccgttt 113160 113220 tecetgatea taatacaaca agcaaatgaa agccagaaga aggeteetgt geettgtgtg 113280 tggcagtacc aaccattgtg agagatgcct ttggacctgg tagtttgctg tcttagaaat gtatcctaaa ataaggattt ggttataaaa tgttcatctc agggttgtaa tagagaaaaa 113340 tggaacgcag ctgtttgttt ggaagtccat tccttttctg ctgtcatgaa aatgtatagc 113400 tagggettge ctaagtaaat tatatteate tgatggtggt gttetgtgea gecatecaaa 113460 gtcttacaga agaaaaattg agtggaaata taaatattga atactaaaaa gattataaaa 113520 113580 gtatgagtit gigactgttt tiaaaatatg aacacatact tgtaatatat ttttttaaaa accatccaat tgagtggaaa tataaatact gaatactaaa aagattatga aaagtatgag 113640

tttgtgactg tttttaaaat atgaatgcat acttgtaata tatttttaa aaaaacactg 113700 aaagtggatt caaaatgtta agaatggttg tttttgtatg gtgggatagt acaattgtga 113760 attttcccct tgtttttct gtctttctaa tttttaaata ttgtgcattg ctttcatatg 113820 ttaaataaaa tacaaaagac aaataaatgt tttaaaattt ttactcttt atgagtgttt 113880 113940 tgcctgtgag tggcaggaat ccaacattgt cttctgaaag cagctagcgc taacttctga gccgtctctt cactccctct gtaattttta aaaaatatat ttgtatgtta tattatgtgt 114000 ctttgtgcac cagagtgtgg gtgcacattc tgcagaggcc agaagagggc atcagattcc 114060 ctggagctgc acgctgtttg gatcttctga tgtggatgct cagaatcgca ctcaggtcct 114120 ctagaagagc agcaaatgct cctagccact aaagccatct ctccctctag tcctcattgt 114180 catgtttaga ttttggagaa tttgcttgta ggaggatggg ctacaccaag tgccaggtga 114240 aagaaaatgt ttgcttggga tacctattgc ttcttgagtg tgtgtgtgca tgcttgtgtg 114300 tgtgtgtgta tgtgtgtgt tacactggag ctaggaatca tatccagggg ccttttcaag 114360 ctccaccaca ctaaagtcaa ttctatgaac ttcattaatt gtctgaatcc acctactctc 114420 114480 tacacacagg aagcatteet etgaetttet gaetgteage cagetaagga ggtgtggett aqaataaqaa aqaagggaaa tgctcaaaac ctgtcactct ntggggnnnn nnnnnnnnn 114540 114600 nnnnnnnn nnnnnnnnn nnnnnnccc tattttacca agcattgcag gataaataag 114660 aacatagctt aaagaattct agagaaaaaa aaaaaagtcc actaatgttc aatgttttaa 114720 ttaattttta atgggaaaaa gtaatatcaa agaaatccat gtctacggca tattaatgtg 114780 gttaatgcaa acaggacaga ttatcttggc caaattaaac cacagtaaca cgttttgaac 114840 taaaagtcat ctatttatac gagatgaaat gtgaattagc gtgcgcgcgc aggtgcacac 114900 atgcacacat acaaacagag tetttttatt ettaageeta ecaaataact etttaageag 114960 taaataattt taagctctaa aatttaaaaa atagtgaaac cccttcaggc tatgacagaa 115020 tgctgctttt gccattcttt ctgataaaag tcccaaaggg tgtcataatc tgtatccttc 115080 115140 ttagaaaagt aaggagcaca tcctatgagc tggtgacctg agttttacac ccaagtcaca 115200 cqtcaqcaca caqcaatqtc ctggaccatt tgtgaggagc cccacgctgg tcctgagcaa caactcactt ggactggtac ggggtgaggc tggcgatggg caccactttg gactgtgtcc 115260 cacctgaagg ctgcagcagg ccagttccgg caggttttcc aaatggcttt gaggcaccat 115320 aagcettage tgcagtggaa cetatgcaaa cacacaggaa aagggcagte attcccgttt 115380 tatttctcga agtgaatgta caggcaccat ggcacgcatc tggaggtcag atgataatct 115440 115500 caaaaaaatc caacttttgt gagacaggct cccttcattg tcttcccacc acacttgcca 115560 ggttaggggc acaagctccc aaggagtatc tgctctccta agggcactgc catcagagac actctgacta ctacacctgg cttttaggtg ggttctgagg atttgaacgc agatcatcat 115620 ggttgtatag caaattttta ttcaccaagc cagacaaccg ttttttaact ttttttaaaa 115680 aaagatttat ttttatgagt acagtgtggc tgtcttcaga cacaccagaa gaagacatca 115740 gatcccatta cagatggttg tgagccacca tgtggttgct gggaattgaa ctcaggacct 115800 ttggaagage agteagtget ettaaceget gagecatete tecagecett atttaacttt 115860 115920 taaaaqttta aaattaattc tcattatgca cgtgccacag ggaagtgtaa cataagcaca tgtgtttgaa gtatatatgg ggatgtagtt atgtgacggc cagaggacaa ctctgtgaag ttgattcttt cctttcactg tgggtcctcg gagcgtcaat agggtcagca ggcattttac 115980 116040 cagctgagct atcttgtggg ccaccaaact tattttaaa aagctagaag ttggttaaag 116100 agaaggaatt catgtaattg aaatagaaaa gcagagttga agagggagga gaggaggtga 116160 gtatgatatg gtaagaaaaa ccaagaaaaa acctctacaa gtaaatctag tcgtgttcca 116220 cagatcacta tgttcaagga tggtgtccca gaaaagggtc ctaaaacaaa gcccaggaag 116280 116340 taatcaaaat qatcccatcc agacctgcta cagagaagct ggggggaagg agggagaggc 116400 cctgtaacct caagtccccg ggcagcacag cagagctgtg cccaatgatc tccgtgatac aggacaacag gatatetgag aaggagteee agtgagegtg tagcagaage cagaggeete 116460 gaacaaaacc aacaacttca ccatgatgaa catcatgaag atgtgtggac aaaagggtgc 116520 116580 actotyggac acagtyteac acactacage thecaeetyg gacaaaaagt cacactae agcttccacc tgggacacaa tgtcacacac tacagcttcc acagtcagat tattttctt 116640 ctagcggaga ggctgcaagg gtggagggca ggtacaaggg aacaggggtg agtgggatcg 116700 gggtgcatga tgtgaaactt acaaagaacc aataagttag gaaagagaga tgaagacata 116760 gaagccatgg ccaacaaccc cagcactctg gaggcaggca ggagggtctc catgccaaag 116820 gtaatgaatg ctatgtctaa agagatgata aagtcccatg agagttacaa agtcagagga 116880 gaaacttgga cagaaaagcc aaatgtaaca aatgcatggt aggtggggaa aggtggggat 116940 ttaaaagaaa tttcacaaaa aggcacagaa tgtaaggtga aagcgagcga ctaccagata 117000 aagcatcaac taagaggagt caggaacagt gtattttaac tacctttata aaaaaaatac 117060 tegggetggt gagatggete ageggttaag ageacegact getetteeaa tggteetgag 117120 ttcaaatccc aacaaccaca tggtggctca caaccatcca taacaaaatc tgatacggtc 117180 ttctggagtg tctgaaggca gctacaagtg tacttacata taataagtaa ataaataaat 117240 aagtattaaa aaatatgcaa taattggaat tattctttgc aattctacta tgaatggagt 117300 ttttgttcct gttgtttgtt ttccgagcct gtttcatgta atccaaactg gcctggaacc 117360 tgctaaatag tggaagatga ccttgaactt ctgattcccc tgtctccacc tcccaagtgc 117420 tggcctaggc tactctgcct gactcaggct cagtgaattt tcaaacactg cttcaacctt 117480

gacccctaac ttccatctct tgggtcccat cttacccatt cccagactcc cattctgtgg 117540 ctggggcttg ctggctggtg gtgtcgctgc agaggctggg gaagggactg cttgctgctg 117600 117660 ctgctgctgc tgctgctgct gctgctgccc atatcctgga gatcaaaaca ggccaattca gtgcaaaccc agtcaagaga tttcaacacc agcagtaaat accttaggaa aacccacctt 117720 117780 tggctcttag aggagcagac tgcaccacgc tgcacaccct gtgtctgcaa agggctcact titttgtctg cgcatagtaa agactggttc catttccctt tcaactgttt agaattgaca 117840 gctttcagtt ttaatgaggt tctccctgaa gccttgccca tttctccttc aagaacctgc 117900 agtaaagtca ctgggctcaa tctgtgatac taccactatt tccatagcaa caaatcgatg 117960 tcatcaacag gacggtgtgt tcgtggcagg atccattaga agagaaagca gggtggtaag 118020 qaaaacctaa aagcagttca attgtctctc aagtgctttg gcttcaaagg aaaaggagac 118080 gtttacaaag ggttctaccc tttcccccaa acaaagcaac cttattttgc aactgacagc 118140 tqqtqqaaaa tatqaqttqa aagagtetca ggtaccgtga agtgetagtg aactgtcaca 118200 gcagggagag atgagaacag agttcagaag cagccgtgtc aaggcaacag ggagataaaa 118260 aggagggga ccgagcacgc ttctaaagca gcaaataaga cgcgccaccc tgtcggagtg 118320 118380 tgtatttqcc cttcaccctt tatacaaatg tttaccaagt tgaagaatgt taacattgta aattqcctac cactatttct aaaataacga gtttatgggg tttgatttta cttctgtgat 118440 118500 tggctctgaa ggctgaagcc agcctcgttt aggctgctca cctggagtgc ttgtagatga 118560 caaaggcagc taaaaaaaaa aaaatgtccc agagctcctg aaacactaaa actggtgcgc acaggcagga agtctccctt gccactgagg ctctcccttc tccaactgta agttctaact 118620 cctgctgggc ctcctgaggt cccaactcac cgggcatgct acatgcccat ggaattcatt 118680 118740 tttggcaaaa ttactcttaa gtagctcaag gaatgagacg taattgtgtt gctggagaca aatacattca gcacaaagtt gagaagatta aatagaattg attatgcttt agttcatcct 118800 acagagagaa aaagtgagac acctatttac ataggagagg ggcccaggct actgacaatg 118860 agecetteet ttacagetea geetteecat tateacteaa etcagacace cageceagtt 118920 cagtctatgt gaagcatttt taaaatcagc aagagaaagg tgagttgctc agtagtacac 118980 tgaaggaaag tagaaatgag cacacagtga cctgctgcat aagacacagt ttaaaaggtg 119040 acctatcttc cagcgaagtt cttqccttct ttaaaaaagaa tgtggtattt gctggtatgt 119100 119160 qcacctcacq aaggtgcttg cagctatgtg gagggcagag accatcctga gggaatcggg 119220 teteetteea eeagagteet agggatggea caaaggeace gggettgaca gatgeettta cctgctgagc cctttcccca gcctctcctt ttctacagtc tccaaattac ctgaggtagg 119280 agectcatte teagaaceat ttetgetgeg catgtetgae tgaactggat atggteacte 119340 119400 qactcaattt ctataaaaaq ataactqaqq aqccggcttg gttggtagag aaaacataaa 119460 gacccgagtt ttgttcccac atggggcgtg cgtgctagag aggtgaggac ggactaggca gggagcagag gtaggcagat cccaggcctc aatagccagg cagcccaacc tgagctctaa 119520 gttcagtaag ggagcctgta accacagaag acactgtgcc gtgtaaccac ggcaagcggc 119580 119640 ccgctgcagt ggcatctgct catagccaca gctacccagg aggctgagcc acaagactca ttgaagctgg aggtcaaggc cagcataggt accataggta gacccccatc tcaaagttga 119700 119760 acagtaaaca tatattttac tacaattaaa aaaacaaggc cgggtgtggt ggcgcatacc tttaatccca qcactcggga ggcagaggca ggcggatttc tgagttcgag gccagcctgg 119820 tctacaaagt gagttccagg acagccaggg ctacacagag aaaccctgtc tcgaaaaacc 119880 aaaaaaaaa aaaaaaaaaa aaaaaaccaa aaacccaaca catgtaccta ttctaacata 119940 120000 aaattttcat tttttataaa aattacagtt ataattttta gttgaacata atacaatgat aagtctccaa cttgataatc tgaggctggg ggtgtagctc atttagtaga gtacctgcct 120060 agcagtcgct aagtccgggt agtcccttgc ctgtatccca gtgcttgggg aacaggcaga 120120 aagaggacca gaagttcaag gtgctcctcc tcttcaggta atgaggagtc tgagccagcc 120180 120240 tgggatgcgt gagacacacc agtaacagca actactgcct ggagtgctca ctctggacca 120300 ggaacaagag ttaagtgcgt tactcccgta actgtctgca caatgatgga gacagtacgt catctttaac atctttggct gagaagagaa aacctggtat tcctcagctc gttctggcta 120360 120420 agttcatgta cttcatcatc atgcagttaa tttgtaaaca accaatcctg gcagcaataa ctctaattat atagaacata agatgtggta attaggaaaa gctactaatc cacttaatag 120480 agtaaccttt atctcttgca aatctggtac aagagacagt cccaaatcaa atgatggcaa 120540 gaattecaga geattgtaaa tageageaat tgeeetteaa ttaaegeatt gtaaegeage 120600 agctgcccac aagacctcaa atcaatcagt ctatagctaa ggaaaaatct ttctaaagcc 120660 aaaaccattc tacaaagcag taacgtaggc teegtttata ataacctgtt ttgggccacc 120720 tgcaaatcaa gctatcccag gaagccagat cgtaattctt aggctctgct ggctacacac 120780 tggtcccaag ccatgaggga actagattac agcaggctcc gccctcggtg acctgctcat 120840 agctatcatt cttacagtct attatggcaa gtgagctctg ggcagagaaa aattcacaaa 120900 caaacccacc aacttcccaa gcaagcattt tcttaacaaa cacaaagaat aaataaatag 120960 121020 agcctgccat ggtagtgcac acctgtaatc tcagcatgtg ggaggcagag gcaggcagat 121080 ctctgccagg agttccatgc cagcctggtc tagacagttg caagatcaac aacgctatat ggtgaggccc tgtctcaact cccaaaccac tgaaaacaag taagacgata tggatcaatg 121140 caatatttct cagttcctac tgacagaaaa tggacacaat taggctgggt ataattccaa 121200 tatgaataat aagtatatta tacagtacct agtttaagtc tgagcaagat attatcgcca 121260 acagcacaga tacaggacac acacacagct gcaagcgtga aggatttaaa ggcacccatc 121320

cctacagtat atgcagcatt gactgtctag ttttatttcg cacactttga atcatccatc 121380 catttttgct caatatggca gcagtaataa aatgtatatt tgcattttga tgcatggtgg 121440 aattettact agcetggget gtgtttgete actaacteea gtggaettet gaegtaagag 121500 gcgctggact agcttccaga ggatgtaaat ctaactttgg ttctcggcct cccctgaagc 121560 ctttgctgtg gtgaaaggtg ctgtttctga agccacgaca gtcccatggt ggtttgagta 121620 121680 acaatactcc tggcttggta acaatgccaa aaaataccaa aaaaaccaaa accaaaacca aaaaaagcac agagctcaca tctgagccaa aaaaaccgac actccctatt ttttgaagaa 121740 ctcacagaaa tcaagaagaa aaacaagcaa acaaacagca cataacaggc taacaacaac 121800 aacaagtcca cttcagaggc caaaaaccaa aaggcaaagg ggctcttaaa catttacaag 121860 gacagacete acteagaaca caagetatag ceatgatact getetteate cateaattet 121920 taaagacaca gaagatgggc tgctggcatg actgggaaga gaccagtgtg ctcactcatt 121980 gctggggtac gctgtaacaa gcagaggaga atgtctaact gtgtctgcca atcacaggca 122040 catteccagt taacccagca atcacttetg gcaaaaaaag cccactetge ccgcacactg 122100 gtgtacccag gaggtaattc actgcggctt ctggtggatc ttttttcctt cttgcagtgc 122160 ttgggttcaa attaggatca agcacacttt tatagtcaga gcacggagac aaaaggatct 122220 122280 122340 gggaggggg ggaggaagg gggagaagct agaatcccag cattcaggat gcagaggttg 122400 qtaaacaagt ttcaggctca gtcggggtat aaggtaagac tttatttcac aaaaataaat aattttttta aagaggacag aaaaaagaca gcgtagagaa ctagctatct tttatgtaaa 122460 ccatgtgggg tacaggagca gcatttgcat ttggttactt ggcgaatagc cctggtagga 122520 122580 taaaqaaacc ttaaactgtg ttatctataa agggcagcag tgggtgcaca atgcagtggg taggagccca cccattgcac gccatagttt tgattacaaa gtcacgcagc tctactcaaa 122640 aattaaaaca aacattaatg cttgttaaag aaacagggct gcagagatga tggctcagtg 122700 122760 gttaagagca cagcgcccat atggaggctc tcagccatct gcttctccaa ttccagggga agctaacgcc ctcttttggc cttcaagagc actgcatgca catggtacgc ttacctacat 122820 122880 qcccqcaaac attcaaagaa aaatacaaac tgctataaaa cccatatatg accatcttaa gattetttea tttttttgag acagggttte tetgtgtage eetggetgtt ecagaacttg 122940 ctctgcagac caggctggcc tccaacccag agatctgcct gcctctgcct ccacagtgct 123000 ggaattaaag gtatttaaca cacacattat acatatcttc cttcttcttc ttcttttt 123060 aaagcgtttt gttgtttttt gttaagtttc aattaaaaaa ctacatagtt ttataggcaa 123120 acataattaa aaatgccaat gtgaaataaa taatatatac atatataaca ttctgtaata 123180 gattcactca cacaacttat atacttaaat acaattttca caataatgaa aagctttgaa 123240 123300 atgaagactt ctggatacat tagaaacgta ccctgaaaat cgcaaatgac ggttttcatt tctttgtgtc agacattagt gtgagtgtct aaacttgcat aaaggctctc ttctctatca 123360 cttcctacct attgcagtgg ttctcgctaa acctggaacc tggggctcct gttccttggc 123420 tggactacaa ggcagcaagt cccagcaatc ctcctgtctc acctttcttg gaaccaatgt 123480 tataagtgtg tgtgggcact agccttgtta catggctgct gggactagaa ctctggtctt 123540 caatattagg catcaagagc tettaactgc taagccatct ttetaccetg attagaattt 123600 cttgaagcaa aagaaactca cagatggtca gagtttacac acacacacac acacacacac 123660 acatacacac acacacacac tcacacacca aggettagtg accactgtga aaagggaagt 123720 gcggtgagga actgtaaaaa taaggtgtca ggaaagctct gcacaaaatg gtgtcctctg 123780 gacaagccag ggcctctgcc ctcatcagct cttagtaact atggttgcct acagcaaacc 123840 atgccaggga ccactctaac atggagetgg gatgggeteg agaggeeetg ttattaaagg 123900 agaagctgta gagagttgat ttgatggatt ctaaagtagg gggaatcgat ttcctttatc 123960 gatatgggtc agccatgctc tagtgagtgg ccccacaccc acccatgagt atgtgtggac 124020 agcacacace ggacetggea agteaataaa acaaaaacaa aaacaaacaa ataaacgtte 124080 124140 tggtccacca tagtggctgc tcgtggttgg gagctgtccc gcacttatgg caggaagaca gtggctgcaa agaggacaaa agtctctgga actgatcaac tctagagtct gcttgttatg 124200 124260 agaactggga agtacccgct gggacagaag cagactctga aggtgatcag gacagagatc acagaaggag agactggtta tcggaggaaa tctgaaacat aactcgacgc atactggtcc 124320 aaactggtgc ccatcactac aacagcagta attgaattgg gcacaacatt cagaaaacag 124380 aaaaagacta cagagtacgc accetggeta teatcaacce aggegattet ggcactattg 124440 gaagcaagcc agactggaga aaaggaaaca aaaagttatt taacaaaact tcccagagca 124500 tgttaaaaaa aaaaaaaga aagccagaca tgggggtgca cgtttttaac cctagcactc 124560 aggaggcaga ggcaggtgag gcaggaggat ccatgagttc gaggccagcc tggtctgtac 124620 agtgggttcc aggaaagcca ggcaacaaag aaaccctgtc tcaaaaatca ctgactgggg 124680 agagaggaag tggatccaag agcaagagag agagagcaga gagagtgggg gtttggatgt 124740 cagcgttatt aaatgacagc agaaaagatg ggcccgacca atgacatccc agaaatggca 124800 aagatgaaaa aataaacaca agttctaaat atcattttaa taatggctgt gtgtctgctg 124860 124920 gctcattctt gttatccaaa caaactaaag caggggtggc cgggatttac ggccagccag 124980 gactagagtg agacactgct ttaaaaaagc aatagatgca cgctaaccat taatcagcgt aactggagtt tgagggaggg agtgggcccg ggaagcctgt gcctataaac ccaacctgcg 125040 aggcctgaag cccgaaggtt gaactgagaa catctcaaga caaagcacag gcacaatctc 125100 ttacaaacag tttaaacaca ataccagcaa taaattgtca gctttatgac agataggctg 125160

acaggcatac cacaaagatc gggaagaaga aacgggattc ttgcacaaca ttttacaaat 125220 cgacacaget gagectagtg acaggeegtg ataageteaa aacatgeaca etgeaaacae 125280 cacaqcatgg ccagagtgac agggtcacag caatacagca acagagacag taagaaacat 125340 tggaaaaggg aagaaggcaa agagcaccac gagagaaaag ttaacccgcg attccatatg 125400 125460 agggcccage atccctctcc cacctgacag agaaaaccag gaggacgcag ctgaaacact gtacaactat aaatactcct tcctagtgta gacagagttt accaaagggt atcgtaatct 125520 qaaqcacaaa cataacactg taaqttacca gaaqtttaga cacgttgaga atttaataga 125580 agttqaqaca tcaaacacac gtttgatcct aggggaatta aattattggt aacagaaaag 125640 ctctttacaa agtctccaca tttataaacc aaatacactt gtatcagaat tgttgtctga 125700 gccagaggcg gcggcacaat ggtggctgag gcagcaggat caagtctgga gaagcccctg 125760 ggtccaggga gcactagtga attcaagtaa acattaaaca ttaaataaga aagacggatt 125820 ctacaggage ctagacacee tgtaaggtea gtactactaa gataccaaaa ecaaactgae 125880 tcagggggct gatgagatgg ctcagtggct aagggcatgc actgctcttg cagaggacct 125940 qaqttcaqtt cccagaaccc gtatcaggca gttcgcccac ctgtaatqta ccaqaqaccc 126000 taaacatttc tatcctccaa gcacagacac acataaacat aattaaaaat aaatcttaaa 126060 aaaaaatctc tcgtggacag acagcaaaaa atactgaacg aaatctaatc aggtagactc 126120 agcaaagcaa atccaaatat gcgaaaagga taatacaatg caaatccaga cttatcccag 126180 aaaccccaqq tcqctttagc atccaaaaaa ttcaatcatc ataattcacc qtattagcta 126240 accgaaacag aaaaggcatt tgattattaa taaatacagg gaaagcattt gacaacattg 126300 accattcact cttaataaaa atgttaccaa acaggagaaa gaagtaaaat ctcctcaacc 126360 cgatgaacag gaacacaaac tggctgggca cagtggcaca tcctgaaacc ccagcaccca 126420 gatagetgee agactggget ggcatgagaa ccaagggtaa gaggcaccca aacacttaat 126480 qatecaaqqt getgeeteec ecceecet gtgteactta aatecgtaat taaatttetg 126540 ggaggagggg tttgacacag ggtctcactc tgtggcacag gctagcctga atggagtcaa 126600 tgctggcctc aaaactcttc tgcctcagtt ccagagtgag gggaaacaat catgagccac 126660 ctcacccagt tttaatgcca tttaacagta caaggttaaa cgctgcctga aaagaacaag 126720 acaaagaaag atcacacaga caaacatcac acaggtgctg tttgagacta ggtctctagt gatgtaggct ggtctcaaac ttgcacaaga aaagaatact tttgccatca agatcaaggt 126780 126840 tgctatcacc catggtggca tttcggaagc agaggcagga agatcagtag tacaaggtca 126900 tecteageta ceatgggtgt gaggecagee aaggeageac gtgagecage tgtggaagea 126960 cacatctgta accccaccac tcaggaggct gaagcaggaa gttcaagcca cacaagagcc 127020 acttaaaaat aaataaaac ataaataagg ttggagagag ggnnnnnnnn nnnnnnnn 127080 127140 nnnnnnnn nnnnnnnnn nnggaaaaca cccattagac tgctgaagag actgagaaat 127200 tgtcatcttg aagggttgaa atcactgagg aatggctaat gacaaaactg cttaaggaga 127260 attttattaa aaaacaaaac teettetgga ggagtaetgt geteeettea geattaaeta 127320 127380 ctgtgccagg gaacccactg ccagcagaca cccaacttca aggataatca agcttgctac gtaacatggc tgcttacgca gacaccacac acacttcctg tatgctgggc atcacctcta 127440 gettaettat aatateaaac ataagtaeca tgtgageget acagggeetg gecaatgaac 127500 agcgatggga aaaataacct gcacatggtc agtaatgggc aatccactcc ccagacactt 127560 ctaacctcaq ctgcagactt gtgggtactg agaacggacg tgactaagtc aattcacaga 127620 agcagagece tgtgeetgtg ccagggaaeg gaggaegetg etcaatggge agagetteag 127680 ggcgggaaga gatggaaagt ggagctaggg cccgatgacg tgaatatggc taatgccata 127740 ttgtgtgtgt gtgtgtgtgt gtgtgtgtat gtatgtgtat gtggtgtgta tgtatgtgtg 127800 tgcatgtgtg tgtgtgta tgtatgtatg tgtqtgtatc caaaatggtt ataaaaatcc 127860 catacaatgg ctatgcttat gtgtctttta ccacaagtaa aaaattttaa gtaatcttag 127920 gaacacattt ctaaaatttg gaatacttgt tggggaagct atctgagccc cagcatgaat 127980 128040 caggaaatqq gtaggagagq caggagagat ggcttagtgg ttaacacaca catggtggcc ctttcctggc accaactagg tcactcacaa ccaggatctg acagcctctc ctggcctcct 128100 caggcaccag gcaggaaagc ggcccacat ccctgcaggt aaaacatttg tactgaaact 128160 aaataaaaac ggagcagaag ctgggcctgg aagtccttta cctccagcac cgggaagcag 128220 qtqqatattt tqtqaqttcc qqqtctacat aqtaaaaact tqtcqccaag taaaacaaaa 128280 caaaaactgg gggctggtga gatggctcag tgggtaagag cacccgactg ctcttccaaa 128340 ggtccaaagt tcaaatccca gcaaccacat ggtggctcac aaccatccgc aacaagatcc 128400 tcttctggag tgtctgaaga cagcaacagt gtacttacat atattaataa ataaatcttt 128460 aaaaaaaata cctttaaaaa aacaaaacaa aaactcccac taaaataatt ggaaaagtcc 128520 agggaaagcc acactcgatg gcgcaagcgt gtgatcacag tattctgtag gtaaggcaag 128580 aggatcacag cgggacggag gccagcctca gctacacagg ccggtctggg ctacagtgtg 128640 agaccccggt ctcaaaacaa aacaaaacaa aaaaagcgtt cacattatca tatactcaag 128700 gccacaaaac accttcttct tcccaatcct tgaatgctat cgaatttggt tactttttt 128760 tggtaatttt ttgtttgctt ttcaaggcag ggtttctctg tgtagccctg gctatcctgg 128820 128880 128940 ccaaaqaaaa aacaccccc ccccaaagta tgaacatcaa ctgtatataa aactaacagt 129000

tcatataagc taagtagcct gcaggtacat ggttatggaa acagctttat catacagact 129060 tctttcagta gatgccattt gagaaaaaaa aaaaaacaaa acattctttg gattttcaac 129120 atgtaaacga aaatatgtta aatcttaaaa aaccttaaag cagacgccac tgctctttgg 129180 qqtcaqqqaa gcacgqctgc aggcccccag agcagcacat tccctgaggg aagccttgtg 129240 cqtcctcacc agcaccaaga acagccaact ataataagct cataaaaaat cctgaaaggc 129300 tgcccaagcc tgaaaatctg atatgaaaac agagggcaag acagataaaa ggcaaactat 129360 actttaaaag tcaattccag ctatctgtgt ggaaggactt ctcgggacgg actatctgct 129420 aagaccttgt gggtgattta aacagcgtgg agggcagaaa aagaaaggaa agtgcaggaa 129480 acaatggcaa aagctcctcc tccgtggcct ctacacgcat ccaagcgata tggagggagg 129540 agggaaggac actatacaca ggtaccaatc cccacgaact agaaaacaca gcttttacta 129600 actagtctat ttttttttt accttagcta gtgtctttct tatgtttggc ataatttctg 129660 ctctgcatta aataaaccta gtgtataaga aggcaaatga gtaaaggtaa agtcagttaa 129720 tqttcatttq ttttqactqt qtqqtqtqca tqccaggcqc attcqtqqag gtcagaggac 129780 aaccqcatqq agcaqqtctt ctccttccac caccccaggg gtcgcaggggg tcccagggat 129840 ggaactcggg tggtcagatt tgcttggcaa gggcttcact cactgaggcc ccccaagggt 129900 cccaattcac ctgtttactc taatgtatat atttttgaga cagggtcttg ctatgtagtc 129960 caggetaget ttgaactcac tgtggacact agetggeetg gaggtetgag tgaaceteet 130020 qtttccaccc aagtqctqgg acaacagaca gcaaccatca aggcaaaatq aagtcttccc 130080 ttcacaccaa aqtqqcttcc tatqaccttc tcctqacaac cccaaacagc aagtqcccqq 130140 atatgcactt gcgtttctct ttttttactt caagctttga ctccactttc ctaaaaggtg 130200 tttactaggc tgaagcacac ttcaggagac accctgtagc tctggagtga ccggaaacac 130260 accagetetg atgeaaaaac aaaaaacage gatggggatg gggcaaaggt ggettgtget 130320 tctgtgcaat ggcattccct gacgcattac ctcacaccag atacatacag aaaagacaaa 130380 ggtaagtcct cactcagtgc gcgcatccac cacacccaaa gcaagcattc aacagctcag 130440 tggcataagg ccagcattat cacagegegg acaaacacaa agccaacctt ctctttgagt 130500 tocccaaggt acatagtgtt ctgtccaagg atggcctctg cagactcctg gaaacacgtc 130560 acccactggt tctcttgaaa atctgcaata tttgcctaaa aaacacaact ctattatttc agcgaataaa taacaaaagg aagacaccc aaggacgagg gaagattatc ttttcctact taaagtaact tccaagggag aaatgacatt gccgccacac acagcccccg actctttggt 130620 130680 130740 taacggttcc cccttatgag gaagtattca cttctggtca ccccgtgttt cacttttagt 130800 acaqtatcta atqaattaca ggagccactc aataccttta tcataaagtg ggctttgtgt 130860 taggtgattc tqaccaagcg taggctatgc aaatgctctg agcacactta ggggaggctg 130920 ggecqtqcta qecetqctae atgeaggtaa tgetaegeea gtettaegee acaggaagaa 130980 gcttaaaatg tggtcgaact caatctgcta gaggtgtgag tttagacctc gggagacggg 131040 ccaagtaaac ttccgcagat gtcggagcat cagacagagc tgtcccctcc tgatgcaaaa 131100 ggcttcgcac ggcaagtitt taatgagcct ccatggtaat agtgggttcc tctctctct 131160 cctcccttat caatatgctt gacatctttt agttttttga gacagcaaat aacgtagccc 131220 aatctgcccg catacttact gggcagccac agctggccct gaactcctcc tgcgtctcct 131280 ttaccccgta acaagtgctg gggttacaga catatgccgc catgttcagt gtaagtgacc gctgcccagc agggcaaagt cttccttatt tacaaagcag cagccaagcc ctgcagccca 131340 131400 ggcctatcig atticctcag cacacccca agggtcicac cgatggcagt cagtccatga 131460 acaccgtagg cttctcacaa tccacactac tcaccgataa gatcatgcgg tatttgaaat 131520 tgggaaattc ccggtcacac ttctcacagc ggtacaaccc attctgctgg tcaatcactt 131580 tcttattqca qtcctqqqtt qqqcaqqcct qqtacataca qttctctttq cqqaqaaaca 131640 ccaccgctgc cacagtgctg aaatagtccg cctgcaggcg aaaggaagac cgccatcagc 131700 aagcaacaca ggtctggaac aggcaactca aagctgctct tccttgcaag tggtgagcgc 131760 gtgtacatcc tagctcccac gctcacgagc gatatgcaga atcactaact ctggtttcag 131820 aaatcacacg tgctacacgc agaacccaaa gaagtaacaa accggcactc acgcacctca 131880 ctttttccat titggagacg geggeteact agetageett gaacteagag tttggtetge 131940 ctctqtctct ataqaqtqcc tqqctaccac acctgggcac tttqttttcg agacagggtt 132000 totocoggaac toactotgta gaccaggotg gootcaaact cagaaatcca cotgootctg 132060 cctcccaagc gctaggatta aaggcatgtg ccatcagcgc ctgacccaat tctttttatt 132120 tatagttatt atttgttaca tatgtgtatc agtgtgtatg acgtccatat gtatatgact 132180 gtgtgcagtg tgcacatgtg tgcaggtcag aggacaactc tcaggagtca gttctctcct 132240 cctactgtgg cgtttgggga actcaggttc caagatagca ggaaaagtgc ctttaacagc 132300 tgagttatct cgacactgac atgtaatgat tcagtgtgca cacagtggtt ttgcatgtag 132360 tcatataaac cacagcgtgc atgtgcaggc taggaaacaa cctgtgggag ttggtgatct 132420 cccctcacca tgtgagtgag ggagaggaac tcaggctgtc aggctcggtg gcagtgcctt 132480 tactcactga gttcccttgc tggccaagca ttatttataa gatggtgatg tctaccctta 132540 tctttaggga tcagtaagtt tttccccaag acaagccaga aaaacctttt aggcccaatg 132600 agccattcag tcagtctcta ctgccactcc tcaacctgtc tgtggggcag gacaagccac 132660 agacaacctg aagacggaag gtgagccaat aaaatcttac tgacagtaac agccagccag 132720 ctcacagget tgacaggeaa ttcttggact gaatgegttt aagagaatge agaattacee 132780 atgactaaga tottotaaat ggaaaaatgt otggttaagt aacccagcaa ggagotaagt 132840

cacgcaagcg	gtggatacct	gctttgcctc	tgaaccctgc	acaggttttg	gtttatgttc	132900
aatcatqtca	agtacctaca	aaatccagat	ctagcctgaa	ttcaaagata	ggctacctac	132960
	gacccccacc					133020
teteecee	200000000	22244	acgegeagee	-t	tagegetete	
	agctgttatc					133080
	cactatgcct					133140
catttaaaga	gacgaagcta	gaaaccagtt	tagacagctt	tagaactata	ggtgtagctc	133200
	cttgcttagc					133260
						133320
	agaaggctta					
	ttaatttccc					133380
ccaggggatc	tgatgtcctc	ttctgacctc	cttggggaca	tgcgactcat	ttggctcaca	133440
tgcaggatgc	ctcgggccac	tatgctggct	caggggtgaa	ggtgcttgct	gccaagetgg	133500
	gtttggtccc					133560
	atgctctacc					133620
yaaacayccc	ttaggaggat	gcccaaggaa	terecetycy	tettcaggtg	agactcagac	133680
	atttaaaagt					133740
	gtctttagtt					133800
gatgtttaat	tctcaagatg	tcctgtgata	gcattataag	ttgctgtgga	tgacagtgat	133860
	cacagtgaaa					133920
	cagtggcgag					133980
						134040
	cgcaggttag					
	gagcactgac					134100
gtggtggctc	acaaccatcc	gtaataatat	ctgatgccct	cttctggagt	gtctgaagac	134160
ggctacagtg	tacttacata	taataaataa	ataaatcttt	aattaaaaaa	aaaaaaaaa	134220
aggaagagga	ccactgagca	cacattgaaa	tggaagatgc	aactgaaatg	caataccaga	134280
	ggcatggcag					134340
	gtccctctac					134400
caggeergag	gtcccaggta	aggacacage	cergacergg	cactaggaaa	caggtgtaaa	134460
aactcaagcc	cctgccgttc	tctgggtgtc	tggagcgagg	ggtgcgaggt	accttgtctc	134520
cctggcccag	gttctcagat	ttagcctcat	gcaaagtttt	ccagttggtg	ttgccccctc	134580
cggcccctcc	actcctgtgg	tcagagatgg	aaacaccatc	taaggcttgt	ccttctgagt	134640
caaacctagg	ggagaaagaa	acaaacotac	tactaacaaa	aacttcacat	cottotoaaa	134700
	atgcaccagc					134760
	actcaagaaa					134820
	ccacccgcaa					134880
	acattgacag					134940
cccctcccc	caccctcggc	ctcaagcctt	caccccaatc	accaaaatga	accagatgaa	135000
aagggacatt	tttgtttcat	gagtctgcca	aaaatgtttt	catgggagaa	aatcttttaa	135060
gcccaatcag	ttatagaact	caatcagaag	gcattatctg	ctgtgttaga	gatttgcatt	135120
ctcantnana	atttgtttat	ggaaatatga	addttaaatt	catttatata	aaattattat	135180
taaaattaac	tatagttatt	ggaaatatat	taggetagaet	Zanzanana	200000000	
	tatacttctt					135240
	aggacaggct					135300
	ggtggtaact					135360
ccaacagagt	agcggtggcc	caaggcaagc	agtcacatcc	gtcagaggac	aaggtccata	135420
aatccgtctc	accactacta	accactcaaa	tttaacttca	cacaggcatc	ggcaaccaaa	135480
	caggagtgaa					135540
	agccaagatc					135600
						135660
	atcaatgaca					
	gttactgaca					135720
	tcagagtctg					135780
gtctctggtc	agacttctgt	cctacaatgc	aacgctagct	atcagcacag	ttacacagcc	135840
agacccacac	cactgaggat	gccttaagtg	acagacaccc	cagatggatg	ctctaagtag	135900
	tattggttta					135960
	tgagtctctt					136020
						136080
	ctattcaatt					
	ctacacaaca					136140
	tagatatggt					136200
	aatgtacagg					136260
cagtgacaac	acaacagaag	atgtgaccag	ctccagagac	tcagcagagt	aagaaagtac	136320
	cacatcagct					136380
	ctgttaaagc					136440
	ctctggctct					136500
gycercagg	ccaccatctc	agaagacata	arycctcgaa	yaagtatagg	aaccacccca	136560
cccaatagca	aaggcttggc	aaaacagctt	ygcagcagtc	cacatgctga	cagigiccag	136620
ctctggttta	ccagagcccg	agcacagata	acccctgagc	tgagttgcac	aaaacctacc	136680

agccacgaag cttataggcc tctgggatgt caggattcac aatgacagtg ctggatgaga 136740 qgaccgagag gctccgtcca ccgaagtcag agactcgggc tcctttgatg gccatcacgg 136800 gctgccgaga gccgtcaaac ttgtcagcct gcaaatcaaa cgcacgcaca catcactgac 136860 aagaagaatg tacaggatgg ttttatggag aagagtcagt caatgtctgt ggactctaag 136920 acagacetee caetegggaa ggageattge actacaagaa getgeaataa eegateatet 136980 cacacagega aggtetteaa ataettaetg gatageacaa eteeetgage taaageecea 137040 ccctcaggac tcggctcagt gcaaggactc acatcttctc cccacagagt tgtggtcacc 137100 accttccctg acatgtccat caaatagata tttctcttag caacttctct gttgttcgac 137160 ttcactgtga ttttaatcga atcttcatag ctcttgcaga ttccaatgat gtctgaaaca 137220 raqaacactt tgtaagagct cccatcaagg ctcctcttta aaacacggca gggacgaaag 137280 qcaaqcacqc taqtcacqca tcaccccaaa cactggagac aaaaatcacc actctttgcc 137340 cteaaccetg gacgeaccta ctagtgcgte tttageettg ctetctaggt caccgatece 137400 tgtgaaatca aactgaactg tgggtaagtg atggccatct tcacagggaa ggacagaagt 137460 ctcattattg aaggtcatct catagtcatt tttaacagcg gagaactgtt tgttagcgat 137520 cttcagggcg ccctttgaga agtaatacac ctgcaaaaga ggccaagtca gggcaagcta 137580 ctcagtccat caaagecege eccacaatge ageettecaa actgtgetca tggeteteae 137640 agttcagect gtcagetetg actcaacace gtcttcttac cttgttcact tcaataaggg 137700 gaaagaactt gtccacttgc tcattgaaag cagtagctct gatttcaccc tgcagaagca 137760 agggagagca cattagaact gcgctgctag gccctcgctc tcaacagcga gagcaggcca 137820 ttttgacagt tagacaccat cctcggagca acagtccaag tgtaaagaga ccctcacagg 137880 gctgcagaca ttgcagaatc ccacatatac agttacattt tcaagctatc agctctggta 137940 aaacaaaagc agctcagcca cccgagccta cagttgtaag ttaacacata aaacgaggga 138000 gcctcgagat gatctggaag acaaaggtgt ttcctgtgcc aacctggcca ccctagttta 138060 atcccggaac cctcgggatg gagaagacaa tcgccccacc aagttattct ccagcctttg 138120 cacacqtqtq catqcataca cacqaaaata attcttacat cttatcaaaa catttttaga 138180 aggaataget taatatteeg ataatgaaac etaatattet gggteeegag tgatgggetg 138240 gaagcccaca ggaaggcgtg ctgaactcca atgattcagc actcttcctc acgcccgcaa 138300 cctaagtgac ggcttacttc acagtcagga gctggtgcca aaaatgttcc aacaagtcat 138360 gctttcaagc tgactgcact gttacttttc tgtcaggcaa tatgttacag atggataaga 138420 aacttaacta aatggctaaa accttaccca gacaagctgc aggaaattag ttictqatac 138480 tgaatctgcc atcacagtta agatatctgc tgtgctacac cgtgacaaga ggaagaagag 138540 ggggagagag ccccaaagct ttgcccttcc cggtatcatg gcttatttta cgtgtgtggg 138600 tgttttacca gcatgtatgt gtgagcatca ctgagtgtct gatgcctgag gtgaccagga 138660 gaggtactgg atcactgaca cgggagtcac agatggttat gtgctactct gttggtgctg 138720 agaattgage ccaagteete teaaagaaca gegagtgete ttaaatgetg ageagtetet 138780 ctggcccctg cattitgctt taagtaaagc ctagtgagta taaatgatca gaagccctcc 138840 cegeagaeta gttaaagetg agtagetget geteettetg etggaggeaa accegeeetg 138900 ctcggcaggt atcaccccag ggcttcaact gtgcccctag caatgtaatt agagcgctgc 138960 agtetetgea gaeggagaet atttacagte caccaatetg tattgetaca gaegegteee 139020 tttaggagca ctttatctca tgtctgaccc tgtgccccag atagcatcaa aggtctccaa 139080 cagaaggaaa gccacaatga ccgccatgtt cctcggagct gagccccacc cgnnnnnnn 139140 139200 nnnnnnnnn nnnnnnnnn nnnnnnnnn nntttttatt aattatgtat agatatagat 139260 atctctatat atgaatgagt atcctgtagt tatcttcaga cacaccagaa gagggcatca 139320 aatcccattt acaggtggtg gtgagccatc atgtaattgc tgggaattaa actcaggacc 139380 tctagaagag caatcagtgc tcttaacccc tgagccccct ccctttttt ttttttttt 139440 ggcagcttat ttttaattgt tttaaatcac gtatatgttt ctgtatgtag ctatgttcac 139500 ataagcgcag gcactcatag aggtcagaga tgtaagatgc ctttggagct ggacttaaac 139560 atggttgtga gecatetgat atgageaeca agtggaettg ggteetetgg acegeettge 139620 tgccttccac ctagaattac agtatatgca attagctgct cagccacccc ctcagtcctc 139680 cttagtactt tcaacatagt gtaaatcgga gagcactcct tggtgcaaag attctgtgtg 139740 ttctatcatt ctctacaccc aggcttcatt gggacgtgtg atgccagcga tgattcattg 139800 gcqtqaaqta tqaqttaqaq tcaqacaatc aqtqctctct gctctgaqtq ggtctccctq 139860 cccctgtgtc tctgagacag gggaggattc tcctgttgga tcacatagtg catagagccc 139920 tgtgtgcaca gcgctctcaa ccatttgttg ccatttcaaa tacagtgact tcagagtctt 139980 ccttgaaata acagatttct ccattttgtt tgttcccttc tttcgtcaca aagacctgag 140040 gatgagatgt ttttgaagga actttctagt agttactcgg tggaaaagga caatgatgct 140100 cccctcttct acagagaaga aggaaacagg aaattccaag aaaaggagta cacagatgct 140160 gcagtgctgt actctaaggt aacgtgcgtc caaccagcag ttgaacaagg cggaagatag 140220 aggcaaagtg cagactcata accagtccat tgttttgctt tggttagttg ggttggttgg 140280 tttgtttgtt tgtttgtttc ttcttcttta ttagtcggat tggatttggg aaaaatgtag 140340 tagaattcta ttgttgatta tattcacaaa caaaagactg tttatatgtc ctgaattttg 140400 gcaagattct tcccatattc cttcagaccc atagcagcag caagcttagt ggccctttgc 140460 caggtattct cactgagctg tacagcattt gtctgaagaa ctgatgaaca ttttagctta 140520

		gctaggtttt				140580
aatacctcta	gctgagtttg	gtggcacttg	cctttagttc	cagcactcag	gaggcagaag	140640
		aggcagcctg				140700
						140760
		ctcaataaag				
		agaaagaaag				140820
agaaagaaga	aaatgagtgg	atttgccata	gcctagtcaa	actagatttt	cttggttata	140880
		caacaacaaa		-		140940
						141000
		gtatggtgtg				
		taggcagtga				141060
cagatgtgag	acacgcctct	cctaggccta	tgtaagcagc	accagttctg	ggctcagggt	141120
ctcttcgcct	ctacaatcaa	gctctcccaa	taaacgtgtg	cagaaggatc	ctgttgcagc	141180
		gagcgcgcac				141240
		acccagggag				141300
						141360
		gggttctagg				
		ctgagtcatc				141420
ctgagtcatc	tctccagccc	caccaagctg	gatttaactg	ctgagtcatc	tctccagccc	141480
caccacqctq	gatttaactg	ctgagtcatc	tctccagccc	caccacgctg	gatttaactg	141540
		caccacgctg				141600
		cttccttgga				141660
		aaacaagaat				141720
		ctaggagttt				141780
		aaggctagtc				141840
acgtgagctc	tatgagaccc	tgtctaggag	aggagaaaga	aaggggtaaa	gtgaggtgtg	141900
getecacact	accacttocc	taacacgcat	gacgcccaag	atttccattc	ccagccctgg	141960
		ccctgtatct				142020
						142080
		gctacatcat				
		tttggcttca				142140
		gaaaacaggt				142200
ctcaggctca	cgagtgctta	ctgcccttgc	agagaccatg	gcaggcagtg	ggtctcccta	142260
		tcttttggcc				142320
		taaaataaat				142380
		gaccttgtct				142440
		cctattccat				142500
tgcaatttta	tagagagctg	ctattttctt	tcttttaaag	taatgcttgt	tgttttgact	142560
gtaaaagtaa	taaatgttac	tttggaaaat	atagagaagt	ataaagagta	aaaaaaaag	142620
tcataaccag	tgaagtaccg	ttaacatttc	tgcttctatc	cggccagcca	gagtttttcc	142680
		ttacaaaatt				142740
		ttattgtacc				142800
		actctgtgtt				142860
-	5 5	atttggcatt		_	=	142920
aatatttta	tgtacagcca	gtgttttgtt	tgggatgaat	tagcacaaga	gtaaagtgtg	142980
gggtcaagcc	tctgagtgac	gctgaattgt	tctcaggaaa	ggactagtta	acatccattc	143040
		catttcttaa				143100
		atttaggggg				143160
		gtgtggtttc				143220
		ttaaatatac				143280
		ttaacctcgg				143340
		ttcctggaat				143400
atccttgggt	acgtcactca	tgtgcacaca	tacacatttg	gtttttaatc	ttaggaactc	143460
					ctggatgaca	143520
		tgcaagataa				143580
		catggtacgt				143640
		gaggatctct				143700
					gggatttagc	143760
					caactctgga	143820
agagagagag	agagagggag	agggaaaggg	agagggagag	ggaggagagg	gaaaggaagg	143880
					gggaaagaaa	143940
					aagaaagaaa	144000
					tttaagactt	144060
					ggcttctaaa	144120
					tagttgtcag	144180
					tcctctgtca	144240
agtaatctot	tcttggtttt	atttttcttt	gccaaattqa	tgggtgaaca	agtatttcag	144300
					cttttatgat	144360
				,	- 3	

						1 4 4 4 0 0
ctccagaggt	ttgtttttgt	gggtttatta	gtgtttttg	tttggttggt	tgtttgtttg	144420
tttaattaat	taattaattt	tgctttactt	tttcttattc	atttttttat	ttctttattt	144480
			tgtggccaag			144540
			tcatctacct			144600
			tttctttatt			144660
ccagcattac	tttgactctt	catagtttct	tccagagtta	ttacactttc	atttgttaca	144720
			gctcagtggc			144780
	+	+00000000000	cacatggtgg	atabasataa	tatataataa	144840
ccagaggtcc	Egagetcaat	LCCCagcaac	cacatggtgg	Cicacaaccy	Lectycaacyy	
gatctgatgc	cctcttctgg	tgtgtctgaa	gacagctaca	gtgtaatcat	ataaataaaa	144900
taaataattc	tttaaaaaaa	aagagtttga	tccatttaca	ctggacttct	tgaggcagca	144960
			actggcagaa			145020
			cagaggtttg			145080
			tctattcagt			145140
						145200
			tgtgaccatc			
			tcactgtgct			145260
			attgaagaac			145320
gcagtggaaa	atgagetect	ctctgttctt	ctgcacacat	tgaaatcaac	tagcttgcaa	145380
			ttctgactca			145440
			ctatgtcatt			145500
						145560
			tcagctagat			
			ttcgtttgtt			145620
caaagacttg	aaagatggct	tgatggctct	tccagaggct	gggtttgatt	cccagcccca	145680
acatagcagc	tcacaatagg	ctataacgtc	atttccaagg	ggtctgactt	cctgttctgg	145740
			gcaggcaaaa			145800
			ttattcctct			145860
aagatattaa	acaacageee	acguirgage	anagagata	gacgacacag	teacteagaa	145920
greateatgg	gcagtgtaaa	agtaaaggtg	ccccgccctg	cccaggggca	ccagigaggi	
agctgactgt	gagtggcttt	cttctcatcc	cctaactgct	gcaacatcat	caactgtgga	145980
gcattatatc	cgtggatttt	aagttaggaa	atgacaaaga	ttagatctat	ggccaggcac	146040
tagtgcacgc	ctttaatccc	agcactcagg	aagcagaagt	aggtggatct	ctgtcagttt	146100
			gctatataga			146160
taaacaaatc	agagegeree	ttcaggaaga	tgcctatgag	ctotttoaca	tatataataa	146220
	agacccgcac	etattaaaa	tatataaatt	++20202322+	taattataa	146280
			tgtgtgcatt			
			tgttcacact			146340
agaagaacaa	gaatctatct	gggcatggtg	atgcacaact	gtattcctaa	catgtagaag	146400
actgaggcat	gctatgtgtt	tgtggctaac	ctgggctaca	tagtcaatat	tggacagtca	146460
gagctgctac	taaaacctaa	aaaacaaaaa	tctaataatc	tgggatttta	tattttcctt	146520
			tgattttgtt			146580
			gcacacagct			146640
			tcaactttgg			146700
			acagccatat			146760
tcatttttcc	atttatacag	aagcaatgta	ctgtattaaa	tattcagtct	tatctacagg	146820
ggtttgatta	cagaaactat	caaagtattc	tctaaatgat	gaaaaaagat	tcaagaatct	146880
gactgtagat	ccaaaggaca	agtggagaaa	aacttaggaa	gaattttccc	tttatcccct	146940
ccctatatta	atcatctctt	ttacttctaa	taatagtggc	catttättga	acatacccag	147000
gagttcattt	gatgagttta	antatatant	ttatctcatc	ctasaatcac	ctattastas	147060
gageteete	tattattta	yatatataat	ccatcccacc	tetaaatgac	ctgccgacga	147120
			cattgaaaaa			
			tattcctttt			147180
aatctcacta	tgtagttctg	gttgtcctag	aactcaatat	atagaccagg	ctagcctcaa	147240
actcacagag	atctgatagc	ctctgcctgc	cgagtgctag	ggttaaatgg	atgtgtcacc	147300
			ctaagacgtt			147360
ctattgagec	agtcatggtg	agacaggett	aatctttaat	ctcagcactt	aggaggcaaa	147420
			ctatagagag			147480
						147540
			tcaaaaacaa			
taataagaca	aatcagacat	aatattataa	acaagtatta	gtgtcactca	attaaaaagt	147600
cactcaggag	gtgagatcaa	tccccagcat	aatgagggga	ggaggggaga	gaaggaaatg	147660
aatgggaggg	gaggaggaag	gaagagagaa	aaaggaaaga	tctcaaagca	gaacacagga	147720
tgtaatttaa	ggcctaagct	ctcgactgaa	gttgtccact	tttaatgacc	cttttcatgc	147780
tcategetet	ctatetteaa	tacatagtga	agagtggaaa	ccaagggtca	tcctggaatt	147840
toottet	ttanaanta	tattassass	-9ug-9guuu	caddtataca	tgggtatcct	147900
Tourist	ccayycaty		acaycyyaay	-agg-acg-a	0999000000	147960
yaaagactgc	agcccaagat	gatggtgcgt	aagacagaat	gcclggtgaa	cctggggaga	
ctccaggagg	caagacagac	catcagtgat	ctcgaaagca	gcctcactgc	caagccaacc	148020
ctggtgcttt	cctcttacca	gattctgcaa	aggaatgtcc	agcatctgaa	aataaagatc	148080
caagaaaagg	agactctccc	agaacccatc	cctgcagctc	tcaccaatgo	cttcgaggat	148140
atagecetos	gggaagagaa	cacacagatt	tctaaaacct	ccctctctat	cagcttatgc	148200
3	JJJ -55		5555	,	_	

acacaccett tgaaaggeeg ceatetagtt gecacaaaag acatteteee aggagaactg 148260 ctggtgaagg aagatgcttt tgtaagtgtc cttatcccag gagaaatgcc acgacctcat 148320 cattgccttg agaacaagtg ggataccaga gttaccagtg gagacctcta ctgtcaccga 148380 tqtctqaaqc acactttggc cacaqtacct tqtggcagct qcaqctatqc caaqtattgc 148440 agccaggaat gtatgcagca ggcatgggac ctctaccata gcacagagtg ttctctttggg 148500 gggetgetee teacactegg ggtettetge catgttgeee tgagaatgae tettttagee 148560 agatttgaag atgttgatag agttgtaagg atgctttgtg acgaggttgg tagcacagac 148620 acctgtttac ctgaaagcaa gaatctggtc aaggcatttg attacacaag tcagggagag 148680 aqtqaaqaga agagcaagat aggtgaaccc ccaattcctg gatgcaatgt caatggaaag 148740 tatggaagta attataatgc tatcttcagc cttttgcccc atactgaaaa gcatagccca 148800 quacacagat teatetytye cateaqtyte teegeactyt geagacaact caaagetyae 148860 agcqtqcaqq cccaaacctt aaagtcccct aagctgaaaq cagtgacccc agggctgtgt 148920 gcagatttga ctgtttgggg agcagccatg ctgcgacaca tgctacagct gcagtgtaat 148980 149040 gcccaggcaa taacatccat atgtcacaca ggtaagtcag aaatggtttt tacttacatt attggtattt caagagctaa tgtttaagga gaaaaacact ataaaggaag cctggcatca 149100 aataaatcag tgacctaaaa ggaaaacaca gccgtcttat atatcattat gctattgaga 149160 agctttgagc acatttctgt gaacccagag cttgggaggt ggagatagga tgattaggag 149220 tctaagacag ctttagctat acagcacgtt tgaggtcagc ctgaactaca tgagaacttg 149280 tctcttaaaa acttgagcca gagccaggtg gtggtggcac atgcatttaa ttctagtact 149340 caagaggcaa aggcaggcag atccctgaat ccagcctcgt ctatatagtg agatccccac 149400 caggctacat agtaagatcc tgtttcaaat aaataaatat aacaaaaaca gcaataataa 149460 149520 gcttttttca gacacaccag aagaggcat tggatcccat tacagatggt tgtgagccac 149580 catgtatgtg gttgctggga attgaactca acacctctgg aagagcagtc ggtgctctta 149640 gccactgagc catctctcca gtccattaat taaaaattta aaactagagt atttttaaac 149700 atttattcat tttgtgtgtg gtatacatac tataatacag gttcataagt caattctctt 149760 ctaccatgtg tgtcttggag atcaaactca ggttcttagg catgggagca agtatttact 149820 tcctgaacca tctccctagc catttctagt attcttttct tttgtcttga aagatttatt 149880 tattatatgt aagtacactg tagctgcctt caaataccgg aaaggggaat caggtcttgt 149940 150000 tagagatgat tgtgagtcac catgtggttg ctgggatttg aactcaggcc ctccagaaga gcagtcagtg ctcttaactg ctgagctatc tccagcccca tttttagtat tcttattaag 150060 tggtttccat tttatccaaa gatgccttta agggcctggg aagatggctc agtgggcatt 150120 gaacttggtg tgtgagcatg aagaccagag ttcagatccc tagcacccag gcagatgctg 150180 aatgatggtg gcctgcctga gattccagga caacggagac agacaggggc cctagctaac 150240 catactacac actagctgag ctgtgtgctc aagagagcag ccctggctta ctgtgcagga 150300 tggagagtga tcatctccac aggcaagcac acacctgagc acacagacat gcacaaagga 150360 aagaaaagtc cttttaaggt ggtggtggtg ttgttgtttg ggggtctttt gttttgtttt 150420 tttctccccc tccctcattg tgatggcaca ttcctttaat ctcacatctg ggacaaagag 150480 gccggaggat ctttgtgaac tggaggtcag cctgttctac atagcaagcc catttcagcc 150540 aggacgacat agatataccc tgtctcaaac agacaaaaat tatttatttt atatatttga 150600 atgttttgcc tgcatgtatg tctatgcaca ttatgtctgg tgcccatgaa agccagaaga 150660 gggcatcaga teteteagaa etggaattte agacaettat caagtaetge etgagtgeta 150720 150780 ggaatcaaac caaggtette tggaagagea geaagtagte ttttttttt ttaatatttt tttattacat attttcctca attacatttc caatgctatc ccaaaagtcc cccataccct 150840 cccccccc ccccgagcag caagtattct tcattgctgg gccatctccc catctccttt 150900 150960 tctagttaat taagctgaaa gggagggagg tagatgttgc ccaaacttag gatttattga cagattaata ctctgttagc ctaactacac tatagaagct tattctttag actttcacat 151020 tacactgtcc agattttgcc atcetttttg ngtgtatatg tetacagate ttaattcage 151080 tgccaattta tacagtgttt ataggtattc tttgtgacgt ggatctttta cccatcttaa 151140 agcaqtagga tttgaaagct gacatttatg tggcctatgg tcctgttaaa tcacatttca 151200 agttagtete tgtggtaeac attttggggt ctatetgegg tteegeatet caeaetttte 151260 151320 cctctcaggg tgtccagaag ctgctgcaca ctgggctgga aggatgaagt ggagtccaga 151380 gtgagtggaa ttctgcagca tcccggtcca gctgggagtg aatgctgggg tcaggaggag atgggtgaga gggccttctc caagggcctt cttagtgtta cagctctagg caaaggcctt 151440 ctctgacaat cttagcctgt gcatagtttt ttattcgaga tgagcttgta tgcatacact 151500 ttattggcag taaatcagag gttatccact cttagggaag gagataggaa tacccaaggt ggacagaggt cattggctga aggataacgt actgagatgc tcattagcac ggggaggcat 151560 151620 cccaggaatc tcaggtgctt gctgactggg tttcttaggg ggttgagagg gtagcagtga 151680 tttcaccaag gttatgtatg gcagagggta taggggtttc aggctcccca gacaaagaag 151740 gagaaggaga agccctgctg ataagggaag tcccccattt tgagccactt cagaaggcta 151800 tcaaqacact gatagacttt qtccttaatt agcagggccc aacaaqtgtc tgttttcttt 151860 tetgeettea ttggetettt gagecactge tacaaaatat ecaaatetgg geeaggaage 151920 151980 tggctcggct agtaaaggtg tttgcctcta agcctgaagg cctgagtttt cacttgattt 152040 ggtttggttt ttgtttttt gagacaaggt ttctcagcat agccctgggt attctggaac

tcactctqta qatcaqqctc aacttgaatt cagagatctg cctgcttcta catcccgagt 152100 gcttagatta aagttgtgcg ccaacactgc ccacctaaaa aaaatatgag gggctggtga 152160 gatggctcag tgggtaagag caccegactg ctcttccgaa ggtccgaagt tcaaatccca 152220 152280 qcaaccacat qqtqqctcac aaccacctgt gatgagatct gatgccctct tctggtgcat 152340 aagaacacta ttcacaaggt acaacaacag tgtactagga aactttaaaa tagcccatca 152400 ttcattctag gggaaaaatc tttttaaact ttagtgtgta agaaagagag aggggctgta 152460 gaaaggccac agcacgtgta tccaggttag gagtcaactt ttcagaagcg gagtctcccc ttctacctgt ttttgaggca gtctcttgtt tctgccctac actttgtaca tgaacttcaa 152520 152580 gatggttgtt ctatttctgc ctctcatgtt gccctatgca tgctgagctt actgatgcca 152640 qccaccacat aagcatggca ccagcactga gccaagggca ggcatctggc tcacatggag 152700 agttacccat caagccatct tgctagcccc agaaaatgta tttttgacag gtgtggtggt 152760 qcacatattt aatcccagca ctcaggaggc agaggcaggc agatctctgt gtctgaagcc 152820 agcccagttt acaaatcaag tcccagaata gccaaggcta catagagaaa ccctgttttg 152880 aaaaacaaac atcettetgt qttccaqtca caatgactge tgtaacaata atatgaggat 152940 ttgggcgtgt caaaaatcac aagtagcaag gtgtaatggg caggccttta gtctcagcac 153000 ttgggaggca gaggcaggag gatctctgtg agtttagcac agccagggct gttacacaga 153060 gaaaccctgt ctcaaaaaaa ccaagcaaaa atagaattac aagttaacca gggtattggt 153120 qttaatatga aataqcaqaa ctcaaqataq ctaatgaaac aaaggattct attttataaa 153180 153240 qqaqacattc catactqaaa tatatgcaga gcctgatgct tgcctagcaa ctgaactaca 153300 CONDODINA DESCRIPTION DE LA CONTRETA DEL CONTRETA DEL CONTRETA DE LA CONTRETA DEL CONTRETA DE LA CONTRETA DEL CONTRETA DE LA CONTRETA DEL CONTRETA DE LA CONTRETA DEL CONTRETA DE LA CONTR 153360 aaccgtcagg ctcagaggca ggatggcagt gatgtgtttt ggggcacaag gccccctttc 153420 attaaagcac caaatcttgt actaaaaaca gccctctgct ctcgatctgc agagatacga 153480 gagaggcaca catagettee gggeeettge cetetgetet eeeggteagt teetggaete 153540 ctqqqaqaaq cttqaaqctc aaqaactqqc cqctqttqcc tttqtqctqa cqccaqaacc 153600 agcagetatt cagcagetge ggetettggg caagettgga agtagetegt teetteteet 153660 tctgcagggg aaagacaagg agatggcact gagctgggta gccaggatgt gggaagtaaa 153720 153780 gtgtgtgtgt gtgtgacaga gacagaaagg gagagtgcat gttcttgtgt gttcctgtga 153840 gtcagtgctc cctttggctc ctcctgccaa aaagcatgct gtgttctcag agtcaagctt 153900 ggccaggctc gcccacccca ccaaagccca ggatctgcca ccccattaag aatgcggggt 153960 154020 taggaaataa aaaacagggt tcttgtccaa gagaattttt attattattt tttctctctt aattggattc agcatttctt actcctcagt atcctctctg gtagggaatt caggtctgtc 154080 tatgcagage acaagagact gtgcttgcca gaaacccttg ggccaacage cctattccct 154140 gactgggctt gcctgcaggc tgccttctgg gctgacccct gagtctggcc ctctgacctc 154200 tgcccgtcct ggggtcatcc aggaggagca ggaccactgt gatacagggt tcctgagatg gctactgaaa caccctcatc tgctaaggcc actagatttt tttcccactg ccagactact 154260 154320 cagggccctc agtaggtcac tggccaaaga gcctagatgt taaaactgca gctaaagcct 154380 ctcctqaqqc caqaqctcaq aqcctccctg gcctgcacaa agtgctaaga aggacattgt 154440 ccatccaacc cattggacta acactgtaga cgctgccttg tctgccagct tgaaaacccc 154500 agaaacctct tecceagete egectagett geetecagea ecctgacate caettetete 154560 gctaatgtct qcagcttcta cagtaggggt gacggggtgc tccggggtgc cagacaggcg 154620 154680 tgtqttqcat ataaaaacga ggtgatgttc taagtatcta agaatgttgg tcccctgaag 154740 tgattettge tgettetett cetteeegae tetteeeaet gaeaeetttg eeeceageaa gcccagggac tattgttgct ggctggggtt ctgaacaaaa ttgccgcagt tttttgtttt 154800 tttttttctt gctagaagtt accgatacag tccttaattg agcaaatata ggttcccgta 154860 tagtttataa acatgataag acatacagtt tggtaaggag tgggttgggg gacctgtgca 154920 tttatatatt tatatatata tatatattat gtgggtgtgt gggcagagtg aggatatata 154980 155040 taaqtqqaca taqqtataaa actqcacctt ctqtqtqact ctcattqcqa qtacaqttct 155100 aaatqtcatc cactqqcqat ctctcctttg gtqattggtt cttggacccc agcaggtctg ccgggggctg cctgagacgt caggaatgag aggcattacc cccatggata gggactgagg 155160 155220 gtgqcatagg gttggacagg gcaggttaac taagtgatct cagacaagag ccaagagtgc tetgagattg etggttgece cagetggete tgggagagee ttgttetgag teetgeteet 155280 tccaaaacca gcagggtcct tcagcccttc tctccaaatg accaggcttc cgcagagccc 155340 155400 agettettea aggggegeat gteeegacae caetaatgae teaetttgeg tgeetttgae cactgtgctg gagtggatac ggtccagagg cgctcggtca ggacagccga gtgagacgtg 155460 ataccettce eqtetacgge tgtacatttt gggettataa tecaccagga agggtecaga 155520 155580 cggtggctga aggcttcagc agccttttcc tgaaacccag cagatcttcc acttaggaaa aaaaaaagaa agaaagaaag aaaagaagaa aaaaattctg ttccttgctg gacatgtggc 155640 agtgctgggt gacggagccc tgggtcctca gcggagagtg actgccagcc ccagtatcca 155700 ggccaggagt ggggccccaa gggccgtgcc tgaggatgcc tgctgcaccc cactgggggc 155760 acqqatqqqq qtcctqcgag cacacttgcc cttcctcttg ggtcgtgcgg tgggcatgat 155820 gtcaaagctq aacttgtgct gatagtcggg ggcatagtcc tgcagttcgg taagctcttt 155880

					_	
cccagagete	accttagaga	tctggttccg	gttcctgtgg	ctggtgcagt	tcttgcctgc	155940
	cctgacctgg					156000
ggccccatgg	gacggatggt	gctccttgcg	ggcagccctg	tcagaggtgg	taagcgtgtg	156060
	tggtgaggag					156120
cagcttcaga	tcctggcctt	gccgcagctc	adadatcaca	caggggacag	cagagetaga	156180
						156240
	cttcgcagcc					
attcccattq	aggcgaagga	actccaaggc	caccaggggg	gccagacagt	caccctgcag	156300
						156360
	ctgttgttga					
cttataataa	acccactgta	actaattete	atgcagcagc	aaccggtcca	ggttcaccag	156420
						156480
	atgccttggc					
gagattgacc	aggtccacaa	agatgtcatc	ttggaggtac	tcgatatggt	tgtcctgcaa	156540
	tgcaggctgt					156600
acacttatag	aggtagaggg	cgtgaagctt	caccaggeet	tggaaggtct	cgggtgccag	156660
	tgtcggttgt					156720
ggtgttggga	gcaatgaaag	tgatgttgtt	ggagtagatc	cagagggtga	ccatggcggg	156780
gctgaagtgg	ccctgctgga	ggaaggtgat	gcgattgttc	tacaaaaaaa	tacactcact	156840
greererggg	atgccctccg	ggatggcagc	aaagttgtgt	gccuggcagc	Egacagicat	156900
adacacaaaa	tagcacacac	agtctcgagg	acaaccacca	cccagaggta	gctctccagc	156960
	agcagcaatt					157020
ggggctgccc	agaggaggtg	gagatagatg	gggaacagag	ggtggaatgg	gggactggca	157080
	ttggctcaca					157140
cagggcattt	ggggccaagg	cccacattat	ctcctcacct	ctttagctct	gtccctaaag	157200
	catccgaaca					157260
ttgtgaacac	aggcgagtcg	gcctccggct	ctgggtccgg	ctctgccact	cgctcactgt	157320
	agcaaggaat					157380
tatttaaata	attcctcaaa	ataaagaaag	cattgagtcc	atggtaccaa	agcatgcctc	157440
	tctttcacac					157500
gtttcctcat	gagttaaaca	cagttcacag	ggctgtgtgt	acagacaagg	cacatttctg	157560
tgaggggctg	tgagtgacac	cagggctgac	gcacgaggct	tcccttaaaa	ttcacagtac	157620
						157680
	aggctgcatg					
attqccaqqc	tgtggctgta	aaaccgggcc	ttacctctta	actgtccaga	gcatttcctc	157740
	ctctaattgg					157800
attttcggat	gtgtccagcc	tgtggtcggg	taataggcct	atgctcatta	tggaagccgc	157860
ctcattatgg	acgattgtca	ttacctgcct	ttttccaggg	tcacagetge	cccaagtggc	157920
	cgtcaggaag					157980
ggccaggcag	ccacgaccta	tgtcgcctca	gttggcctct	tgccccttct	tttccagctt	158040
	gactcttggg					158100
ttettgetge	tagctgtgct	cagagcaagt	ggaaggagca	gggaccttct	gaccaggett	158160
cccacttggg	gtcccaggcc	cagggactgc	ccaggccccg	gcagagtagg	ttgccacctt	158220
	gcccccccc					158280
gctgttggga	gttatgggct	cccagagagt	ggcagctgct	tctcgtccct	gtaatcaccc	158340
	agaatgtttc					158400
aattgggttc	agttgtgatt	tcagagcaat	tatgacctca	gcagcagggg	tggcacagca	158460
taggacccct	ttctgggccg	ggccatgccc	tacagacact	ctgcagtgct	ttctgcccac	158520
cggcccctag	acagcatgca	ggctataacc	acececgeec	caattteetg	CLCCaaaacg	158580
tgtctagatg	ttactctgtc	gatcttcctc	ctcagcatcc	tagatataac	ctccaqcctq	158640
	tcctagggat					158700
ctgccctgtg	ccaccagcac	tcacactggc	tgcacagtcc	acagacccac	agctccaacc	158760
tecetaetta	gcttgcaccc	tetetteeag	gaaggcatt	cttaccadaa	cctttcccaa	158820
cggtcccctg	ggaaagcctg	gactctaggt	tcaaggacat	tcatgatgct	tgccccacat	158880
tttatoctoo	atgagacaca	gcagagcctt	cttcactggg	gggtcctgtg	aaaatgaaag	158940
attttatta		55-5		22222222	t-t	
	ccggcctgca					159000
accattcgac	atttgtacag	ctcatcggag	tttacagagg	gcttttatta	taccctcaac	159060
	ttctcccacc					159120
ggaagtccct	· tggggagatt	acccccctta	cataggggcc	tccaaggaat	acaggctaca	159180
	ggaaaaaaaa					159240
	cataccgtgg					159300
actoggottt	tccctctaaa	agggcaatgg	qqqqacaaaq	ggactctagc	caagacctga	159360
	ggctcagttc					159420
caatggacca	caaggacctt	gtccttgtag	gacagtcact	tcctgcagtg	aagtgctctt	159480
ctagaacat	actaatagga	tataaactc=	uuscauctee	+c+c+a+ac+	ttagtattt	159540
tccacatgcc	agggatgtta	accttccaag	cctccatctc	ttctaatggg	gggggggtgt	159600
	agccactctg					159660
atanaa			225			
LLUAUCAACC		adccctddcc	acticiggac	tccttgcctg	agicagcagg	159720
	egeeeeagee	9		-		

tqccaatcct aggattqtca ccagcaggtt tcttcctagg gaggcaagca ctgtatcacc 159780 atgqcqcctt ctatgccccc tctatgaggc ccttgggagc cccgccccac tgattgcctg 159840 attaatgtac caacaatgag gatggagcct ttgccatgca ttttaacatt gcaaattagc 159900 159960 aggaatccaa gtctctgtgg aggggccctg cacctcttct gccagactca tcaagcgcct cttgggcagg gctgccttct acttgagggg gcggaaggga gaagacccag ttccactctc 160020 cttccctcc aggaggtgcc cttcatcgtg ttctgcttcg ttactctcaa gcctccggcc 160080 teccaegeae gtgageteee aaggggetet acageeteeg teatteette ttecatteat 160140 acttgcccc tagtctagga gagccatgga agacagtgtg ggaagggctt gacaatgagc 160200 atcatgcccc atttgcatat gcggtggcaa taccctggtg ggtaccagga gagtataggg gaaattaaga gaggggccta aggaaagcct ctgctatccc tgggctacca gtcagcattg 160260 160320 cttqqtcact gatcccctct gtaacaccag cccttctgca acctgccaga gtttttgacc 160380 tttgaactag ggctgagaag ggtctgctct gttcagctgc cttggctggg aggggaatct 160440 qctcagacct cagcacacac tcaacagaag gcatgcaagc aagggagcta gcagtggcct 160500 tggqtcagct ggcaagcccc aaactcttcc tgccaagctg agcatgaaaa gccacctcac 160560 catggtccca tgggaccaga cctggtagga taggtggcaa ggctaaggca gcggaatagc 160620 atgtgcaaag gcactggggt gggaaagggc ctgtgcttct cacccctct aatggtgcag 160680 agectecaag gaatactgta accteagete agetgggete gggtggeeag agagettgge 160740 accaquacca qcatcaacaq qqcctqtctq ctaaacccaq acctcacaaq ccaqtttagt 160800 aggggccctg tagcaccctg gccaccagaa ctaacgagga agatctgacg ctgggaatat 160860 gtctttaatg aaaagccctt ccggaagcca catttgcaca gaagaaaatg aggtgcccag 160920 agcatcagtg ggctggttgc agctggagaa cacagcaggg ggacaggtcc taccaagcta 160980 ccctgccttc aggctggggc tctagccagc tccctgatgc ctggagtagg taaagcagcc 161040 tegaaatggg etgggteage tettteagge tecaaagggt eaggacaget getgeagett 161100 agcacccaag ggggctgccc ctctacccct aagtagaggc atccccatgg cccctgggca 161160 qqtcaqtqqq tctctctqaa gctttqtagg ctgcttcttg gccatgtagc caatctctct 161220 ggccttcagt cctccctccc tgcccccagc ctggccagct gctcttctct gagcaatcga 161280 tqttaaccqa atqctctctt qctqtqqqqa tqqcqqcctc aggccaggcc agctqcactc 161340 ctggggctgc tggcgcctca ggccacttgg cacttgtgcc acttgtgttc taaacacagg 161400 ctccttcctg gctcggccct gaagacaaga aagctggcca gggaacagct gggctcccat 161460 ctcaqcctcc actgctgtgc agageggccg gcagcctcct atccatggct gtgagtagaa 161520 caqqqctqtq qaqccaqaqq cctaaqttga atcctqqctq ctccttttaa tqcttqcaqq 161580 agcctcgttt tcctcacctg caaaatgggg cagtcattgg aagctcagcc agtcctccag 161640 161700 cccacagata ctggtaccca cctgcccttc ccacatctcc atctgtctaa ctgaaaccat ccaaaccaag ctcttctctt cctctccggc ctcctccgtt cacaacttct ccatcttggg 161760 taaagatggt ccctttacat cagctgcctg ggaggaacac ctcagaatca ccgtggctca 161820 ctctggggaa attctgctgg ctagatttta gaatgtatcc agtatctatc cacttatcat 161880 actogotatt gotaccattc accoagtage etectggatg eceteceee ececegeaa 161940 gccctgcctc ctcaccccta cacctccttc aacaggaact agggtagtcc agggaaagtg 162000 agtcaggaag ggctgctcct tagtctgcat cctccagagt gcccatctaa ctagaagctg 162060 cccaggtet tteteccage ccagaggeee tgeetetece tggetacaca gacettgetg 162120 ccgtcctcc cacatgccag ccctcagcct ccctcctgcc tttgtccatg ctgttccatc 162180 tacctggacc ggttcccagt gtgtctgcag ggctgcttcc cagagaagcc actcttgagc 162240 agegatttgc aaggagette ttteetggga cattttaete taeageaege gaeetettgg 162300 acagcacgac ataagtcact tgtttccttt atgtccgctg ccactitgtt ctgatgagtg 162360 tgctccctgc acacagtagg tgctcattaa cagttctggg ggagggaatt accttctcaa 162420 gtctctggag aattgaatga tgacactcag gaagccctag gctcaagcct ggggcctgga 162480 tcatagtagg tgctcgataa atgttggttg taattagtcc tgggagactc agagccttca 162540 ggagaacaga cacctgaact tggctcacat caagactcct taggcccatc aaggaagtga 162600 ccgtttgttg gatgagcact ctgagaagga cccaatacca gtcctttcct gggcaagggg 162660 aaatagactg ggactgggga gtttcccaag gtatgggatt ttcagcacta aactggaata 162720 atgctaaaga aaaaaaaaag ttagtcactc taaaaggggc caggaccaaa acctttcaaa 162780 cagaaatgtc tgggtttatg aagagaggaa gccagatatg gtggggcaca tctttaatcc 162840 aggtqcttqq qaqqcaaaqa caqatqqaqc tctgtgagtt tgaggccagc ctattctaca 162900 162960 taaaaatctt agtgggggag cagtcaagga ggaaacacac acacacacac acacacacac 163020 acacacaca acgttagtat aatatcatac tatggctctg tgcctgcagt ccaggaatga 163080 gggctgaact cagagtgtta gtgtgtgcta gtggatattt gagctctgta tttatgtgca 163140 tgtctgtgta gatgtgtacc tgaggtgttt atgtgtacac aggtgttggc ctgttgcata 163200 tggatggaga catggttgtg tttgctaggc atttgcatgt gtctgagttc atgcacataa 163260 actcacatct acctctggag actgagagtg acaacccagg gcccttttat cctgcagcac 163320 cccaggecca geacecegae ccageatece aggeceagea etecagaece ageaececag 163380 geccageate ceaegeceag cateceagge ceageacece agaeceagea teceaggece 163440 agcaccccag acccagcacc ccaggcccag catcccaggc ccagcacccc gacccagcat 163500 cccaggccca gcaccccagg tccaagcact caatgcccag caccccgacc cagcatccca 163560

						1 62 60 0
	cccaggccca					163620
cagcatccca	ggcccagcat	cccagggaca	gcaccccagg	cccagcatcc	caggtccagc	163680
	cagcacccca					163740
	accccaggcc					163800
	acatactgaa					163860
cctcattgct	ttcagcacct	gctctcctca	cactcggaat	caaacaccct	gtgcaggttc	163920
	aggattcccc					163980
	ggcagcccca					164040
	tgcccattag					164100
tggagcctac	cctgtatagc	tctgtattga	ggcactcccc	caagctatga	cccatgccag	164160
	ttcacctagg					164220
	aggtaaggag					164280
ctgcacggga	gattgtgtca	ctgtggttcc	agactgccaa	gacatcttgg	ctttcacccc	164340
aactcaggat	ggtccagaat	ccagagetet	taagagagca	gatgctgaga	ggcacttaac	164400
	gacccttcct					164460
						164520
	ccatctgtgc					
	cagcatccca					164580
aatcttctgc	taggtttgag	ggccccaggt	tgaggctgtg	ggtttccctc	catctgtccc	164640
	caccaccact					164700
	nnnnnnnnn					164760
	מתתתתתתת					164820
aaattgaact	tacagaggaa	acacaaatga	gctgtaatga	cagaaaagga	atactatttc	164880
ccttgtgatc	agaaagctat	agattaaacc	ccagcccttt	ttacctttat	ttttcatatt	164940
	ggggactgaa					165000
	tatgctaagc					165060
	cctataacca					165120
agcatgtgct	caaaaacaca	cataaagatt	gtttactgaa	gcagtatttg	caacagtgaa	165180
	acaacaacaa					165240
	atttatacta					165300
	agcccctgca					165360
aaaatatata	gtgtatttat	gtaaaacata	cataaacaca	taaaaagaat	agaaaactct	165420
ttgactgtat	atctttgaaa	agaaccagca	gagtgctatg	gtttataaat	gaaaagttcc	165480
cccaaaattc	ctgagttgga	ggttcaatgc	agagttcata	ctcttaggaa	gtaactaaat	165540
	ctgatctaat					165600
	gaggcagaaa					165660
						165720
	agaggctacc					
	ttgactgatg					165780
ctaggcctag	ccctggaagc	ttctagcttc	catacaatct	aatccaagcc	tagaatgttc	165840
cagcctttag	gacttgctgc	tgagatcacc	gtttcctgtt	ctttctgaac	tctagctggc	165900
	ccctgttcc					165960
	ttggcctctg					166020
	tgtctccttc					166080
	catccttctc					166140
tgtgccgctc	tactctccct	ctcagctcta	ctgcactgct	ctccacagct	ctcctgtatc	166200
	ctctcttctc					166260
	ctgagggttg					166320
	actcaattag					166380
	ttgtttcaaa					166440
tgagagtaaa	gatgtgtgct	aataaggctg	agccaactct	agctagaaat	agtttctttt	166500
	taacagaatc					166560
	gtgaagagaa					166620
	ttcttgggag					166680
	ttgccatgcc					166740
agtgaatttt	aaggcagcca	aggctgtggt	tggactgtta	ctagctacgt	ttagctggat	166800
	aattgggaac					166860
	tacaacttag					166920
						166980
	ctgaagaata					
	agagattgtt					167040
tgaactcctc	accctagagt	tcgaaccctc	ccaactaaaa	actgttccaa	gaacattttt	167100
	cctcctaaaa					167160
	tagttacgta					167220
	aaacttgtac					167280
	aaatttggct					167340
cgaccccaga	gctctggtct	atgttccatg	tgctttcttg	ctgttgttct	attaaatctt	167400

gccttctaca	ttttgagtac	ggtctcagtg	tcttcttggg	tccgcggctg	tcccggggct	167460
			ggtctttcat			167520
			acttagaggt			167580
			tggtgcgatc			167640
			gcggggtgga			167700
			cccaggaaaa			167760
			catttggggt			167820
			ggttcgagtc			167880
			tggtcacgag			167940
			tagaaaggcc			168000
			ggtttctttt			168060
			tgggacaatc			168120
			tcagagccca			168180
			ccgagtggcc			168240
			tcgctgccgt			168300
			acattgtgac			168360
			caaactcttc			168420
			catcagcacc			168480
			ctccccctta			168540
			cgagagggc			168600
			aggaaggggg			168660
			caccaggacc			168720
			ataattgaaa			168780
			ttgagtcact			168840
			ttctttttac			168900
			gagaggacgg			168960
acctcgtgga	cgaggettte	cccttgaacc	gccccaactg	ggactacaac	accgcggaag	169020
			ctctagtggc			169080
			aggtcttgca			169140
			ataggagata			169200
			ccttcattgg			169260
			aagatcatac			169320
			cagaagaaga			169380
aagaaataga	ggagagggaa	aatagacggg	atcgccgtca	ggagagaaat	ctgagtaaaa	169440
ttttggccgc	agttgtgaat	gatagacagt	caggaaaagg	taaaataggg	ctcctgggca	169500
			agataccact			169560
attgcaaaga	gaaaggacac	tgggctagag	attgccctaa	aaagcgggag	cgatccaagg	169620
			ggggctcaga			169680
			acttcctgat			169740
			gctccaaaaa			169800
			aacgagctct			169860
			gccctgctcc			169920
			cttcagaagg			169980
			cagaaaaaga			170040
			taactgcgtt			170100
					aaagctgatg	170160
					ggcatccggc	170220 170280
					ccctggaata	170280
					caagacctcc	170340
					tacaatttat gatgccttct	170460
tttacctaca	tttacacact	agaacacggc	tectatttae	ttttaaataa	agggacccag	170520
addacadaca	gactggtcaa	ctaacttoga	ctargetage	acaddddttc	aaaaattccc	170580
ccaccctatt	taacaaaaca	ctccatcaga	atcttgcgc	ttttcacact	cgaaaccctc	170500
agettacect	actacagtat	atagatgatg	tetteetee	aacaacctca	aaggagctgt	170700
agectacect	actacageae	ctcctcacag	aactgagtge	cttagaatat	cgagtttcgg	170760
					ctccgagggg	170820
					tcgccaacta	170880
					tggattccag	170940
					cctttcaagt	171000
					actgccccca	171060
cgctagcatt	accagactto	actaageett	tcqtcctata	tgtggacgag	agagcgggtg	171120
					gcctatttgt	171180
caaaaaaatt	agatectatt	gctagtggat	ggcccacata	tctgaaagct	attgcagcag	171240

			<b></b>			171300
	gatcaaagat					-
ccctcatqc	cttagaaagt	atcqtqcqac	agccacctga	cagataagat	gacaaatqcc	171360
	actatcagag					171420
	cagctaccct					171480
atggacatcc	tcgctgaaga	aactgggacc	agaagtgacc	tgactgacca	accctggcct	171540
	gttggtacac					171600
	tggtagacgg					171660
tcggcacaaa	aggctgaact	tatagcgctt	atacaagccc	tccgagaggc	taaaggtaag	171720
	tctacactga					171780
	agcgagggct					171840
attctggccc	tgttagaagc	catacatgca	cctaaaaagg	tagccatcat	ccactgcccc	171900
ggccacccaa	aaaggagaaa	acttootooc	caagggcaac	cgaatggcag	acttagtggc	171960
						172020
	gctcaagggg					-
tgaggatggg	aggtataaca	taaaagagct	atggtagacc	agtgatcccc	tcccatactt	172080
tttttgaaag	aaaaatagaa	ttaactcccg	aagaaggaat	aaaatttgta	aaaggactac	172140
	ccacctggga					172200
						172260
	cctgaagtca					
tcactaatgc	aactaaagcc	tacagagaac	ctggaaagag	acaacgggga	gaccatcctg	172320
gagtgtattg	ggaggtagac	tttactgaag	ttaaacctga	aatgtatggt	aacaagtatc	172380
	tgtagacacc					172440
	tgtggccaag					172500
aggtaatcgg	gtccgacaat	ggaccagcct	ttgttgccca	ggtaagtcag	ggcttggcca	172560
	catcgattgg					172620
						172680
	aaataggacc					
gaaaagactg	ggtggctctc	cttcctcttg	cgctcaaaca	cccctggtcg	tttcgggctc	172740
actccttttg	aagttctgta	tggaggacct	cccccttaa	tggaagctgg	tggaacatta	172800
	ctgaccctgt					172860
						172920
	cccagatttg					
gtaccccacg	ggttccgagt	tggagacaaa	gtcttggtca	gacggcatcg	aaccggtagc	172980
cttgagccac	ggtggaaggg	accctatttq	gtgttactga	caacccctac	tgcggtaaaa	173040
	tcgcctcctg					173100
						173160
gaagaaaacc	acgacgacaa	Liggacagig	quaquuactq	acaateetet	LaadCLLCGL	1/2/00
	ggcgccactc					173220
ctgcgccgca		tagacctagg	gaaccttaac	cctcatgctc	caattcaaca	
ctgcgccgca gtcctgggag	gtgcttaatg	tagacctagg aaaaggaaaa	gaaccttaac cattgtatgg	cctcatgctc gcaaccactg	caattcaaca cagtccatcc	173220 173280
ctgcgccgca gtcctgggag cctctggatt	gtgcttaatg tggtggcctg	tagacctagg aaaaggaaaa atctcacgcc	gaaccttaac cattgtatgg tgacatctgt	cctcatgctc gcaaccactg aagttagcgg	caattcaaca cagtccatcc caggatcccc	173220 173280 173340
ctgcgccgca gtcctgggag cctctggatt caattgggac	gtgcttaatg tggtggcctg ctctcagatc	tagacctagg aaaaggaaaa atctcacgcc atactgatct	gaaccttaac cattgtatgg tgacatctgt tagcaaccca	cctcatgctc gcaaccactg aagttagcgg ccccctgagg	caattcaaca cagtccatcc caggatcccc agcggtgtgt	173220 173280 173340 173400
ctgcgccgca gtcctgggag cctctggatt caattgggac	gtgcttaatg tggtggcctg	tagacctagg aaaaggaaaa atctcacgcc atactgatct	gaaccttaac cattgtatgg tgacatctgt tagcaaccca	cctcatgctc gcaaccactg aagttagcgg ccccctgagg	caattcaaca cagtccatcc caggatcccc agcggtgtgt	173220 173280 173340
ctgcgccgca gtcctgggag cctctggatt caattgggac cccaaatggg	gtgcttaatg tggtggcctg ctctcagatc atagggagca	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag	cctcatgctc gcaaccactg aagttagcgg ccccctgagg ttctaccgag	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag	173220 173280 173340 173400
ctgcgccgca gtcctgggag cctctggatt caattgggac cccaaatggg agctgcacat	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc	cctcatgctc gcaaccactg aagttagcgg ccccctgagg ttctaccgag aaaaggcttc	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg	173220 173280 173340 173400 173460 173520
ctgcgccgca gtcctgggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta	173220 173280 173340 173400 173460 173520 173580
ctgcgccgca gtcctgggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagcc	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa	173220 173280 173340 173400 173460 173520 173580 173640
ctgcgccgca gtcctgggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagcc	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa	173220 173280 173340 173400 173460 173520 173580
ctgcgccgca gtcctgggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag	cctcatgctc gcaaccactg aagttagcgg ccccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa	173220 173280 173340 173400 173460 173520 173580 173640 173700
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg cccctacgta	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga	cctcatgctc gcaaccactg aagttagcgg ccccttgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg cccctacgta aataggtggg	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc ctaagagatc	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc	cctcatgctc gcaaccactg aagttagcgg ccccttgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg cccctacgta aataggtggg agattgacag	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc ctaagagatc	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggcccc	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc ctaagagatc	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggcccc	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctcccc	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc ctaagagatc ctcgtagggc aaaggtcccg	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt actgtaccag	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggcccc tccacagccc	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctccccc taccctccct	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc ctaagagatc ctcgtagggc aaggtcccg aggaactaat	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt actgtaccag actctcctca	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggcccc tccacagccc cttggcttcc	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctcccc taccctcct	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc ctaagagatc ctcgtagggc aaggacctaat ggaccgtctg	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt actgtaccag actctcctca gtcagtctag	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac taaagcctac tccaaggagc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggcccc tccacagccc cttggcttcc	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc ctaaatagaa	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctcccc taccctcct	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc ctaagagatc ctcgtagggc aaggtcccg aggaactaat	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt actgtaccag actctcctca gtcagtctag	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac taaagcctac tccaaggagc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggcccc tccacagccc cttggcttcc	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc ctaaatagaa	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctcccct taggaacaga ctaaccctaa	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc ctaagagatc ctcgtagggc aaggtcccg aggaactaat ggaccgtctg tatgactcaa	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt actgtaccag actctcctca gtcagtctag tcatgctggt	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac taaagcctac tccaaggagc tatgctatgc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggcccc tccacagccc cttggcttcc tttttagtt ctctagccc	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc ctaaatagaa ccttattata	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctcccct taggaacaga ctacctcat	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc ctaagagatc ctcgtagggc aaggtcccg aggaactaat ggaccgtctg tatgactcaa tcagatcagg	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt actgtaccag actctcctca gtcagtctag tcatgctggt	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac taaagcctac tccaaggagc tatgctatgc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggccc tccacagccc cttggcttcc tttttagtt ctctagccc tcattctcaa	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc ctaaatagaa ccttattata tgcctttggg	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctcccct taggaacaga ctaaccctaa aaggaatagc	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc ctaagagatc ctcgtagggc aaggtcccg aggaactaat ggaccgtctg tatgactcaa tcagatcagg aaagttgact	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt actgtaccag actctcctca gtcagtctag tcatgctggt acttataata ctagcagcag	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac taaagcctac tccaaggagc tatgctatgc	cctcatgctc gcaaccactg aagttagcgg ccccttgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggccc tccacagccc cttggcttcc tttttagtt ctctagcccc tcattctcaa agggctttgt	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgcccc ctaaatagaa ccttattata tgcctttggg ctgggcggg	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174230
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctcccct taggaacaga ctaaccctaa aaggaatagc gaaaaaacag tacctcagga	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc ctaagagatc ctcgtagggc aaggacctaat ggaccgtctg tatgactcaa tcagatcag aaagttgact taaagggcac	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt actgtaccag actctcctca gtcatgctggt acttataata ctagcagcag ctctgtaatc	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac taaagcctac tacaggagc tatgctatgc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggccc tccacagccc cttggcttcc tttttagtt ctctagccc tcatctcaa agggctttgt catccagtct	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc ctaaatagaa ccttattata tgcctttggg agcaaaagcg	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174300 174360
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctcccct taggaacaga ctaaccctaa aaggaatagc gaaaaaacag tacctcagga gtcagtatct	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacac ctaagagatc ctcgtaggg aggaactaat ggaccgtctg tatgactcaa tcagatcagg aaagttgact taaagggcac ggtgcctcc	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt actgtaccag actctcctca gtcatgctggt acttataata ctagcagcag ctctgtaatc ctagacacag	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac taaagcctac tccaaggagc tatgctatgc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggccc tccacagccc cttggcttcc tttttagtt ctctagccc tcatctcaa agggctttgt catccagtct cataccggt	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc ctaaatagaa ccttattata tgcctttggg agcaaaagcg ctcactcct	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174360 174360 174420
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctcccct taggaacaga ctaaccctaa aaggaatagc gaaaaaacag tacctcagga gtcagtatct	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacac ctaagagatc ctcgtaggg aggaactaat ggaccgtctg tatgactcaa tcagatcagg aaagttgact taaagggcac ggtgcctcc	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt actgtaccag actctcctca gtcatgctggt acttataata ctagcagcag ctctgtaatc ctagacacag	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac taaagcctac tccaaggagc tatgctatgc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggccc tccacagccc cttggcttcc tttttagtt ctctagccc tcatctcaa agggctttgt catccagtct cataccggt	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc ctaaatagaa ccttattata tgcctttggg agcaaaagcg ctcactcct	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174300 174360
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctcccct taggaacaga ctaaccctaa aaggaatagc gaaaaaacag tacctcagga gtcagtatct gtgtgtctat	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacac ctaagagatc ctcgtaggg aggaactaat ggaccgtctg tatgactcaa tcagatcagg aaagttgact taaagggcac ggtgcctcc gtctgttttt	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt actgtaccag actctcctca gtcatgctggt acttataata ctagcagcag ctctgtaatc ctagacacag aatagttcca	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac taaagcctac tacaggagc tatgctatgc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggccc tccacagccc cttggcttcc tttttagtt ctctagccc tcatctcaa agggctttgt catccagtct cataccggt cattttggtt	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc ctaaatagaa ccttattata tgcctttggg agcaaaagcg ctcactcctt cagcttatt	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174360 174360 174480
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctcccct taggaacaga ctaaccctaa aaggaatagc gaaaaaacag tacctcagga gtcagtatct gtgtgtctat ccagactct	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacac ctaagagatc ctcgtaggg aggaactaat ggaccgtctg tatgactcaa tcagatcagg aaagttgact taaagggcac ggtgcctccc gtctgttttt gtatcatgat	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt actgtaccag actctcctca gtcatgctggt acttataata ctagcagcag ctctgtaatc ctagacacag aatagttcca aatagttcta	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac taaagcctac tacaggagc tattcaggag tttcaggag agacccagaa tgtgggcttg aagattctg ttttagataa	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggccc tccacagccc cttggcttcc tttttagtt ctctagccc tcatctcaa agggctttgt catccagtct cattctgt cattctgtt catccagtct cattctgtt	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc ctaaatagaa ccttattata tgcctttggg agcaaaagcg ctcactcctt cagcttattc cgggtccgct	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174240 174360 174360 174420 174480 174480 174540
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctcccct taggaacaga ctaaccctaa aaggaatagc gaaaaaacag tacctcagga gtcagtatct gtgtgtctat ccagactctt gaaaagaga	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacac ctaagagatc ctcgtaggg aggaactaat ggaccgtctg tatgactcaa tcagatcagg aaagttgact taaagggcac ggtgcctccc gtctgtttt gtatcatgat accgttac	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca ttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt actgtaccag actctcctca gtcatgctggt acttataata ctagcagcag ctctgtaatc ctagacacag aatagttct ttaactttgg	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac taaagcctac tacaggagc tatgctatgc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggccc tccacagccc cttggcttcc tttttagtt ctctagccc tcatctcaa agggctttgt catccagtct cattctgat cattctggtt atttgaacat aggattggg	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc ctaaatagaa ccttattata tgcctttggg agcaaaagcg ctcactcctt cagcttattc cgggtccgct gtagcagct	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174360 174420 174480 174460 174460
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc gagaacgga atacattcca ggcagtgaca tggctcccct taggaacaga ctaaccctaa aaggaatagc gaaaaaacag tacctcagga gtcagtatct gtgtgtctat ccagactctt gaaaagaga gagtaggtac	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacac ctaagagatc ctcgtaggg aggaactaat ggaccgtctg tatgactcaa tcagatcagg aaagttgact taaagggcac ggtgcctccc gtctgtttt gtatcatgat accgttaca aggaaccgct	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca ttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt acttcctca gtcatgctggt acttataata ctagcagcag ctctgtaatc ctagacacag aatagttct ttaactttgg gccttaatta	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac taaagcctac tacaggagc tatgctatgc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggccc tccacagccc cttggcttcc tttttagtt ctctagccc tcatctcaa agggctttgt catccagtct cattttggtt atttgaacat aggattggga aatactatga	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc ctaaatagaa ccttattata tgcctttggg agcaaaagcg ctcactcctt cagcttattc cgggtccgct gtagcagct gagacacg	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174360 174460 174460 174660
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc gagaacgga atacattcca ggcagtgaca tggctcccct taggaacaga ctaaccctaa aaggaatagc gaaaaaacag tacctcagga gtcagtatct gtgtgtctat ccagactctt gaaaagaga gagtaggtac	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacac ctaagagatc ctcgtaggg aggaactaat ggaccgtctg tatgactcaa tcagatcagg aaagttgact taaagggcac ggtgcctccc gtctgtttt gtatcatgat accgttaca aggaaccgct	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca ttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt acttcctca gtcatgctggt acttataata ctagcagcag ctctgtaatc ctagacacag aatagttct ttaactttgg gccttaatta	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac taaagcctac tacaggagc tatgctatgc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggccc tccacagccc cttggcttcc tttttagtt ctctagccc tcatctcaa agggctttgt catccagtct cattttggtt atttgaacat aggattggga aatactatga	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc ctaaatagaa ccttattata tgcctttggg agcaaaagcg ctcactcctt cagcttattc cgggtccgct gtagcagct gagacacg	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174360 174420 174480 174460 174460
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctcccct taggaacaga ctaaccctaa aaggaatagc gaaaaaacag tacctcagga gtcagtatct gtgtgtctat ccagactctt gaaaagga gagtaggtac gcagttatgg	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacac ctaagagatc ctcgtaggg aggaactaat ggaccgtctg tatgactcaa tcagatcagg aaagttgact taaagggcac ggtgcctccc gtctgtttt gtatcatgat accgttat gtatcatgat accgttat gtatcatgat ataccgttaccaggaaccgct atattgatct	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca ttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt acttctca gtcatgctggt acttataata ctagcagcag ctctgtaatc ctagacacag aatagttct ttaactttgg gccttaatta tagaactata	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac tacagcaga tttcaggagc tatgctatgc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggccc tccacagccc cttggcttcc tttttagtt ctctagccc tcattctcaa agggctttgt catccagtct cattttggtt atttgaacat aggattggga aatactatga taaccaaatt	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc ctaaatagaa ccttattata tgcctttggg agcaaaagcg ctcactcctt cagcttattc cgggtccgct gtagcagct gagaactacgt agaactacgt agaactacgt	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174360 174420 174480 174540 174600 174660 174720
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctcccct taggaacaga ctaaccctaa aaggaatagc gaaaaaacag tacctcagga gtcagtatct gtgtgtctat ccagactctt gaaaaagag gagtaggtac gcagttatgg ttaacttccc	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacac ctaagagatc ctcgtaggg aggaactaat ggaccgtctg tatgactcaa tcagatcagg aaagttgact taaagggcac ggtgcctccc gtctgtttt gtatcatgat accggtat gtatcatgat ataccggtat gtatcatgat tgtatcatgat ataccggtacca gtatcatgat tgtatcatgat ataccggtacca aggaaccgct atattgatct tgtccgaagt	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca ttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt acttctca gtcatgctggt acttataata ctagcagcag ctctgtaatc ctagacacag aatagttct ttaactttgg gccttaatta tggcctgcaa	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac tacagcaga tttcaggagc tatgctatgc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggccc tccacagccc cttggcttcc tttttagtt ctctagccc tcattctcaa agggctttgt cattctgt cattctgtt cattcagtct cattttggtt atttgaacat aggattggga aatactatga taaccaaatt aattagactt	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc ctaaatagaa ccttattata tgcctttggg agcaaaagcg ctcactcctt cagcttattc cgggtccgct gtagcagct gagaactact atattcctt	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174360 174420 174360 174420 174540 174600 174600 174600 174720 174780
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgaa cagagcaccc cgagaacgga atacattcca ggcagtgaca tggctcccct taggaacaga ctaaccctaa aaggaatagc gaaaaaacag tacctcagga gtcagtatct gtgtgtctat ccagactctt gaaaaagag agttaggtac gcagttatgg ttaacttccc aaaaaagag	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacac ctaagagatc ctcgtaggg aggaactaat ggaccgtctg tatgactcaa tcagatcagg aaagttgact taaagggcac ggtgcctccc gtctgtttt gtatcatgat accgttat gtatcatgat ataccgttac aggaaccgct atattgatct tgtatcatgat accgttac aggaaccgct atattgatct tgtccgaagt gactctgtgc	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca ttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ctgggttcat ccaacaaggt acttctca gtcatgctggt acttataata ctagcagcag ctctgtaatc ctagacacag aatagttct ttaactttgg gccttaatta tggctgcaa tgccttaaata ggtgctgcaa tgccttaaaa	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcacgatc ccttataaaa ctccaccaac tacagcaga tttcaggagc tatgctatgc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg ccctacgta aataggtggg agattgacag caggggccc tccacagccc cttggcttcc tttttagtt ctctagccc tcattctcaa agggctttgt cattctgt cattctgtt cattcggtt atttgacat aggattggga aatactatga taaccaaatt aattagactt gtttttatgt	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccgccc ctaaatagaa ccttattata tgcctttggg agcaaaagcg ctcactcctt cagcttattc cgggtccgct gtagcagct gtagcagct atattcctt tgaccattcatt tgaccattcatt	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174360 174420 174360 174480 174600 174600 174600 174720 174780 174840
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgga atacattcca ggcagtgcacat tggcaccc tacgcaccc taggaaccac taggaaccac taggaaccac taggaaccag ctaaccaga ctaaccctaa aaggaatagg taacctcagga gtcgtctct gaaaaagag gtcgtctct ccagactctt gaaaaagag tcagttatct gaaaaagag gagtaatca	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc ctaagagatc ctcgtaggg aggaactaat ggaccgtctg tatgactcaa tcagatcag taaggtccc gtatgact taaagggcac ggacctctg tatgactcag aaagttgcc gtcgttttt gtatcatgat accgttttt gtatcatgat tgaccgtctt gtatcatgat gtatcatgat tgaccgct tgtatcatgat accgttttt gtatcatgat tgtccgaagt gactctgttac aggaaccgct atattgatct tgtccgaagt gactctgtg aagatcttat	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ccaacaaggt actgtctcag tcatgtctag actctctag tcatgtagt acttgtagt acttgtagt acttataata gtcatgctagt acttataata ctagcagcacag tcatgtctagt acttataata gtcttatata gtcttatata gctctagt aatagttct ttaacttttg gccttaatta ggtgctgcaa tgccttaaaa ggctaaact	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcaccaac tccaacctac tccaacctac tccaaggagc ctacttcaga atgtggtctagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga ttttagatat agacccccc gaacagtcta aatacccccc gaacagtcta aatagaaggg gaagaatgtt agagaacgcc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg cccttacgta aataggtggg agattgacag caggggcccc tccacagccc tttttagtt ctctatcca agggcttct cattctcaa agggctttgt cattcttgt cattctgtt cattctggtt atttgaacat aaggattggt agttggcg tcattttgt ctcataccgtc cattttggtt atttgaacat aggattggt aatactatga taaccaaatt gttttatgt tagatatacg	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaacacgccc ctaaataga ccttattata tgcctttgggccggg agcaaaagcg ctggtccggg agcaaaagcg ctactctt caggtccgt tgagacgct tagacactctt caggtcctt cagcttattc cgggtccgt agaactactt tattcctt tgaccattca taaaagaaa	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174360 174420 174360 174480 174540 174600 174600 174600 174720 174780 174840 174900
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgga atacattcca ggcagtgcacat tggcaccc tacgcaccc taggaaccac taggaaccac taggaaccac taggaaccag ctaaccaga ctaaccctaa aaggaatagg taacctcagga gtcgtctct gaaaaagag gtcgtctct ccagactctt gaaaaagag tcagttatct gaaaaagag gagtaatca	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc ctaagagatc ctcgtaggg aggaactaat ggaccgtctg tatgactcaa tcagatcag taaggtccc gtatgact taaagggcac ggacctctg tatgactcag aaagttgcc gtcgttttt gtatcatgat accgttttt gtatcatgat tgaccgtctt gtatcatgat gtatcatgat tgaccgct tgtatcatgat accgttttt gtatcatgat tgtccgaagt gactctgttac aggaaccgct atattgatct tgtccgaagt gactctgtg aagatcttat	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ccaacaaggt actgtctcag tcatgtctag actctctag tcatgtagt acttgtagt acttgtagt acttataata gtcatgctagt acttataata ctagcagcacag tcatgtctagt acttataata gtcttatata gtcttatata gctctagt aatagttct ttaacttttg gccttaatta ggtgctgcaa tgccttaaaa ggctaaact	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atatcaagag atactgtaac gcttaaagga tttcaccaac tccaacctac tccaacctac tccaaggagc ctacttcaga atgtggtctagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga ttttagatat agacccccc gaacagtcta aatacccccc gaacagtcta aatagaaggg gaagaatgtt agagaacgcc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg cccttacgta aataggtggg agattgacag caggggcccc tccacagccc tttttagtt ctctatcca agggcttct cattctcaa agggctttgt cattcttgt cattctgtt cattctggtt atttgaacat aaggattggt agttggcg tcattttgt ctcataccgtc cattttggtt atttgaacat aggattggt aatactatga taaccaaatt gttttatgt tagatatacg	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaacacgccc ctaaataga ccttattata tgcctttgggccggg agcaaaagcg ctggtccggg agcaaaagcg ctactctt caggtccgt tgagacgct tagacactctt caggtcctt cagcttattc cgggtccgt agaactactt tattcctt tgaccattca taaaagaaa	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174240 174360 174420 174360 174480 174600 174600 174600 174720 174780 174840
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgga atacattcca ggcagtgaca tggctcccct taggaaccc tacccttaggaaccag ctaacctaa aaggaatagg tacattcagg gtcaaacaga ctaggaacctag ctaaccttag gcagtacttagg ttcaggactct gtgtgtctat ccagactctt gaaaagga gagtagtac gcagttatgg ttaacttccc aaaaaagag ggagtaatca agaaaaagcc	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc ctaagagatc ctcgtaggg aggaactaat ggaccgtctg tatgactcaa tcagatcag taaaggtccc gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac gtagacac aggaaccac gtagacac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acaggaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acagaaccac acacacac	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ccaacaaggt actgttcctag actctctag tcatgctggt acttgtaata gtcagctgta attgtactag tactgtactag tactgtactag tactgtactag tactgtactag tactgtact gcatgatacca attagcagc tctagacaca attagcatct ttagaactct ttagaactt gccttaaata ggctgcaa tgccttaaaa ggctaaactt gtttgaaagc	gaaccttaac cattgtatgg tgacatctgt tagcaaccca ttcggggcag gggtcagagc atggacatgt cacggtaaaa atactgaac gcttaaagga tttcaccaac tccacctac tacaggagc ctactcaaga tttcaaggagc ctactcaaga tttcaaggagc ctactcaaga tttcaaggagc ctactcaaga atgtggtcaagaa tttcaaggaga tttcaaggaga tttcaaggaga tttcaaggaga tttcaaggaga tttcaaggaga tttcaaggaga tttcaaggaga tttcaaggaga tttcaaggaga tttcaaggaga tttcaaggaga tttcaaggagattt agacccccc gaacagtcta aataccacc gaacagtcta aataccacc tactgaaga tttcaaggagattt agacccccc gaacagtcta aataccaccc gaacagtcta aataccaccc gaacagtcta agagaacgc tagagaacgc tagagaacgc tagagaacgc tagagaacgc tagagaacgc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg cccttacgta aataggtggg cagggcccc tccacagccc ttttttagtc ctttttagtc ctattctca agggcttct cattctca agggctttc tctatgccc tctttttagt cattctgt cattatgt cattatgt cattatgt cattatgt cattatgt cattatgt tattgacat aggattgacag tatttggt atttgacat aggattgacat aggattgccattg tctttatgt cattatctgt tatttgacat aggattgacag taccaaatt gttttatgt tagatatacg agtcccttg	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccacacacac cctaatata tgcttttggg agcaaaagcg ctgggccggg agcacacactcctt caggtccgtt cagcttattc cgggtccgt agaacactct tatactct tgaccattcatt tgaccattcatt tgaccattcatt tgaccatca tatattcctt tgaccatca tatatcctt tgaccatca	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174240 174360 174420 174540 174600 174600 174600 174720 174780 17480 174900 174960
ctgcgccgca gtcctggag cctctggatt caattgggac cccaaatggg agctgcacat cgggggggca ctggaagccc gtcaaacgga atacattcca ggcagtgaca tggctcccct taggaaccc tacccttaagaaccaga ctaacctaa aaggaatagg tacctcagga gtcgtatct gtgtgtctat ccagacttct gaaaagag gagtagtac gcagttatgg ctaacctcca	gtgcttaatg tggtggcctg ctctcagatc atagggagca ttttatgttt tcagattact tcctctaaat ggagaaagaa tcaggaccat aaacaacacc ctaagagatc ctcgtaggg aggaactaat ggaccgtctg tatgactcaa tcagatcag taaggtccc gtatgact taaagggcac ggacctctg tatgactcag aaagttgcc gtcgttttt gtatcatgat accgttttt gtatcatgat tgaccgtctt gtatcatgat gtatcatgat tgaccgct tgtatcatgat accgttttt gtatcatgat tgtccgaagt gactctgttac aggaaccgct atattgatct tgtccgaagt gactctgtg aagatcttat	tagacctagg aaaaggaaaa atctcacgcc atactgatct catatgggtg gccctggtca tttgtggtaa gggacctaat acccctataa gcaaagataa gtctaagttg ccaacaaggt actgtctcag actctctag tcatgctagt actgtactag tcatgctagt acttataata gtcagacagcag tcatgctagt acttatactag tcatgctagt acttatactag tcatgctagt acttatactag tctagacaca atagttctt ttagaactat ggcttaaata ggcttaaata ggcttaaatt gtttgaaagc actttaat	gaaccttaac cattgtatgg tgacatctgt tagcaaccca tteggggcag gggtcagagc atggacatgt cacggtaaaa atactgaac gcttaaagga tttcaccaac tccacctac tccacctac tccaacgagc ctacttcaag atggacatgt ttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga tttcagaga ttttagatatc caacctcta tagacccccc gaacagttt agagaacgc tagatttatat cagacagtcta aataccaccc gaacagtcta aataccaccc gaacagtcta aataccaccc gaacagtcta aataccaccc tagagaacgc tagagaacgc tagagaacgc tagagaacgc tagagaacgc tagagaacgc tagagaacgc tagagaacgc tagagaacgc tagagaacgc tagagaacgc	cctcatgctc gcaaccactg aagttagcgg cccctgagg ttctaccgag aaaaggcttc gaaacgacag cgaggtagtg agtgggtgcg cccttacgta aataggtggg agattgacag cagggcccc tccacagccc tttttagtt ctctatctcaa agggcttct cattctcat cattcttagt cattctgt tattgacat aataggtgt cattttgt cttagccct tttttagtt cattagct tcattcttagt cattttgt tattgacat aggattgacat aggattgccattt ttttgacat agtcccattg tttttatgt tagatatacg agtcccttg tttttatgt	caattcaaca cagtccatcc caggatcccc agcggtgtgt ctaatcttag aacaaaaatg gagatgctta gctatgataa cttttaaaaa taaggttcac gttggcgagt tgagagaccc ccagtcgtac aacacagtgg ccaccacaccc ctaatatata tgcttttggg agcaaaagcg ctggtccggg agcaaaagcg ctcactctt caggtccgtt gtagcagtt tagacatctt tagacattatt tgaccatt ttagaccatt ttgaccatt ttgaccatt ttgaccatt tttgggccc	173220 173280 173340 173400 173460 173520 173580 173640 173700 173760 173820 173880 173940 174000 174060 174120 174180 174240 174360 174420 174360 174480 174540 174600 174600 174600 174720 174780 174840 174900

qtactaaggc aacaatatcg ggtccttcag qaggttgaaa actcgctcta agattagagc tatctcctaa aagaagtggg gaatgaagaa taaaaatttt tactgaactc ttcttcaccc cagaacccga cccctcccat ctagagattg ttcccggaac actcctgaac tcttcacccc agaatgcatt cctgaactcc tcaccctaga gttcgaaccc tcccaactaa aaactgttcc 175320 tagaacattt ttgagataag ggcctcctaa aacaaccgca aaatgaaccg ggtacattgc 175380 caaataatag gacatgaccc cttagttacg tagattccct tggcagaacc ccttqtcccc 175440 tgacagaacc ccctagtgat gtaaacttgt actttccctg cccagctctc cccccttgag 175500 ttttactata taagcctgta aaaaatttgg ctggtcgtcg attctcctct acaccactag 175560 qtqcatqaqt ttcgacccca gagctctggt ctatgttcca tgtgctttct tqctgttqtt 175620 ctattaaatc ttgccttcta cattttgagt acggtctcag tgtcttcttg ggtccgcggc 175680 tqtcccqqqq cttqaqtqct tqaqtqaqqq tctcccttcq qgqqtctttc aaaactactt 175740 cagaggaaaa atgtattctg cctcatgggt tcagggggtt tccctcagca aattcaggga 175800 agacaagatg gaacagctca acctgctggc aggagggtgt gggaaaggac aagtgttcat 175860 tgtgtggtgg acaggaaaca gagagctgcc tacagtctta caggcctacc accactgacc 175920 tacctctgtc cgtcaggccc tacatcttaa aggatctaca gtttattaaa agaacactac 175980 cagataggaa ccaagtatca aaccaccagt ttgtagggga taaaaataca aggaacacat 176040 ctcaatagga gtgtttcca ggatgtggac aaggagaaca cagttgttta aaagcttaac 176100 gctggccagg agagctgcac acctttaatt ccatcactcg taagagggaa gcaggttcat 176160 ctctgtgagt tcaaggcaag cctgggctat acaattctag attagccaga gctacatcgt 176220 aggageetgt tteaaaacaa acaaaaceaa aceataaaaa ageatttetg aggetttggg 176280 tttaatcccc atgacctcaa atagccaaac agctctcctc agtccaaacc aaactgcaaa 176340 attggagcta gtgagatggc tcaacatatg aaagtccttc ccaaaaatat tgacaactgt 176400 agettatete tggggacaca cataatggga gaggaccaat ttetacaagt taccetetga 176460 cctccacaca tatgcctccc acaaataaga aaatatatat aataaaaaga aagaagtcta 176520 cagctgcaca tggtcatgca tgcctataat ccagcactcc agaggctgag gcaggaggat 176580 tattagtttg agatcgcata gcaagcagta ggctagacag ggctacatag tgtaaacctg 176640 ccttaaaaca caaaaatcaa ttaagcaaca ataacagtaa caaccacaac aaaaacccaa 176700 aagagtactt tgtagtaagg acaataccaa aaatgttcct ttaaggacag ttctggaatc 176760 agcaatagcc ttccgagtgc tcagggatgt ataaatactt agaaaacttc ccctggagaa 176820 atgagcacca gggtacactg ctctcagagc tgcccagaaa gttgtttatc ctggattcat 176880 ttcagccttc ctaactgctc aggcattcag aggtcacttc tgtagtagcc aatgtctaaa 176940 aaggctaaac tactgctcag catggctgtg gtacttggca ttatcatttt gtgactggtt 177000 ttgtagttat gcagaattca agagttatag catcatgaaa gtttccacca agttcctgat 177060 ccagtcacct cttaaaggtt ggatgcacca agtgcctttg gggtgataaa ttatattcaa 177120 ataatggtat tocaccetaa tocccaaaga citotggcca totcataatg taaaatgctg 177180 agccatcgca ccagcccatg gccttgaact cttgatggtc ctgtctcagc ctgtgtttgg 177240 attataaatc tgttggtgag gtattccttt gctgataata caagcaaatt cttcaagctt 177300 ccatcctaga ctgaagacca gcagctctcc aggagtcctc aatgcagact ggcccagctq 177360 ggacattgag cctcatggac tcagccgcta ctagattcgc aacctattca gacaagccac 177420 tgttggacta cccagacaat actatgtaag ccaatcccat tttaatacac atattcatct 177480 gggtgtgtgg cacacacctc tactcccagc acgcaagagg cagaggcagg cagatctctg 177540 atttcgaggc ctggtctata gagtgaattc caggccagcc agggctacac agagaaaacc 177600 tgtttcaaca aaaccaaaac cgtaaattca ttctatcagc tctatttcct tagagaattc 177660 taatacatgt gggtaccagg ggttgaactc aaagtcttca tgtttacgta gcaagtttcc ttctgctagc ctagtgaagc tgaggcaggt acagccggtt ctttactgct ccttgcaaat 177720 177780 ggtcctcctg agctttcctt tgagagccta caaagaactc tttttttctt taggtctcca 177840 ggttttggtc ttaagaggtt ctggacttgg atctgtagct gtcatatcac agacattcaa 177900 catctggcaa atgtcttgac aaaggagatc acttgtgttt gctgcagtgt cccttctggc 177960 tgtgagattt tgctcctcac cactgcagga ctgcagatct attctqcctt tttagttgac 178020 ttttcattcc tgagaactgg ggaaaactga ctttgtattt gggctttgaa tttgtccatt tgtcaatcca tcacaccaga cctaaccaac tgccaagagt tctgctgact tttgttttct 178140 ctagggtggt cactttgctg ggctcatcct catccttggc ctgcagttta tccccaggaa 178200 agaaaatggc taacgactgc taagaagcag tctttccttc cagaaatttt agtctatcta 178260 gaccttgctg cagtctgaag tctttaaaat gtgtttgtta tggtagaata tittgagttg 178320 ccttaggagt attgcttgct gtcacctatc atattctatc aggaagcaga cgtcccattt 178380 accaaatgtg aagaaatatg gcatcaatac ccactgcaaa aagtgtaaat aaataataaa 178440 aaaatagatt tattacagag tgcaagggaa aagaaaaaa tcagccagtt tcagaattgt 178500 aactggacaa atgttggtac agttcatgaa gaggttctac aaaatggctg ggggtgggaa 178560 cataatgagt tagtttgctt tttttttct ctttccttcc ctttcctttc cttacaaggt 178620 ctcatgtagt ctatggtctc aaactcacca ctgtaaatca ccttgaactt ctgatccttc 178680 tgcacgctgg caatgtaagc atgtgccacc aggcctggct cacacatttg gtttttcaat 178740 acagaatagc tctgtgatga ttaacttcaa tcatcaactt qacataacca aqaatcqtct gaggaagagt ctcagtgact gggtgggcta agggcatgct cataagggat tatcctgatt 178860 gttaattgac atggaaagat caagtccatt gtgagcagca acacgccctg aacagaagtc 178920

ttctqaaqta taagaggaga aagcttgatg agagcaagca ggcaagcaag ccaggatcca 178980 cqtqtttatt ctctqtctqt tcttqaccqt aqatqtqatq qctqtcttqq cttcctqqqa 179040 aacatgaact gcaccctgga attgcaaggc aaacaaacct tttcctcttc caagttgctt 179100 tatgctaaga tattttatcg cagcaataga aatgaaactt agaacaggcc cataactgcc 179160 agctttggaa ctgaacctaa ggctgttata attcactagg atagggacca ctggaagtga 179220 atctgatttt gatggtaaaa tcatgtgttt gtttctggat atgatagatt tatcaatttg 179280 agactcagaa aagaagttag gacttgaatt ccgttttaga gacattccag agaaaactga 179340 tgtcattgtt ctgaatgtaa gtgcctcagc tgaaaataca aagagtacag ggaagaaagc 179400 ccaggctaga atctgaagga actcctctat tttttgtttg cttgtttgtt tggttggttt 179460 tttgagacag ggtttctctg tgtagccctg actgtcctgg aactcacttt gtagaccagg 179520 ctggcctcga actaagaaat ctgcctgcct ctgcttccca agtqctggga ttaaagqcqt 179580 gtgccaccac accaggctag gaactcgtct attacacatt aacacccctc tttaattaac 179640 tqttcctqcc aatqtaccaa ataqtcaatt gattcctqtt tatttaccac atqtttctqt 179700 tagtaaacca gaataactta tctagccaaa gtctgcctat tagccatatt ttcatcagtt 179760 cccaaccatt tttggaattc tgtgagggga atccacagat gctgtagacc gctttagaca 179820 tttttcagct tttttcaagt tgcaggtcat gattcagtgg gtcatgaaat taatttagtg 179880 179940 tgcggtaagc agccacacac tcttgcttgg aggcttagtc agtttctggc tctaaacgcc 180000 ccaggtttgt ttctctatcc taggcctctc tcttaaattc caaacatagt tagacattac 180060 cattggggca cgtgcaactc aaacacggag tgtgactcct ttccccatct gcggttccca 180120 gatttggcaa tgtcaccctc ctcccttctc cctagggtca gttttacctc tcacactcca 180180 caacacaaca cctctcatct caagaattgc cattagggct ggtgagatgg ctcagaggtt 180240 aagagcaccq actgctcttc tgaaggttct gagttcaaat cccaqcaacc acatggtggc 180300 tcacaaccat ctgtaatggg atctgattac ctcttctggt gtgtctgaag acagctacag 180360 180420 180480 atgtacctca gagtccaaat gcttcttcct cccctgacta cactcacgct ggcctgagtc cattitictia tigaggitac tgcttctctg cttctaccct ggctccttct gctgcctatc 180540 cttgacacag cagacaagca gttctttaaa gcagggctca ggaccagtga gactgatcgg 180600 ctctggtggc acttcctgcc atgactgatg atctaaggtt aagcctagaa cccacgaggt 180660 agaagcaaag gacctactct ccaaagccgt cctctgacca ccatgtgtaa actgcacatg 180720 tacatgcatg cacatggtac acacacatac acagaagtaa aaagagattt aaattgaaaa 180780 tcattaaaaa gaaaaatcag ggctcagcaa actttccgtg tagaaaacta gagtacttag 180840 gctttgaaag ccaagaagtg gatattaatt atagttattc attatagcag agatttctaa 180900 aaccttttga caaaactaaa aaatataaca gagtgtattt tttttgtaat gtaagtttac 180960 taatggcagc agtgggatta gtttcttttt tagattattg ttattatttt tattaattat 181020 tagtgttttt gtgtttattc atattccaca gcatgtgtgt ggaattggat ttctgcttcc 181080 acctttgtgt gggtcctaga gattgaactc aagtcatcaa gcttgcacag taggtggtca 181140 ggcttacaca gtaggtggtc aggcttgtat ctttggaagg caagcatttt acttcctgtg 181200 ccagctcact ggccttcttt gtttaaaaaa agaaaaaaaa agtccttttt tgtttaatta 181260 gggttcatgg ccagtgctct ttatcttaaa atcaactgca aacttttatc tggtaaaaaq 181320 ccatccttag ctgtggtcct aggagaaaaa catacagttg gatggcttta tcctgcaggc 181380 ttagtttgat catctctctt tgaagatata atcagctcac atcacactca agcctctgcc 181440 aacgagtttt ctacttctgt tcaacaaact acccaagctg agcagctcca aacaacagcc 181500 agttatgate etcacagtee ggtgggteag aageetaage gggegtgget aeetegetge 181560 tattgcctga ccctgctcgg tgcatccaca ttcacatcct ttcctggtga gtgtggttct 181620 ttgactggtt ttgttccaat ttttagtata tgtgctgctg aaacaatctt tttgcctctg 181680 cctccagact gcagggatta atgttcttga ctgccacaga gcactaatat ttactgaaca 181740 tgtgatcatg tggtgctcag cactcttgca cccaaggctc ggggaacatg gaggaagagg 181800 gggtggaaag attccaagaa ccagaggaag aagaaagtca gaggtgagac tgcatctcct 181860 agaaatgtca qqqacatttc tagacctctg aaqtctcaaq aacaaggcct gaaaqtctta 181920 tttatatagg ttaacctgaa aggggaaaaa attcttacag gggtccaacg ttagacaaag 181980 aactctaagc aactaaggaa tgttgggggg ggggtagtct tccccaggga acactcctct 182040 accettcaag ccccacccaa getggttate caaaacaaac tggtcagtee tgaagccata 182100 tacgcacaag taacatcata tggatgggca gattgcattt aggaatacac acatacacac 182160 acacaactta aaaagagagg ccatgaattt aagagagagc aaagcaaagt gggaaggggt 182220 182280 182340 nagagagaga gcctattatg tcgttggttg cttctaatca ttagaaaacc actctcttag 182400 gctgagtcag aactagccta gctgagacac tgtccaccca ctgtcccaga gcaaggccat 182460 182520 gctgcctcat gctaatcagt tgaggttgtg aaaatagccc tgcagtggtt cctgggcctg 182580 cagctgggcc agagccacta aggggagtct ggtcctttgg agcagagtta acagtcatca 182640 gtqctttttt tttttttta aatgttccct gctttaqqct cagtgctgtg cgctacttct 182700 aatccttgca ataggctgca agacaggcaa gaatatcatc cctgttttgc cctcaggcaa 182760

attctgaagt	ctggcaaatg	aaagatgtgg	gatttgaaca	cagacttgtt	tggccaaaga	182820
attctcactc	tacttctgcc	tgtgccacct	tcctctcatq	cacqqqqaqq	ggagggagc	182880
	tgctcagggg					182940
						183000
	tagaagccag					
tgaacataaa	gttcagttac	atttggttta	aaaaaaaaa	tccctacaca	actggttctt	183060
gagaaatgtc	aagtgctaca	attcagtgga	tgtggatgaa	acaatcaaaa	tgttgaacac	183120
	atacaaacct					183180
	cagcccagtt					183240
						183300
	gaaatataat					
	actgtggata					183360
cctgggcttg	agatctagca	ccctaaggca	tagtggtaca	tgcccatgac	cacagcactt	183420
gggacgtaga	ggcagaagga	tcagttcaag	gtcagatgag	gggtggggag	gcattccttt	183480
	tttgagaggc					183540
	ttccaagaca					183600
						183660
	agagaattca					
	agcatgaatg					183720
tttgtcacct	acataccaat	tatacaaatc	agattcagct	gggcccactg	gtgcatgttt	183780
	tctgggaggt					183840
	agttctagga					183900
	atcagtcaat					183960
	acctgggttt					184020
	aagggacatg					184080
agcatacaat	atatatatgg	gtaaaatgct	atatatataa	aaatcagatt	cacaaatcaa	184140
gtacagaaag	agatcaacta	taatgaaaca	accataacac	atactgtttt	aaaagctacc	184200
	gacatctgac					184260
	cctgtgaccc					184320
						184380
	aatcccacag					
	ctgtgcagca					184440
caactgagga	gtgcctcagt	gctcctcagg	gcagtgtgca	attgaaactt	gcatgtgatt	184500
tctggaattt	gtcatttgat	atttccagac	tccagctgac	cttggataac	agcacagagg	184560
	agaggaaaag					184620
	tttctcttac					184680
	gatgcatcct					184740
	tcatcatgca					184800
cctctgatca	aatcagtttc	aggcctggaa	agaaacggcc	actcaggctg	gggatgtggt	184860
tccattagag	gcctgcatgc	acgaagctct	ggatttgatc	ttcagcacgg	gcataagccc	184920
	tatctgttta					184980
	agttatcctt					185040
	aacaaaacga					185100
	agtttgatga					185160
atgacgcttg	aactccacgc	acatgccaca	gcccacgcat	gaatgtgtat	acacacacac	185220
actaagtgga	taaatgttaa	aaataaataa	atcaaaggaa	tggccactca	aaatctacca	185280
tcgttgggaa	gggaggggaa	aaggcaggcg	agggagatag	ataaccctga	tatgaacacg	185340
gaaagagcca	gtgtgccacc	aaagctgccc	agtgtgccac	caaagctgcc	cagtgtgcca	185400
	ccagtgtgcc					185460
	cagcaggagc					185520
	tttccctttc					185580
	ggctcatcca					185640
tgcttttcca	aggtcttagt	gtctaattaa	ggttagcagc	caaattggag	agagaagggt	185700
gctqqacttt	actctgctgt	aaggactttg	ggcattgttc	cattccgtga	tcaaatacca	185760
	caaccaccat					185820
	gtctggtcct					185880
gagaggeeeg	gcccggcccc	tatat	aaaacgcccg	gggcaccagg	councycoun	185940
	agtgctggtc					
	gaggacagac					186000
	agaaatagct					186060
attccgttcc	taacattttc	atggtggctc	aaagctgtct	ataattcaag	tcctagaggg	186120
	ccctctctgg					186180
	acactcatac					186240
	gatgctctca					186300
	tatagaatga					186360
	caaatctgtg					186420
	ctagagctct					186480
			accactctgg			186540
agaqttqaqq	tttacatggt	cattttttt	gttgttacag	taatgagagc		186600

tcacaaaagg aaaataggaa aatatgcctc ctaaaaaagag ccgaggcaaa ttattatagc 186660 186720 ttatqqcaac tgacatttaa aagtaacagg atttgggcaa gtttctttct ccaccctctc 186780 tgcaaagtct tgcaggaact tcatgctaaa attatgcttt aattttaatt agccaaatag 186840 qtcataaata taqcttattc ccaaatcctt agaatttcta ccctqcaaqq aqctqaacta 186900 ctaatgagga aatatttcca caaaaaccca cttaccatta agaaccccca tccgatattt 186960 ttctaatata atttatcaat ttaaacacat tgcataatgt gccactctgt agcattccat 187020 taaaatgata aatagcaata gtggtgaggg gtggggggca aaaaccagga gattaaacat 187080 atccaaagca gtgtagctat atttaaatac ctcaatccat tgtagaggaa aacacactgt 187140 tctcatccgc agatacagtc tagactcaga gcagcatatc cttgactgta agggtattaa 187200 taggacagac gaaggggggc aataagaaat gacaggaaac ttcagaagaa ataaaatttc 187260 tattaggett tgttataaga ttacatcaaa geagtteata tgttttaate tggggaggaa 187320 aaaaagcaac tacttggggt ttgcgcctgg gggctgcctc tgtgtactga accagacagt 187380 ttgcataatg aacaattttc attcaatcag gatctcagca gagatagctc ctactcaaag 187440 gaacccggca caggctcata gtttttatct cccagctcca cctgctggag aaaccttgta 187500 ttgcaqqqaq aqaaaqcagt cqqqaqqcat tgtcctagtg gctgtgtacc taaagttaca 187560 gacctgactt taaacagttt ctctctggag gttgaaaggg gctctgtaag ataccagagt 187620 ggattgctct caaagactct cggactcctg ttacaggcaa gtaaggtcct agcagatggt 187680 agcatggatc teeggeeett eteactgett tettgaatea gggatttaga aattgetatt 187740 tgcataccag gaggactgaa gtttggctcc cggtgaccag aggacaaggt cattgtttaa 187800 aaccacccaa actcatttcc gacttggttg gtcaaatttt caagtttccc agcagtctaa 187860 qqattcataa aataaqqcaq aqqcaqaqaa acqqaqqqtq tqtqtqtq tqtqtqtq 187920 tacccaaaat ggaactgcat tttcatgcac aatagaaaac ttaaagactg aaccaatcat 187980 tttggaaaac tggcacagct gacattggct agaggaagga acggccaggg cgagccagct 188040 188100 gcaccaagac ccagggctga ggcctaatcc gcctttatcc gagggtttag tgaggctccc gccgctcacc aatcccggct ggagccgcag aagagctctc ttcacttggc tcagtcccag 188160 cacagtegea ctatgetete eegtggggag geegeteegg gagggggage gacateaage tttgtgaaac tgttttegaa aacetgggat gateatttaa atgtttaaaa tatgeacatg 188220 188280 gtaattcaaa actaattacc ctgagcacat ttgaaacatt tatgccatca tcttggatcc 188340 tgcctactga ttgtgcgctg cagetcacte tggtgtttet ataaactget tcagegattt 188400 taacttccag gctaaatcag gcagccacag gcgctgcctc cagccctggg ttggtggaga 188460 gacccccatc cctgacttcc aggegaggag geggcccgtt tctccagaga geegtttgtc 188520 aggqtcttgt agttctggct gccgaattat tgctcttatc cgtgttcata attctcatct 188580 gcattattta atttaggcta gaatgacctc tttccctccc gagtcttcct ccctcattcc 188640 catttcctct tcttcaattc gtggccccca ttttctgatt ggtccaaata tatagacaaa 188700 tatccttgat egteceacce caettggeta catetteate tgggageeaa tgtggtgagt 188760 tttctgggtt tgcaaggtgg tcaggtccac cagtcatcct aaggtgtgtg agagaggtag 188820 188880 accaacatga geggegeaca geegeeatea etgagagage aegtgeeetg eageteagge acaggeatge acacacegge agacatgtge acatgegett tecceageaa accetgettg 188940 cagagtaatt aggcctaggc agttcctgaa gcaaattcat ttcccccttt tccagaataa 189000 aatgagttot ottootttgg gggtgotaaa coagoatgoo agtggotaga agootgagat 189060 gggtgatgtg gctgaaacca tttctgcagc caagcctgtg ggcagaagct aaccttgggc 189120 tggggagctg cagtcggaag aggcacaatt ctgggatcaa gaaatgagca ctggtttata 189180 ggtacactcc cagaaataga cagatgaggg ctgcctcctt attagcgctt tgaagatgcc 189240 catggcgggt ttttagacat ttaggaatat aaaagtaggt tggattccca cagtcagctg 189300 aagtttgaca gagtgatatt accgggttta actagagcca ttaagagact cttcattatc 189360 ccacaccacc gccacccaag ttatcacatg agecataatg caagagaatt ttcattccat 189420 caacaagaga gggagccggt ctatctttgt ccaaaggaaa tgagcagccc agcgtgaagc 189480 ttgtgaggaa ttgagtgtac aacactccaa taacatcccc tgcaggattg cctctgcgat 189540 ttagtcggtg aagcaggggt aactgcgctc gagcagtctg cctgtgtacc tggcttgcaa 189600 gaacaccage tegaggaaca ecaaaaagge egattaatga caaaggacae teatagagge 189660 ccgaattcca cagggcttaa gtattaagcc ccaaagaaat caaggtctag gccattctcc 189720 tggcgctcag caatctcatt tattatttct ctacaaagat ccaacactca atttcccagg 189780 tateceetgt atetgactea catteteetg eteagtaage cateetggtt tgaaaeggge 189840 ctcccctcct cctgcctatg catgctttgc gtcttcacaa cgacagctgg taatttgcaa 189900 gaccccctcc actggactct ctcaccccac atacttggaa ctactccttg gaactacttg 189960 tttatcaagt gttctgttgg tgagccttct cttgcattaa agctgtgaga aggaaccaca 190020 gtttctattt cctttacatt tcttgtagcg tctcacatgg gagacaccca ggttagatat 190080 actgagggtc ctggtagttt tagagttgga gttagatgac ccagcaacat gccttccccc 190140 accacgcacc aagcaaaaat tgcacccacc cttccctcag atgttcctgg catcttataa 190200 190260 ctcgcccaaa gccagattta ttgctcctgc tgtaaagtgt atcttctcta agcctcactt aaaagctacc acttggcaga agatcaagtc agaagtgcag gctagcaggt gacggtgagg 190320 acagggcggg atggggcggg tagggtggag cgaataattg aagctccaag agttaccagc 190380 tcaatattta acctaactgg taatttgctg tgacaattac gccatgaagg gaacgctgcg 190440

actatocaao						100500
	aatgttgctc	tctaattaag	agggctctgc	atttectagt	cacccgcact	190500
ttaataacac	acagaatgag	ccttaactcc	gggagctaaa	ggttccatta	ggagcacggg	190560
	ctgtgcacat					190620
ttcaattcgt	cctcagatag	agcccagaga	gcgcggctca	ggccctcacg	ccacgagccc	190680
	acaggcatct					190740
caccegaccg			~~~	~~~		
	gcccggcttt					190800
aactttaata	aggattttct	cacagaaaga	aaagtccatg	ggaacaaatc	ctcctcttaa	190860
	caggaatggg					190920
gagegegaga	caygaacggg	gacacaagee	·	cegeeaggee	auccegaca	
tgagacaaaa	gaatattaat	atcttggcta	tgaaggagga	tggtgccatc	ttctgaattg	190980
atgggagttt	tgaggcatgg	ctaadctggg	caaaccattt	tetttttt	ctcttcttaa	191040
						191100
	atttatggag					
tatggagatg	tagcttataa	aactactcag	attttaaaca	aacagtgcag	gaggccagag	191160
atagaatag	tgggggtggg	ataggacaag	agaacaattg	catctgcaga	aggetageee	191220
geagaagegg	caaaaacaaa	gegggeaug	agaacaaccg	cassaguaga	aggooagece	
tgcaccccaa	gcctatgttt	agggttgatc	agcttcccga	ggcaagccca	gaageeteta	191280
aaattttagg	ccaatagaaa	tgacctctgc	accacggctg	actgaagcta	taaataagcc	191340
	cagtggtgtc					191400
tttttttta	aagtccactt	gcttgggact	cacctgaagg	cagggcattg	agtagagcct	191460
taactcccta	cagcgagagg	ctccagtttt	cccaggcacc	agcccatcgg	ttggttacct	191520
						191580
	agggaactgc					
tacaagetet	gagcaagcta	tctgaagaag	ctgtcatttt	taatgacggc	acaaacttcc	191640
	tgggtaatcc					191700
	acacaatcac					191760
attagggact	ttttgggtgg	tttactcgag	gctgcaacca	acaatgagtg	ttttctcaag	191820
	tgagatttgt					191880
aggttatgaa	atggccaggt	aaggttgggt	gcttccaagt	ctcaaatata	ctcctaaggc	191940
cagetecaag	tcataagctc	aaacaagtct	tcaaggggcc	tggagagtta	agacaaataa	192000
~~~	~~		ttatastsas	200000000	200100000	192060
	ggctacccac					
ccatcttccc	aacatggctt	ctatgttgct	tcaacaacca	gggcagggtg	aattaggggt	192120
	aatgtggact					192180
						192240
	tntttggttt					
aactcacttt	gtagaccagg	ctggcctcgg	actcagaaac	ccgcctgcct	ctgcctctgc	192300
	ctggaattaa					192360
	agtgacctgg					192420
tccggctcag	aattttgggg	ggacaaggta	ccttgattta	actgggcact	acacgactgt	192480
	ttgggagagg					192540
gcaaggctac	acagcaagaa	gctgtctcaa	aaccaaagac	atctttcttg	atccaaatcc	192600
tqtcqqaqqq	tgtgaggcct	tgggggccag	aacaaqqtqq	tcaaggaaga	ccactgactc	192660
	tccattactt					192720
	ctgcaatctg			taaactcagg	aaraaaccca	
atocctccct					990999000	192780
	ccccaccctc	cctgcatccc	tccatttacc	tgtttccagg		192780
				tgtttccagg	gatctgctta	192840
atttacctgc	cagcctttgg	tgggacacag	gcttagtggc	ttagcgctgc	gatctgctta tcggggcacc	192840 192900
atttacctgc		tgggacacag	gcttagtggc	ttagcgctgc	gatctgctta tcggggcacc	192840
atttacctgc agagaccctc	cagcctttgg acagaagcac	tgggacacag ctgaatgtac	gcttagtggc tttcagcgct	ttagcgctgc gcagagcacg	gatctgctta tcggggcacc cacggctcag	192840 192900 192960
atttacctgc agagaccctc gcccatcaga	cagcctttgg acagaagcac agaacccagg	tgggacacag ctgaatgtac cttatgctaa	gcttagtggc tttcagcgct ggagccagaa	ttagcgctgc gcagagcacg agtagaagca	gatctgctta tcggggcacc cacggctcag gctggcaaga	192840 192900 192960 193020
atttacctgc agagaccctc gcccatcaga gtgattcagc	cagcctttgg acagaagcac agaacccagg cccataaatt	tgggacacag ctgaatgtac cttatgctaa tacacatccg	gcttagtggc tttcagcgct ggagccagaa tacagccaaa	ttagcgctgc gcagagcacg agtagaagca cccacttgaa	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga	192840 192900 192960 193020 193080
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta	cagcctttgg acagaagcac agaacccagg cccataaatt ttgaaataga	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt	192840 192900 192960 193020 193080 193140
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta	cagcctttgg acagaagcac agaacccagg cccataaatt ttgaaataga	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt	192840 192900 192960 193020 193080 193140
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa	cagcctttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga	192840 192900 192960 193020 193080 193140 193200
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct	cagcctttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac	192840 192900 192960 193020 193080 193140 193200 193260
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg	cagcctttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaaa	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat	192840 192900 192960 193020 193080 193140 193200
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg	cagcctttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaaa	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat	192840 192900 192960 193020 193080 193140 193200 193260 193320
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg	cagcctttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa	192840 192900 192960 193020 193080 193140 193200 193260 193320 193380
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg ggtgcctggt	cagcctttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc	192840 192900 192960 193020 193080 193140 193200 193260 193320 193380 193440
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg ggtgcctggt	cagcctttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc	192840 192900 192960 193020 193080 193140 193200 193260 193320 193380
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg ggtgcctggt gttatgtcac	cagcctttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta	192840 192900 192960 193020 193080 193140 193200 193320 193380 193440 193500
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg ggtgcctggt gttatgtcac tgctctcgta gaactgtaag	cagcctttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga	192840 192900 192960 193020 193080 193140 193200 193320 193380 193440 193500 193560
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg ggtgcctggt gttatgtcac tgctctcgta gaactgtaag	cagcctttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc gtgtggcagc	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct cagctaagca	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg agggctgtgg	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc ccgactgctt	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga gggattatgg	192840 192900 192960 193020 193080 193140 193200 193320 193380 193440 193500 193560 193620
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg ggtgcctggt gttatgtcac tgctctcgta gaactgtaag	cagcctttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct cagctaagca	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg agggctgtgg	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc ccgactgctt	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga gggattatgg	192840 192900 192960 193020 193080 193140 193200 193320 193380 193440 193500 193560
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg ggtgcctggt gttatgtcac tgctctcgta gaactgtaag aaagtaactt	cagcctttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc gtgtggcagc ctgtctgtct	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct cagctaagca gtcattccat	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg agggctgtgg ttatatagtc	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc ccgactgctt ctgagaattg	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga gggattatgg aaccacttta	192840 192900 192960 193020 193080 193140 193200 193320 193380 193440 193500 193560 193680
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg ggtgcctggt gttatgtcac tgctctcgta gaactgtaag aaagtaactt ttgtgtctgt	cagcetttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc gtgtggcagc ctgtctgtct gtctcagtcc	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct cagctaagca gtcattccat tcttggtatc	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg agggctgtgg ttatatagtc atatattcac	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc ccgactgctt ctgagaattg ttaagacaag	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga gggattatgg aaccacttta atctcattaa	192840 192900 192960 193020 193080 193140 193200 193320 193380 193440 193500 193560 193680 193740
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg ggtgcctggt gttatgtcac tgctctcgta gaactgtaag aaagtaactt ttgtgtctgt ccactgacat gtcattcaga	cagcetttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc gtgtggcagc ctgtctgtct gtctcagtcc ctggttttga	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct cagctaagca gtcattccat tcttggtatc gcttgcaatc	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg agggctgtgg ttatatagtc atatattcac ctcctgcctc	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc ccgactgctt ctgagaattg ttaagacaag tgcctcaagg	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga gggattatgg aaccacttta atctcattaa cgataggatc	192840 192900 192960 193020 193080 193140 193200 193320 193380 193440 193500 193560 193680 193740 193800
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg ggtgcctggt gttatgtcac tgctctcgta gaactgtaag aaagtaactt ttgtgtctgt ccactgacat gtcattcaga	cagcetttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc gtgtggcagc ctgtctgtct gtctcagtcc	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct cagctaagca gtcattccat tcttggtatc gcttgcaatc	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg agggctgtgg ttatatagtc atatattcac ctcctgcctc	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc ccgactgctt ctgagaattg ttaagacaag tgcctcaagg	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga gggattatgg aaccacttta atctcattaa cgataggatc	192840 192900 192960 193020 193080 193140 193200 193320 193380 193440 193500 193560 193680 193740
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg ggtgcctggt gttatgtcac tgctctcgta gaactgtaag aaagtaactt ttgtgtctgt ccactgacat gtcattcaga	cagcetttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc gtgtggcagc ctgtctgtct gtctcagtcc ctggttttga tcgaccagac	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct cagctaagca gtcattccat tcttggtatc gcttggagtac tcttggtatc	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg agggctgtgg ttatatagtc atatattcac ctcctgcctc aggttctgtt	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc ccgactgctt ctgagaattg ttaagacaag tgcctcaagg ctcttagctt	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga gggattatgg aaccacttta atctcattaa cgataggatc tctacagtga	192840 192900 192960 193020 193080 193140 193200 193320 193380 193500 193560 193620 193680 193740 193800 193860
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg gtgcctggt gttatgtcac tgctctcgta gaactgtaag aaagtaactt ttgtgtctgt ccactgacat gtcattcaga cctagggtac	cagcetttgg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc gtgtggcagc ctgtctgtct gtctcagtcc ctggttttga tcgaccagac tttgtgtata	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct cagctaagca gtcattccat tcttggtatc gcttgcaatc tgggagtagc aagatctgat	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg agggctgtgg ttatatagtc atatattcac ctcctgcctc aggttctgtt ggcccgaccg	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc ccgactgctt ctgagaattg ttaagacaag tgcctcaagg ctcttagctt actcccttc	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga gggattatgg aaccacttta atctcattaa cgataggatc tctacagtga ctttaagtga	192840 192900 192960 193020 193080 193140 193200 193320 193380 193560 193560 193680 193740 193860 193860 193820
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg gtgcctggt gttatgtcac tgctctcgta gaactgtaag aaagtaactt ttgtgtctgt ccactgacat gtcattcaga cctagggtac	cagcettigg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc gtgtggcagc ctgtctgtct gtctcagtcc ctggttttga tcgaccagac tttgtgtata tatttagcat	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct cagctaagca gtcattccat tcttggtatc gcttgcaatc tgggagtagc aagatctgat caacttaata	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg agggctgtgg ttatatagtc atatattcac ctcctgcctc aggttctgtt ggcccgaccg aactcatttg	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc ccgactgctt ctgagaattg ttaagacaag tgcctcaagg ctcttagctt actcccttc gtaaagccat	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga gggattatgg aaccacttta atctcattaa cgataggatc tctacagtga ctttaagtga cttccccacct	192840 192900 192960 193020 193080 193140 193200 193320 193380 193500 193560 193620 193680 193740 193800 193860 193920 193980
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg gtgcctggt gttatgtcac tgctctcgta gaactgtaag aaagtaactt ttgtgtctgt ccactgacat gtcattcaga cctagggtac	cagcettigg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc gtgtggcagc ctgtctgtct gtctcagtcc ctggttttga tcgaccagac tttgtgtata tatttagcat	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct cagctaagca gtcattccat tcttggtatc gcttgcaatc tgggagtagc aagatctgat caacttaata	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg agggctgtgg ttatatagtc atatattcac ctcctgcctc aggttctgtt ggcccgaccg aactcatttg	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc ccgactgctt ctgagaattg ttaagacaag tgcctcaagg ctcttagctt actcccttc gtaaagccat	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga gggattatgg aaccacttta atctcattaa cgataggatc tctacagtga ctttaagtga cttccccacct	192840 192900 192960 193020 193080 193140 193200 193320 193380 193560 193560 193680 193740 193860 193860 193820
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg gtgcctggt gttatgtcac tgctctcgta gaactgtaag aaagtaactt ttgtgtctgt ccactgacat gtcattcaga cctagggtac ttgtggatta acatcaacag cttgaacaa	cagcettigg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc gtgtggcagc ctgtctgtct gtctcagtcc ctggttttga tcgaccagac tttgtgtata tatttagcat tgaaaatcaa	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct cagctaagca gtcattccat tcttggtatc gcttgcaatc tgggagtagc aagatctgat caacttaata acagcagtac	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg agggctgtgg ttatatagtc atatattcac ctcctgcctc aggttctgtt ggcccgaccg aactcatttg ctgttctct	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc ccgactgctt ctgagaattg ttaagacaag tgcctcaagg ctcttagctt actcccttc gtaagccat agagcagcgg	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga gggattatgg aaccacttta atctcattaa cgataggatc tctacagtga ctttaagtga cttccccacct ctctcagcct	192840 192900 192960 193020 193080 193140 193200 193320 193380 193560 193560 193680 193740 193860 193860 193920 193980 194040
atttacctgc agagaccctc gcccatcaga gtgattcagc gccactttta gggtatataa cctcacgcct actaagtgtg gtgcctggt gttatgtcac tgctctcgta gaactgtaag aaagtaactt ttgtgtctgt ccactgacat gtcattcaga cctagggtac ttgtggatta acatcaacag cttgaacaaa tccggccttt	cagcettigg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc gtgtggcagc ctgtctgtct gtctcagtcc ctggttttga tcgaccagac tttgtgtata tatttagcat tgaaaatcaa taatacagtt	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct cagctaagca gtcattccat tcttggtatc gcttgcaatc tgggagtagc aagatctgat caacttaata acagcagtac cctcgtgttg	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg agggctgtgg ttatatagtc atatattcac ctcctgcctc aggttctgtt ggcccgaccg aactcatttg ctgttccct cggtgaccc	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc ccgactgctt ctgagaattg ttaagacaag tgcctcaagg ctcttagctt actcccttc gtaaagccat agagcagcgg cccccccc	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga gggattatgg aaccacttta atctcattaa cgataggatc tctacagtga ctttaagtga cttccccacct ctctcagcct agccgtagaa	192840 192900 192960 193020 193080 193140 193200 193320 193380 193560 193560 193680 193740 193860 193860 193920 193980 194040 194100
atttacctgc agagaccctc gcccatcaga gtgattcagc gccacttta gggtatataa cctcacgcct actaagtgtg gttatgtcac tgctctcgta gaactgtaag aaagtaactt ttgtgtctgt ccactgacat gtcattcaga cctagggtac tgtgtgatta ttgtgtcttt	cagcettigg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc gtgtggcagc ctgtctgtct gtctcagtcc ctggttttga tcgaccagac tttgtgtata tatttagcat tgaaaatcaa taatacagtt gcttaaccag	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct cagctaagca gtcattccat tcttggtatc gcttgcaatc tgggagtagc aagatctgat caacttaata acagcagtac cctcgtgttg agttaactgg	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg agggctgtgg ttatatagtc atatattcac ctcctgcctc aggttctgtt ggcccgaccg aactcatttg ctgttccct caggtgaccc aagggttaat	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc ccgactgctt ctgagaattg ttaagacaag tgcctcaagg ctcttagctt actcccttc gtaaagccat agagcagcgg cccccccc aataaaacca	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga gggattatgg aaccacttta atctcattaa cgataggatc tctacagtga ctttaagtga cttccccacct ctctcagcct agccgtagaa gtctgggaga	192840 192900 192960 193020 193080 193140 193200 193320 193380 193560 193560 193680 193740 193860 193860 193920 193980 194040 194160
atttacctgc agagaccctc gcccatcaga gtgattcagc gccacttta gggtatataa cctcacgcct actaagtgtg gttatgtcac tgctctcgta gaactgtaag aaagtaactt ttgtgtctgt ccactgacat gtcattcaga cctagggtac tgtgtgatta ttgtgtcttt	cagcettigg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc gtgtggcagc ctgtctgtct gtctcagtcc ctggttttga tcgaccagac tttgtgtata tatttagcat tgaaaatcaa taatacagtt	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct cagctaagca gtcattccat tcttggtatc gcttgcaatc tgggagtagc aagatctgat caacttaata acagcagtac cctcgtgttg agttaactgg	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg agggctgtgg ttatatagtc atatattcac ctcctgcctc aggttctgtt ggcccgaccg aactcatttg ctgttccct caggtgaccc aagggttaat	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc ccgactgctt ctgagaattg ttaagacaag tgcctcaagg ctcttagctt actcccttc gtaaagccat agagcagcgg cccccccc aataaaacca	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga gggattatgg aaccacttta atctcattaa cgataggatc tctacagtga ctttaagtga cttccccacct ctctcagcct agccgtagaa gtctgggaga	192840 192900 192960 193020 193080 193140 193200 193320 193380 193560 193560 193680 193740 193860 193860 193920 193980 194040 194100
atttacctgc agagaccctc gcccatcaga gtgattcagc gccacttta gggtatataa cctcacgcct actaagtgtg gttatgtcac tgctctcgta gaactgtaag aaagtaactt ttgtgtctgt ccactgacat gtcattcaga cctagggtac ttgtggatta acatcaacag cttgaacaaa tccggccttt ttatttcatt ctaaggttac	cagcettigg acagaagcac agaacccagg cccataaatt ttgaaataga gagataatcc gcctgcaagg gaggtatgga tggtggcacc tgggtatggg aggttcctgc ccacttactc gtgtggcagc ctgtctgtct gtctcagtcc ctggttttga tcgaccagac tttgtgtata tatttagcat tgaaaatcaa taatacagtt gcttaaccag	tgggacacag ctgaatgtac cttatgctaa tacacatccg aaagatgcct catgttgtct tagccaccaa taaaaaaaa gtttggggag ctttgagagt caccatgttt tcaggtctct cagctaagca gtcattccat tcttggtatc gcttgcaatc tgggagtagc aagatctgat caacttaata acagcagtac cctcgtgttg agttaactgg taggaaggag	gcttagtggc tttcagcgct ggagccagaa tacagccaaa attctggagt ttgatgtggt gccacaccca tgtcccaaga gcagtggacc ttgtagcttt cctctgccat ttcagtcctg agggctgtgg ttatatagtc atatattcac ctcctgcctc aggttctgtt ggcccgaccg aactcatttg ctgttcctc cggtgaccc aagggttaat aggaaagggc	ttagcgctgc gcagagcacg agtagaagca cccacttgaa gctaagtggt gctagggaga caacctctat cctcacgaat atttggtctt gctcccttc tatggacacc gagtcttatc ccgactgctt ctgagaattg ttaagacaag tgcctcaagg ctcttagctt actcccttc gtaaagccat agagcagcgg cccccccc aataaaacca cactcgcaca	gatctgctta tcggggcacc cacggctcag gctggcaaga gtgatccaga acaggagggt taacccagga ttatacacac ctgcaaacat gcaggaggaa cagttaactc tggtcctcta atagcaatga gggattatgg aaccacttta atctcattaa cgataggatc tctacagtga ctttaagtga cttccccacct ctctcagcct agccgtagaa gtctgggaga aacctgtctt	192840 192900 192960 193020 193080 193140 193200 193320 193380 193560 193560 193680 193740 193860 193860 193920 193980 194040 194160

						304240
	ctgagtttct					194340
aacacaaqtc	aatataaacc	tttagacatg	gggctgccaa	acttcacttt	tcgacagtat	194400
	tagtcaatag					194460
tatttatact	tttcgaagac	aagccactca	gggaaaaaat	ggrggggga	ggaggaggaa	194520
caatttgacc	ctgtagttca	aaaaaagtca	gaacagcaca	ctagagatta	gcaagggttt	194580
2210022000	ataaaacact	ngaaatatgg	acadaaatca	gatccctgcc	ttcatttttc	194640
aatyyaayyt	acaaacacc	ggaaacacgg	ucuguuuccu	b		
tgccttttac	aaagagactg	gagggaattc	agaaactatt	taaaataaag	gcaaaatgat	194700
tagagcccct	ccctcccctc	agctgcttaa	cactggggtt	gtggtggacg	caaaataagc	194760
attaaactct	aagtgataga	taaaaatcaa	aacaddaaca	atattttaa	ggcaaaatat	194820
accyagecee	aagegaeaga			9-9	950	194880
	attcaaagaa					
aatccctcac	aggcgttaac	agtggaacca	atttccaagg	cagccctgct	ggtgatctga	194940
tttttgagta	gggaaatctg	ttaaacatcg	tcccacgagg	gagcccagct	ctttcactcc	195000
concagatet	ctacatgcag	ctatacteae	tetactasaa	taaccaataa	agaggata	195060
ccacgggttt	ccacacgcag	cegegeeaga			994994949	
ggattggttc	agcgacctca	gaggacattc	ttgttcacta	gecetegtge	actggggcga	195120
tgaccgaatg	ctgtgagcag	gagatatcaa	aggccggcta	ctggactgaa	aactagatca	195180
	cctgcaattt					195240
	aagcaaggtc					195300
gaatcaagtg	taactcaatc	cctatctcct	gagattaggg	aagggaagga	aggctgtgtc	195360
tactaaacca	gtgagcctca	agcaaagcct	gtctgttctc	agcaaggtga	gccacccacc	195420
aaadatqcca	acagctaagg	accadanata	tagtgcaggg	tactataata	tcaacaacta	195480
adagacgeea	acagecaagg	goodgggacg				195540
ggagacagaa	acaggaggat	caggacttca	aggtagtttg	ggctataaaa	tataagcttg	
aagctaccca	cttgaagact	gtccccaaca	aaacaaacaa	gctgggtatg	gtggtcgatg	195600
	tagtgtatga					195660
						195720
	gatggtgcct					
agggtgcatc	gatctaaatc	cacatacctg	gatttaaagt	aatatctggg	agactggtct	195780
ataaaaacca	ttccagagat	ttaataaaga	cccaccctga	ctgagtatgg	gcaacaccca	195840
+ a a a t a a c c c	aggggtccag	actraataaa	aaaaaataa	.uaddaadttc	adctadtadt	195900
tgggtggttt	aggggcccag	accyaacaaa	gggaaaacgg	gaggaageee	t	
gtttccaagt	attaggacca	cagcctggcc	cctggcatgt	gctggccagc	tagtctagct	195960
ccagtatcaa	gcttcaggcc	agcggcaggg	cactggacag	ttcccacaca	cgacacacac	196020
	cactagcatt					196080
						196140
ggetgeeaca	gtgagagtcc	CCLaccitic	LCaccyctaa	ggacggcaca	aactytyayt	
	catttctcca					196200
agcaactgaa	acatggggtg	ctgtgacccc	ttggcaccac	aaagccatgg	caagctgaag	196260
tacacacate	acaggccagg	cctasaasta	ctagagaact	acaatactac	ctggattctg	196320
						196380
gcagagatgt	gcagcagatg	ccaagaggtg	ggetgeagea	accagagata	attaatatya	
ttaggaacac	actgagcagg	catgctcttg	ccgaatgaaa	agcctcgcag	tgtaatgact	196440
	tcgatcacgg					196500
	tccaaccccg					196560
caacaccaa	tecaaceceg	aggggccaga				196620
ccttttgtgt	tttcattcat	ttaaagatgc	attccagggt	tgcaaacatt	agtgagaatc	
atctccaggc	ctcagtctaa	tctctgagtc	tgtaatgagt	taacatcttt	ccctagtgaa	196680
	gaaggctaat					196740
						196800
aagtaggatc	cacaaagata	Lacigical	LCaaacaaag	Caaayyaaac	aaagccccc	
	tatttaacat					196860
ggtaactgat	gcaaactgaa	gccatgctct	gtagcagcct	ggatgtccca	gtgccacctc	196920
tatctacaga	ctttgtcgga	tttactaaga	ttctgttatc	ttcaaacagg	gattgtgtct	196980
anatha ata	accccactat	ataastasta	2244222442	tacaatttaa	gaatttactt	197040
caagtaactg	accccactac	grayaraara	aagcaaacca	Lycaacccgg	gggtttgtt	
ttccccaagg	ggacagcaag	ccagtgctta	tcagccgtcc	tcagaggaga	caattctgat	197100
taatatcaga	gtcatctgac	tcagtctatt	aaacctatca	aaccctgaag	gaaggatatt	197160
cadatattaa	cgataggcct	ttgattaata	attctacctt	gttgccattc	taagcattaa	197220
cagacaccaa	gtaactctgc		atttatta	300300000	aggeteteaa	197280
caaccatgca	graacterge	aaaacagacc	Citigatics	aggeagaege	acceletyda	
cacctgggtt	ctcccctact	cttctcccc	caggaggaac	tcaagacaaa	aaggtgccac	197340
cactggaaaa	gcacactcca	ggttacataa	tttgcctcat	tatccagagt	ggggttaatg	197400
acttotoaca	taatttctgt	ttaaanataa	caaaatttca	tgaaatccga	caaagccgga	197460
accegegaea		toguagacua				197520
aggcaggagg	aggggactgc	tgccacacta	eeggiggeeg	agaactggag	cggaaggttc	
acacacagcc	ctctgagctc	actgtctttg	cttatcagtg	agtcccaaga	ggggcccaga	197580
tagattacca	gcctccccta	gaggatette	attgtggagc	tgtcccataa	ggcgggaagg	197640
220002++0+	atttctgttc	ttotototot	cattetages	accantents	cttactccca	197700
aayccacccc	- LL - LL - L				arter-	
tcacatgttc	ttcctgatgt	tcgcgatcag	ccgtctgcca	cagtctctga	agtccacggg	197760
cttcacgtcc	atcacagtgg	ccttaattcg	agattcatcc	tttagaaaag	agagaagctg	197820
tttataaata	gcagagcctg	acatacaaca	gaagagaaa	ctttctttac	ttcagtggct	197880
+022+020+0	cagcaggaag	3-3-3-a	tacaactctc	20222222	tactatasat	197940
ccaacyayco	caycaygaag	aayyaaaycu	. cacaageeee	ayayayaady		
tcctggagtt	gggccagatc	ctcttccaca	gaccctttcc	ccatcctagg	tgccctgtgc	198000
tcagacctag	catcctcccg	gagaagcctc	: tgtctttcta	tgggtgcagt	gggggcccag	198060
			ctttcatcta	gaggagetet	gtggtagtag	198120
agcagacagg	taactcaccc	Ladaucalia	CCCCCCCC.A			

qqactqaqqc ttctgctcca gctctgggca aqqttacttc tctqctcttc accattcctq 198180 tocatoccaq qaagacaqaa aatooctaca ototocottq atotaccoqa otttotqaca 198240 ccagcctacc tatgttcatt taatacaaca actaaaatat ctattcacag gcactaagct 198300 ggtgataacg cagaatgcac aaactctgcg gctgcagggg agacggcaga gttcctcctc 198360 cacttgtctc cttgaactaa acagtgtctt tgaggcagaa cagggtgaca cctagggaca 198420 cacaagteta getgggggee tteatgette catgtgetta gtaattaatt actacatgea 198480 ccgctgttta caagtatggt taggagcccg actgcctggg ttggcctctc gcctctgcca 198540 ctccatggct ttaggttcag agtcattctc tgcatgcctc tgcctgtctc tccgttggta 198600 aagcttqcaa caacagctcc aacacagaaa gtgctgtgag qqtcqacagt qqataqatqq 198660 ctagatagat ggggcaggac ggactgtcca gtaagcaggg ttcatcatgg ctatgcagct 198720 ctggacatca ggattagttt aaacacttgt caggtggggc acttttacca gcacgtgcta 198780 tttgtttaat attctgagtt ttagaaccta aactgtggga aacaagagtc cacacataac 198840 198900 198960 ctcctgctgg ggttacaggc ttgagccacc atgacagctt tagcaatagc tttgtaaatc 199020 cacagtgtca agctggatat gatggcacat gcttgcaata ctaacctcca aagattccct 199080 gaactcgagt tggtgaaata gtccaccagg taaaagagct tgctgcccaa gcctgaatct 199140 gattccctgg tcacatgctt taaggaaaga acttgccgaa gatgtcctct gagtgccacg 199200 tgtaccgatg catgettgca gccacccaca cacccacaca agtgcactgt ctcacacagt 199260 199320 gagggggggt gtaaagctct tggcaggtgg ctggctcctg gtaacactcc ataagtgggg 199380 aagttccaca tgtaaggtca tgtgatcgag tacatctggg cctccaacag tccttgnnga 199440 agaaacagat gcagtctgtc atatctaaac cattgttgtc gtatctctqq gtagtctttc 199500 199560 tatatctaag tacactgtag ctgtcttcaa acacaccaga agagggtgtc tgtcagatct 199620 cattatggat ggttgtgagc catcatgtgg ttgctgggat ttgaactcag gaccttcaga 199680 agaacagtca gtgctcttaa ccgctgagcc atctctccat cccccaaccc ctttctcttt 199740 tgagttaggt tttgtgtagc cctgggtggc gttaccttaa ctacactggc tttgaacttg 199800 caatgatact ctgcctgatc tgtcttaatc attttgagat agggactcac tacatagcct 199860 ttgctggtct ggaactaaca gagatctgcc tgtttctgcc ttgcaaatgc tgggaataaa 199920 gttatgtacc accacctg gagtttaagg gttttttgtt tgtttgttt tcgagacagg 199980 gtttctctgg gtagtcctgg ctgtcctgga actcgctctg tagaccaggc tggccttgaa 200040 ctcagaaatc cgcctgcctc tgcctcccaa gtgctgggat taaaggcgtg tgccaccacg 200100 cccagtttaa gggtttttt ttgtttgttt tttcctgaga cagggtttct ctgtgtagct 200160 ctggatgttc tggaactcac tctgtagagc aggttagcct tgaactcaga aatctgactg 200220 cctctgcctc ccaagtgctg ggattaaagg cgtgtgccat cactgcccag tgattttttt 200280 ttttttaatg tgtgtatttg tatgggtgtq tgggtgcttg tggaagccag gtgtcagatc 200340 eccagagegg aagtgttett aacegetgaa ecatetetet teeetettee etaaetetga 200400 ttttaaaggc accaaactct taggtaggag actatacaca cacacacaca cacacacac 200460 cacacccgta cacacccgta cacaccacat gaccatgcct gagcacacaa gtggttttat 200520 tgctggtctg gcctgtgtat gagctggaac caaaaccttt gtcgggagat ccgcagtctg 200580 cagtttgagc acaggetete tggtttetgt tetetgteet gtgtegeate ttgactagag 200640 gcagagaagc atctgcaagg ctgtgaccac gctggctggt gctctgccat ctacattttc 200700 aacaggaaat ctcaggagag tatttccttt taagaacgcc agacttttgt gcctgggcca 200760 cttctctact tcccagaaca ttgtgtgcca agtggcaagt tattaaccaa gtgctttgga 200820 aaattaaact ccttggtttg cagagtagca tgggagcatt gagagggtgt atqcctaaag 200880 gcctggttct gctgctggca gagctgacac ttggctaaag ggctggcatt tctgagatga 200940 gcctcactag atccgcgtct cagagtctgc aggagaaatc agagaggga gaaggtccag 201000 tggcctgttc aggatgatct tcctctgcat ttaagggcgg ctggtttgcc cacqtaqccc 201060 cagaaccaaa cgagcctcgg acgaagcccc ctaaaggcag taggagagac tgagccttgg 201120 ctcttcagca ggggtgggga caagagcaag aggcgggatc tcgcccggcc ctttagagac 201180 acgtgcggtt gtttccgtgt ctgggagatc acatgacccg catcagctga cccgtcacgg 201240 tggagctcag cgctggtgct tcgcgctccc cgccctgctg cgccccggag cgcaggaccc 201300 tgcggagggg taagaaaacc cccaggcttt ctttcctttg tcgctggttc gcgcagtcac 201360 etgeacecta ecceegete etegtteate ceagtettee eggeetggea ecceggaage 201420 cactgcgagg agggccgtgg ccaggctcag ccttgcgctg cccccaggcg gccaggacca 201480 aatggcccag gggagcagaa ggcggaaagt ggttcttaca gcagggtccg agggctggtc 201540 cccttcctca ggacctgaca tggaggagct gctccggagc gtggagagag atctgaacat 201600 tgatgcccgg cagctggccc tggcgccggg gggcactcat gtagtggccc tagtgtccac 201660 gcgttggctg gctagtctcc gggagcgccg actgggaccc tgtccccggg ctgagggcct 201720 gggtgaagca gaagtcagga ctttactgca acgttcggta cagaggctgc ccccaggctg 201780 gactcgagtg gaggtqcatq qqctqcggaa acggaqactq tcctacccqc tqqqtqqaqq 201840 egtgeeettt gaggaggggt eetgtageee tgaaaetete acteggttea tgeaggaggt 201900 ggctgcccag aattaccgga acctgtggcg ccatgcatac cacacttatg gacagcctta 201960

cagccacage actgcccct cagetetace tgccctagae tetatacgae aageteteca 202020 gagggtgtat ggatgcacct tcttgccagt gggtgaatcc atcccatgtc tatcaaatgt 202080 202140 cagggatggg ccctgcccct ctcggggcag ccctgcctgc cccagccttt tgcgagctga 202200 qqctttqctg gagtcgcccg agatgctcta tgtggtacac ccttatgtgc aattctccct 202260 202320 tettetete egtgttetga gggeeatgga tgeetgteae egeeagggge tggeetgtgg ggctctgtct ttgcaccaca ttgctgtaga cgagaagcta tgcagtgagc tccggctgga 202380 202440 cctgagcgct tacgagatgc cttccgagga tgaaaaccag gagggctctg aagagaaaaa tgggacaggc attaagtctg aaaaagaggg ggaagggaga actgagtgtc ccacctgcca 202500 gaaagaactt cggggccttg tgctagactg ggtccatggc cgaatcagca acttccacta 202560 ceteatgeag etgaateggt tggeaggteg aeggeagggg gateceaact ateaceeagt getgeeetgg gtggtggaet ttaceaeace ttatgggege tteegagaee ttegtaaate 202620 202680 caagttccga ctcaacaagg gagataagca attggacttc acctatgaga tgacccggca 202740 ggcatttgtt gcaggtggtg caggaagtgg ggagccaccc catgttcctc accacatctc 202800 tgacgtgete tetgacatea egtactatgt atacaaggee egtegeacae egegeteggt 202860 202920 qctctqtgga catgtccgag cgcagtggga accccacgag tatcctgcca ccatggagcg gatgcagacc tggacaccgg atgagtgcat acccgagttc tacacggacc cctctatctt 202980 ttgctctatc caccctgaca tgcccgacct ggatgtgccg gcctggtgca gttctaacca 203040 ggaatttgtg gctgcccatc gagccctcct ggagagctgg gaggtgtccc aagacctgca 203100 203160 tcactggatt gatcttacct ttggctacaa actccagggc aaagaagctg tgaaggagaa 203220 gaatgtgtgt ctgcacctgg tggacgctca cacccatctg accagctatg gcgtggtaca 203280 gctatttgat cagccacacc cccaacgcct ggctggatct cctgccctgg cccctgaacc tocactcatc coccggctgt tggtccagcc tattcgggag gccacaggcc aggaggacat 203340 ttcaggacaa cttataaatg gtgcgggcag gcttgtcgta gaggccactc catgtgagac 203400 tggctggact agagataggc ctgggacagg agaagatgat ttagaacagg ctacagaagc 203460 totggattoc atotocotco cogggaaago aggtgaccag coaggotott cotocagtoa 203520 203580 agcatcacct ggcctgttgt ctttttctgc accctcgggg tctcgaccag gccgtaggag caaaqctqcc qqqttqqacc ctqqgqaqqq tgaagagggc aagattgtcc ttccagaggg 203640 203700 cttcagtccc atacaggect tggaagaget ggagaaagtg ggtaacttcc tggccaaagg cctagggagc cagttggagg agcctgaaaa gcctcacgcc cagccacctg tgcacctgca 203760 gageetette categagaea tgeaggteet gggtgteetg ttggetgaga tggtgtttge 203820 caccagggtc cggatactgc agcctgatgc acctttgtgg gtacgctttg aggctgttcg 203880 gggtctctgc atacgccact ccaaggacat ccccgtgtct ctgcagcctg tgctagacac 203940 actcctacag ctgagcggac ccaaaagtcc catggtgtcg aagaagggca agctagaccc 204000 204060 cageccette ageteegtgg teccetteee tecatactte ecageactge acaagtteat 204120 204180 tcttttatat caggcccggc gtgtggagga tgaggtccag ggtcgggagc tggcgtttgc tctgtggcag cagctgggtg cggtgttaaa tgacatcact cccgagggct tagagatcct 204240 cctgcctttc gtgctgtcgc tcatgtctga ggagcacacg gctgtgtaca cagcctggta 204300 cctatttgaa cccgttgcca aggccctggg ccccaaaaat gccaacaagt acctcctgaa 204360 geeteteate agtacetata agageeetta egeetgeat ggeegettet acetgtacae 204420 cqactgtttt gtggcccagt tggtggtgcg gctgggcttg caggccttcc tcacccacct 204480 gctgccccat gtcctccagg tactggctgg ggtggaggct tcccaggagg agggcaaagg 204540 cctggtcggg accactgagg atgaggaaag tgagctcccg gtgtccgggc ctggctcctg 204600 tgcctttggg gaagagattc agatggatgg gcagccggct gcttcctcag gactggggct 204660 cccagactac aggtcgggcg tcagcttcca tgaccaggcc gacctgccgg acacggagga 204720 204780 cttccaaqct qgactctacg tggctgaatc tccacagccc caggaggctg aggccgtgag 204840 cctgggccag ctgagtgata agagcagtac cagcgaagcc tcccagggcg aggagagggg 204900 tggggatgat ggcggtgccc ctgcggacaa gaacagcgtc aagtcagggg acagcagcca ggacttgaag cagagcgaag gctctgagga agaggaggag gaggaaggct gtgtggtgtt 204960 ggaggaggac caggaggatg aagtcacggg aacatccgag ctcactctgt ctgacacgat 205020 205080 qctqtccatq qagacqqtqq tqqctcctqg tgatgggaga gacagagaag aggaagagga 205140 qccqctgaca gagcagacag aaggcaaaga acaaaagatc ctccttggtg agcccgtggg ctgagggggc atgggtcagg tgcttttcct tcaggctctc atatgctggg tgtgggtcca 205200 205260 accagatcca ctgtagcacg cacagccaca gtcagacaca gtgcatggaa tgtggaagtg ctgtgtgtga gtggaaagtg gggcttagat ttagctttca ggagacagaa agctccttta 205320 aaagccatac cttgggctga ggctgggagt ggagttgagt ggtagagcac ttgtctggta 205380 205440 tactcgaggg ccctgggtgt cttatctcta gccccagaag aagtattaag aaataaaagc 205500 aaqtqqtqqt tgagatqtqa atggagccag aactggccqg aacagtcggg tggaagtggg 205560 aagagtgttc cagacaggga acagtgtgtg tgtacctctg aggctctcat ggttccatca gagaggcagg gaaaggctaa aatggttttc ttaagagagt ccagaagggc tgggcttggt 205620 ggtgcaggcc tttaatccca gcactcagga ggcagaggca ggcggatttt tgagttcgag 205680 gccagcctgg tctacaaagt gagttccagg acagccaggg ctatacagag aaaccctgtc 205740 205800 tcgaaaaaaa aaaaaaaaa aaagagtgta gaagggtgga agccagggac aagtctgtac

aagaaggaac ttgggagcat tgccgaaagg atgacctctc tgcaggtcct gcccgaggag 205860 205920 ccaqtttctq qqqaccttga ccatqqctag gtgaatggac ccaqgatggg atggtcaggc 205980 ttatctqatq agctcaggac cttttcctgc cctgcagata cagcctgcaa gatggtccgc 206040 tggctgtctg ccaagettgg ccccacagta gcctctcgcc atgtggcccg gaacctgctg 206100 cqcctqctqa catcttqtta tgttggtaag gtctgtggtt agtgctggag accaggttcc 206160 ccagccagge ttctgcccat ccttagccct ctctaggcga ctccttccct aacttcccag 206220 cactccctga gcagggcctg ggtctcaccc attaagctgg gttttcttgg gtaagtgggg 206280 206340 aagaqcccaq tattgaatga atagaagcca ccccacagtc tcagaaggcc ggcttccctc ctgccctcca ctggcttctc aacgctgctg cccttccttg gtagggccca ctcgacagca + 206400 gttcaccgtc agcagtgatg acacccctcc actgaatgcc ggcaacatct accagaagag 206460 gccagtccta ggtgacatcg tgtcggggcc tgtgctcagc tgcctcctcc acattgccta 206520 206580 cctgtatgga gaacccgttc tcacctacca gtacctgccc tacatcagct acctggtcag tccctggttc gtcaaacccc ggcttggggg tgggggcaag gatccaagga ccagcccag 206640 gtcttggggg ttccaggagg tctgtggggt gacctgtccc tccctcatct attctgtggt 206700 tctaqqtaqc cccaqqqaqc aactcaaacc ccagccgact gaacagccgc aaggaggccg 206760 ggctgctggc agcggtgaca ctgacgcaga aaatcatcgt atacctctct gacacgaccc 206820 tcatggacat tctgccccgc attagccacg aggtcttgct gcctgtgctt ggcttcctca 206880 cctccttcgt cacagggtag gccctgctg cttgggagag ccacctggct gagggggccc 206940 ccaggaaggg ctaggaagct cagggagaag cagataccgg cctgagtcat ggttctgatg 207000 ttgggggtag tggcacaggt ctttcattcc agcacccaga ggagggcaag tttctgtgag 207060 tctqaqacta qcctqqtcta caqaqaqaqc tccaqqctat ctaaqqctcc ataqtaaqac 207120 tctgacttaa gaaaagagtc gtggttcatt ctgggttgtg ggtgtggctt ggtgatggga 207180 207240 cactttccca gcatgcagga ggagctatgc ttgagttcca gcccttcaga aaaacaaaaa 207300 tgggggctgg aaagaatagc tcagggttta agagcactgg ttgctcttcc agaggatcca ggttagattc ccagctgcca catggtagct cataaccatc cggcagttct atggaacctg 207360 ccaccctcct tcggtctctg tgggcactgc aaacatgtgc acagacatac atgcaggcag 207420 aaaaaaacacc catacacata aaattagacc aaaaaagttc atgttctctc ctacctgtag 207480 ctctgactaa gctacactgc ttccctgtgc ctcagtttcc tcccctggtc tggactgatc 207540 agcettacat geageteetg ttatttgaag tteetggtaa attggteaag teetteaggg 207600 207660 aagggctggg aactcttgca ctttgattct aggttcccca gtggggccca ggcccggact gtectatgeg tgaaaaccat cagteteate geeteatet gettgegeat egggeaggag 207720 atggtccage ageacetgag tgagccagtg gecacettet tecaagtett eteteatetg 207780 207840 qqccaqqcca qqqcaqtqqa cccactqaat ctqtqqtctt cctacccqca qgatctqcca 207900 ctgqatccta agggctgtac tgagggccag ctgccagagg cgaccttctc tgatgggcag 207960 208020 cgacgaccag tggaccccac cctgctggaa gagctgcaga aggtgttcac cctggaaatg 208080 gcgtacacaa tctacgtacc tttctcctgc ctgttgggta ttgcccatca cgttcctttg cacagagttg gtgactacat ctcttccctg gggtgggccc cgatgctttc acctccagag 208140 tcagcaatgg aatctttta tttttatttt gacatggggt ctcatttagc ccaggctgac 208200 ctttaactcc agctccttcc agcttccacc gtctcctgtt ggcattgtag tcatgtggca 208260 ttqctcaqqc ttcttncatq ttcttatttt taaatqacct qtqtqtqtgt gtqatatctq 208320 tgtgagtgtg gaggtgacag aataacagtt ggggggtcag cagatgcctt gcctgatgag 208380 catctctcta gatccagttt ttggttttgt gggcttttat gtgtgtgttt gtttgtctgt 208440 ttttgtagac agggtctctc tgtgtagcct ggccatcctg gaactcattc agtagaccaa 208500 qctqqccttq aqctcacaqa qattcacctq cctctqcctc ccaqtqctqq gattaaaqqc 208560 gtgtaccact cctgcctggc tttgtttttg ttaaccacca tcctcctgcc tcagcatctg 208620 208680 cctcccctqt qctqqqatta caqqtqtqtq ctatcacacc caqctaacag tggatttaaa 208740 cqtaqqaatt ttagqatcaq aqtqaccaqa tttggtccta gggcccaatt tccacagtga 208800 ttatctatct tagttaggat ctctgttgaa aatcatggtg gaacatcatt accaaatgca acttggggag gaaaaggttt attttgtctg acaactctca ggtcaccaag ggaagtcagg 208860 gcaggaactc gaggcagaag ctgaagcaaa agccatggaa gaactctggc ttgttcctca 208920 tggcttgctc agtctggtgt accccctcc caccacctc cccacaatgg tttctctgct 208980 209040 tatgcctggc tgtcctagaa ctcactctgt agactaggct ggcctcaaac tcaagagatc cccctgcctc tgcatctcaa qtgctaagat taaaggcggg tgccatcacc cctgccccag 209100 gggtggcact acceactgta aattggteee tteecatate agttgttaaa taagaaaact 209160 cctccatagg ccaatctggt gggggaattt tctcagttga gggtttctct tctcaaatga 209220 ctgtagctga tgccaaattg ataaaacaaa tctcaaacca ccaccaacaa caacaataaa 209280 accaaacaaa ccaaacaact aaccaagaca gtgacttata aagagaatct gaacattttc 209340 209400 cagcaggaaa ggctcaggag ctggccattc aagtctgggg aacagaatgt aggggaatat 209460 gatggtctcc agaagctacc tgcaaaggaa tgaacagctt gctgggtttt gtggcttccc ttatgggatg ggcgctgtac tgggcttctc tctgagtagg atgggccacc ctgtagttgg 209520 209580 gaatattttg ctcctacaga attgtaagtt cccagaggca ggacacatct gtcttattct tcattgtgtg tctgatgcta gaatggtgcc tggcatacac qtgtgtgtct ctatagagac 209640

agcactcatg	tctacgtatc	gataaaggaa	gctgttttgg	ggggaggaaa	caggcttaca	209700
	taataaccca					209760
	ggtagatagc					209820
	gacatcatcc					209880
	ctggaaagca					209940
	gccggccctg					210000
	acctttggga					210060
	cctgggccac					210120
	gaagacaacg					210180
	ctggcgtact					210240
	cagatccgcc					210300
	agcagtgaag					210360
	tacaactatg					210420
	aaaagcgtct					210480
	gcagtgcacg					210540
	ctgctttact					210600
	gcgtattttg					210660
	tctgtgggac					210720
	caggcgtctg					210780
	tggcttcttg					210700
	tcagggcaga					210900
						210960
	tggggctgga					211020
	ttttctgagg					
	ccagggctct					211080
	gcacagtgga					211140 211200
	cacacaccag					211260
	agccaggctt					
	agtcaggaaa					211320
	tgggtggggc					211380
	gcctactggt					211440
	atggcgacgg					211500
	gctgaaccct					211560
	tggcttctcc					211620
	ctggccagcc					211680
	tcctttcatt					211740
	ataactactc					211800
	ccagctgcac					211860
	cacagcgatg					211920
ggatcagggg	tcacgccctg	teegtgaeee	agilicaggil	aaacaaagee	aggaggetgt	211980 212040
	gagaccactg					
	gcgcaggcct					212100 212160
cagagereag	caggttctgg	gaggggagaa	aragggerge	ccgcgggagg	acticicicci	212100
geagegggaa	ctctcctccc	cogoogcoca	garggaggrg	adagacagge	actiguigett	212220
	caggctgccc					212280
	cccaacattc					212340
	tctcggagtc ttctttgaga					212460
						212400
	aacacccttt					212520
	acacaaataa					212560
	cgattggatg ggtcttaaaa					212700
ataganaa.	tcaggagcag	naaaaaga	atatatataa	atttaaaac	acatcatta	212760
	tttcagggca					212700
						212880
acaaddiatt	taaaagattt gaactcactg	tatagagaga	actaceacet	taaactcacc	aarataataa	212940
						212940
	tcctaagtgc					213060
	ggtgttttgc					213120
ayyyyttaga	ggcgagtatc actgggtcat	ttaannan-	tagaactagag	tetanggaagg	ctccacccc	213120
ctargetggg	tttooocc	cugcaagagt	andaytact	tattattat	ttattt	213180
tttagagtttt	tttccccct	ggolglootg	aaytayaatt	daactcact-	tateascase	213240
gatasasta	gggtttctct	acataggeet	totagetete	gaactcactc	aattaaaa	213360
	aactcagaaa					213420
	acgcctggct tttttctttt					213420
Ligititight		cititiegt	cucyculu	cygocoactt	guulatug	212400

```
ttttqaqaca qqtctcactc tqaaccccta ggtggcctgg agcttgctat gtagaacaca
ctgactttaa acttgttttc tgagtgctgg atttatgggc ttgtgctatt ttgcccagcc
tctgatggtt gttaataaca atattattta gcttttcttt tggagatagg ctctcactgt
atatcaccca qacagtggct ggtctggaaa tcactgtgta ggccaggctg accttgaatt
                                                                   213720
cacagagate tgcctcccga gttcagaaat taaaagcact ctgggatggt tttggagttt
                                                                   213780
qqtqaqtacc caageeteea ttgatgetat etgteeetee egetetetge aggetgtaga
                                                                   213840
gggcagcgtg ctcatcagct cctcttccga ccattccttg actgtttgga aggagctgga
                                                                   213900
acagaageee acgeaceact acaagteage gteegaceea atecacacet ttgacetgta
                                                                   213960
cqqcaqcqaq qtqqtcaccq gcactgtagc caacaagatt ggtgtctgtt ccctgcttga
                                                                   214020
gccaccetet caggecacca caaageteag tteegagaae tteegtggea egeteaetag
                                                                   214080
tetggetttg etgeccacga aacgecacct cetgetggge teggacaatg geatcateeg
                                                                  214140
cctcctqqca taqqqccaqc caqqaqttgg ctgagggcag ggcgagatga catctctcag
                                                                   214200
qqcccqctcc tcattcttga tctcqaagcc gattcttcta ggcaagcccc aggctctggc
                                                                   214260
tacccacatg gcctgctgtc tgggattgca cagctcctga atctccaaag ccttgaagtg
                                                                  214320
qcttcatqaa actcqqqaqa tactgttcct aaccagcaag aattggggca aggaaagcac
                                                                   214380
tgtgatcccc attgctcccc agttctgcct tctggattca catggggaca gggcagctcc
                                                                  214440
aggaaatgaa aggagttggg cctttgctca gccagcttcc tctagccacg ctctccttag
                                                                  214500
ctctgtttct cccttgggta ggaaactgct cctgtctagg gttctgatgg tactgggact
                                                                   214560
ccaggctcag gagggctggc caggacctac gactttcagg gcttggtctg gggttttagc
                                                                   214620
atteatteag ceaggtette agtatgggae cagaaaaaag gggatgtgag aacagggeta
                                                                   214680
gggaaggggt tatatgggcc cagctggtcc aggaatgaat ccatgccttg ccttggtacc
                                                                   214740
cctaaccaca gcgtttgtgc cttcagccgg ggaggcagcc cttgggacca gcatccctag
                                                                   214800
ggacaggagg cagcgggaat catctctgta tctcgggttc tgcccagggg atgggcagac
                                                                   214860
totgccatct cttqaqtqtt cqtttggaga agcctgagat gtggcccctg ctgccttctc
                                                                   214920
actaqttqca qtctatqtaa ataaqqtcaa taaattcttt ggaagagcca cggagctgag
                                                                   214980
tgaggctgtg ttgtgttttg ctttgcctag gctgggctca ggcagctctg cctcagcctc
                                                                   215040
ccaaggaget ggggaactgg tatatgteac tgtatatgte actgtgeetg gettatgget
                                                                   215100
tggcttggct ttttttcaga tggtctcaag tgcctcaggt tggccttgat cttgggatga
                                                                   215160
ccttcctqct tqaaacaqaq taqtqqctt ataggcatga cccaccaggt ccaattttta
                                                                  215220
ttttttaaaq qcattqattt ttatacqtqt atqqttqttt tqcccacttq tacatatqca
                                                                  215280
                                                                   215340
caccatactt gtgtctggtc cctgcggagg tcagaagagg gcatcgggat cacctggaac
cgaagttaat gaatggttat gagccacatc tcgatgctga agattgaacc tggatccttt
                                                                   215400
gcaagagcag ccagtgttct tacccactga gccatctcta agccccacac ccagcttctt
                                                                   215460
ttgatacaag gtctggtagc tcaaacttga tatgcagccg aggaggttga cctggtattc
                                                                   215520
cctacctacc ctcttctctc taccttccaa gtgctgatat tatacatagg catggatagt
                                                                   215580
catgcccacc agtttgcctt gatggcacca gagtcaggaa agtccaaacc tggtagttgc
                                                                   215640
aaacacagca agagggtaga ggcagccatt gtcctctggc tgccttggat acagagcttc
                                                                   215700
tgggttgggt ggccttgggt cagttttccg aatggttcac ccttggggaa agggaacact
                                                                   215760
gctgaagagg tgggaccctg ggagggccgg cctccagctg ggtctctcca gccctcgcct
                                                                   215820
tggaacctag gctggaggga gccaaccagg atcctggact tgctacagtt aggtgaacag
                                                                  215880
geteetgeag ceteecette cettgggtag etgtggtggt ggtggtggtg gtggtggtgg
                                                                  215940
                                                                   215980
tggtggtggt ggtggtggtg gtggggggg gggngnngnt
```

```
<210> 17
```

<400> 17

Met Lys Arg Ala Ser Ser Gly Gly Ser Arg Leu Leu Ala Trp Val Leu 1 5 10 15

Trp Leu Gln Ala Trp Arg Val Ala Thr Pro Cys Pro Gly Ala Cys Val 20 25 30

Cys Tyr Asn Glu Pro Lys Val Thr Thr Ser Cys Pro Gln Gln Gly Leu 35 40 45

Gln Ala Val Pro Thr Gly Ile Pro Ala Ser Ser Gln Arg Ile Phe Leu
50 60

His Gly Asn Arg Ile Ser His Val Pro Ala Ala Ser Phe Gln Ser Cys 65 70 75 80

<211> 473

<212> PRT

<213> Mus sp.

Arg Asn Leu Thr Ile Leu Trp Leu His Ser Asn Ala Leu Ala Arg Ile Asp Ala Ala Ala Phe Thr Gly Leu Thr Leu Leu Glu Gln Leu Asp Leu 105 Ser Asp Asn Ala Gln Leu His Val Val Asp Pro Thr Thr Phe His Gly Leu Gly His Leu His Thr Leu His Leu Amp Arg Cys Gly Leu Arg Glu 135 Leu Gly Pro Gly Leu Phe Arg Gly Leu Ala Ala Leu Gln Tyr Leu Tyr Leu Gln Asp Asn Asn Leu Gln Ala Leu Pro Asp Asn Thr Phe Arg Asp Leu Gly Asn Leu Thr His Leu Phe Leu His Gly Asn Arg Ile Pro Ser 180 185 190 Val Pro Glu His Ala Phe Arg Gly Leu His Ser Leu Asp Arg Leu Leu 200 Leu His Gln Asn His Val Ala Arg Val His Pro His Ala Phe Arg Asp Leu Gly Arg Leu Met Thr Leu Tyr Leu Phe Ala Asn Asn Leu Ser Met 230 235 Leu Pro Ala Glu Val Leu Met Pro Leu Arg Ser Leu Gln Tyr Leu Arg Leu Asn Asp Asn Pro Trp Val Cys Asp Cys Arg Ala Arg Pro Leu Trp 265 Ala Trp Leu Gln Lys Phe Arg Gly Ser Ser Glu Val Pro Cys Asn Leu Pro Gln Arg Leu Ala Asp Arg Asp Leu Lys Arg Leu Ala Ala Ser Asp Leu Glu Gly Cys Ala Val Ala Ser Gly Pro Phe Arg Pro Ile Gln Thr Ser Gln Leu Thr Asp Glu Glu Leu Leu Ser Leu Pro Lys Cys Cys 330 335 Gln Pro Asp Ala Ala Asp Lys Ala Ser Val Leu Glu Pro Gly Arg Pro 345 Ala Ser Ala Gly Asn Ala Leu Lys Gly Arg Val Pro Pro Gly Asp Thr Pro Pro Gly Asn Gly Ser Gly Pro Arg His Ile Asn Asp Ser Pro Phe 375 Gly Thr Leu Pro Ser Ser Ala Glu Pro Pro Leu Thr Ala Leu Arg Pro 390 395 Gly Gly Ser Glu Pro Pro Gly Leu Pro Thr Thr Gly Pro Arg Arg Arg 410 Pro Gly Cys Ser Arg Lys Asn Arg Thr Arg Ser His Cys Arg Leu Gly

420 425 430

Gln Ala Gly Ser Gly Ala Ser Gly Thr Gly Asp Ala Glu Gly Ser Gly $435 \hspace{1.5cm} 440 \hspace{1.5cm} 445$

Ala Leu Pro Ala Leu Ala Cys Ser Leu Ala Pro Leu Gly Leu Ala Leu 450 455 460

Val Leu Trp Thr Val Leu Gly Pro Cys 465 470

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 11 April 2002 (11.04.2002)

PCT

(10) International Publication Number WO 02/029059 A3

- (51) International Patent Classification⁷: C12N 15/12, C07K 14/705, 16/28, C12N 15/62, G01N 33/68, A61K 38/17
- (21) International Application Number: PCT/US01/31488
- (22) International Filing Date: 6 October 2001 (06.10.2001)
- (25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/238,361

6 October 2000 (06.10.2000) US

- (71) Applicants (for all designated States except US): YALE UNIVERSITY [US/US]; 541 College Street, New Haven, CT 06520 (US). BIOGEN, INC. [US/US]; 14 Cambridge Center, Cambridge, MA 02142 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): STRITTMATTER, Stephen, M. [US/US]; 96 Tulip Tree Drive, Guilford, CT

06437 (US). CATE, Richard, L. [US/US]; 40B Nichols Road, Cohasset, MA 02025 (US). SAH, Dinah, W., Y. [US/US]; 4 Longfellow Place, Apt. 2608, Boston, MA 02114 (US).

- (74) Agents: HALEY, James, F. et al.; Fish & Neave, 1251 Avenue of the Americas, New York, NY 10020 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: NOGO RECEPTOR HOMOLOGS

	1				50
Human NOGO-R1	~~~~~~	~~~~MKRASA	GGSRLLAWVI.	WLQAWQVAAP	CPGACUCVNE
Murine NOGO-R1	~~~~~~	~~~~MKRASS	GGSRLLAWVL	WLQAWRVATP	CPGACVCYNE
Murine NOGO-R3	MSWQSGTTVT	QSPVQAAQVS	GCCVELLLL	LAGELPLGGG	CPRDCVCVPA
Human NOGO-R3	~~~~~~~	~~~~~~	~~~~~~~	~~~~~~	*******
Human NOGO-R2	~~~~~~	MLPGLRRLLO	APASACLLLM	LLALPLAAPS	CPMICTOVES
Consensus	~~~~~~~~	~~~~			CPC-CY
					0. 0 0.
	51 LRR			LRR 1	100
Human NOGO-R1	PKVTTSCPQQ	GLQAVPVGIP	AASQRIFLHG	NRISHVPAAS	FRACRNLTIL
Murine NOGO-R1	PKVTTSCPQQ	GLQAVPTGIP	ASSORIFLHG	NRISHVPAAS	FOSCRNITTI.
Murine NOGO-R3	P.MTVSCQAH	NFAAIPEGIP	EDSERIFLON	NRITFLOOGH	ESP. AMVTI.
Human NOGO-R3	~~~~~~	~~~~EGIP	VDSERVFLQN	NRIGLLOPGH	FSP. AMVTT.
Human NOGO-R2	P.PTVSCQAN	NFSSVPLSLP	PSTQRLFLQN	NLIRTLRPGT	FGS. NLLTL
Consensus	PT-SC	PP	R-FL	N-I	FL
	LRR	2	7.5	3 P 3	
Human NOCO DI	101	_		RR 3	150
Human NOGO-R1	101 WLHSNVLARI	DAAAFTGLAL	LEQUDLSONA	OLRSVDPATE	HGLGRLHTLH
Murine NOGO-R1	101 WLHSNVLARI WLHSNALARI	DAAAFTGLAL DAAAFTGLTL	LEQUIDLS DNA LEQUIDLS DNA	QLRSVDPATF OLHVVDPTTF	HGLGRLHTLH
Murine NOGO-R1 Murine NOGO-R3	WLHSNVLARI WLHSNALARI WIYSNNITFI	DAAAFTGLAL DAAAFTGLTL APNTFEGFVH	LEQUIDESINA LEQUIDESINA LEELDEGINR	QLRSVDPATF QLHVVDPTTF OLRTLAPETF	HGLGRLHTLH HGLGHLHTLH OGLVKLHALY
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3	WLHSNVLARI WLHSNALARI WIYSNNITFI WIYSNNITYI	DAAAFTGLAL DAAAFTGLTL APNTFEGFVH HPSTFEGFVH	LEQLDLSDNA LEQLDLSDNA LEELDLGDNR LEELDLGDNR	QLRSVDPATF QLHVVDPTTF QLRTLAPETF OLRTLAPETF	HGLGRLHTLH HGLGHLHTLH QGLVKLHALY OGLVKLHALY
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R2	WLHSNVLARI WLHSNALARI WIYSNNITFI WIYSNNITYI WLFSNNLSTI	DAAAFTGLAL DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLOA	LEQLDLSDNA LEQLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLGDNR	QLRSVDPATF QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF	HGLGRLHTLH HGLGHLHTLH QGLVKLHALY QGLVKLHALY OGLERLOSLH
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3	WLHSNVLARI WLHSNALARI WIYSNNITFI WIYSNNITYI WLFSNNLSTI	DAAAFTGLAL DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLOA	LEQLDLSDNA LEQLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLGDNR	QLRSVDPATF QLHVVDPTTF QLRTLAPETF OLRTLAPETF	HGLGRLHTLH HGLGHLHTLH QGLVKLHALY QGLVKLHALY OGLERLOSLH
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R2	WLHSNVLARI WLHSNALARI WIYSNNITFI WIYSNNITFI WLFSNNLSTI WSNI	DAAAFTGLAL DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLQA	LEQLDLSDNA LEQLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLGDNR	QLRSVDPATF QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF -LP-TF	HGLGRLHTLH HGLGHLHTLH OGLVKLHALY OGLVKLHALY OGLVKLHALY OGLERLOSLH -GLLL-
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R2 Consensus	WLHSNVLARI WLHSNALARI WIYSNNITFI WIYSNNITYI WLFSNNLSTI WSNI	DAAAFTGLAL DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLQA	LEQLDLSDNA LEQLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLGDNR LE-LDL-DN-	QLRSVDPATF QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF -LP-TF	HGLGRLHTLH HGLGHLHTLH QGLVKLHALY QGLVKLHALY QGLERLQSLH -GLLL-
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R2 Consensus	WLHSNVLARI WLHSNALARI WIYSNNITFI WIYSNNITYI WLFSNNLSTI W-SNI LRR LDRCGLQELG	DAAAFTGLAL DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLQA F	LEQUDISDNA LEQUDISDNA LEELDLGDNR LEELDLGDNR LEELDLGDN- LRR QYLYLQDNAL	QLRSVDPATF QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF -LP-TF 5 QALPDDTFRD	HGLGRLHTLH HGLGHLHTLH QGLVKLHALY QGLVKLHALY QGLERLQSLH -GLLL-
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R2 Consensus Human NOGO-R1 Murine NOGO-R1	WLHSNVLARI WLHSNALARI WLYSNNITFI WIYSNNITFI WLFSNNLSTI W-SNI LDRCGLQELG LDRCGLRELG	DAAAFTGLAL DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLQAF4 PGLFRGLAAL PGLFRGLAAL	LEQLDLSDNA LEQLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLGDNR LE-LDL-DN- LRR QYLYLQDNAL QYLYLQDNNL	QLRSVDPATF QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF -LP-TF 5 QALPDDTFRD QALPDDTFRD	HGLGRLHTLH HGLGHLHTLH QGLVKLHALY QGLVKLHALY QGLERLQSLH -GL-L-L- 200 LGNLTHLFLH LGNLTHLFLH
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R2 Consensus Human NOGO-R1 Murine NOGO-R1 Murine NOGO-R3	WLHSNVLARI WLHSNALARI WIYSNNITFI WIYSNNITTI WLFSNNLSTI W-SNI 151 LRR LDRCGLQELG LDRCGLRELG LYKCGLSALP	DAAAFTGLAL DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLOA	LEQLDLSDNA LEQLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLGDNR LE-LDL-DN- LRR QYLYLQDNAL QYLYLQDNAL QYLYLQDNAL	QLRSVDPATF QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF -LP-TF 5 QALPDDTFRD QALPDNTFRD EYLODDIFVD	HGLGRLHTLH HGLGHLHTLH QGLVKLHALY QGLVKLHALY QGLERLQSLH -GLLL- 200 LGNLTHLFLH LGNLTHLFLH LGNLTHLFLH
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R2 Consensus Human NOGO-R1 Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R3	WLHSNVLARI WLHSNALARI WIYSNNITFI WIYSNNITYI WLFSNNLSTI WSNI 151 LRR LDRCGLQELG LDRCGLRELG LDKCGLSALP LYKCGLSALP	DAAAFTGLAL DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLOA	LEQLDLSDNA LEQLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLGDNN LEELDLGDN LRR QYLYLQDNAL QYLYLQDNNL QYLYLQDNHI QYLYLQDNHI	QLRSVDPATF QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF -LP-TF 5 QALPDDTFRD QALPDNTFRD EYLQDDIFVD EYLQDDIFVD	HGLGRLHTLH HGLGHLHTLH QGLVKLHALLY QGLVKLHALLY QGLERLQSLH -GL-LL- 200 LGNLTHLFLH LGNLTHLFLH LVNLSHLFLH
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R2 Consensus Human NOGO-R1 Murine NOGO-R1 Murine NOGO-R3	WLHSNVLARI WLHSNALARI WLYSNNITFI WIYSNNITTI WLFSNNLSTI WSNI 151 LRR LDRCGLQELG LDRCGLRELG LYKCGLSALP LYKCGLSALP LYRCQLSSLP	DAAAFTGLAL DAAAFTGLTL APNTFEGFVH HPSTFEGFVH 4 PGLFFRLQA PGLFRGLAAL AGIFGGLISL GNIFRGLVSL GNIFRGLVSL	LEQLDLSDNA LEQLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLGDNN LE-LDL-DN- LRR QYLYLQDNAL QYLYLQDNHI QYLYLQDNHI QYLYLQENSL	QLRSVDPATF QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF -LP-TF 5 QALPDDTFRD QALPDNTFRD EYLODDIFVD	HGLGRLHTLH HGLGHLHTLH UGLVKLHALY UGLVKLHALY UGLERLUSLH -GL-LL- 200 LGNLTHLFLH LGNLTHLFLH LVNLSHLFLH LANLSHLFLH

(57) Abstract: The invention relates generally to genes that encode proteins that inhibit axonal growth. The invention relates specifically to genes encodign NgR protein homologs in humans and mice. The invention also includes compositions and methods for modulating the expression and activity of Nogo and the NgR proteins. Specifically, the invention includes peptides, proteins and antibodies that block Nogo-mediated inhibition of axonal extension. The compositions and methods of the invention are useful in the treatment of cranial o cerebral trauma, sprial cord injury, stroke or a demyelinating disease.



02/029059 A



Published:

- with international search report

(88) Date of publication of the international search report: 23 January 2003

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

BNSDOCID: <WO____0229059A3_I_>

INTERNATIONAL SEARCH REPORT

Intermenal Application No
PCT/US 01/31488

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 C12N15/12 C07K C12N15/62 C07K14/705 C07K16/28 GO1N33/68 A61K38/17 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) IPC 7 C12N CO7K GO1N A61K Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, BIOSIS, EMBL, WPI Data C. DOCUMENTS CONSIDERED TO BE RELEVANT Category ° Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. X DATABASE EMBL NUCLEIC ACIDS 'Online! 1,2,5-30 21 January 2000 (2000-01-21) "M. musculus chromosome 11 clone RP23-113D4" retrieved from EMBL Database accession no. ACO21768 XP002217414 compare translation product of complementary strand of nt 153209-154529 with aa 21-461 of seq. 4 and aa 1-392 of sea. 14 X Further documents are listed in the continuation of box C. Patent family members are listed in annex. Special categories of cited documents: "T" later document published after the international filing date or priority date and not in conflict with the application but *A* document defining the general state of the art which is not considered to be of particular relevance cited to understand the principle or theory underlying the invention earlier document but published on or after the International "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another involve an inventive slep when the document is taken alone "Y" document of particular relevance; the claimed invention citation or other special reason (as specified) cannot be considered to involve an inventive step when the document is combined with one or more other such docudocument referring to an oral disclosure, use, exhibition or ments, such combination being obvious to a person skilled in the art. other means document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 08/11/2002 18 October 2002 Name and malling address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk TeL (+31–70) 340–2040, Tx. 31 651 epo nl, Fax: (+31–70) 340–3016 Galli, I

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Interior nal Application No
PCT/US 01/31488

	PCT/US 01	/ 31400
etion) DOCUMENTS CONSIDERED TO BE RELEVANT		
Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.
DATABASE EMBL NUCLEIC ACIDS 'Online! 15 November 1999 (1999-11-15) "Homo sapiens clone RP11-10E2" retrieved from EMBL Database accession no. AC013606 XP002217419 compare aa 168-420 of seq. 2 with the translation product of nt 138578-139331.		1-4,6-30
DATABASE EMBL PROTEINS 'Online! 1 May 2000 (2000-05-01) CORBY N.: "New leucine-rich protein" retrieved from EMBL Database accession no. Q9UGS3 XP002217415 compare aa 352-399 with seq. 11,19		1,11,15
DATABASE EMBL PROTEINS 'Online! 1 October 2000 (2000-10-01) OSADA N. ET AL.: "Unnamed protein product" retrieved from EMBL Database accession no. Q9N0E3 XP002217416 compare with sequences 2,4,5,11,17,18,19		1-30
WO 00 31235 A (CHEN MAIO S ;SCHWAB MARTIN E (CH)) 2 June 2000 (2000-06-02) the whole document		1-30
WO 01 51520 A (UNIV YALE ;STRITTMATTER STEPHEN M (US)) 19 July 2001 (2001-07-19) NgR1: compare seq. 1,3 with seq. 5,17 of present application, respectively		1-30
	DATABASE EMBL PROTEINS 'Online! 1 October 2000 (2000-10-01) DATABASE EMBL PROTEINS 'Online! 1 October 2000 (2000-00-00-00) DATABASE EMBL PROTEINS 'Online! 1 October 2000 (2000-10-01) DATABASE EMBL PROTEINS 'Online! 1 October 2000 (2000-00-00-00) DATABASE EMBL PROTEINS 'Online! 1 October 2000 (2000-00-00-00-00-00-00-00-00-00-00-00-00	Citation DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages DATABASE EMBL NUCLEIC ACIDS 'Online! 15 November 1999 (1999-11-15) "Homo sapiens clone RP11-10E2" retrieved from EMBL Database accession no. AC013606 XP002217419 compare aa 168-420 of seq. 2 with the translation product of nt 138578-139331. DATABASE EMBL PROTEINS 'Online! 1 May 2000 (2000-05-01) CORBY N.: "New leucine-rich protein" retrieved from EMBL Database accession no. Q9UGS3 XP002217415 compare aa 352-399 with seq. 11,19 DATABASE EMBL PROTEINS 'Online! 1 October 2000 (2000-10-01) OSADA N. ET AL.: "Unnamed protein product" retrieved from EMBL Database accession no. Q9NOE3 XP002217416 compare with sequences 2,4,5,11,17,18,19 WO 00 31235 A (CHEN MAIO S ;SCHWAB MARTIN E (CH)) 2 June 2000 (2000-06-02) the whole document WO 01 51520 A (UNIV YALE ;STRITTMATTER STEPHEN M (US)) 19 July 2001 (2001-07-19) NgR1: compare seq. 1,3 with seq. 5,17 of

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims 1,2,6,7,9-13,15,16,18-30 relate to an extremely large number of possible compounds. It is not possible to determine all the possibilities, as any given X can be any amino acid or even a gap. In fact, the claims contain so many options, variables, possible permutations and provisos that a lack of clarity (and/or conciseness) within the meaning of Article 6 PCT arises to such an extent as to render a meaningful search of the claims impossible. Consequently, the search has been carried out for those parts of the application which do appear to be clear (and/or concise), namely seq. ID 2, 4 and 14.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

INTERNATIONAL SEARCH REPORT



This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. X Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
Although claims 27, 29 and, as far as methods in vivo are concerned, claims 26 and 28 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
see FURTHER INFORMATION sheet PCT/ISA/210
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
,
1. As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the Invention first mentioned in the claims; it is covered by claims Nos.:
Remark on Protest The additional search fees were accompanied by the applicant's protest. No protest accompanied the payment of additional search fees.

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1998)

INTERNATIONAL SEARCH REPORT

Intermonal Application No
PCT/US 01/31488

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 0031235	Α	02-06-2000	AU CN CZ EP NO SK WO	1469200 A 1354755 T 20011608 A3 1124846 A2 20012223 A 6222001 A3 0031235 A2	13-06-2000 19-06-2002 17-10-2001 22-08-2001 02-07-2001 03-12-2001 02-06-2000
WO 0151520	A	19-07-2001	AU EP WO US US	2940101 A 1248803 A2 0151520 A2 2002012965 A1 2002077295 A1	24-07-2001 16-10-2002 19-07-2001 31-01-2002 20-06-2002

Form PCT/ISA/210 (patent family armsx) (July 1992)

CORRECTED VERSION

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 11 April 2002 (11.04.2002)

PCT

English

English

(10) International Publication Number WO 02/029059 A3

(51) International Patent Classification⁷: C12N 15/12, C07K 14/705, 16/28, C12N 15/62, G01N 33/68, A61K 38/17

(21) International Application Number: PCT/US01/31488

(22) International Filing Date: 6 October 2001 (06.10.2001)

(25) Filing Language:

(26) Publication Language:

(30) Priority Data: 60/238.361 6 October 2000 (06.10.2000) US

- (71) Applicants (for all designated States except US): YALE UNIVERSITY [US/US]; 2 Whitney Avenue, New Haven, CT 06511 (US). BIOGEN, INC. [US/US]; 14 Cambridge Center, Cambridge. MA 02142 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): STRITTMATTER,

Stephen, M. [US/US]; 96 Tulip Tree Drive, Guilford, CT 06437 (US). CATE, Richard, L. [US/US]; 40B Nichols Road, Cohasset, MA 02025 (US). SAH, Dinah, W., Y. [US/US]; 4 Longfellow Place, Apt. 2608, Boston, MA 02114 (US).

- (74) Agents: HALEY, James, F. et al.; Fish & Neave, 1251 Avenue of the Americas, New York, NY 10020 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,

[Continued on next page]

(54) Title: NOGO RECEPTOR HOMOLOGS

	1				50
Human NOGO-RI		~~~~MKRASA	GGSRLLAWVL	WLQAKQVAAP	CPGACVCYNE
Murine NOGO-R1	~~~~~~	~~~~MKRASS	GGSRLLAWVL	WLQAWRVATP	CPGACVCYNE
Murine NOGO-R3	MSWQSGTTVT	QSPVQAAQVS	GCCVELLLL	LAGELPLGGG	CPRDCVCYPA
Human NOGO-R3	~~~~~~	~~~~~~~	~~~~~~~		~~~~~~
Human NOGO-R2		MLPGLRRLLQ	APASACLLLM	LLALPLAAPS	CPMLCTCYSS
Consensus	~~~~~				CPC-CY
	LRR	AP-11		LRR 1	
	51 EKK	191		LKK I	100
Human NOGO-R1	PKVTTSCPQQ	GLQAVPVGIP	AASQRIFLHG	NRISHVPAAS	FRACENLTIL
Murine NOGO-R1	PKVTTSCPQQ	GLQAVPTGIP	ASSORIFLHG	NRISHVPAAS	FOSCRNLTIL
Murine NOGO-R3		NFAAIPEGIP			
Human NOGO-R3	~~~~~~	~~~~EGIP	VDSERVFLQN	NRIGLIQPGH	FSP. AMVTL
Human NOGO-R2		NFSSVPLSLP			
Consensus	PT-SC	PP	R-FL	N-1	<u>F</u> L
	LRR	2	1.0	RR 3	
	101	-		·	150
Human NOGO-R1		DAAAFTGLAL			
Human NOGO-R1 Murine NOGO-R1		DAAAFTGLAL DAAAFTGLTL			
	WLHSNALARI		LEQUIDLEDNA	QLHVVDPTTF	HGLGHLHTLH
Murine NOGO-R1	WLHSNALARI WIYSNNITFI	DAAAFTGLTL	LEQUDLSONA LEELDLGONR	QLHVVDPTTF QLRTLAPETF	HGLGHLHTLH QGLVKLHALY
Murine NOGO-R1 Murine NOGO-R3	WLHSNALARI WIYSNNITFI WIYSNNITYI WLFSNNLSTI	DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLQA	LEGLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLGDNR	QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF	HGLGHLHTLH QGLVKLHALY QGLVKLHALY QGLERLQSLH
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3	WLHSNALARI WIYSNNITFI WIYSNNITYI WLFSNNLSTI	DAAAFTGLTL APNTFEGFVH HPSTFEGFVH	LEGLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLGDNR	QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF	HGLGHLHTLH QGLVKLHALY QGLVKLHALY QGLERLQSLH
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R2	WLHSNALARI WIYSNNITFI WIYSNNITYI WLFSNNLSTI WSNI	DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLQA	LEQUDUSDNA LEELDLGDNR LEELDLGDNR LEELDLGDNR LE-LDL-DN-	OLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF -LP-TF	HGLGHLHTLH QGLVKLHALY QGLVKLHALY QGLERLQSLH
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R2	WLHSNALARI WIYSNNITFI WIYSNNITYI WLFSNNLSTI WSNI	DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLQA	LEQLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLGDNR LE-LDL-DN- LRR	QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF -LP-TF 5	HGLGHLHTLH QGLVKLHALY QGLVKLHALY QGLERLQSLH -GL-LL-
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R2	WLHSNALARI WIYSNNITFI WIYSNNITYI WLFSNNLSTI WSNI LRR LDRCGLQELG	DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLQA F	LEQLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLGDNR LE-LDL-DN- LRR QYLYLQDNAL	QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF -LP-TF 5 QALPDDTFRD	HGLGHLHTLH QGLVKLHALY QGLVKLHALY QGLERLQSLH -GL-L-L- 200 LGNLTHLFLH
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R2 Consensus	WLHSNALARI WIYSNNITFI WIYSNNITYI WLFSNNLSTI WSNI LRR LDRCGLQELG	DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLQA	LEQLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLGDNR LE-LDL-DN- LRR QYLYLQDNAL	QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF -LP-TF 5 QALPDDTFRD	HGLGHLHTLH QGLVKLHALY QGLVKLHALY QGLERLQSLH -GL-L-L- 200 LGNLTHLFLH
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R2 Consensus	WLHSNALARI WIYSNNITFI WIYSNNITYI WLFSNNLSTI WSNI LRR LDRCGLQELG LDRCGLRELG	DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLQA F	LEQUDLSDNA LEELDLGDNR LEELDLGDNR LEELDLGDNR LE-LDL-DN- LRR QYLYLQDNAL QYLYLQDNNL	OLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF -LP-TF 5 QALPDDTFRD QALPDDTFRD	HGLGHLHTLH QGLVKLHALY QGLVKLHALY QGLERLQSLH -GL-LL- 200 LGNLTHLFLH LGNLTHLFLH
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R2 Consensus Human NOGO-R1 Murine NOGO-R1 Hurine NOGO-R3 Human NOGO-R3	WLHSNALARI WIYSNNITFI WIYSNNITTI WLFSNNLSTI WSNI 151 LRR LDRCGLQELG LDRCGLRELG LYKCGLSALP LYKCGLSALP	DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLQA 4 PGLFRGLAAL AGIFGGLHSL AGVFGGLHSL	LEQLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLCDNA LE-LDL-DNA LRR QYLYLQDNAL QYLYLQDNAL QYLYLQDNHI QYLYLQDNHI	QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF -LP-TF 5 QALPDDTFRD QALPDDTFRD QALPDDTFRD EYLQDDIFVD EYLQDDIFVD	HGLGHLHTLH QGLVKLHALY QGLERLQSLH -GL-LL- 200 LGNLTHLFLH LGNLTHLFLH LVNLSHLFLH
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R2 Consensus Human NOGO-R1 Murine NOGO-R1 Murine NOGO-R3	WLHSNALARI WIYSNNITFI WIYSNNITTI WLFSNNLSTI WSNI 151 LRR LDRCGLQELG LDRCGLRELG LYKCGLSALP LYKCGLSALP	DAAAFTGLTL APNTFEGEVH HPSTFEGEVH YPGTFRHLOA F	LEQLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLCDNA LE-LDL-DNA LRR QYLYLQDNAL QYLYLQDNAL QYLYLQDNHI QYLYLQDNHI	QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF -LP-TF 5 QALPDDTFRD QALPDDTFRD QALPDDTFRD EYLQDDIFVD EYLQDDIFVD	HGLGHLHTLH QGLVKLHALY QGLERLQSLH -GL-LL- 200 LGNLTHLFLH LGNLTHLFLH LVNLSHLFLH
Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R2 Consensus Human NOGO-R1 Murine NOGO-R1 Hurine NOGO-R3 Human NOGO-R3	WLHSNALARI WIYSNNITFI WIYSNNITYI WLFSNNLSTI WSNI LRR LDRCGLQELG LDRCGLRELG LVRCGLSALP LYRCGLSALP LYRCGLSALP LYRCGLSSLP	DAAAFTGLTL APNTFEGFVH HPSTFEGFVH YPGTFRHLQA 4 PGLFRGLAAL AGIFGGLHSL AGVFGGLHSL	LEQLDLSDNA LEELDLGDNR LEELDLGDNR LEELDLGONR LE-LDL-DN- LRR QYLYLQDNHL QYLYLQDNHL QYLYLQDNHL QYLYLQDNHL	QLHVVDPTTF QLRTLAPETF QLRTLAPETF HLRSLEPDTF -LP-TF 5 QALPDDTFRD QALPDNTFRD EYLQDDIFVD EYLQDDIFVD LHLQDDLFAD	HGLGHLHTLH QGLVKLHALY QGLVKLHALY QGLERLQSLH -GL-LL- 200 LGNLTHLFLH LGNLTHLFLH LVNLSHLFLH LVNLSHLFLH LANLSHLFLH LANLSHLFLH

(57) Abstract: The invention relates generally to genes that encode proteins that inhibit axonal growth. The invention relates specifically to genes encodign NgR protein homologs in humans and mice. The invention also includes compositions and methods for modulating the expression and activity of Nogo and the NgR proteins. Specifically, the invention includes peptides, proteins and antibodies that block Nogo-mediated inhibition of axonal extension. The compositions and methods of the invention are useful in the treatment of cranial o cerebral trauma, sprial cord injury, stroke or a demyelinating disease.



02/029059 A3

WO 02/029059 A3



IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

(88) Date of publication of the international search report: 23 January 2003

(48) Date of publication of this corrected version:

15 May 2003

(15) Information about Correction:

see PCT Gazette No. 20/2003 of 15 May 2003, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

BNSDOCID: <WO____0229059A3_IA>

NOGO RECEPTOR HOMOLOGS

FIELD OF THE INVENTION

The invention relates to neurology and molecular biology. More particularly, the invention relates to CNS neurons and axonal growth

BACKGROUND

Among the mechanisms through which the cells of an organism communicate with each other and obtain information and stimuli from their environment is through cell membrane receptor molecules expressed on the cell surface. Many such receptors have been identified, characterized, and sometimes classified into major receptor superfamilies based on structural motifs and signal transduction features. The receptors are a first essential link for translating an extracellular signal into a cellular physiological response.

Receptors on neurons are particularly important in the development of the nervous system during embryogenesis. The neurons form connections with target cells during development through axonal extension of the neurons toward the target cells in a receptor-mediated process. Axons and dendrites have a specialized region of their distal tips known as the growth cone. Growth cones enable the neuron to sense the local environment through a receptor-mediated process and direct the movement of the axon or dendrite of the neuron toward the neuron's target cell. This process is known as elongation. Growth cones can be sensitive to several guidance cues, for example, surface adhesiveness, growth factors, neurotransmitters and electric fields. The guidance of growth at the cone depends on various classes of adhesion molecules, intercellular signals, as well as factors that stimulate and inhibit growth cones.

Interestingly, damaged neurons do not elongate in the central nervous system (CNS) following injury due to trauma or disease, whereas axons in the peripheral nervous system (PNS) regenerate readily. The fact that damaged CNS neurons fail to elongate is not due to an intrinsic property of CNS axons, but rather due to the CNS environment that is not permissive for axonal elongation. Classical grafting experiments by Aguayo and colleagues (e.g., Richardson et al., (1980) Nature 284,

BNSDOCID: <WO____0229059A3_IA>

5

10

15

20

25

30

264-265) demonstrated that CNS axons can in fact elongate over substantial distances within peripheral nerve grafts, and that CNS myelin inhibits CNS axon elongation. Therefore, given the appropriate environment, CNS axons can regenerate, implying that CNS axonal injury can potentially be addressed by appropriate manipulation of the CNS environment.

The absence of axon regeneration following injury can be attributed to the presence of axon growth inhibitors. These inhibitors are predominantly associated with myelin and constitute an important barrier to regeneration. Axon growth inhibitors are present in CNS-derived myelin and the plasma membrane of oligodendrocytes that synthesize myelin in the CNS (Schwab et al., (1993) Annu. Rev. Neurosci. 16, 565-595). Myelin-associated inhibitors appear to be a primary contributor to the failure of CNS axon regeneration in vivo after an interruption of axonal continuity, whereas other non-myelin associated axon growth inhibitors in the CNS may play a lesser role. These inhibitors block axonal regeneration following neuronal injury due to trauma, stroke or viral infection.

Numerous myelin-derived axon growth inhibitors have been characterized (see, for review, David et al., (1999) WO995394547; Bandman et al., (1999) U.S. Patent No. 5,858,708; Schwab, (1996) Neurochem. Res. 21, 755-761). Several components of CNS white matter, NI35, NI250 (Nogo) and Myelin-associated glycoprotein (MAG), which have inhibitory activity for axonal extension, have been described as well (Schwab et al., (1990) WO9005191; Schwab et al., (1997) U.S. Patent No. 5,684,133). In particular, Nogo is a 250 kDa myelin-associated axon growth inhibitor that was originally characterized based on the effects of the purified protein in vitro and monoclonal antibodies that neutralize the protein's activity (Schwab (1990) Exp. Neurol. 109, 2-5). The Nogo cDNA was first identified through random analysis of brain cDNA and had no suggested function (Nagase et al., (1998) DNA Res. 5, 355-364). The identification of this Nogo cDNA as the cDNA encoding the 250 kDa myelin-associated axon growth inhibitor was discovered only recently (GrandPre et al., (2000) Nature 403, 439-444; Chen et al., (2000) Nature 403, 434-439; Prinjha at al., (2000) Nature 403, 383-384).

Importantly, Nogo has been shown to be the primary component of CNS myelin responsible for inhibiting axonal elongation and regeneration. Nogo's selective

5

10

15

20

25

30

10

15

20

25

30

expression by oligodendrocytes and not by Schwann cells (the cells that myelinate P.S. axons) is consistent with the inhibitory effects of CNS myelin, in contrast to P.S. myelin (GrandPre et al., (2000) Nature 403, 434-439). In culture, Nogo inhibits axonal elongation and causes growth cone collapse (Spillmann et al., (1998) J. Biol. Chem. 272, 19283-19293). Antibodies (e.g., IN-1) against Nogo have been shown to block most of the inhibitory action of CNS myelin on neurite growth in vitro (Spillmann et al., (1998) J. Biol. Chem. 272:19283-19293). These experiments indicate that Nogo is the main component of CNS myelin responsible for inhibition of axonal elongation in culture. Furthermore, in vivo, the IN-1 antibody has been shown to enhance axonal regeneration after spinal cord injury, resulting in recovery of behaviors such as contact placing and stride length (Schnell and Schwab (1990) Nature 343, 269-272; Bregman et al., (1995) Nature 378, 498-501). Thus, there is substantial evidence that Nogo is a disease-relevant molecular target. Agents that interfere with the binding of Nogo to its receptor would be expected to improve axonal regeneration in clinical states in which axons have been damaged, and improve patient outcome.

Modulation of Nogo has been described as a means for treatment of regeneration for neurons damaged by trauma, infarction and degenerative disorders of the CNS (Schwab et al., (1994) WO9417831; Tatagiba et al., (1997) Neurosurgery 40, 541-546) as well as malignant tumors in the CNS such as glioblastoma (Schwab et al., (1993) U.S. Patent No. 5,250,414); Schwab et al., (2000) U.S. Patent No. 6,025,333).

Antibodies which recognize Nogo have been suggested to be useful in the diagnosis and treatment of nerve damage resulting from trauma, infarction and degenerative disorders of the CNS (Schnell & Schwab, (1990) Nature 343, 269-272; Schwab et al., (1997) U.S. Patent No. 5,684,133). For CNS axons, there is a correlation between the presence of myelin and the inhibition of axon regeneration over long distances (Savio and Schwab (1990) Proc. Natl. Acad. Sci. 87, 4130-4133; Keirstead et al., (1992) Proc. Natl. Acad. Sci. 89, 11664-11668). After Nogo is blocked by antibodies, neurons can again extend across lesions caused by nerve damage (Schnell and Schwab (1990) Nature 343, 269-272).

SUMMARY OF THE INVENTION

Genes encoding homologs (NgR2 and NgR3) of a Nogo receptor (NgR1) in mice and humans have been discovered. Various domains in the polypeptides encoded by the NgR2 and NgR3 genes have been identified and compared to domains in mouse and human NgR1 polypeptides. This comparison has led to identification of a consensus sequence (NgR consensus sequence) that characterizes a family of proteins (NgR family). Based on these and other discoveries, the invention features molecules and methods for modulating axonal growth in CNS neurons.

The invention provides a polypeptide that contains a polypeptide containing a tryptophan rich LRRCT domain consisting of the amino acid sequence:

$$X_{12} C X_{13} X_{14} P X_{15} X_{16} X_{17} X_{18} X_{19} X_{20} D L X_{21} X_{22} L X_{23} X_{24} X_{25} D \\$$

15

20

25

30

10

5

wherein X is any protein amino acid or a gap, and the polypeptide does not include amino acid sequence from residue 260 to 309 of SEQ ID NO: 5 (human NgR1) or SEQ ID NO: 17 (mouse NgR1).

Preferably, X17 and X23 are (independently) arginine or lysine. In some embodiments, the amino acid sequence of the LRRCT domain is residues 261-310 of SEQ ID NO:2, or residues 261-310 of SEQ ID NO: 2 with up to 10 conservative amino acid substitutions. In some embodiments, the polypeptide contains the following NTLRRCT amino acid sequence:

 $C\ P\ X_{1}\ X_{2}\ C\ X_{3}\ C\ Y\ X_{4}\ X_{5}\ P\ X_{6}\ X_{7}\ T\ X_{8}\ S\ C\ X_{9}\ X_{10}\ X_{11}\ X_{12}\ X_{13}\ X_{14}\ X_{15}\ X_{16}\ P$ $X_{17}\ X_{18}\ X_{19}\ P\ X_{20}\ X_{21}\ X_{22}\ X_{23}\ R\ X_{24}\ F\ L\ X_{25}\ X_{26}\ N\ X_{27}\ I\ X_{28}\ X_{29}\ X_{30}\ X_{31}\ X_{32}\ X_{33}$ $X_{34}\ F\ X_{35}\ X_{36}\ X_{37}\ X_{38}\ X_{39}\ X_{40}\ X_{41}\ X_{42}\ L\ W\ X_{43}\ X_{44}\ S\ N\ X_{45}\ X_{46}\ X_{47}\ X_{48}\ I\ X_{49}$ $X_{50}\ X_{51}\ X_{52}\ F\ X_{53}\ X_{54}\ X_{55}\ X_{56}\ X_{57}\ L\ E\ X_{58}\ L\ D\ L\ X_{59}\ D\ N\ X_{60}\ X_{61}\ L\ X_{62}\ X_{63}\ X_{64}$ $X_{65}\ P\ X_{66}\ T\ F\ X_{67}\ G\ L\ X_{68}\ X_{69}\ L\ X_{70}\ X_{71}\ L\ X_{72}\ L\ X_{73}\ X_{74}\ C\ X_{75}\ L\ X_{76}\ X_{77}\ L\ X_{78}$ $X_{79}\ X_{80}\ X_{81}\ F\ X_{82}\ G\ L\ X_{83}\ X_{84}\ L\ Q\ Y\ L\ Y\ L\ Q\ X_{85}\ N\ X_{86}\ X_{87}\ X_{88}\ X_{89}\ L\ X_{90}\ D$

10

15

20

25

30

 $\begin{array}{l} X_{91} \ X_{92} \ F \ X_{93} \ D \ L \ X_{94} \ N \ L \ X_{95} \ H \ L \ F \ L \ H \ G \ N \ X_{96} \ X_{97} \ X_{98} \ X_{99} \ X_{100} \ X_{101} \ X_{102} \\ X_{103} \ X_{104} \ F \ R \ G \ L \ X_{105} \ X_{106} \ L \ D \ R \ L \ L \ L \ H \ X_{107} \ N \ X_{108} \ X_{109} \ X_{110} \ X_{111} \ V \ H \ X_{112} \\ X_{113} \ A \ F \ X_{114} \ X_{115} \ L \ X_{116} \ R \ L \ X_{117} \ X_{118} \ L \ X_{119} \ L \ F \ X_{120} \ N \ X_{121} \ L \ X_{122} \ X_{123} \ L \\ X_{124} \ X_{125} \ X_{126} \ X_{127} \ L \ X_{128} \ X_{129} \ L \ X_{130} \ X_{131} \ L \ X_{132} \ X_{133} \ L \ R \ L \ N \ X_{134} \ N \ X_{135} \ W \\ X_{136} \ C \ X_{137} \ C \ R \ X_{138} \ R \ X_{139} \ L \ W \ X_{140} \ W \ X_{141} \ X_{142} \ X_{143} \ X_{144} \ R \ X_{145} \ S \ S \ S \ X_{146} \\ V \ X_{147} \ C \ X_{148} \ X_{149} \ P \ X_{150} \ X_{151} \ X_{152} \ X_{153} \ X_{154} \ X_{155} \ D \ L \ X_{156} \ X_{157} \ L \ X_{158} \ X_{159} \ X_{160} \\ D \ X_{161} \ X_{162} \ X_{163} \ C \ [SEQ \ ID \ NO: 18] \end{array}$

wherein X is any amino acid residue or a gap and wherein the polypeptide is not the polypeptide of SEQ ID NO: 5 (human NgR1) or SEQ ID NO: 17 (mouse NgR1). For example, X₆, X₃₇ and X₃₈ may represent a gap. Specific examples of polypeptides of the invention are SEQ ID NO: 2 (human NgR2), SEQ ID NO: 4 (mouse NgR3), and SEQ ID NO: 14 (human NgR3). In some embodiments, the polypeptide contains: (a) a NTLRRCT domain, and (b) less than a complete CTS domain, provided that a partial CTS domain, if present, consists of no more than the first 39 amino acids of the CTS domain. While the polypeptide may contain a functional GPI domain, a functional GPI domain may be absent, e.g., when a soluble polypeptide is desired. A polypeptide of the invention optionally includes an amino acid sequence of a heterologous polypeptide, e.g., an Fc portion of an antibody.

The invention also provides a nucleic acid encoding an above-described polypeptide; a vector containing the nucleic acid, which nucleic acid may be operably linked to an expression control sequence; and a transformed host cell containing the vector. A method of producing a polypeptide of the invention is also provided. The method includes introducing a nucleic acid encoding the above-described polypeptide into a host cell, culturing the cell under conditions suitable for expression of the polypeptide, and recovering the polypeptide.

The invention also provides an antisense molecule whose nucleotide sequence is complementary to a nucleotide sequence encoding a polypeptide selected from the group consisting of: a polypeptide consisting of residues 311-395 of SEQ ID NO: 2, a polypeptide consisting of residues 256-396 of SEQ ID NO:14 and a polypeptide consisting of residues 321-438 of SEQ ID NO: 4, wherein the nucleic acid is from 8 to

100 nucleotides in length, e.g., about 20, 30, 40, 50, 60, 70, 80 or 90 nucleotides. The invention also provides a nucleic acid encoding such an antisense molecule.

The invention also provides an antibody that binds to an above-described polypeptide. Polypeptides or antibodies of the invention can be formulated into pharmaceutical compositions containing the polypeptide or antibody and a pharmaceutically acceptable carrier.

The invention also provides a method for decreasing inhibition of axonal growth of a CNS neuron. The method includes the step of contacting the neuron with an effective amount of a polypeptide or antibody of the invention.

The invention also provides a method for treating a central nervous system disease, disorder or injury. The method includes administering to a mammal, e.g., a human, an effective amount of a polypeptide or antibody of the invention. Exemplary diseases, disorders and injuries that may be treated using molecules and methods of the invention include, but are not limited to, cerebral injury, spinal cord injury, stroke, demyelinating diseases, e.g., multiple sclerosis, monophasic demyelination, encephalomyelitis, multifocal leukoencephalopathy, panencephalitis, Marchiafava-Bignami disease, Spongy degeneration, Alexander's disease, Canavan's disease, metachromatic leukodystrophy and Krabbe's disease.

The invention also provides a method for identifying a molecule that binds a polypeptide of the invention. The method includes the steps of: (a) providing a polypeptide of the invention; (b) contacting the polypeptide with the candidate molecule; and (c) detecting binding of the candidate molecule to the polypeptide.

Unless otherwise defined, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which the invention belongs. In case of conflict, the present application, including definitions, will control. All publications, patent and other references mentioned herein are incorporated by reference.

The materials, methods and examples presented below are illustrative only, and not intended to be limiting. Other features and advantages of the invention will be apparent from the detail description and from the claims.

BRIEF DESCRIPTION OF THE FIGURES

5

10

15

20

25

Fig. 1A-1B shows an alignment of NgR2 (SEQ ID NO:2) and NgR3 (SEQ ID NO:4) with the known NgR, NgR1 (SEQ ID NO:5) and the Consensus Sequence (SEQ ID NO:6).

5

Fig. 2. mNgR3 does not bind hNogoA(1055-1120). COS-7 cells were transfected with vectors encoding myc-NgR1 or myc-NgR3, fixed, and stained with anti-myc antibodies or AP-hNogoA(1055-1120).

10

15

Fig.3. An alignment of the amino acid sequences of human NgR1, murine NgR1, murine NgR3, human NgR3 and human NgR2. Numbering begins with amino acid #1 of murine NgR3. The consensus sequence is listed below. The LRR NT domain is indicated by a shaded box; domains LLR 1, LLR 3, LLR 5, and LLR 7 are indicated by open boxes; LLR 2, LLR 4, LLR 6 and LLR 8 are indicated by shaded boxes; and the LLR CT domain is indicated by a shaded box. Amino acids in bold in LLR 8 indicate a conserved glycosylation sites. A dot indicates conserved cystine residue in LRR4. Box at C terminus indicates putative GPI signals.

20

25

30

or in part.

DETAILED DESCRIPTION OF THE INVENTION

The present invention provides purified and isolated polynucleotides (e.g., DNA sequences and RNA transcripts, both sense and complementary antisense strands, both single- and double-stranded, including splice variants thereof) encoding NgR homologs, referred to herein as NgR. Unless indicated otherwise, as used herein, the abbreviation in lower case (NgR) refers to a gene, cDNA, RNA or nucleic acid sequence, whereas the upper case version (NgR) refers to a protein, polypeptide, peptide, oligopeptide, or amino acid sequence. Specific proteins are designated by number, e.g., "NgR2" is a human NgR homolog, "NgR3" is a murine-derived NgR homolog, and "NgR1" is the known NgR identified by Dr. Stephen Strittmatter. Known NgRs are herein referred to as "NgRs." DNA polynucleotides of the invention include genomic DNA, cDNA and DNA that has been chemically synthesized in whole

10

15

20

25

30

Standard reference works setting forth the general principles of recombinant DNA technology known to those of skill in the art include Ausubel et al., CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, John Wiley & Sons, New York (1998); Sambrook et al., MOLECULAR CLONING: A LABORATORY MANUAL, 2d Ed., Cold Spring Harbor Laboratory Press, Plainview, New York (1989); Kaufman et al., Eds., HANDBOOK OF MOLECULAR AND CELLULAR METHODS IN BIOLOGY AND MEDICINE, CRC Press, Boca Raton (1995); McPherson, Ed., DIRECTED MUTAGENESIS: A PRACTICAL APPROACH, IRL Press, Oxford (1991).

As used herein, the term "axon" refers to a long cellular protrusion from a neuron, whereby action potentials are conducted, either to or from the cell body.

As used herein, the term "axonal growth" refers to an extension of the long process or axon, originating at the cell body and proceeded by the growth cone.

As used herein, the term "central nervous system disorder" refers to any pathological state associated with abnormal function of the central nervous system (CNS). The term includes, but is not limited to, altered CNS function resulting from physical trauma to cerebral tissue, viral infection, autoimmune machanisms and genetic mutation.

As used herein, the term "demyelinating disease" refers to a pathological disorder characterized by the degradation of the myelin sheath of the oligodendrocyte cell membrane.

As used herein, the term "growth cone" refers to a specialized region at the tip of a growing neurite that is responsible for sensing the local environment and moving the axon toward its appropriate synaptic target cell.

As used herein, the term "growth cone movement" refers to the extension or collapse of the growth cone toward a neuron's target cell.

As used herein, the term "neurite" refers to a process growing out of a neuron.

As it is sometimes difficult to distinguish a dendrite from in axon in culture, the term

"neurite" is used for both.

As used herein, the term "oligodendrocyte" refers to a neuroglial cell of the CNS whose function is to myelinate CNS axons.

"Synthesized" as used herein and understood in the art, refers to polynucleotides produced by purely chemical, as opposed to enzymatic, methods.

10

15

20

25

30

"Wholly" synthesized DNA sequences are therefore produced entirely by chemical means, and "partially" synthesized DNAs embrace those wherein only portions of the resulting DNA were produced by chemical means. By the term "region" is meant a physically contiguous portion of the primary structure of a biomolecule. In the case of proteins, a region is defined by a contiguous portion of the amino acid sequence of that protein. The term "domain" is herein defined as referring to a structural part of a biomolecule that contributes to a known or suspected function of the biomolecule. Domains may be co-extensive with regions or portions thereof, domains may also incorporate a portion of a biomolecule that is distinct from a particular region, in addition to all or part of that region. Examples of NgR protein domains include, but are not limited to, the signal peptide, extracellular (*i.e.*, N-terminal) domain, and leucine-rich repeat domains.

As used herein, the term "activity" refers to a variety of measurable indicia suggesting or revealing binding, either direct or indirect; affecting a response, *i.e.*, having a measurable affect in response to some exposure or stimulus, including, for example, the affinity of a compound for directly binding a polypeptide or polynucleotide of the invention, or, for example, measurement of amounts of upstream or downstream proteins or other similar functions after some stimulus or event. Such activities may be measured by assays such as competitive inhibition of NgR1 binding to Nogo assays wherein, for example, unlabeled, soluble NgR2 is added to an assay system in increasing concentrations to inhibit the binding of Nogo to NgR1 expressed on the surface of CHO cells. As another example, one may assess the ability of neurons to extend across lesions caused by nerve damage (as in Schnell and Schwab (1990) *Nature* 343, 269-272) following inhibition of Nogo by various forms of NgR2 and/or NgR3 as a biological indicator of NgR function.

As used herein, the term "antibody" is meant to refer to complete, intact antibodies, and Fab, Fab', F(ab)2, and other fragments thereof. Complete, intact antibodies include monoclonal antibodies such as murine monoclonal antibodies, chimeric antibodies, anti-idiotypic antibodies, anti-idiotypic antibodies, and humanized antibodies.

As used herein, the term "binding" means the physical or chemical interaction between two proteins or compounds or associated proteins or compounds or combinations thereof. Binding includes ionic, non-ionic, hydrogen bonds, Van der Waals, hydrophobic interactions, etc. The physical interaction, the binding, can be either direct or indirect, indirect being through or due to the effects of another protein or compound. Direct binding refers to interactions that do not take place through or due to the effect of another protein or compound but instead are without other substantial chemical intermediates.

As used herein, the term "compound" means any identifiable chemical or molecule, including, but not limited to, small molecules, peptides, proteins, sugars, nucleotides or nucleic acids, and such compound can be natural or synthetic.

As used herein, the term "complementary" refers to Watson-Crick basepairing between nucleotide units of a nucleic acid molecule.

As used herein, the term "contacting" means bringing together, either directly or indirectly, a compound into physical proximity to a polypeptide or polynucleotide of the invention. The polypeptide or polynucleotide can be in any number of buffers, salts, solutions etc. Contacting includes, for example, placing the compound into a beaker, microtiter plate, cell culture flask, or a microarray, such as a gene chip, or the like, which contains the nucleic acid molecule, or polypeptide encoding the NgR or fragment thereof.

As used herein, the phrase "homologous nucleotide sequence," or "homologous amino acid sequence," or variations thereof, refers to sequences characterized by an identity at the nucleotide level, or a homology at the amino acid level, of at least the specified percentage. Homologous nucleotide sequences include those sequences coding for isoforms of proteins. Such isoforms can be expressed in different tissues of the same organism as a result of, for example, alternative splicing of RNA.

Alternatively, isoforms can be encoded by different genes. Homologous nucleotide sequences include nucleotide sequences encoding for a protein of a species other than humans, including, but not limited to, mammals. Homologous nucleotide sequences also include, but are not limited to, naturally occurring allelic variations and mutations of the nucleotide sequences set forth herein. A homologous nucleotide sequence does not, however, include the nucleotide sequence encoding NgR1. Homologous amino acid sequences include those amino acid sequences which contain conservative amino acid substitutions and which polypeptides have the same binding and/or activity. A

5

10

15

20

25

WO 02/029059

5

10

15

20

25

30

homologous amino acid sequence does not, however, include the amino acid sequence encoding other known NgRs. Percent homology can be determined by, for example, the Gap program (Wisconsin Sequence Analysis Package, Version 8 for Unix, Genetics Computer Group, University Research Park, Madison WI), using the default settings, which uses the algorithm of Smith and Waterman (Adv. Appl. Math., 1981, 2, 482-489, which is incorporated herein by reference in its entirety).

As used herein, the term "isolated" nucleic acid molecule refers to a nucleic acid molecule (DNA or RNA) that is substantially free of nucleic acids encoding other proteins with which it is associated in nature, i.e., a nucleic acid that has been removed from its native environment. Examples of isolated nucleic acid molecules include, but are not limited to, recombinant DNA molecules contained in a vector, recombinant DNA molecules maintained in a heterologous host cell, partially or substantially purified nucleic acid molecules, and synthetic DNA or RNA molecules. Preferably, an "isolated" nucleic acid is free of sequences which naturally flank the nucleic acid (i.e., sequences located at the 5' and 3' ends of the nucleic acid) in the genomic DNA of the organism from which the nucleic acid is derived. For example, in various embodiments, the isolated NgR nucleic acid molecule can contain less than about 50 kb, 25 kb, 5 kb, 4 kb, 3 kb, 2 kb, 1 kb, 0.5 kb or 0.1 kb of nucleotide sequences which naturally flank the nucleic acid molecule in genomic DNA of the cell from which the nucleic acid is derived. Moreover, an "isolated" nucleic acid molecule, such as a cDNA molecule, can be substantially free of other cellular material or culture medium when produced by recombinant techniques, or of chemical precursors or other chemicals when chemically synthesized.

As used herein, the term "heterologous" refers to a nucleotide or amino acid sequence that is a different, or non-corresponding sequence, or a sequence derived from a different species. For example, a mouse NgR nucleotide or amino acid sequence is heterologous to a human NgR nucleotide or amino acid sequence, and a human NgR nucleic or amino acid sequence is heterologous to a human immunoglobulin nucleotide or amino acid sequence.

As used herein, a "soluble NgR polypeptide" is a NgR polypeptide that does not anchor itself in a membrane. Such soluble polypeptides include, for example, NgR2 and NgR3 polypeptides that lack a sufficient portion of their GPI anchor signal

PCT/US01/31488

to anchor the polypeptide or are modified such that the GPI anchor signal is not adequate to result in replacement of the peptide with a GPI anchor. In preferred embodiments, up to 5, 10, 20 or 25 amino acids are removed from the C-terminus of NgR2 or NgR3 to make the respective proteins soluble. As used herein soluble NgR polypeptides include full-length or truncated (e.g., with internal deletions) NgR.

Soluble NgR polypeptides may include the entire NgR protein up to the putative GPI signal sequence (e.g., amino acid 1 to about amino acid 395 of NgR2, and from amino acid 1 to about amino acid 438 of NgR3). In other embodiments, the signal peptide of the proteins may be removed or truncated (e.g., all or part of the signal sequence of NgR2, which spans amino acid 1 to about amino acid 30 of SEQ ID NO:2, may be removed; all or part of the signal sequence of NgR3, which spans amino acid 1 to about amino acid 40 of SEQ ID NO:4, may be removed). In some embodiments, the mature NgR2 (SEQ ID NO:8) and the mature NgR3 (SEQ ID NO:9) are used.

Soluble NgR polypeptides include at least one of the putative ligand-binding portions of NgR, including the first cysteine-rich region (SEQ ID NO:10, the leucine repeat region (SEQ ID NO:12) and the second cysteine-rich region (SEQ ID NO:11). In some embodiments, soluble NgR polypeptides consist of amino acid 1 through about amino acid 395 of SEQ ID NO:2, or amino acid 1 through about amino acid 438 of SEQ ID NO:4.

In other embodiments, the soluble NgR polypeptides are fusion proteins that contain amino acids 30 through about amino acid 395 of mature NgR2 or amino acid 40 through about amino acid 438 of NgR3, the C-terminal 10 amino acids of a human IgG 1 hinge region containing the two cysteine residues thought to participate in interchain disulfide bonding, and the CH2 and CH3 regions of a human IgGI heavy chain constant domain. This type of recombinant protein is designed to modulate inhibition of axonal elongation through inhibition of the Nogo ligand binding to NgR1, or by inhibiting the ligand of the NgR from interacting with cell surface NgR. The NgR portion of the fusion binds to the Nogo ligand and the IgG1 portion binds to the FcγRI (macrophage) and FcγIII (NK cells and neutrophils) receptors.

The production of the soluble polypeptides useful in this invention may be achieved by a variety of methods known in the art. For example, the polypeptides may

5

10

15

20

25

10

15

20

25

30

be derived from intact transmembrane NgR molecules by proteolysis using specific endopeptidases in combination with exopeptidases, Edman degradation, or both. The intact NgR molecule, in turn, may be purified from its natural source using conventional methods. Alternatively, the intact NgR may be produced by known recombinant DNA techniques using cDNAs, expression vectors and well-known techniques for recombinant gene expression.

Preferably, the soluble polypeptides useful in the present invention are produced directly, thus eliminating the need for an entire NgR as a starting material. This may be achieved by conventional chemical synthesis techniques or by well-known recombinant DNA techniques wherein only those DNA sequences which encode the desired peptides are expressed in transformed hosts. For example, a gene which encodes the desired soluble NgR polypeptide may be synthesized by chemical means using an oligonucleotide synthesizer. Such oligonucleotides are designed based on the amino acid sequence of the desired soluble NgR polypeptide. Specific DNA sequences coding for the desired peptide also can be derived from the full- length DNA sequence by isolation of specific restriction endonuclease fragments or by PCR synthesis of the specified region from cDNA.

A nucleic acid molecule of the present invention, e.g., a nucleic acid molecule having the nucleotide sequence of SEQ ID NOs:1, 3 or a complement of either of these nucleotide sequences, can be isolated using standard molecular biology techniques and the sequence information provided herein. Using all or a portion of the nucleic acid sequences of SEQ ID NOs:1 or 3 as a hybridization probe, NgR nucleic acid sequences can be isolated using standard hybridization and cloning techniques (e.g., as described in Sambrook et al., eds., Molecular Cloning: a Laboratory Manual 2nd Ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989; and Ausubel, et al., eds., Current Protocols in Molecular Biology, John Wiley & Sons, New York, NY, 1993).

A nucleic acid of the invention can be amplified using cDNA, mRNA or alternatively, genomic DNA, as a template and appropriate oligonucleotide primers according to standard PCR amplification techniques. The nucleic acid so amplified can be cloned into an appropriate vector and characterized by DNA sequence analysis.

Furthermore, oligonucleotides corresponding to NgR nucleotide sequences can be prepared by standard synthetic techniques, e.g., using an automated DNA synthesizer.

As used herein, the terms "modulates" or "modifies" means an increase or decrease in the amount, quality, or effect of a particular activity or protein.

As used herein, the term "oligonucleotide" refers to a series of linked nucleotide residues which has a sufficient number of bases to be used in a polymerase chain reaction (PCR). This short sequence is based on (or designed from) a genomic or cDNA sequence and is used to amplify, confirm or reveal the presence of an identical, similar or complementary DNA or RNA in a particular cell or tissue. Oligonucleotides comprise portions of a DNA sequence having at least about 10 nucleotides and as many as about 50 nucleotides, preferably about 15 to 30 nucleotides. They are chemically synthesized and may be used as probes.

As used herein, the term "probe" refers to nucleic acid sequences of variable length, preferably between at least about 10 and as many as about 6,000 nucleotides, depending on use. They are used in the detection of identical, similar or complementary nucleic acid sequences. Longer length probes are usually obtained from a natural or recombinant source, are highly specific and much slower to hybridize than oligomers. They may be single- or double-stranded and carefully designed to have specificity in PCR, hybridization membrane-based, or ELISA-like technologies.

The term "preventing" refers to decreasing the probability that an organism contracts or develops an abnormal condition.

The term "treating" refers to having a therapeutic effect and at least partially alleviating or abrogating an abnormal condition in the organism.

The term "therapeutic effect" refers to the inhibition or activation factors causing or contributing to the abnormal condition. A therapeutic effect relieves to some extent one or more of the symptoms of the abnormal condition. In reference to the treatment of abnormal conditions, a therapeutic effect can refer to one or more of the following: (a) an increase in the proliferation, growth, and/or differentiation of cells; (b) inhibition (i.e., slowing or stopping) of cell death; (c) inhibition of degeneration; (d) relieving to some extent one or more of the symptoms associated with the abnormal condition; and (e) enhancing the function of the affected population

BNSDOCID: <WO __0229059A3_IA>

5

10

15

20

25

10

15

20

25

of cells. Compounds demonstrating efficacy against abnormal conditions can be identified as described herein.

The term "abnormal condition" refers to a function in the cells or tissues of an organism that deviates from their normal functions in that organism. An abnormal condition can relate to cell proliferation, cell differentiation, cell signaling, or cell survival. An abnormal condition may also include obesity, diabetic complications such as retinal degeneration, and irregularities in glucose uptake and metabolism, and fatty acid uptake and metabolism.

Abnormal cell proliferative conditions, for example, include cancers such as fibrotic and mesangial disorders, abnormal angiogenesis and vasculogenesis, wound healing, psoriasis, diabetes mellitus and inflammation.

Abnormal differentiation conditions include, for example, neurodegenerative disorders, slow wound healing rates and slow tissue grafting healing rates.

Abnormal cell signaling conditions include, for example, psychiatric disorders involving excess neurotransmitter activity.

Abnormal cell survival conditions may also relate to conditions in which programmed cell death (apoptosis) pathways are activated or abrogated. A number of protein kinases are associated with the apoptosis pathways. Aberrations in the function of any one of the protein kinases could lead to cell immortality or premature cell death.

The term "administering" relates to a method of incorporating a compound into cells or tissues of an organism. The abnormal condition can be prevented or treated when the cells or tissues of the organism exist within the organism or outside of the organism. Cells existing outside the organism can be maintained or grown in cell culture dishes. For cells harbored within the organism, many techniques exist in the art to administer compounds, including (but not limited to) oral, parenteral, dermal, injection, and aerosol applications. For cells outside of the organism, multiple techniques exist in the art to administer the compounds, including (but not limited to) cell microinjection techniques, transformation techniques and carrier techniques.

The abnormal condition can also be prevented or treated by administering a compound to a group of cells having an aberration in a signal transduction pathway to an organism. The effect of administering a compound on organism function can then

be monitored. The organism is preferably a mouse, rat, rabbit, guinea pig or goat, more preferably a monkey or ape, and most preferably a human.

By "amplification" it is meant increased numbers of DNA or RNA in a cell compared with normal cells. "Amplification" as it refers to RNA can be the detectable presence of RNA in cells, since in some normal cells there is no basal expression of RNA. In other normal cells, a basal level of expression exists, therefore in these cases amplification is the detection of at least 1–2-fold, and preferably more, compared to the basal level.

The amino acid sequences are presented in the amino to carboxy direction, from left to right. The amino and carboxy groups are not presented in the sequence. The nucleotide sequences are presented by single strand only, in the 5' to 3' direction, from left to right. Nucleotides and amino acids are represented in the manner recommended by the IUPAC-IUB Biochemical Nomenclature Commission or (for amino acids) by three letters code.

15

20

25

30

10

5

Nucleic Acids

Genomic DNA of the invention comprises the protein-coding region for a polypeptide of the invention and is also intended to include allelic variants thereof. It is widely understood that, for many genes, genomic DNA is transcribed into RNA transcripts that undergo one or more splicing events wherein intron (*i.e.*, non-coding regions) of the transcripts are removed, or "spliced out." RNA transcripts that can be spliced by alternative mechanisms, and therefore be subject to removal of different RNA sequences but still encode a NgR polypeptide, are referred to in the art as splice variants which are embraced by the invention. Splice variants comprehended by the invention therefore are encoded by the same original genomic DNA sequences but arise from distinct mRNA transcripts. Allelic variants are modified forms of a wild-type gene sequence, the modification resulting from recombination during chromosomal segregation or exposure to conditions which give rise to genetic mutation. Allelic variants, like wild-type genes, are naturally occurring sequences (as opposed to non-naturally occurring variants arising from in vitro manipulation).

The invention also comprehends cDNA that is obtained through reverse transcription of an RNA polynucleotide encoding NgR (conventionally followed by

- 17 -

second-strand synthesis of a complementary strand to provide a double-stranded DNA).

Preferred DNA sequences encoding a human NgR polypeptide is set out in SEQ ID NOs:1 and 13. A preferred DNA of the invention comprises a double stranded molecule comprising the coding molecule (*i.e.*, the "coding strand") along with the complementary molecule (the "non-coding strand" or "complement") having a sequence unambiguously deducible from the coding strand according to Watson-Crick base-pairing rules for DNA. Also preferred are other polynucleotides encoding NgR polypeptides, as shown in SEQ ID NO:3, which comprises murine NgR homolog, NgR3.

Also preferred are nucleotide sequences that encode at least a portion of a NgR polypeptide that has at least one biological function of a NgR. More preferred are nucleotide sequences that encode a portion of NgR that encodes at least the mature NgR without the hydrophobic C-terminal GPI signal. Also preferred are nucleotide sequences that encode the portion of NgR that encodes at least the ligand-binding region of NgR.

The invention further embraces other species, preferably mammalian, homologs of the human NgR DNA. Species homologs, sometimes referred to as "orthologs," in general, share at least 35%, at least 40%, at least 45%, at least 50%, at least 60%, at least 65%, at least 70%, at least 75%, at least 85%, at least 90%, at least 99%, or at least 99% homology with human DNA of the invention. Generally, percent sequence "homology" with respect to polynucleotides of the invention may be calculated as the percentage of nucleotide bases in the candidate sequence that are identical to nucleotides in the NgR sequences set forth in SEQ ID NOs:1, 3 or 13, after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent sequence identity.

The polynucleotide sequence information provided by the invention makes possible large-scale expression of the encoded polypeptide by techniques well known and routinely practiced in the art. Polynucleotides of the invention also permit identification and isolation of polynucleotides encoding related NgR polypeptides, such as human allelic variants and species homologs, by well-known techniques including Southern and/or Northern hybridization, and polymerase chain reaction (PCR).

5

10

15

20

25

- 18 -

Examples of related polynucleotides include human and non-human genomic sequences, including allelic variants, as well as polynucleotides encoding polypeptides homologous to NgR and structurally related polypeptides sharing one or more biological, immunological, and/or physical properties of NgR. Non-human species genes encoding proteins homologous to NgR can also be identified by Southern and/or PCR analysis and are useful in animal models for NgR disorders. Knowledge of the sequence of a human NgR DNA also makes possible through use of Southern hybridization or polymerase chain reaction (PCR) the identification of genomic DNA sequences encoding NgR expression control regulatory sequences such as promoters, operators, enhancers, repressors, and the like. Polynucleotides of the invention are also useful in hybridization assays to detect the capacity of cells to express NgR. Polynucleotides of the invention may also provide a basis for diagnostic methods useful for identifying a genetic alteration(s) in a NgR locus that underlies a disease state or states, which information is useful both for diagnosis and for selection of therapeutic strategies.

The disclosure herein of a full-length polynucleotide encoding a NgR polypeptide makes readily available to the worker of ordinary skill in the art every possible fragment of the full-length polynucleotide. The invention, therefore, provides fragments of NgR-encoding polynucleotides comprising at least 6, and preferably at least 14, 16, 18, 20, 25, 50, or 75 consecutive nucleotides of a polynucleotide encoding NgR. Preferably, fragments of polynucleotides of the invention comprise sequences unique to the NgR-encoding polynucleotide sequence, and therefore hybridize under highly stringent or moderately stringent conditions only (i.e., "specifically") to polynucleotides encoding NgR (or fragments thereof). Polynucleotide fragments of genomic sequences of the invention comprise not only sequences unique to the coding region, but also include fragments of the full-length sequence derived from introns, regulatory regions, and/or other non-translated sequences. Sequences unique to polynucleotides of the invention are recognizable through sequence comparison to other known polynucleotides, and can be identified through use of alignment programs routinely utilized in the art, e.g., those made available in public sequence databases. Such sequences also are recognizable from Southern hybridization analyses to determine the number of fragments of genomic

5

10

15

20

25

- 19 -

DNA to which a polynucleotide will hybridize. Polynucleotides of the invention can be labeled in a manner that permits their detection, including radioactive, fluorescent and enzymatic labeling.

Fragments of polynucleotides are particularly useful as probes for detection of full-length or fragment of NgR polynucleotides. One or more polynucleotides can be included in kits that are used to detect the presence of a polynucleotide encoding NgR, or used to detect variations in a polynucleotide sequence encoding NgR.

The invention also embraces DNAs encoding NgR polypeptides that hybridize under moderately stringent or high stringency conditions to the noncoding strand, or complement, of the polynucleotide in any of SEO ID NOs:1 or 3.

Stringent conditions are known to those skilled in the art and can be found in CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, John Wiley & Sons, N.Y. (1989), 6.3.1?6.3.6. Preferably, the conditions are such that sequences at least about 65%, 70%, 75%, 85%, 90%, 95%, 98% or 99% homologous to each other typically remain hybridized to each other. A non-limiting example of stringent hybridization conditions is hybridization in a high salt buffer comprising 6X SSC, 50 mM Tris-HCl (pH 7.5), 1 mM EDTA, 0.02% PVP, 0.02% Ficoll, 0.02% BSA and 500 mg/ml denatured salmon sperm DNA at 65°C. This hybridization is followed by one or more washes in 0.2X SSC, 0.01% BSA at 50°C. An isolated nucleic acid molecule of the invention that hybridizes under stringent conditions to the sequence of SEQ ID NOs:1 or 3 corresponds to a naturally occurring nucleic acid molecule. As used herein, a "naturally-occurring" nucleic acid molecule refers to an RNA or DNA molecule having a nucleotide sequence that occurs in nature (e.g., encodes a natural protein). As used herein, "stringent hybridization conditions" means: 42°C in a hybridization solution comprising 50% formamide, 1% SDS, 1 M NaCl, 10% (wt/vol) dextran sulfate, and washing twice for 30 minutes at 60°C in a wash solution comprising 0.1 X SSC and 1% SDS.

Vectors

Another aspect of the present invention is directed to vectors, or recombinant expression vectors, comprising any of the nucleic acid molecules described above.

Vectors are used herein either to amplify DNA or RNA encoding NgR and/or to

5

10

15

20

25

express DNA which encodes NgR. As used herein, the term "vector" refers to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. One type of vector is a "plasmid", which refers to a circular double stranded DNA loop into which additional DNA segments can be ligated. Another type of vector is a viral vector, wherein additional DNA segments can be ligated into the viral genome. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (e.g., bacterial vectors having a bacterial origin of replication and episomal mammalian vectors). Other vectors (e.g., non-episomal mammalian vectors) are integrated into the genome of a host cell upon introduction into the host cell, and thereby are replicated along with the host genome. Moreover, certain vectors are capable of directing the expression of genes to which they are operatively linked. Such vectors are referred to herein as "expression vectors". In general, expression vectors of utility in recombinant DNA techniques are often in the form of plasmids. In the present specification, "plasmid" and "vector" can be used interchangeably as the plasmid is the most commonly used form of vector. However, the invention is intended to include such other forms of expression vectors, such as viral vectors (e.g., replication defective retroviruses, adenoviruses and adenoassociated viruses), that serve equivalent functions.

Expression of proteins in prokaryotes is most often carried out in *E. coli* with vectors containing constitutive or inducible promoters directing the expression of either fusion or non-fusion proteins. Fusion vectors add a number of amino acids to a protein encoded therein, usually to the amino terminus of the recombinant protein. Such fusion vectors typically serve three purposes: (1) to increase expression of recombinant protein; (2) to increase the solubility of the recombinant protein; and (3) to aid in the purification of the recombinant protein by acting as a ligand in affinity purification. Often, in fusion expression vectors, a proteolytic cleavage site is introduced at the junction of the fusion moiety and the recombinant protein to enable separation of the recombinant protein from the fusion moiety subsequent to purification of the fusion protein. Such enzymes, and their cognate recognition sequences, include Factor Xa, thrombin and enterokinase. Typical fusion expression vectors include pGEX (Pharmacia Biotech Inc; Smith and Johnson (1988) *Gene* 67, 31-40), pMAL (New England Biolabs, Beverly, Mass.) and pRIT5 (Pharmacia,

WO 02/029059

5

10

15

20

25

10

15

20

25

30

Piscataway, N.J.) that fuse glutathione-S-transferase (GST), maltose E binding protein, or protein A, respectively, to the target recombinant protein.

Examples of suitable inducible non-fusion *E. coli* expression vectors include pTrc (Amrann *et al.*, (1988) *Gene* 69, 301-315) and pET 11d (Studier *et al.*, GENE EXPRESSION TECHNOLOGY: METHODS IN ENZYMOLOGY 185, Academic Press, San Diego, CA. (1990) 60-89).

One strategy to maximize recombinant protein expression in *E. coli* is to express the protein in host bacteria with an impaired capacity to proteolytically cleave the recombinant protein. See, Gottesman, GENE EXPRESSION TECHNOLOGY:

METHODS IN ENZYMOLOGY 185, Academic Press, San Diego, CA. (1990) 119-128. Another strategy is to alter the nucleic acid sequence of the nucleic acid to be inserted into an expression vector so that the individual codons for each amino acid are those preferentially utilized in *E. coli* (Wada *et al.*, (1992) *Nucleic Acids Res.* 20, 2111-2118). Such alteration of nucleic acid sequences of the invention can be carried out by standard DNA synthesis techniques.

In another embodiment, the NgR expression vector is a yeast expression vector. Examples of vectors for expression in yeast *S. cerevisiae* include pYepSec1 (Baldari, *et al.*, (1987) *EMBO J.* 6, 229-234), pMFa (Kurjan and Herskowitz (1982) *Cell* 30, 933-943), pJRY88 (Schultz *et al.*, (1987) *Gene* 54, 113-123), pYES2 (Invitrogen Corporation, San Diego, CA), and picZ (InVitrogen Corp, San Diego, CA).

Alternatively, NgR can be expressed in insect cells using baculovirus expression vectors. Baculovirus vectors available for expression of proteins in cultured insect cells (e.g., SF9 cells) include the pAc series (Smith et al., (1983) Mol. Cell. Biol. 3, 2156-2165) and the pVL series (Lucklow and Summers (1989) Virology 170, 31-39).

In yet another embodiment, a nucleic acid of the invention is expressed in mammalian cells using a mammalian expression vector. Examples of mammalian expression vectors include pCDM8 (Seed (1987) Nature 329, 840) and pMT2PC (Kaufman et al. (1987) EMBO J. 6, 187-195). When used in mammalian cells, the expression vector's control functions are often provided by viral regulatory elements. For example, commonly used promoters are derived from polyoma, adenovirus 2, cytomegalovirus and Simian Virus 40. For other suitable expression systems for both

prokaryotic and eukaryotic cells. See, e.g., Chapters 16 and 17 of Sambrook et al., (Eds.) MOLECULAR CLONING: A LABORATORY MANUAL. 2nd Ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989.

In another embodiment, the recombinant mammalian expression vector is capable of directing expression of the nucleic acid preferentially in a particular cell type (e.g., tissue-specific regulatory elements are used to express the nucleic acid). Tissuespecific regulatory elements are known in the art. Non-limiting examples of suitable tissue-specific promoters include the albumin promoter (liver-specific; Pinkert et al. (1987) Genes Dev. 1, 268-277), lymphoid-specific promoters (Calame and Eaton (1988) Adv. Immunol. 43, 235-275), in particular promoters of T cell receptors (Winoto and Baltimore (1989) EMBO J. 8, 729-733) and immunoglobulins (Banerji et al. (1983) Cell 33, 729-740; Queen and Baltimore (1983) Cell 33, 741-748), neuronspecific promoters (e.g., the neurofilament promoter; Byrne and Ruddle (1989) Proc. Natl. Acad. Sci. USA 86, 5473-5477), pancreas-specific promoters (Edlund et al. (1985) Science 230, 912-916), and mammary gland-specific promoters (e.g., milk whey promoter; U.S. Pat. No. 4,873,316 and European Application Publication No. 264,166). Developmentally-regulated promoters are also encompassed, e.g., the murine hox promoters (Kessel and Gruss (1990) Science 249, 374-379) and the α-fetoprotein promoter (Campes and Tilghman (1989) Genes Dev. 3, 537-546).

The invention further provides a recombinant expression vector comprising a DNA molecule of the invention cloned into the expression vector in an antisense orientation. That is, the DNA molecule is operatively linked to a regulatory sequence in a manner that allows for expression (by transcription of the DNA molecule) of an RNA molecule that is antisense NgR mRNA. Regulatory sequences operatively linked to a nucleic acid cloned in the antisense orientation can be chosen that direct the continuous expression of the antisense RNA molecule in a variety of cell types, for instance viral promoters and/or enhancers, or regulatory sequences can be chosen that direct constitutive, tissue-specific or cell-type-specific expression of antisense RNA. The antisense expression vector can be in the form of a recombinant plasmid, phagemid or attenuated virus in which antisense nucleic acids are produced under the control of a high efficiency regulatory region, the activity of which can be determined by the cell type into which the vector is introduced. For a discussion of the regulation

5

10

15

20

25

- 23 -

of gene expression using antisense genes see Weintraub et al., Antisense RNA as a molecular tool for genetic analysis, REVIEWS--TRENDS IN GENETICS, Vol. 1(1) 1986.

Preferred vectors include, but are not limited to, plasmids, phages, cosmids, episomes, viral particles or viruses and integratable DNA fragments (*i.e.*, fragments integratable into the host genome by homologous recombination). Preferred viral particles include, but are not limited to, adenoviruses, baculoviruses, parvoviruses, herpesviruses, poxviruses, adeno-associated viruses, Semliki Forest viruses, vaccinia viruses and retroviruses. Preferred expression vectors include, but are not limited to, pcDNA3 (Invitrogen) and pSVL (Pharmacia Biotech). Other expression vectors include, but are not limited to, pSPORTTM vectors, pGEMTM vectors (Promega), pPROEXvectorsTM (LTI, Bethesda, MD), BluescriptTM vectors (Stratagene), pQETM vectors (Qiagen), pSE420TM (Invitrogen) and pYES2TM(Invitrogen).

Preferred expression vectors are replicable DNA constructs in which a DNA sequence encoding NgR is operably linked or connected to suitable control sequences capable of effecting the expression of the NgR in a suitable host. DNA regions are operably linked or connected when they are functionally related to each other. For example, a promoter is operably linked or connected to a coding sequence if it controls the transcription of the sequence. Amplification vectors do not require expression control domains, but rather need only the ability to replicate in a host, usually conferred by an origin of replication, and a selection gene to facilitate recognition of transformants. The need for control sequences in the expression vector will vary depending upon the host selected and the transformation method chosen. Generally, control sequences include, but are not limited to a transcriptional promoter, enhancers, an optional operator sequence to control transcription, polyadenylation signals, a sequence encoding suitable mRNA ribosomal binding and sequences which control the termination of transcription and translation. Such regulatory sequences are described, for example, in Goeddel, GENE EXPRESSION TECHNOLOGY: METHODS IN ENZYMOLOGY 185, Academic Press, San Diego, CA (1990). Regulatory sequences include those that direct constitutive expression of a nucleotide sequence in many types of host cell and those that direct expression of the nucleotide sequence only in certain host cells (e.g., tissue-specific regulatory sequences). It will be appreciated by those skilled in the art that the design of the expression vector can depend on such factors as

5

10

15

20

25

10

15

20

25

30

the choice of the host cell to be transformed, the level of expression of protein desired, etc. The expression vectors of the invention can be introduced into host cells to thereby produce proteins or peptides, including fusion proteins or peptides, encoded by nucleic acids as described herein (e.g., NgR proteins, mutant forms of NgR, fusion proteins, etc.).

Preferred vectors preferably contain a promoter that is recognized by the host organism. The promoter sequences of the present invention may be prokaryotic, eukaryotic or viral. Examples of suitable prokaryotic sequences include the PR and PL promoters of bacteriophage lambda (THE BACTERIOPHAGE LAMBDA, Hershey, A.D. (Ed.), Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY (1973), which is incorporated herein by reference in its entirety; LAMBDA II, Hendrix, R.W. (Ed.), Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY (1980), which is incorporated herein by reference in its entirety); the trp, recA, heat shock, and lacZ promoters of *E. coli* and the SV40 early promoter (Benoist *et al.*, (1981) *Nature* 290, 304-310, which is incorporated herein by reference in its entirety). Additional promoters include, but are not limited to, mouse mammary tumor virus, long terminal repeat of human immunodeficiency virus, maloney virus, cytomegalovirus immediate early promoter, Epstein Barr virus, Rous sarcoma virus, human actin, human myosin, human hemoglobin, human muscle creatine and human metallothionein.

Additional regulatory sequences can also be included in preferred vectors. Preferred examples of suitable regulatory sequences are represented by the Shine-Dalgarno sequence of the replicase gene of the phage MS-2 and of the gene cII of bacteriophage lambda. The Shine-Dalgarno sequence may be directly followed by DNA encoding NgR and result in the expression of the mature NgR protein.

Moreover, suitable expression vectors can include an appropriate marker that allows the screening of the transformed host cells. The transformation of the selected host is carried out using any one of the various techniques well known to the expert in the art and described in Sambrook *et al.*, *supra*.

An origin of replication can also be provided either by construction of the vector to include an exogenous origin or may be provided by the host cell chromosomal replication mechanism. If the vector is integrated into the host cell chromosome, the latter may be sufficient. Alternatively, rather than using vectors

which contain viral origins of replication, one skilled in the art can transform mammalian cells by the method of co-transformation with a selectable marker and NgR DNA. An example of a suitable marker is dihydrofolate reductase (DHFR) or thymidine kinase (see, U.S. Patent No. 4,399,216).

Nucleotide sequences encoding NgR may be recombined with vector DNA in accordance with conventional techniques, including blunt-ended or staggered-ended termini for ligation, restriction enzyme digestion to provide appropriate termini, filling in of cohesive ends as appropriate, alkaline phosphatase treatment to avoid undesirable joining and ligation with appropriate ligases. Techniques for such manipulation are disclosed by Sambrook *et al.*, *supra* and are well known in the art. Methods for construction of mammalian expression vectors are disclosed in, for example, Okayama *et al.*, (1983) *Mol. Cell. Biol.* 3:280, Cosman *et al.* (1986) *Mol. Immunol.* 23:935, Cosman *et al.*, (1984) *Nature* 312:768, EP-A-0367566, and WO 91/18982, each of which is incorporated herein by reference in its entirety.

15

20

25

30

10

5

Host Cells and Transformed Host Cells

According to another aspect of the invention, host cells are provided, including prokaryotic and eukaryotic cells, comprising a polynucleotide of the invention (or vector of the invention) in a manner that permits expression of the encoded NgR polypeptide. Preferably, the cell produces little or no endogenous NgR polypeptide. Polynucleotides of the invention may be introduced into the host cell as part of a circular plasmid, or as linear DNA comprising an isolated protein coding region or a viral vector. Methods for introducing DNA into the host cell that are well known and routinely practiced in the art include transformation, transfection, electroporation, nuclear injection, or fusion with carriers such as liposomes, micelles, ghost cells and protoplasts. Expression systems of the invention include bacterial, yeast, fungal, plant, insect, invertebrate, vertebrate and mammalian cells systems.

Host cells of the invention are a valuable source of immunogen for development of antibodies specifically immunoreactive with NgR. Host cells of the invention are also useful in methods for the large-scale production of NgR polypeptides wherein the cells are grown in a suitable culture medium and the desired polypeptide products are isolated from the cells, or from the medium in which the cells

10

15

20

25

30

are grown, by purification methods known in the art, e.g., conventional chromatographic methods including immunoaffinity chromatography, receptor affinity chromatography, hydrophobic interaction chromatography, lectin affinity chromatography, size exclusion filtration, cation or anion exchange chromatography, high pressure liquid chromatography (HPLC), reverse phase HPLC, and the like. Still other methods of purification include those methods wherein the desired protein is expressed and purified as a fusion protein having a specific tag, label or chelating moiety that is recognized by a specific binding partner or agent. The purified protein can be cleaved to yield the desired protein, or can be left as an intact fusion protein. Cleavage of the fusion component may produce a form of the desired protein having additional amino acid residues as a result of the cleavage process.

Knowledge of NgR DNA sequences allows for modification of cells to permit, or increase, expression of endogenous NgR. Cells can be modified (e.g., by homologous recombination) to provide increased expression by replacing, in whole or in part, the naturally occurring NgR promoter with all or part of a heterologous promoter so that the cells express NgR at higher levels. The heterologous promoter is inserted in such a manner that it is operatively linked to endogenous NgR encoding sequences. (See, for example, PCT International Publication No. WO 94/12650, PCT International Publication No. WO 92/20808, and PCT International Publication No. WO 91/09955.) It is also contemplated that, in addition to heterologous promoter DNA, amplifiable marker DNA (e.g., ada, dhfr, and the multifunctional CAD gene which encodes carbamoyl phosphate synthase, aspartate transcarbamylase, and dihydroorotase) and/or intron DNA may be inserted along with the heterologous promoter DNA. If linked to the NgR coding sequence, amplification of the marker DNA by standard selection methods results in co-amplification of the NgR coding sequences in the cells.

The DNA sequence information provided by the present invention also makes possible the development (e.g., by homologous recombination or "knock-out" strategies; see Capecchi, Science 244:1288-1292 (1989)) of animals that fail to express functional NgR or that express a variant of NgR. Such animals (especially small laboratory animals such as rats, rabbits and mice) are useful as models for studying the in vivo activities of NgR and modulators of NgR.

Suitable host cells for expression of the polypeptides of the invention include, but are not limited to, prokaryotes, yeast, and eukaryotes. If a prokaryotic expression vector is employed, then the appropriate host cell would be any prokaryotic cell capable of expressing the cloned sequences. Suitable prokaryotic cells include, but are not limited to, bacteria of the genera Escherichia, Bacillus, Salmonella, Pseudomonas, Streptomyces and Staphylococcus.

If a eukaryotic expression vector is employed, then the appropriate host cell would be any eukaryotic cell capable of expressing the cloned sequence. Preferably, eukaryotic cells are cells of higher eukaryotes. Suitable eukaryotic cells include, but are not limited to, non-human mammalian tissue culture cells and human tissue culture cells. Preferred host cells include, but are not limited to, insect cells, HeLa cells, Chinese hamster ovary cells (CHO cells), African green monkey kidney cells (COS cells), human 293 cells, and murine 3T3 fibroblasts. Propagation of such cells in cell culture has become a routine procedure (*see*, Tissue Culture, Academic Press, Kruse and Patterson, Eds. (1973), which is incorporated herein by reference in its entirety).

In addition, a yeast cell may be employed as a host cell. Preferred yeast cells include, but are not limited to, the genera Saccharomyces, Pichia and Kluveromyces. Preferred yeast hosts are S. cerevisiae and P. pastoris. Preferred yeast vectors can contain an origin of replication sequence from a 2T yeast plasmid, an autonomously replication sequence (ARS), a promoter region, sequences for polyadenylation, sequences for transcription termination and a selectable marker gene. Shuttle vectors for replication in both yeast and E. coli are also included herein.

Alternatively, insect cells may be used as host cells. In a preferred embodiment, the polypeptides of the invention are expressed using a baculovirus expression system (see, Luckow et al., Bio/Technology, 1988, 6, 47; BACULOVIRUS EXPRESSION VECTORS: A LABORATORY MANUAL, O'Rielly et al. (Eds.), W.H. Freeman and Company, New York, 1992; and U.S. Patent No. 4,879,236, each of which is incorporated herein by reference in its entirety). In addition, the MAXBACTM complete baculovirus expression system (Invitrogen) can, for example, be used for production in insect cells.

Suitable host cells are discussed further in Goeddel, GENE EXPRESSION
TECHNOLOGY: METHODS IN ENZYMOLOGY 185, Academic Press, San Diego, CA

5

10

15

20

25

PCT/US01/31488

(1990). Alternatively, the recombinant expression vector can be transcribed and translated *in vitro*, for example using T7 promoter regulatory sequences and T7 polymerase.

Vector DNA can be introduced into prokaryotic or eukaryotic cells via conventional transformation or transfection techniques. As used herein, the terms "transformation" and "transfection" are intended to refer to a variety of art-recognized techniques for introducing foreign nucleic acid (e.g., DNA) into a host cell, including calcium phosphate or calcium chloride co-precipitation, DEAE-dextran-mediated transfection, lipofection, or electroporation. Suitable methods for transforming or transfecting host cells can be found in Sambrook, et al. (MOLECULAR CLONING: A LABORATORY MANUAL. 2nd ed., Cold Spring Harbor Laboratory, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., 1989), and other laboratory manuals.

For stable transfection of mammalian cells, it is known that, depending upon the expression vector and transfection technique used, only a small fraction of cells may integrate the foreign DNA into their genome. In order to identify and select these integrants, a gene that encodes a selectable marker (e.g., resistance to antibiotics) is generally introduced into the host cells along with the gene of interest. Various selectable markers include those that confer resistance to drugs, such as G418, hygromycin, dihydrofolate reductase (DHFR) and methotrexate. Nucleic acid encoding a selectable marker can be introduced into a host cell on the same vector as that encoding NgR or can be introduced on a separate vector. Cells stably transfected with the introduced nucleic acid can be identified by drug selection (e.g., cells that have incorporated the selectable marker gene will survive, while the other cells die).

In a preferred embodiment, the polypeptides of the invention, including forms of NgR2 and NgR3, soluble forms of NgR, chimeric NgR polypeptides, NgR/Ig fusions and fragments and variations of each of the above are expressed in Chinese Hamster Ovary (CHO) cells.

In order to introduce the DNA fragment coding for the NgR protein or polypeptide into the CHO cell to express the recombinant NgR protein or polypeptide, it is necessary to construct the expression vector.

The vectors for CHO expression include, but are not limited to, pA1-11, pXT1, pRc/CMV, pRc/RSV and pcDNAINeo. The promoter is not specifically limited

5

10

15

20

25

10

15

20

25

30

provided it effectively promotes expression in CHO cells. Examples of suitable promoters are: $SR\alpha$, SV40, LTR, CMV, and HSV-TK. Of these, CMV and $Sr\alpha$ promoters are preferred.

In addition to the above-mentioned promoters, the expression vectors may contain enhancers, splicing signals, polyadenylation signals, selectable markers and an SV40 replication origin. Suitable selectable markers include, but are not limited to the dihydrofolate reductase (DHFR) gene which provides resistance to methotrexate (MTX), the ampicillin resistance gene, and the neomycin resistance gene.

Examples of the expression vectors each containing the DNA coding for NgR, portions, fragments and soluble constructs thereof, include the vector (such as one described above), into which the promoter is operably linked (preferably upstream) to the nucleotide sequence encoding the desired NgR construct; a polyadenylation signal downstream from the nucleotide sequence encoding the NgR construct; and, preferably, the vector includes an operable DHFR gene. Preferably, the ampicillin resistant gene is also operably contained in the vector.

CHO cell lacking the DHFR gene (Urlaub, G. et al., (1980) Proc. Natl. Acad. Sci. USA 77, 4216-4220) and CHO-K1 (Proc. Natl. Acad. Sci. USA 60, 1275 (1968)) are suitable for use.

The NgR expression vectors prepared as above are introduced into CHO cells by any known method, including, but not limited to the calcium phosphate method (Graham and van der Eb (1973) *Virol.* 52, 456-467) and electroporation (Nuemann *et al.*, (1982) *EMBO J.* 1, 841-845).

Transformants carrying the expression vectors are selected based on the above-mentioned selectable markers. Repeated clonal selection of the transformants using the selectable markers allows selection of stable cell lines having high expression of the NgR constructs. Increased MTX concentrations in the selection medium allows gene amplification and greater expression of the desired protein. The CHO cell containing the recombinant NgR can be produced by cultivating the CHO cells containing the NR expression vectors constitutively expressing the NgR constructs.

Media used in cultivating CHO cells includes DMEM medium supplemented with about 0.5 to 20% fetal calf serum, DMEM medium and RPMI1640 medium. The

10

15

20

25

30

pH of the medium is preferably about 6 to 8. Cultivation is preferably at about 30 to 40°C for about 15 to 72 hours with aeration.

A host cell of the invention, such as a prokaryotic or eukaryotic host cell in culture, can be used to produce (i.e., express) NgR protein. Accordingly, the invention further provides methods for producing NgR protein using the host cells of the invention. In one embodiment, the method comprises culturing the host cell of invention (into which a recombinant expression vector encoding NgR has been introduced) in a suitable medium such that NgR protein is produced. In another embodiment, the method further comprises isolating NgR from the medium or the host cell.

In situations where the NgR polypeptide will be found primarily intracellularly, intracellular material (including inclusion bodies for Gram-negative bacteria) can be extracted from the host cell using any standard technique known to one of ordinary skill in the art. Such methods would encompass, by way of example and not by way of limitation, lysing the host cells to release the contents of the periplasm/cytoplasm by French press, homogenization and/or sonication followed by centrifugation.

If the NgR polypeptide has formed inclusion bodies in the cytosol, such inclusion bodies may frequently bind to the inner and/or outer cellular membranes. Upon centrifugation, the inclusion bodies will be found primarily in the pellet material. The pellet material can then be treated at pH extremes or with one or more chaotropic agents such as a detergent, guanidine, guanidine derivatives, urea, or urea derivatives in the presence of a reducing agent such as dithiothreitol at alkaline pH or tris-carboxyethyl phosphine at acid pH to release, break apart and solubilize the inclusion bodies. Once solubilized, NgR polypeptide can be analyzed using gel electrophoresis, immunoprecipitation or the like. Various methods of isolating the NgR polypeptide would be apparent to one of ordinary skill in the art, for example, isolation may be accomplished using standard methods such as those set forth below and in Marston et al (1990) Meth. Enzymol. 182, 264-275 (incorporated by reference herein in its entirety).

If isolated NgR polypeptide is not biologically active following the isolation procedure employed, various methods for "refolding" or converting the polypeptide to its tertiary structure and generating disulfide linkages, can be used to restore biological

10

15

20

25

30

activity. Methods known to one of ordinary skill in the art include adjusting the pH of the solubilized polypeptide to a pH usually above 7 and in the presence of a particular concentration of a chaotrope. The selection of chaotrope is very similar to the choices used for inclusion body solubilization but usually at a lower concentration and is not necessarily the same chaotrope as used for the solubilization. It may be required to employ a reducing agent or the reducing agent plus its oxidized form in a specific ratio, to generate a particular redox potential allowing for disulfide shuffling to occur in the formation of the protein's cysteine bridge(s). Some of the commonly used redox couples include cysteine/cystamine, glutathione (GSH)/dithiobis GSH, cupric chloride, dithiothreitol (DTT)/dithiane DTT, 2-mercaptoethanol (bME)/dithio-b(ME). To increase the efficiency of the refolding, it may be necessary to employ a cosolvent, such as glycerol, polyethylene glycol of various molecular weights and arginine.

Transgenic Animals

The host cells of the invention can also be used to produce non-human transgenic animals. For example, in one embodiment, a host cell of the invention is a fertilized oocyte or an embryonic stem cell into which NgR-coding sequences have been introduced. Such host cells can then be used to create non-human transgenic animals in which exogenous NgR sequences have been introduced into their genome or homologous recombinant animals in which endogenous NgR sequences have been altered. Such animals are useful for studying the function and/or activity of NgR and for identifying and/or evaluating modulators of NgR activity. As used herein, a "transgenic animal" is a non-human animal, preferably a mammal, more preferably a rodent such as a rat or mouse, in which one or more of the cells of the animal includes a transgene. Other examples of transgenic animals include non-human primates, sheep, dogs, cows, goats, chickens, amphibians, etc. A transgene is exogenous DNA that is integrated into the genome of a cell from which a transgenic animal develops and that remains in the genome of the mature animal, thereby directing the expression of an encoded gene product in one or more cell types or tissues of the transgenic animal. As used herein, a "homologous recombinant animal" is a non-human animal, preferably a mammal, more preferably a mouse, in which an endogenous NgR gene has been altered by homologous recombination between the endogenous gene and an exogenous DNA

molecule introduced into a cell of the animal, e.g., an embryonic cell of the animal, prior to development of the animal.

A transgenic animal of the invention can be created by introducing NgRencoding nucleic acid into the male pronuclei of a fertilized oocyte, e.g., by microinjection, retroviral infection, and allowing the oocyte to develop in a pseudopregnant female foster animal. The human NgR DNA sequence of SEQ ID NOs:1 or 3 can be introduced as a transgene into the genome of a non-human animal. Alternatively, a nonhuman homolog of the human NgR gene, such as a mouse NgR gene, can be isolated based on hybridization to the human NgR cDNA (described further above) and used as a transgene. Intronic sequences and polyadenylation signals can also be included in the transgene to increase the efficiency of expression of the transgene. A tissue-specific regulatory sequence(s) can be operably linked to the NgR transgene to direct expression of NgR protein to particular cells. Methods for generating transgenic animals via embryo manipulation and microinjection, particularly animals such as mice, have become conventional in the art and are described, for example, in U.S. Pat. Nos. 4,736,866; 4,870,009; and 4,873,191; and Hogan 1986, in MANIPULATING THE MOUSE EMBRYO, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY. Similar methods are used for production of other transgenic animals. A transgenic founder animal can be identified based upon the presence of the NgR transgene in its genome and/or expression of NgR mRNA in tissues or cells of the animals. A transgenic founder animal can then be used to breed additional animals carrying the transgene. Moreover, transgenic animals carrying a transgene encoding NgR can further be bred to other transgenic animals carrying other transgenes.

To create a homologous recombinant animal, a vector is prepared which contains at least a portion of a NgR gene into which a deletion, addition or substitution has been introduced to thereby alter, e.g., functionally disrupt, the NgR gene. The NgR gene can be a human gene (e.g., SEQ ID NOs:1 or 13), but more preferably, is a non-human homolog of a human NgR gene. For example, a mouse homolog of human NgR gene of SEQ ID NOs:1 or 13 can be used to construct a homologous recombination vector suitable for altering an endogenous NgR gene in the mouse genome. In one embodiment, the vector is designed such that, upon homologous

5

10

15

20

25

recombination, the endogenous NgR gene is functionally disrupted (i.e., no longer encodes a functional protein; also referred to as a "knock out" vector).

Alternatively, the vector can be designed such that, upon homologous recombination, the endogenous NgR gene is mutated or otherwise altered but still encodes functional protein (e.g., the upstream regulatory region can be altered to thereby alter the expression of the endogenous NgR protein). In the homologous recombination vector, the altered portion of the NgR gene is flanked at its 5' and 3' ends by additional nucleic acid of the NgR gene to allow for homologous recombination to occur between the exogenous NgR gene carried by the vector and an endogenous NgR gene in an embryonic stem cell. The additional flanking NgR nucleic acid is of sufficient length for successful homologous recombination with the endogenous gene. Typically, several kilobases of flanking DNA (both at the 5' and 3' ends) are included in the vector. See e.g., Thomas et al. (1987) Cell 51:503 for a description of homologous recombination vectors. The vector is introduced into an embryonic stem cell line (e.g., by electroporation) and cells in which the introduced NgR gene has homologously recombined with the endogenous NgR gene are selected (see e.g., Li et al. (1992) Cell 69:915).

The selected cells are then injected into a blastocyst of an animal (e.g., a mouse) to form aggregation chimeras. See e.g., Bradley 1987, In:

TERATOCARCINOMAS AND EMBRYONIC STEM CELLS: A Practical Approach, Robertson, ed. IRL, Oxford, pp. 113-152. A chimeric embryo can then be implanted into a suitable pseudopregnant female foster animal and the embryo brought to term. Progeny harboring the homologously recombined DNA in their germ cells can be used to breed animals in which all cells of the animal contain the homologously recombined DNA by germline transmission of the transgene. Methods for constructing homologous recombination vectors and homologous recombinant animals are described further in Bradley (1991) *Curr. Opin. Biotechnol.* 2:823-829; PCT International Publication Nos.: WO 90/11354; WO 91/01140; WO 92/0968; and WO 93/04169.

In another embodiment, transgenic non-humans animals can be produced that contain selected systems that allow for regulated expression of the transgene. One example of such a system is the cre/loxP recombinase system of bacteriophage P1. For

5

10

15

20

25

10

15

a description of the cre/loxP recombinase system, see, e.g., Lakso et al. (1992) Proc. Natl. Acad. Sci. USA 89:6232-6236. Another example of a recombinase system is the FLP recombinase system of Saccharomyces cerevisiae (O'Gorman et al. (1991) Science 251:1351-1355. If a cre/loxP recombinase system is used to regulate expression of the transgene, animals containing transgenes encoding both the Cre recombinase and a selected protein are required. Such animals can be provided through the construction of "double" transgenic animals, e.g., by mating two transgenic animals, one containing a transgene encoding a selected protein and the other containing a transgene encoding a recombinase.

Clones of the non-human transgenic animals described herein can also be produced according to the methods described in Wilmut $et\ al.$ (1997) Nature 385:810-813. In brief, a cell, e.g., a somatic cell, from the transgenic animal can be isolated and induced to exit the growth cycle and enter G_0 phase. The quiescent cell can then be fused, e.g., through the use of electrical pulses, to an enucleated oocyte from an animal of the same species from which the quiescent cell is isolated. The reconstructed oocyte is then cultured such that it develops to morula or blastocyte and then transferred to pseudopregnant female foster animal. The offspring borne of this female foster animal will be a clone of the animal from which the cell, e.g., the somatic cell, is isolated.

20

25

30

Antisense

Also provided by the invention are antisense polynucleotides that recognize and hybridize to NgR polynucleotides. Full-length and fragment antisense polynucleotides are provided. Fragment antisense molecules of the invention include (i) those that specifically recognize and hybridize to NgR RNA (as determined by sequence comparison of DNA encoding NgR to DNA encoding other known molecules). Identification of sequences unique to NgR encoding polynucleotides can be deduced through use of any publicly available sequence database, and/or through use of commercially available sequence comparison programs. After identification of the desired sequences, isolation through restriction digestion or amplification using any of the various polymerase chain reaction techniques well known in the art can be

- 35 -

performed. Antisense polynucleotides are particularly relevant to regulating expression of NgR by those cells expressing NgR mRNA.

Antisense oligonucleotides, or fragments of a nucleotide sequence set forth in SEQ ID NO:1, 3, 13 or sequences complementary or homologous thereto, derived from the nucleotide sequences of the present invention encoding NgR are useful as diagnostic tools for probing gene expression in various tissues. For example, tissue can be probed *in situ* with oligonucleotide probes carrying detectable groups by conventional autoradiography techniques to investigate native expression of this enzyme or pathological conditions relating thereto. In specific aspects, antisense nucleic acid molecules are provided that comprise a sequence complementary to at least about 10, 25, 50, 100, 250 or 500 nucleotides or an entire NgR coding strand, or to only a portion thereof. Nucleic acid molecules encoding fragments, homologs, derivatives and analogs of a NgR protein of SEQ ID NO:2, 4 or 14 or antisense nucleic acids complementary to a NgR nucleic acid sequence of SEQ ID NOs:1, 3 or 13 are additionally provided.

In one embodiment, an antisense nucleic acid molecule is antisense to a "coding region" of the coding strand of a nucleotide sequence encoding NgR. The term "coding region" refers to the region of the nucleotide sequence comprising codons which are translated into amino acid residues (e.g., the protein coding region of human NgR corresponds to the coding region SEQ ID NO:1, 3 or 13). In another embodiment, the antisense nucleic acid molecule is antisense to a "noncoding region" of the coding strand of a nucleotide sequence encoding NgR. The term "noncoding region" refers to 5' and 3' sequences which flank the coding region that are not translated into amino acids (i.e., also referred to as 5' and 3' untranslated regions).

Antisense oligonucleotides are preferably directed to regulatory regions of a nucleotide sequence of SEQ ID NO:1, 3, 13 or mRNA corresponding thereto, including, but not limited to, the initiation codon, TATA box, enhancer sequences, and the like. Given the coding strand sequences encoding NgR disclosed herein (e.g., SEQ ID NO:1, 3 or 13), antisense nucleic acids of the invention can be designed according to the rules of Watson and Crick or Hoogsteen base pairing. The antisense nucleic acid molecule can be complementary to the entire coding region of NgR mRNA, but more preferably is an oligonucleotide that is antisense to only a portion of the coding

5

10

15

20

25

10

15

20

25

30

or noncoding region of NgR mRNA. For example, the antisense oligonucleotide can be complementary to the region surrounding the translation start site of NgR mRNA. An antisense oligonucleotide can be, for example, about 5, 10, 15, 20, 25, 30, 35, 40, 45 or 50 nucleotides in length. An antisense nucleic acid of the invention can be constructed using chemical synthesis or enzymatic ligation reactions using procedures known in the art. For example, an antisense nucleic acid (e.g., an antisense oligonucleotide) can be chemically synthesized using naturally occurring nucleotides or variously modified nucleotides designed to increase the biological stability of the molecules or to increase the physical stability of the duplex formed between the antisense and sense nucleic acids, e.g., phosphorothioate derivatives and acridine substituted nucleotides can be used.

Examples of modified nucleotides that can be used to generate the antisense nucleic acid include: 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xanthine, 4-acetylcytosine, 5-(carboxyhydroxylmethyl) uracil, 5carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-Dmannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6diaminopurine. Alternatively, the antisense nucleic acid can be produced biologically using an expression vector into which a nucleic acid has been subcloned in an antisense orientation (i.e., RNA transcribed from the inserted nucleic acid will be of an antisense orientation to a target nucleic acid of interest, described further in the following subsection).

The antisense nucleic acid molecules of the invention (preferably oligonucleotides of 10 to 20 nucleotides in length) are typically administered to a subject or generated *in situ* such that they hybridize with or bind to cellular mRNA

and/or genomic DNA encoding a NgR protein to thereby inhibit expression of the protein, e.g., by inhibiting transcription and/or translation. Suppression of NgR expression at either the transcriptional or translational level is useful to generate cellular or animal models for diseases/conditions characterized by aberrant NgR expression. The hybridization can be by conventional nucleotide complementarity to form a stable duplex, or, for example, in the case of an antisense nucleic acid molecule that binds to DNA duplexes, through specific interactions in the major groove of the double helix.

Phosphorothioate and methylphosphonate antisense oligonucleotides are specifically contemplated for therapeutic use by the invention. The antisense oligonucleotides may be further modified by adding poly-L-lysine, transferrin polylysine or cholesterol moieties at their 5' end.

An example of a route of administration of antisense nucleic acid molecules of the invention includes direct injection at a tissue site. Alternatively, antisense nucleic acid molecules can be modified to target selected cells and then administered systemically. For example, for systemic administration, antisense molecules can be modified such that they specifically bind to receptors or antigens expressed on a selected cell surface, *e.g.*, by linking the antisense nucleic acid molecules to peptides or antibodies that bind to cell surface receptors or antigens. The antisense nucleic acid molecules can also be delivered to cells using the vectors described herein. To achieve sufficient intracellular concentrations of antisense molecules, vector constructs in which the antisense nucleic acid molecule is placed under the control of a strong pol II or pol III promoter are preferred.

In yet another embodiment, the antisense nucleic acid molecule of the invention is an α -anomeric nucleic acid molecule. An α -anomeric nucleic acid molecule forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual β -units, the strands run parallel to each other (Gaultier *et al.*, (1987) *Nucleic Acids Res.* 15, 6625-6641). The antisense nucleic acid molecule can also comprise a 2'-o-methylribonucleotide (Inoue *et al.*, (1987) *Nucleic Acids Res.* 15, 6131-6148) or a chimeric RNA-DNA analogue (Inoue *et al.*, (1987) *FEBS Lett.* 215, 327-330).

The NgR sequences taught in the present invention facilitate the design of novel transcription factors for modulating NgR expression in native cells and animals,

5

10

15

20

25

and cells transformed or transfected with NgR polynucleotides. For example, the Cys2-His2 zinc finger proteins, which bind DNA via their zinc finger domains, have been shown to be amenable to structural changes that lead to the recognition of different target sequences. These artificial zinc finger proteins recognize specific target sites with high affinity and low dissociation constants, and are able to act as gene switches to modulate gene expression. Knowledge of the particular NgR target sequence of the present invention facilitates the engineering of zinc finger proteins specific for the target sequence using known methods such as a combination of structure-based modeling and screening of phage display libraries (Segal et al., (1999) Proc. Natl. Acad. Sci. USA 96, 2758-2763; Liu et al., (1997) Proc. Natl. Acad. Sci. USA 94, 5525-5530; Greisman et al. (1997) Science 275, 657-661; Choo et al., (1997) J. Mol. Biol. 273, 525-532). Each zinc finger domain usually recognizes three or more base pairs. Since a recognition sequence of 18 base pairs is generally sufficient in length to render it unique in any known genome, a zinc finger protein consisting of 6 tandem repeats of zinc fingers would be expected to ensure specificity for a particular sequence (Segal et al., (1999), above). The artificial zinc finger repeats, designed based on the promoter of NgR sequences, are fused to activation or repression domains to promote or suppress NgR expression (Liu et al., (1997), above). The promoter of NgR may be obtained by standard methods known to one of ordinary skill in the art with the disclosure contained herein and knowledge of the NgR sequence. Alternatively, the zinc finger domains can be fused to the TATA box-binding factor (TBP) with varying lengths of linker region between the zinc finger peptide and the TBP to create either transcriptional activators or repressors (Kim et al., (1997) Proc. Natl. Acad. Sci. USA 94, 3616-3620. Such proteins and polynucleotides that encode them, have utility for modulating NgR expression in vivo in both native cells, animals and humans; and/or cells transfected with NgR-encoding sequences. The novel transcription factor can be delivered to the target cells by transfecting constructs that express the transcription factor (gene therapy), or by introducing the protein. Engineered zinc finger proteins can also be designed to bind RNA sequences for use in therapeutics as alternatives to antisense or catalytic RNA methods (McColl et al., (1997) Proc. Natl. Acad. Sci. USA 96, 9521-9526); Wu et al., (1995) Proc. Natl. Acad. Sci. USA 92, 344-348). The present invention contemplates methods of

5

10

15

20

25

15

20

25

30

designing such transcription factors based on the gene sequence of the invention, as well as customized zinc finger proteins, that are useful to modulate NgR expression in cells (native or transformed) whose genetic complement includes these sequences.

5 Ribozymes and PNA moieties

In still another embodiment, an antisense nucleic acid of the invention is a ribozyme. Ribozymes are catalytic RNA molecules with ribonuclease activity that are capable of cleaving a single-stranded nucleic acid, such as an mRNA, to which they have a complementary region. Thus, ribozymes (e.g., hammerhead ribozymes, described in Haselhoff and Gerlach (1988) Nature 334, 585-591) can be used to catalytically cleave NgR mRNA transcripts to thereby inhibit translation of NgR mRNA. A ribozyme having specificity for a NgR-encoding nucleic acid can be designed based upon the nucleotide sequence of a NgR DNA disclosed herein (i.e., SEQ ID NOs:1, 3 or 13). For example, a derivative of a Tetrahymena L-19 IVS RNA can be constructed in which the nucleotide sequence of the active site is complementary to the nucleotide sequence to be cleaved in a NgR-encoding mRNA. See, e.g., Cech et al. U.S. Patent No. 4,987,071; and Cech et al. U.S. Patent No. 5,116,742. Alternatively, NgR mRNA can be used to select a catalytic RNA having a specific ribonuclease activity from a pool of RNA molecules. See, e.g., Bartel et al., (1993) Science 261, 1411-1418.

Alternatively, NgR gene expression can be inhibited by targeting nucleotide sequences complementary to the regulatory region of the NgR (e.g., the NgR promoter and/or enhancers) to form triple helical structures that prevent transcription of the NgR gene in target cells. See generally, Helene (1991) Anticancer Drug Des. 6: 569-584; Helene. et al., (1992) Ann. N.Y. Acad. Sci. 660:27-36; and Maher (1992) BioEssays 14, 807-815.

In various embodiments, the nucleic acids of NgR can be modified at the base moiety, sugar moiety or phosphate backbone to improve, e.g., the stability, hybridization, or solubility of the molecule. For example, the deoxyribose phosphate backbone of the nucleic acids can be modified to generate peptide nucleic acids (see Hyrup et al., (1996) Bioorg. Med. Chem. Lett. 4, 5-23). As used herein, the terms "peptide nucleic acids" or "PNAs" refer to nucleic acid mimics, e.g., DNA mimics, in

- 40 -

which the deoxyribose phosphate backbone is replaced by a pseudopeptide backbone and only the four natural nucleobases are retained. The neutral backbone of PNAs has been shown to allow for specific hybridization to DNA and RNA under conditions of low ionic strength. The synthesis of PNA oligomers can be performed using standard solid phase peptide synthesis protocols as described in Hyrup *et al.*, (1996) above; Perry-O'Keefe *et al.*, (1996) *Proc. Natl. Acad. Sci. USA* 93,14670-14675.

PNAs of NgR can be used in therapeutic and diagnostic applications. For example, PNAs can be used as antisense or antigene agents for sequence-specific modulation of gene expression by, e.g., inducing transcription or translation arrest or inhibiting replication. PNAs of NgR can also be used, e.g., in the analysis of single base pair mutations in a gene by, e.g., PNA directed PCR clamping; as artificial restriction enzymes when used in combination with other enzymes, e.g., S1 nucleases (Hyrup (1996), above); or as probes or primers for DNA sequence and hybridization (Hyrup et al., (1996), above; Perry-O'Keefe (1996), above).

In another embodiment, PNAs of NgR can be modified, e.g., to enhance their stability or cellular uptake, by attaching lipophilic or other helper groups to PNA, by the formation of PNA-DNA chimeras, or by the use of liposomes or other techniques of drug delivery known in the art. For example, PNA-DNA chimeras of NgR can be generated that may combine the advantageous properties of PNA and DNA. Such chimeras allow DNA recognition enzymes, e.g., RNase H and DNA polymerases, to interact with the DNA portion while the PNA portion would provide high binding affinity and specificity. PNA-DNA chimeras can be linked using linkers of appropriate lengths selected in terms of base stacking, number of bonds between the nucleobases, and orientation (Hyrup (1996), above). The synthesis of PNA-DNA chimeras can be performed as described in Hyrup (1996), above and Finn et al. (1996) Nucleic Acids Res. 24, 3357-3363. For example, a DNA chain can be synthesized on a solid support using standard phosphoramidite coupling chemistry, and modified nucleoside analogs, e.g., 5'-(4-methoxytrityl) amino-5'-deoxy-thymidine phosphoramidite, can be used between the PNA and the 5' end of DNA (Mag et al. (1989) Nucleic Acids Res. 17, 973-988). PNA monomers are then coupled in a stepwise manner to produce a chimeric molecule with a 5' PNA segment and a 3' DNA segment (Finn et al. (1996), above). Alternatively, chimeric molecules can be synthesized with a 5' DNA segment

5

10

15

20

25

10

15

20

25

30

and a 3' PNA segment. See, Petersen et al. (1975) Bioorg. Med. Chem. Lett. 5:1119-1124.

In other embodiments, the oligonucleotide may include other appended groups such as peptides (e.g., for targeting host cell receptors in vivo), or agents facilitating transport across the cell membrane (see Letsinger et al., (1989) Proc. Natl. Acad. Sci. USA 86, 6553-6556; Lemaitre et al., (1987) Proc. Natl. Acad. Sci. USA 84, 648-652; PCT Publication No. WO 88/09810) or the blood-brain barrier (see, e.g., PCT Publication No. WO 89/10134). In addition, oligonucleotides can be modified with hybridization triggered cleavage agents (see, e.g., Krol et al., (1988) Biotechniques 6, 958-976) or intercalating agents (see, e.g., Zon (1988) Pharm. Res. 5, 539-549). To this end, the oligonucleotide may be conjugated to another molecule, e.g., a peptide, a hybridization triggered cross-linking agent, a transport agent, a hybridization-triggered cleavage agent, etc.

Automated sequencing methods can be used to obtain or verify the nucleotide sequence of NgR. The NgR nucleotide sequences of the present invention are believed to be 100% accurate. However, as is known in the art, nucleotide sequence obtained by automated methods may contain some errors. Nucleotide sequences determined by automation are typically at least about 90%, more typically at least about 95% to at least about 99.9% identical to the actual nucleotide sequence of a given nucleic acid molecule. The actual sequence may be more precisely determined using manual sequencing methods, which are well known in the art. An error in a sequence which results in an insertion or deletion of one or more nucleotides may result in a frame shift in translation such that the predicted amino acid sequence will differ from that which would be predicted from the actual nucleotide sequence of the nucleic acid molecule, starting at the point of the mutation.

Polypeptides

The invention also provides purified and isolated mammalian NgR polypeptides encoded by a polynucleotide of the invention. Presently preferred is a human NgR polypeptide comprising the amino acid sequence set forth in SEQ ID NO:2 or SEQ ID NO:14. Another preferred embodiment is a mouse NgR polypeptide comprising the amino acid sequence of NgR3, as set forth in SEQ ID NO:4.

10

15

20

25

30

One aspect of the invention pertains to isolated NgR proteins, and biologically active portions thereof, or derivatives, fragments, analogs or homologs thereof. Also provided are polypeptide fragments suitable for use as immunogens to raise anti-NgR antibodies. Preferably, fragments of NgR proteins comprise at least one biological activity of NgR. In one embodiment, native NgR proteins can be isolated from cells or tissue sources by an appropriate purification scheme using standard protein purification techniques. In another embodiment, NgR proteins are produced by recombinant DNA techniques. Alternative to recombinant expression, a NgR protein or polypeptide can be synthesized chemically using standard peptide synthesis techniques.

The invention also embraces polypeptides that have at least 99%, at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 65%, at least 60%, at least 55%, at least 55% or at least 45% identity and/or homology to the preferred polypeptide of the invention. In addition, the invention embraces polypeptides having the consensus sequence shown in SEQ ID NO:6, shown in Table 5) excluding the previously characterized NgR ("NgR1"), and polypeptides comprising at least about 90% of the consensus sequence.

The term "percentage of sequence identity" is calculated by comparing two optimally aligned sequences over that region of comparison, determining the number of positions at which the identical nucleic acid base (e.g., A, T, C, G, U, or I, in the case of nucleic acids) occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the region of comparison (i.e., the window size), and multiplying the result by 100 to yield the percentage of sequence identity. The term "substantial identity" as used herein denotes a characteristic of a polynucleotide sequence, wherein the polynucleotide comprises a sequence that has at least 80 percent sequence identity, preferably at least 85 percent identity and often 90 to 95 percent sequence identity, more usually at least 99 percent sequence identity as compared to a reference sequence over a comparison region.

In one aspect, percent homology is calculated as the percentage of amino acid residues in the smaller of two sequences which align with identical amino acid residue in the sequence being compared, when four gaps in a length of 100 amino acids may be introduced to maximize alignment (Dayhoff, in ATLAS OF PROTEIN SEQUENCE AND

STRUCTURE, Vol. 5, p. 124, National Biochemical Research Foundation, Washington, D.C. (1972), incorporated herein by reference).

A determination of homology or identity is typically made by a computer homology program known in the art. An exemplary program is the Gap program (Wisconsin Sequence Analysis Package, Version 8 for UNIX, Genetics Computer Group, University Research Park, Madison, WI) using the default settings, which uses the algorithm of Smith and Waterman (Adv. Appl. Math., 1981, 2, 482-489, which in incorporated herein by reference in its entirety). Employing the GAP software provided in the GCG program package, (see Needleman and Wunsch (1970) J. Mol. Biol. 48, 443-453) the following settings for nucleic acid sequence comparison may be used: GAP creation penalty of 5.0 and GAP extension penalty of 0.3, the coding region of the analogous nucleic acid sequences referred to above exhibits a degree of identity preferably of at least 70%, 75%, 80%, 85%, 90%, 95%, 98%, or 99%, with the CDS (encoding) part of the DNA sequence shown in SEQ ID NOs:1, 3 or 13. BestFit was originally written for Version 1.0 by Paul Haeberli from a careful reading of the papers by Needleman and Wunsch (1970), above, and Smith and Waterman (1981), above. The following Bestfit settings for nucleic acid sequence comparison may be used: GAP creation penalty of 8.0 and GAP extension penalty of 2, the coding region of the analogous nucleic acid sequences referred to above exhibits a degree of identity preferably of at least 70%, 75%, 80%, 85%, 90%, 95%, 98% or 99%, with the CDS (encoding) part of the amino acid sequence shown in SEQ ID NOs:2, 4 or 14.

Alternatively, homology may be determined by hybridization analysis wherein a nucleic acid sequence is hybridized to the complement of a sequence encoding the aforementioned proteins under stringent, moderately stringent, or low stringent conditions. See *e.g.* Ausubel, *et al.*, (Eds.) CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, John Wiley & Sons, New York, NY, 1993, and below.

Polypeptides of the invention may be isolated from natural cell sources or may be chemically synthesized, but are preferably produced by recombinant procedures involving host cells of the invention.

An "isolated" or "purified" protein or biologically active portion thereof is substantially free of cellular material or other contaminating proteins from the cell or tissue source from which the NgR protein is derived, or substantially free from

5

10

15

20

25

PCT/US01/31488

chemical precursors or other chemicals when chemically synthesized. The language "substantially free of cellular material" includes preparations of NgR protein in which the protein is separated from cellular components of the cells from which it is isolated or recombinantly produced. In one embodiment, the language "substantially free of cellular material" includes preparations of NgR protein having less than about 30% (by dry weight) of non-NgR protein (also referred to herein as a "contaminating protein"), more preferably less than about 20% of non-NgR protein, still more preferably less than about 10% of non-NgR protein, and most preferably less than about 5% non-NgR protein. When the NgR protein or biologically active portion thereof is recombinantly produced, it is also preferably substantially free of culture medium, *i.e.*, culture medium represents less than about 20%, more preferably less than about 10%, and most preferably less than about 5% of the volume of the protein preparation.

The language "substantially free of chemical precursors or other chemicals" includes preparations of NgR protein in which the protein is separated from chemical precursors or other chemicals that are involved in the synthesis of the protein. In one embodiment, the language "substantially free of chemical precursors or other chemicals" includes preparations of NgR protein having less than about 30% (by dry weight) of chemical precursors or non-NgR chemicals, more preferably less than about 20% chemical precursors or non-NgR chemicals, still more preferably less than about 10% chemical precursors or non-NgR chemicals, and most preferably less than about 5% chemical precursors or non-NgR chemicals.

Biologically active portions of a NgR protein include peptides comprising amino acid sequences sufficiently homologous to or derived from the amino acid sequence of the NgR protein, e.g., the amino acid sequence shown in SEQ ID NO:2, 4 or 14 that include fewer amino acids than the full length NgR proteins, and exhibit at least one activity of a NgR protein. Typically, biologically active portions comprise a domain or motif with at least one activity of the NgR protein. A biologically active portion of a NgR protein can be a polypeptide which is, for example, 10, 25, 50, 100 or more amino acids in length.

A biologically active portion of a NgR protein of the present invention may contain at least one of the features that is conserved between the NgR proteins (e.g., a conserved cysteine as the N-terminus of the mature protein, four conserved cysteines

5

10

15

20

25

10

15

20

25

30

in the N-terminus before a leucine-rich region, four conserved cysteines C-terminal with respect to a leucine repeat region, eight leucine-rich repeats, and a hydrophobic C-terminus). An alternative biologically active portion of a NgR protein may contain at least two of the above-identified domains. Another biologically active portion of a NgR protein may contain at least three of the above-identified domains. Yet another biologically active portion of a NgR protein of the present invention may contain at least four of the above-identified domains.

Moreover, other biologically active portions, in which other regions of the protein are deleted, can be prepared by recombinant techniques and evaluated for one or more of the functional activities of a native NgR protein.

In an embodiment, the NgR protein has an amino acid sequence shown in SEQ ID NO:2, 4 or 14. In other embodiments, the NgR protein is substantially homologous to SEQ ID NO:2, 4 or 14 and retains the functional activity of the protein of SEQ ID NO:2, 4 or 14, yet differs in amino acid sequence due to natural allelic variation or mutagenesis, as described in detail below.

Accordingly, in another embodiment, the NgR protein is a protein that comprises an amino acid sequence at least about 45% homologous to the amino acid sequence of SEQ ID NO:2 or SEQ ID NO:4 or SEQ ID NO:14 and retains the functional activity of the NgR proteins of SEQ ID NO:2, 4 or 14.

Use of mammalian host cells is expected to provide for such post-translational modifications (e.g., glycosylation, truncation, lipidation and phosphorylation) as may be needed to confer optimal biological activity on recombinant expression products of the invention. Glycosylated and non-glycosylated forms of NgR polypeptides are embraced by the invention.

The invention also embraces variant (or analog) NgR polypeptides. In one example, insertion variants are provided wherein one or more amino acid residues supplement a NgR amino acid sequence. Insertions may be located at either or both termini of the protein, or may be positioned within internal regions of the NgR amino acid sequence. Insertional variants with additional residues at either or both termini can include, for example, fusion proteins and proteins including amino acid tags or labels.

Insertion variants include NgR polypeptides wherein one or more amino acid residues are added to a NgR acid sequence or to a biologically active fragment thereof.

Variant products of the invention also include mature NgR products, *i.e.*, NgR products wherein leader or signal sequences are removed, with additional amino terminal residues. The additional amino terminal residues may be derived from another protein, or may include one or more residues that are not identifiable as being derived from specific proteins. NgR products with an additional methionine residue at position -1 (Met⁻¹-NgR) are contemplated, as are variants with additional methionine and lysine residues at positions -2 and -1 (Met⁻²-Lys⁻¹-NgR). Variants of NgR with additional Met, Met-Lys, Lys residues (or one or more basic residues in general) are particularly useful for enhanced recombinant protein production in bacterial host cells.

Polypeptide Variants

5

10

15

20

25

30

The invention also embraces NgR variants having additional amino acid residues which result from use of specific expression systems.

As used herein, a NgR "chimeric protein" or "fusion protein" comprises a NgR polypeptide operatively linked to a non-NgR polypeptide. A "NgR polypeptide" refers to a polypeptide having an amino acid sequence corresponding to NgR, whereas a "non-NgR polypeptide" refers to a polypeptide having an amino acid sequence corresponding to a protein that is not homologous to the NgR protein, e.g., a protein that is different from the NgR protein and that is derived from the same or a different organism. Within a NgR fusion protein the NgR polypeptide can correspond to all or a portion of a NgR protein. In one embodiment, a NgR fusion protein comprises at least one biologically active portion of a NgR protein. In another embodiment, a NgR fusion protein comprises at least two biologically active portions of a NgR protein. In yet another embodiment, a NgR fusion protein comprises at least three biologically active portions of a NgR protein. Within the fusion protein, the term "operatively linked" is intended to indicate that the NgR polypeptide and the non-NgR polypeptide are fused in-frame to each other. The non-NgR polypeptide can be fused to the N-terminus or C-terminus of the NgR polypeptide.

For example, in one embodiment a NgR fusion protein comprises a NgR domain operably linked to the extracellular domain of a second protein. Such fusion

- 47 -

proteins can be further utilized in screening assays for compounds which modulate NgR activity (such assays are described in detail below).

For example, use of commercially available vectors that express a desired polypeptide as part of a glutathione-S-transferase (GST) fusion product provides the desired polypeptide having an additional glycine residue at position -1 after cleavage of the GST component from the desired polypeptide.

In another embodiment, the fusion protein is a NgR protein containing a heterologous signal sequence at its N-terminus. For example, the native NgR signal sequence (i.e., amino acids 1-30 of SEQ ID NO:2 and amino acids 1-40 of SEQ ID NO:4) can be removed and replaced with a signal sequence from another protein. In certain host cells (e.g., mammalian host cells), expression and/or secretion NgR can be increased through use of a heterologous signal sequence.

In yet another embodiment, the fusion protein is a NgR-immunoglobulin fusion protein in which the NgR sequences comprising one or more domains are fused to sequences derived from a member of the immunoglobulin protein family. The NgR-immunoglobulin fusion proteins of the invention can be incorporated into pharmaceutical compositions and administered to a subject to inhibit an interaction between NgR ligand and a NgR protein on the surface of a cell, to thereby suppress NgR-mediated signal transduction *in vivo*. NgR-immunoglobulin fusion proteins can be used to affect the bioavailability of a NgR cognate ligand. Inhibition of the NgR ligand/NgR interaction may be useful therapeutically for both the treatment of proliferative and differentiative disorders, as well as modulating (e.g., promoting or inhibiting) cell survival. Moreover, the NgR-immunoglobulin fusion proteins of the invention can be used as immunogens to produce anti-NgR antibodies in a subject, to purify NgR ligands, and in screening assays to identify molecules that inhibit the interaction of NgR with NgR ligand.

A NgR chimeric or fusion protein of the invention can be produced by standard recombinant DNA techniques. For example, DNA fragments coding for the different polypeptide sequences are ligated together in-frame in accordance with conventional techniques, e.g., by employing blunt-ended or stagger-ended termini for ligation, restriction enzyme digestion to provide for appropriate termini, filling-in of cohesive ends as appropriate, alkaline phosphatase treatment to avoid undesirable joining and

5

10

15

20

25

enzymatic ligation. In another embodiment, the fusion gene can be synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of gene fragments can be carried out using anchor primers that give rise to complementary overhangs between two consecutive gene fragments that can subsequently be annealed and reamplified to generate a chimeric gene sequence (see, for example, Ausubel et al. (Eds.) CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, John Wiley & Sons, 1992). Moreover, many expression vectors are commercially available that already encode a fusion moiety (e.g., a GST polypeptide). A NgRencoding nucleic acid can be cloned into such an expression vector such that the fusion moiety is linked in-frame to the NgR protein.

Variants resulting from expression in other vector systems are also contemplated.

Insertional variants also include fusion proteins wherein the amino terminus and/or the carboxy terminus of NgR is/are fused to another polypeptide.

In another aspect, the invention provides deletion variants wherein one or more amino acid residues in a NgR polypeptide are removed. Deletions can be effected at one or both termini of the NgR polypeptide, or with removal of one or more non-terminal amino acid residues of NgR. Deletion variants, therefore, include all fragments of a NgR polypeptide.

The invention also embraces polypeptide fragments of the sequence set forth in SEQ ID NO:2, 4 or 14 wherein the fragments maintain biological (e.g., ligand binding and/or intracellular signaling) immunological properties of a NgR polypeptide. Fragments comprising at least 4, 5, 10, 15, 20, 25, 30, 35, or 40 consecutive amino acids of SEQ ID NO:2, 4 or 14 are contemplated by the invention. Preferred polypeptide fragments display antigenic properties unique to, or specific for, human NgR and its allelic and species homologs. Fragments of the invention having the desired biological and immunological properties can be prepared by any of the methods well known and routinely practiced in the art.

In still another aspect, the invention provides substitution variants of NgR polypeptides. Substitution variants include those polypeptides wherein one or more amino acid residues of a NgR polypeptide are removed and replaced with alternative residues. In one aspect, the substitutions are conservative in nature; however, the

WO 02/029059

5

10

15

20

25

- 49 -

invention embraces substitutions that are also non-conservative. Conservative substitutions for this purpose may be defined as set out in Tables 2, 3, or 4 below. Table 1.

	X _{aa} #	Column I	Column II
5	(based on a NTLRRCT	(R1, R2, R3)	(R2+R3 only)
	domain)		
	X_1	G, R, M	
	X ₂	A, D, C	
	X ₃	V, T	·
10	X ₄	N, P, S	
	X ₅	E, A, S	
	X ₆	nothing, K	nothing
	X,	V, M, P	
	X ₈	T, V	V
15	X,	Q, P	Q
	X ₁₀	Q, A	Q
	X ₁₁	Q, H, N	
	X ₁₂	G, N	N
	X ₁₃	L, F	F
20	X ₁₄	Q, A, S	
	X ₁₅	A, S	
	X ₁₆	V, I	
	X ₁₇	· V, T, E, L	
	X ₁₈	S, G	
25	X ₁₉	L, I	
	X ₂₀	A, E, V, P	
	X ₂₁	A, S, D	
	X ₂₂	S, T	
	X ₂₃	Q, E	

- 50 -

X _{aa} #	Column I	Column II
(based on a NTLRRCT	(R1, R2, R3)	(R2+R3 only)
domain)		
X ₂₄	IVL	
, X ₂₅	Q,H	Q
X ₂₆	N,G	N
X ₂₇	R,L	
X ₂₈	T,G,R,S	·
X ₂₉	F,L,T,H	
X ₃₀	L,V	L
X ₃₁	Q,R,P	
X ₃₂	Q,P,A	P
X ₃₃	G,A	G
X ₃₄	H,T,S	
X ₃₅	S,G,R	
X ₃₆	P,S,A	
X ₃₇	C, nothing	nothing
X ₃₈	R, nothing	nothing
X ₃₉	A,N	
X ₄₀	M,L	
X ₄₁	V,L,T	
X ₄₂	T, I	Т
X ₄₃	L,I	
X ₄₄	Y,F,H	
X ₄₅	N,V	N
X ₄₆	I,L_	
X ₄₇	T,S,A	
X ₄₈	F,Y,T,R	
X ₄₉	A,H,Y,D	

- 51 -

	X _{aa} #	Column I	Column II
	(based on a NTLRRCT	(R1, R2, R3)	(R2+R3 only)
	domain)		
	X ₅₀	P,A	P
	X ₅₁	N,S,G,A	
	X ₅₂	T,A	Т
	X ₅₃	E,R,T	
5	X ₅₄	G,H	
	X ₅₅	F,L	
	X ₅₆	V,Q,H	
	X ₅₇	H,A,L	
	X ₅₈	E,Q	E
10	X ₅₉	G,S	G
	X ₆₀	R,A	R
	X ₆₁	Q,H	Q
	X ₆₂	R, H	Н
	X ₆₃	T,S	
5	X ₆₄	L,V	L
	X ₆₅	A,E,D	
	X ₆₆	E,D,A	
	X ₆₇	, Q,H	Q
	X_{68}	V,E,G	
20	X_{69}	K,R	
	X ₇₀	H,Q	
	X_{71}	A,S,T	
	X_{n_2}	Y,H	
	X ₇₃	Y,D	Y
25	X ₇₄	K,R	
	X ₇₅	G,Q	

- 52 -

X _{aa} #	Column I	Column II
(based on a NTLRRC	Г (R1, R2, R3)	(R2+R3 only)
domain)		
X ₇₆	S,Q	S
X ₇₇	A,S,E	
X ₇₈	P,G	P
X ₇₉	A,G,P	
X ₈₀	G,N	
X_{81}	I,V,L	
X ₈₂	G,R	
X ₈₃	H,V,A	
X ₈₄	S,A	S
X ₈₅	D,E	
X ₈₆	H,S,A	·
X ₈₇	I,L	
X_{88}	E,L,Q	
X ₈₉	Y,H,A	
X ₉₀	Q,P	Q
X ₉₁	D, N	
X ₉₂	I, L, T	
X ₉₃	V,A,R	
X ₉₄	V,A,G	
X ₉₅	S,T	S
X ₉₆	K,R	
X ₉₇	L,I	L
X_{98}	W,R,S	
X_{99}	S,L	
X ₁₀₀	L,V	L
X ₁₀₁	G,T,P	

	X _{aa} #	Column I	Column II
	(based on a NTLRRCT	(R1, R2, R3)	(R2+R3 only)
	domain)		
	X ₁₀₂	Q,P,E	
	X ₁₀₃	G,H,R	
	X ₁₀₄	I,T,V,A	
	X ₁₀₅	V,G,H	
5	X ₁₀₆	N,S	
	X ₁₀₇	E,G,Q	
•	X ₁₀₈	Q,R	
	X ₁₀₉	L,V	
	X ₁₁₀	Q,A	
10	X ₁₁₁	W,G,H	
	X ₁₁₂	H,R,P	
	X ₁₁₃	K,A,H	
	X ₁₁₄	H,R	
	X ₁₁₅	D,G	
15	X ₁₁₆	H,R,S,G	
	X ₁₁₇	T,M	
	X ₁₁₈	T,I	
	X ₁₁₉	F,Y	
	X ₁₂₀	N,A	
20	X_{121}	S,N	
	X ₁₂₂	T,A,S	
	X ₁₂₃	E,S,A	
	X ₁₂₄	Q,P	
	X ₁₂₅	G,T	
25	X ₁₂₆	D,E	D
	X ₁₂₇	C,A	

- 54 -

	X _{aa} #	Column I	Column II
	(based on a NTLRRCT	(R1, R2, R3)	(R2+R3 only)
	domain)		
	X ₁₂₈	P,D	· E
	X ₁₂₉	V,G,P,R	
	X ₁₃₀	A,S	
	X ₁₃₁	E,Q	Q
5	X ₁₃₂	F,Y	F
	X ₁₃₃	G,A,D	
	X ₁₃₄	A,P	
	X ₁₃₅	D,A,V	
	X ₁₃₆	G,D	
0	X ₁₃₇	A,E	
	X ₁₃₈	S,P	
	X ₁₃₉	E,A	
	X ₁₄₀	L,F	
	X ₁₄₁	R,Q	
5	X ₁₄₂	R,K	R
	X ₁₄₃	R,K	R
	X ₁₄₄	F,A	
	X ₁₄₅	G,V	
	X ₁₄₆	A,D,E	
20	X ₁₄₇	T,P	
	X ₁₄₈	A,V,S	
	X ₁₄₉	T,S,L	
	X ₁₅₀	E,G,P,Q	
	X ₁₅₁	L,E,R	
25	X ₁₅₂	R,L	R
	X ₁₅₃	G, D	

X _{aa} # (based on a NTLRRCT	Column I (R1, R2, R3)	Column II (R2+R3 only)
domain)	<i>、,,,</i>	
X ₁₅₄	Q,H,A	
X ₁₅₅	Q,R	
X ₁₅₆	K,R	
X ₁₅₇	L,A,R	·
X ₁₅₈	R,A	R
X ₁₅₉	V,A,E	
X ₁₆₀	E,A,N	
X ₁₆₁	F,L	F
X ₁₆₂	R,Q	
X ₁₆₃	N,A,G	

Variant polypeptides include those wherein conservative substitutions have been introduced by modification of polynucleotides encoding polypeptides of the invention. Amino acids can be classified according to physical properties and contribution to secondary and tertiary protein structure. A conservative substitution is recognized in the art as a substitution of one amino acid for another amino acid that has similar properties. Exemplary conservative substitutions are set out in Table 2 (from WO 97/09433, page 10, published March 13, 1997 (PCT/GB96/02197, filed 9/6/96), immediately below.

20

5

10

15

Table 2

Conservative Substitutions I

SIDE CHAIN CHARACTERISTIC

AMINO ACID

Aliphatic Non-polar

GAP ILV

- 56 -

Polar - uncharged	CSTM NQ
Polar - charged	DE KR
Aromatic	HFWY
Other	NQDE

Alternatively, conservative amino acids can be grouped as described in Lehninger, [BIOCHEMISTRY, Second Edition; Worth Publishers, Inc. NY, NY (1975), pp.71-77] as set out in Table 3, immediately below.

Table 3

Conservative Substitutions II

10

25

5

	SIDE CHAIN	
	CHARACTERISTIC	AMINO ACID
	Non-polar (hydrophobic)	
	A. Aliphatic:	ALIVP
	B. Aromatic:	F W
15	C. Sulfur-containing:	M
	D. Boderline:	G
	Uncharged-polar	
	A. Hydroxyl:	STY
	B. Amides:	N Q
	C. Sylfhydryl:	C
20	D. Boderline:	G
	Positively Charged (Basic):	KRH
	Negatively Charged (Acidic):	DE

As still another alternative, exemplary conservative substitutions are set out in Table 4, below.

Table 4
Conservative Substitutions III

	Original Residue	Exemplary Substitution
	Ala (A)	Val, Leu, Ile
30	Arg (R)	Lys, Gln, Asn
	Asn (N)	Gln, His, Lys, Arg
	Asp (D)	Glu
	Cys (C)	Ser
·	Gln (Q)	Asn
35	Glu (E)	Asp .

- 57 -

	TT' (TT)	
	His (H)	Asn, Gln, Lys, Arg
	Ile (I)	Leu, Val, Met, Ala, Phe,
	Leu (L)	Ile, Val, Met, Ala, Phe
	Lys (K)	Arg, Gln, Asn
5	Met (M)	Leu, Phe, Ile
	Phe (F)	Leu, Val, Ile, Ala
	Pro (P)	Gly
	Ser (S)	Thr
	Thr (T)	Ser
10	Trp (W)	Tyr
	Tyr (Y)	Trp, Phe, Thr, Ser
	Val (V)	Ile, Leu, Met, Phe, Ala

In addition, amino acid residues that are conserved among family members of the NgR proteins of the present invention, as indicated by the alignment presented herein, are also predicted to be particularly unamenable to alteration. For example, NgR proteins of the present invention can contain at least one domain that is a typically conserved region in NgRs. Examples of these conserved domains include, e.g., leucine-rich repeat domain. Amino acid residues that are not conserved or are only semi-conserved among members of the NgR proteins may be readily amenable to alteration.

Full-length NgRs have an LRR region characterized by the amino acid consensus sequence shown in SEQ ID NO: 19. At least some full-length NgRs also include a CT signaling (CTS) domain and a GPI domain.

The NgR domain designations used herein are defined as follows:

Domain	hNgR1	mNgR1	hNgR2	hNgR3	mNgR3
	SEQ ID: 5	SEQ ID	SEQ ID: 2	SEQ ID: 14	SEQ ID: 4
		NO:17			
Signal Seq.	1–26	1–26	1–30		1-40
LRRNT	27–56	27–56	31–59		41–69
LRR1	57–81	57–81	60–82	5–27	70–92 ′
LRR2	82–105	82–105	83–106	28–51	93–106
LRR3	106–130	106–130	107–131	52–76	106–141
LRR4	131–154	131–154	132–155	77–100	142–165

30

15

20

LRR5	155–178	155–178	156–179	101–124	166–189
LRR6	179–202	179–202	180–203	125–148	190–213
LRR7	203–226	203–226	204–227	149–172	214–237
LRR8	227–250	227–250	228–251	173–196	238–261
LRRCT	260–309	260–309	261–310	206–255	271–320
CTS	310-445	310-445	311–395	256–396	321–438
(CT					
Signaling)					
GPI	446-473	456–473	396-420	370–392	439–462

15

20

25

30

5

In some embodiments of the invention, the above domains are modified. Modification can be in a manner that preserves domain functionality. Modification can include addition, deletion or substitution of certain amino acids. Exemplary modifications include conservative amino acid substitutions. Preferably such substitutions number 20 or fewer per 100 residues. More preferably, such substitutions number 10 or fewer per 100 residues. Further exemplary modifications include addition of flanking sequences of up to five amino acids at the N terminus and/or C terminus of one or more of the domains.

In some embodiments, the isolated nucleic acid molecule encodes a polypeptide at least about 70%, 80%, 90%, 95%, 98%, and most preferably at least about 99% homologous to SEQ ID NO:2, 4 or 14.

Mutations can be introduced into SEQ ID NOS:1, 3 or 13 by standard techniques, e.g., site-directed mutagenesis and PCR-mediated mutagenesis.

Conservative amino acid substitutions can be made at one or more amino acid residues predicted to be non-essential. Alternatively, mutations can be introduced randomly along a NgR coding sequence. This can be accomplished, e.g., by saturation mutagenesis. The resulting mutants can be screened for NgR biological activity. Biological activities of NgR may include but are not limited to: (1) protein:protein interactions, e.g., with other NgRs or other cell-surface proteins involved in Nogorelated signaling; (2) complex formation with a NgR ligand; (3) binding to an anti-NgR antibody.

It should be understood that the definition of polypeptides of the invention is intended to include polypeptides bearing modifications other than insertion, deletion, or substitution of amino acid residues. By way of example, the modifications may be covalent in nature, and include for example, chemical bonding with polymers, lipids, other organic and inorganic moieties. Such derivatives may be prepared to increase circulating half-life of a polypeptide, or may be designed to improve the targeting capacity of the polypeptide for desired cells, tissues or organs. Similarly, the invention further embraces NgR polypeptides that have been covalently modified to include one or more water-soluble polymer attachments such as polyethylene glycol, polyoxyethylene glycol or polypropylene glycol. Variants that display ligand binding properties of native NgR and are expressed at higher levels, as well as variants that provide for constitutively active receptors, are particularly useful in assays of the invention; the variants are also useful in providing cellular, tissue and animal models of diseases/conditions characterized by aberrant NgR activity.

15

20

25

10

5

Chemically modified NgR polypeptide compositions in which the NgR polypeptide is linked to a polymer are included within the scope of the present invention. The polymer may be water soluble to prevent precipitation of the protein in an aqueous environment, such as a physiological environment. Suitable water-soluble polymers may be selected from the group consisting of, for example, polyethylene glycol (PEG), monomethoxypolyethylene glycol, dextran, cellulose, or other carbohydrate based polymers, poly-(N-vinyl pyrrolidone) polyethylene glycol, polypropylene glycol homopolymers, a polypropylene oxide/ethylene oxide copolymer polyoxyethylated polyols (e.g. glycerol) and polyvinyl alcohol. The selected polymer is usually modified to have a single reactive group, such as an active ester for acylation or an aldehyde for alkylation, so that the degree of polymerization may be controlled. Polymers may be of any molecular weight, and may be branched or unbranched, and mixtures of such polymers may also be used. When the chemically modified NgR polymer is destined for therapeutic use, pharmaceutically acceptable polymers will be selected for use.

30

When the polymer is to be modified by an acylation reaction, the polymer should have a single reactive ester group. Alternatively, if the polymer is to be modified by reductive alkylation, the polymer should have a single reactive aldehyde

group. A preferred reactive aldehyde is polyethylene glycol propionaldehyde, which is water stable, or mono Cl-ClO alkoxy or aryloxy derivatives thereof (see U.S. Patent No. 5,252,714, incorporated by reference herein in its entirety).

Pegylation of NgR polypeptides may be carried out by any of the pegylation reactions known in the art, as described, for example, in the following references: Focus on Growth Factors 3, 4-10 (1992); EP 0 154 316; and EP 0 401 384 (each of which is incorporated by reference herein in its entirety). Preferably, the pegylation is carried out via an acylation reaction or an alkylation reaction with a reactive polyethylene glycol molecule (or an analogous reactive water-soluble polymer). A preferred water-soluble polymer for pegylation of polypeptides such as NgR is polyethylene glycol (PEG). As used herein, "polyethylene glycol" is meant to encompass any of the forms of PEG that have been used to derivatize other proteins, such as mono (Cl-ClO) alkoxy- or aryloxy-polyethylene glycol.

Chemical derivatization of NgR polypeptides may be performed under any suitable conditions used to react a biologically active substance with an activated polymer molecule. Methods for preparing pegylated NgR polypeptides will generally comprise the steps of (a) reacting the polypeptide with polyethylene glycol, such as a reactive ester or aldehyde derivative of PEG, under conditions whereby NgR polypeptide becomes attached to one or more PEG groups, and (b) obtaining the reaction products. It will be apparent to one of ordinary skill in the art to select the optimal reaction conditions or the acylation reactions based on known parameters and the desired result.

Pegylated and other polymer:NgR polypeptides may generally be used to treat conditions that may be alleviated or modulated by administration of the NgR polypeptides described herein. However, the chemically-derivatized polymer:NgR polypeptide molecules disclosed herein may have additional activities, enhanced or reduced biological activity, or other characteristics, such as increased or decreased half-life, as compared to the nonderivatized molecules. The NgR polypeptides, fragments thereof, variants and derivatives, may be employed alone, together, or in combination with other pharmaceutical compositions. The cytokines, growth factors, antibiotics, antiinflammatories and/or chemotherapeutic agents as is appropriate for the indication being treated.

5

10

15

20

25

10

15

20

25

30

The present invention provides compositions comprising purified polypeptides of the invention. Preferred compositions comprise, in addition to the polypeptide of the invention, a pharmaceutically acceptable (*i.e.*, sterile and non-toxic) liquid, semisolid, or solid diluent that serves as a pharmaceutical vehicle, excipient or medium. Any diluent known in the art may be used. Exemplary diluents include, but are not limited to, water, saline solutions, polyoxyethylene sorbitan monolaurate, magnesium stearate, methyl- and propylhydroxybenzoate, talc, alginates, starches, lactose, sucrose, dextrose, sorbitol, mannitol, glycerol, calcium phosphate, mineral oil and cocoa butter.

Variants that display ligand binding properties of native NgR and are expressed at higher levels, as well as variants that provide for constitutively active receptors, are particularly useful in assays of the invention; the variants are also useful in assays of the invention and in providing cellular, tissue and animal models of diseases/conditions characterized by aberrant NgR activity.

With the knowledge of the nucleotide sequence information disclosed in the present invention, one skilled in the art can identify and obtain nucleotide sequences which encode NgR from different sources (i.e., different tissues or different organisms) through a variety of means well known to the skilled artisan and as disclosed by, for example, Sambrook et al., MOLECULAR CLONING: A LABORATORY MANUAL, Second Edition, Cold Spring Harbor Press, Cold Spring Harbor, NY (1989), which is incorporated herein by reference in its entirety.

For example, DNA that encodes NgR may be obtained by screening of mRNA, cDNA, or genomic DNA with oligonucleotide probes generated from the NgR gene sequence information provided herein. Probes may be labeled with a detectable group, such as a fluorescent group, a radioactive atom or a chemiluminescent group in accordance with procedures known to the skilled artisan and used in conventional hybridization assays, as described by, for example, Sambrook *et al.* (1989) above.

A nucleic acid molecule comprising any of the NgR nucleotide sequences described above can alternatively be synthesized by use of the polymerase chain reaction (PCR) procedure, with the PCR oligonucleotide primers produced from the nucleotide sequences provided herein. See U.S. Patent Nos. 4,683,195 to Mullis *et al.* and 4,683,202 to Mullis. The PCR reaction provides a method for selectively increasing the concentration of a particular nucleic acid sequence even when that

10

20

25

30

sequence has not been previously purified and is present only in a single copy in a particular sample. The method can be used to amplify either single- or double-stranded DNA. The essence of the method involves the use of two oligonucleotide probes to serve as primers for the template-dependent, polymerase-mediated replication of a desired nucleic acid molecule.

A wide variety of alternative cloning and *in vitro* amplification methodologies are well known to those skilled in the art. Examples of these techniques are found in, for example, Berger *et al.*, *Guide to Molecular Cloning Techniques*, METHODS IN ENZYMOLOGY 152 Academic Press, San Diego, CA, which is incorporated herein by reference in its entirety.

The nucleic acid molecules of the present invention, and fragments derived therefrom, are useful for screening for restriction fragment length polymorphism (RFLP) associated with certain disorders, as well as for genetic mapping.

15 Antibodies

Also comprehended by the present invention are antibodies (*e.g.*, monoclonal and polyclonal antibodies, single chain antibodies, chimeric antibodies, bifunctional/bispecific antibodies, humanized antibodies, human antibodies, and complementary determining region (CDR)-grafted antibodies, including compounds which include CDR sequences which specifically recognize a polypeptide of the invention) specific for NgR or fragments thereof. Preferred antibodies of the invention are human antibodies which are produced and identified according to methods described in WO93/11236, published June 20, 1993, which is incorporated herein by reference in its entirety. Antibody fragments, including Fab, Fab', F(ab')₂, and F_v, are also provided by the invention. The term "specific for," when used to describe antibodies of the invention, indicates that the variable regions of the antibodies of the invention recognize and bind NgR polypeptides exclusively (*i.e.*, are able to distinguish NgR polypeptides from other known NgR polypeptides by virtue of measurable differences in binding affinity, despite the possible existence of localized sequence identity, homology, or similarity between NgR and such polypeptides).

The antigenic peptide of NgR comprises at least 8 amino acid residues of the amino acid sequence shown in SEQ ID NO:2, 4 or 14 and encompasses an epitope of

10

15

20

25

30

NgR such that an antibody raised against the peptide forms a specific immune complex with NgR. Preferably, the antigenic peptide comprises at least 10 amino acid residues, more preferably at least 15 amino acid residues, even more preferably at least 20 amino acid residues, and most preferably at least 30 amino acid residues. Preferred epitopes encompassed by the antigenic peptide are regions of NgR that are located on the surface of the protein, e.g., hydrophilic regions.

It will be understood that specific antibodies may also interact with other proteins (for example, *S. aureus* protein A or other antibodies in ELISA techniques) through interactions with sequences outside the variable region of the antibodies, and, in particular, in the constant region of the molecule. Screening assays to determine binding specificity of an antibody of the invention are well known and routinely practiced in the art. For a comprehensive discussion of such assays, see Harlow *et al.* in ANTIBODIES: A LABORATORY MANUAL, Cold Spring Harbor Laboratory Press; Cold Spring Harbor, NY (1988), Chapter 6. Antibodies that recognize and bind fragments of the NgR polypeptides of the invention are also contemplated, provided that the antibodies are specific for NgR polypeptides. Antibodies of the invention can be produced using any method well known and routinely practiced in the art.

For the production of polyclonal antibodies, various suitable host animals (e.g., rabbit, goat, mouse or other mammal) may be immunized by injection with the native protein, or a synthetic variant thereof, or a derivative of the foregoing. An appropriate immunogenic preparation can contain, for example, recombinantly expressed NgR protein or a chemically synthesized NgR polypeptide. The preparation can further include an adjuvant. Various adjuvants used to increase the immunological response include, but are not limited to, Freund's (complete and incomplete), mineral gels (e.g., aluminum hydroxide), surface active substances (e.g., lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, dinitrophenol, etc.), human adjuvants such as Bacille Calmette-Guerin and Corynebacterium parvum or similar immunostimulatory agents. If desired, the antibody molecules directed against NgR can be isolated from the mammal (e.g., from the blood) and further purified by well known techniques, such as protein A chromatography to obtain the IgG fraction.

The term "monoclonal antibody" or "monoclonal antibody composition," as used herein, refers to a population of antibody molecules that contain only one species

- 64 -

of an antigen binding site capable of immunoreacting with a particular epitope of NgR. A monoclonal antibody composition thus typically displays a single binding affinity for a particular NgR protein with which it immunoreacts. For preparation of monoclonal antibodies directed towards a particular NgR protein, or derivatives, fragments, analogs or homologs thereof, any technique that provides for the production of antibody molecules by continuous cell line culture may be utilized. Such techniques include, but are not limited to, the hybridoma technique (see Kohler and Milstein (1975) *Nature* 256, 495-497); the trioma technique, the human B-cell hybridoma technique (see Kozbor *et al.*, (1983) *Immunol. Today* 4, 72) and the EBV hybridoma technique to produce human monoclonal antibodies (see Cole *et al.*, (1985) in MONOCLONAL ANTIBODIES AND CANCER THERAPY, Alan R. Liss, Inc., pp. 77-96). Human monoclonal antibodies may be utilized in the practice of the present invention and may be produced by using human hybridomas (see Cote *et al.*, (1983) *Proc. Natl. Acad. Sci. USA* 80, 2026-2030) or by transforming human B-cells with Epstein Barr Virus *in vitro* (see Cole *et al.*, (1985), above).

According to the invention, techniques can be adapted for the production of single-chain antibodies specific to a NgR protein (see e.g., U.S. Patent No. 4,946,778). In addition, methods can be adapted for the construction of Fab expression libraries (see e.g., Huse et al., (1989) Science 246, 1275-1281) to allow rapid and effective identification of monoclonal Fab fragments with the desired specificity for a NgR protein or derivatives, fragments, analogs or homologs thereof. Non-human antibodies can be "humanized" by techniques well known in the art. See e.g., U.S. Patent No. 5,225,539. In one method, the non-human CDRs are inserted into a human antibody or consensus antibody framework sequence. Further changes can then be introduced into the antibody framework to modulate affinity or immunogenicity. Antibody fragments that contain the idiotypes to a NgR protein may be produced by techniques known in the art including, but not limited to: (i) an F(ab')2 fragment produced by pepsin digestion of an antibody molecule; (ii) an Fab fragment generated by reducing the disulfide bridges of an F(ab')₂ fragment; (iii) an Fab fragment generated by the treatment of the antibody molecule with papain and a reducing agent and (iv) F v fragments.

5

10

15

20

25

PCT/US01/31488

Additionally, recombinant anti-NgR antibodies, such as chimeric and humanized monoclonal antibodies, comprising both human and non-human portions, which can be made using standard recombinant DNA techniques, are within the scope of the invention. Such chimeric and humanized monoclonal antibodies can be produced by recombinant DNA techniques known in the art, for example using methods described in PCT International Application No. PCT/US86/02269; European Patent Application No. 184,187; European Patent Application No. 171,496; European Patent Application No. 173,494; PCT International Publication No. WO 86/01533; U.S. Pat. No. 4,816,567; European Patent Application No. 125,023; Better et al., (1988) Science 240, 1041-1043; Liu et al., (1987) Proc. Natl. Acad. Sci. USA 84, 3439-3443; Liu et al., (1987) J. Immunol. 139, 3521-3526; Sun et al., (1987) Proc. Natl. Acad. Sci. USA 84, 214-218; Nishimura et al., (1987) Cancer Res. 47, 999-1005; Wood et al., (1985) Nature 314, 446-449; Shaw et al,. (1988) J. Natl. Cancer Inst. 80, 1553-1559); Morrison (1985) Science 229, 1202-1207; Oi et al., (1986) BioTechniques 4, 214; U.S. Patent. No. 5,225,539; Jones et al., (1986) Nature 321, 552-525; Verhoeyan et al., (1988) Science 239, 1534; and Beidler et al., (1988) J. Immunol. 141, 4053-4060.

In a preferred embodiment of the invention a portion of a NgR is joined to an Fc portion of an antibody to form a NgR/Fc fusion protein. Preferably, the Ig fusion protein is soluble. The NgR/Fc fusion protein may be formed by recombinant techniques as described above. In one embodiment, a portion of a NgR including the entire amino acid sequence of NgR except the C-terminal hydrophobic region is fused to an Fc portion of an antibody. In preferred embodiments, the NgR is a human NgR and the Fc is also human. More preferably, the human Fc portion is derived from an IgG antibody. In other embodiments, the N-terminal signal sequence is omitted. Such antibodies are useful in binding Nogo to prevent Nogo signaling through the NgR.

In one embodiment, methods for the screening of antibodies that possess the desired specificity include, but are not limited to, enzyme-linked immunosorbent assay (ELISA) and other immunologically-mediated techniques known within the art. In a specific embodiment, selection of antibodies that are specific to a particular domain of a NgR protein is facilitated by generation of hybridomas that bind to the fragment of a NgR protein possessing such a domain. Antibodies that are specific for one or more

5

10

15

20

25

domains within a NgR protein, e.g., domains spanning the above-identified conserved regions of NgRs, or derivatives, fragments analogs or homologs thereof, are also provided herein.

Anti-NgR antibodies may be used in methods known within the art relating to the localization and/or quantitation of a NgR protein (e.g., for use in measuring levels of the NgR protein within appropriate physiological samples, for use in diagnostic methods, for use in imaging the protein, and the like). In a given embodiment, antibodies for NgR proteins, or derivatives, fragments analogs or homologs thereof, that contain the antibody derived binding domain, are utilized as pharmacologically-active compounds [hereinafter "Therapeutics"].

An anti-NgR antibody (e.g., monoclonal antibody) can be used to isolate NgR by standard techniques, such as affinity chromatography or immunoprecipitation. An anti-NgR antibody can facilitate the purification of natural NgR from cells and of recombinantly produced NgR expressed in host cells. Moreover, an anti-NgR antibody can be used to detect NgR protein (e.g., in a cellular lysate or cell supernatant) in order to evaluate the abundance and pattern of expression of the NgR protein. Anti-NgR antibodies can be used diagnostically to monitor protein levels in tissue as part of a clinical testing procedure, e.g., to, for example, determine the efficacy of a given treatment regimen. Detection can be facilitated by coupling (i.e., physically linking) the antibody to a detectable substance. Examples of detectable substances include various enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials and radioactive materials. Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, β-galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin and aequorin, and examples of suitable radioactive material include ¹²⁵I, ¹³¹I, ³⁵S or ³H.

Another aspect of the present invention is directed to methods of inducing an immune response in a mammal against a polypeptide of the invention by administering

5

10

15

20

25

- 67 -

to the mammal an amount of the polypeptide sufficient to induce an immune response. The amount will be dependent on the animal species, size of the animal, and the like but can be determined by those skilled in the art.

Another aspect of the invention is directed to anti-idiotypic antibodies and anti-anti-idiotypic antibodies. An anti-idiotypic antibody is an antibody that recognizes determinants of another antibody (a target antibody). Generally, the anti-idiotypic antibody recognizes determinants of the antigen-binding site of the target antibody. Typically, the target antibody is a monoclonal antibody. An anti-idiotypic antibody is generally prepared by immunizing an animal (particularly, mice) of the same species and genetic type as the source of the target monoclonal antibody, with the target monoclonal antibody. The immunized animal mounts an immune response to the idiotypic determinants of the target monoclonal antibody and produces antibodies against the idiotypic determinants of the target monoclonal antibody. Antibody-producing cells, such as splenic cells, of the immunized animal may be used to generate anti-idiotypic monoclonal antibodies. Furthermore, an anti-idiotypic antibody may also be used to immunize animals to produce anti-anti-idiotypic antibodies. These immunized animals may be used to generate anti-anti-idiotypic monoclonal antibodies using standard techniques. The anti-anti-idiotypic antibodies may bind to the same epitope as the original, target monoclonal antibody used to prepare the anti-idiotypic antibody. The anti-anti-idiotypic antibodies represent other monoclonal antibodies with the same antigen specificity as the original target monoclonal antibody.

If the binding of the anti-idiotypic antibody with the target antibody is inhibited by the relevant antigen of the target antibody, and if the anti-idiotypic antibody induces an antibody response with the same specificity as the target antibody, it mimics the antigen of the target antibody. Such an anti-idiotypic antibody is an "internal image anti-idiotype" and is capable of inducing an antibody response as if it were the original antigen. (Bona and Kohler (1984) ANTI-IDIOTYPIC ANTIBODIES AND INTERNAL IMAGE, IN MONOCLONAL AND ANTI-IDIOTYPIC ANTIBODIES: PROBES FOR RECEPTOR STRUCTURE AND FUNCTION, Venter J.C. et al. (Eds), Alan R. Liss, New York, NY, pp 141-149, 1984). Vaccines incorporating internal image anti-idiotype antibodies have been shown to induce protective responses against viruses, bacteria, and parasites (Kennedy

5

10

15

20

25

15

20

25

30

et al., (1986) 232, 220-223; 1047; McNamara et al., (1985) Science 226, 1325-1326). Internal image anti-idiotypic antibodies have also been shown to induce immunity to tumor related antigens (Raychauhuri et al., (1986) J. Immunol. 137, 1743-1749; Raychauhuri et al., (1987) J. Immunol. 139, 3902-3910; Bhattacharya-Chatterjee et al., (1987) J. Immunol. 139, 1354-1360; Bhattacharya-Chatterjee et al., (1988) J. Immunol. 141, 1398-1403; Herlyn. et al. (1989) Intern. Rev. Immunol. 4, 347-357; Chen et al. (1990) Cell Imm. Immunother. Cancer 351-359; Herlyn et al., (1991) in vivo 5, 615-624; Furuya et al. (1992) AntiCancer Res. 12, 27-32; Mittelman, A. et al. (1992) Proc. Natl. Acad. Sci., USA 89, 466-470; Durrant. et al., (1994) Cancer Res. 54, 4837-4840; Mittelman. et al. (1994) Cancer Res. 54, 415-421; Schmitt. et al. 10 (1994) Hybridoma 13, 389-396; Chakrobarty. et al. (1995) J. Immunother. 18, 95-103; Chakrobarty. et al. (1995) Cancer Res. 55, 1525-1530; Foon, K. A. et al. (1995) Clin. Cancer Res. 1, 1205-1294; Herlyn et al. (1995) Hybridoma 14, 159-166; Sclebusch et al. (1995) Hybridoma 14, 167-174; Herlyn. et al. (1996) Cancer Immunol Immunother. 43, 65-76).

Anti-idiotypic antibodies for NgR may be prepared, for example, by immunizing an animal, such as a mouse, with a immunogenic amount of a composition comprising NgR2 (SEQ ID NO:2), NgR3 (SEQ ID NOs:4 or 14), or immunogenic portion thereof, containing at least one antigenic epitope of NgR. The composition may also contain a suitable adjuvant, and any carrier necessary to provide immunogenicity. Monoclonal antibodies recognizing NgR may be prepared from the cells of the immunized animal as described above. A monoclonal antibody recognizing an epitope of NgR is then selected and used to prepare a composition comprising an immunogenic amount of the anti-NgR monoclonal antibody. Typically, a 25 to 200 µg dose of purified anti-NgR monoclonal would be sufficient in a suitable adjuvant.

Animals may be immunized 2-6 times at 14 to 30 day intervals between doses. Typically, animals are immunized by any suitable route of administration, such as intraperitoneal, subcutaneous, intravenous or a combination of these. Anti-idiotypic antibody production may be monitored during the immunization period using standard immunoassay methods. Animals with suitable titers of antibodies reactive with the target monoclonal antibodies may be reimmunized with the monoclonal antibody used as the immunogen three days before harvesting the antibody producing cells.

Preferably, spleen cells are used, although other antibody producing cells may be selected. Antibody-producing cells are harvested and fused with myeloma cells to produce *Hybridomas*, as described above, and suitable anti-idiotypic antibody-producing cells are selected.

Anti-anti-idiotypic antibodies are produced by another round of immunization and *Hybridoma* production by using the anti-idiotypic monoclonal antibody as the immunogen.

Antibodies of the invention are useful for, e.g., therapeutic purposes (by modulating activity of NgR), diagnostic purposes to detect or quantitate NgR, and purification of NgR. Therefore, kits comprising an antibody of the invention for any of the purposes described herein are also comprehended.

Kits

5

10

15

20

The present invention is also directed to kits, including pharmaceutical kits. The kits can comprise any of the nucleic acid molecules described above, any of the polypeptides described above, or any antibody which binds to a polypeptide of the invention as described above, as well appropriate controls, such as positive and/or negative controls. The kit preferably comprises additional components, such as, for example, instructions, solid support, reagents helpful for quantification, and the like. For example, the kit can comprise: a labeled compound or agent capable of detecting NgR protein or mRNA in a biological sample; means for determining the amount of NgR in the sample; and means for comparing the amount of NgR in the sample with a standard. The compound or agent can be packaged in a suitable container.

25 Screening Assays

The DNA and amino acid sequence information provided by the present invention also makes possible identification of binding partner compounds with which a NgR polypeptide or polynucleotide will interact. Methods to identify binding partner compounds include solution assays, *in vitro* assays wherein NgR polypeptides are immobilized and cell-based assays. Identification of binding partner compounds of NgR polypeptides provides candidates for therapeutic or prophylactic intervention in pathologies associated with NgR normal and aberrant biological activity.

The invention also provides a method (also referred to herein as a "screening assay") for identifying modulators, *i.e.*, candidate or test compounds or agents (*e.g.*, peptides, peptidomimetics, small molecules (*e.g.*, molecules of less than 1,000 Daltons) or other drugs) that bind to NgR proteins or have a stimulatory or inhibitory effect on, for example, NgR expression or NgR activity.

In one embodiment, the invention provides assays for screening candidate or test compounds which bind to or modulate the activity of a NgR protein or polypeptide or biologically active portion thereof. The test compounds of the present invention can be obtained using any of the numerous approaches in combinatorial library methods known in the art, including: biological libraries; spatially addressable parallel solid phase or solution phase libraries; synthetic library methods requiring deconvolution; the "one-bead one-compound" library method; and synthetic library methods using affinity chromatography selection. The biological library approach is limited to peptide libraries, while the other four approaches are applicable to peptide, non-peptide oligomer or small molecule libraries of compounds (Lam (1997) *Anticancer Drug Des.* 12, 145).

Examples of methods for the synthesis of molecular libraries can be found in the art, for example in: DeWitt et al., (1993) Proc. Natl. Acad. Sci. USA 90, 6909; Erb et al., (1994) Proc. Natl. Acad. Sci. USA 91,11422; Zuckermann et al. (1994) J. Med. Chem 37, 2678; Cho et al., (1993) Science 261, 1303; Carrell et al., (1994) Angew Chem. Int. Ed. Engl. 33, 2059; Carell et al., (1994) Angew Chem. Int. Ed. Engl. 33, 2061; and Gallop et al., (1994) J. Med. Chem 37, 1233.

Libraries of compounds may be presented in solution (e.g., Houghten (1992) BioTechniques 13, 412-421), or on beads (Lam (1991) Nature 354, 82-84), on chips (Fodor (1993) Nature 364, 555-556), bacteria (Ladner, U.S. Patent No. 5,223,409), spores (Ladner, above), plasmids (Cull et al. (1992) Proc. Natl. Acad. Sci. USA 89, 1865-1869) or on phage (Scott and Smith (1990) Science 249, 386-390; Devlin (1990) Science 249, 404-406; Cwirla et al. (1990) Proc. Natl. Acad. Sci. USA 87, 6378-6382; Felici (1991) J. Mol. Biol. 222, 301-310; Ladner, above).

30

5

10

15

20

10

15

20

25

30

1. Cell-based Assays

The invention also provides cell-based assays to identify binding partner compounds of a NgR polypeptide. In one embodiment, the invention provides a method comprising the steps of contacting a NgR polypeptide expressed on the surface of a cell with a candidate binding partner compound and detecting binding of the candidate binding partner compound to the NgR polypeptide. In another embodiment, an assay is a cell-based assay comprising contacting a cell expressing a membrane-bound form of NgR protein, or a biologically active portion thereof, on the cell surface with a test compound and determining the ability of the test compound to modulate (e.g., stimulate or inhibit) the activity of the NgR protein or biologically active portion thereof.

In one embodiment, an assay is a cell-based assay in which a cell which expresses a membrane-bound form of NgR protein, or a biologically active portion thereof, on the cell surface is contacted with a test compound and the ability of the test compound to bind to a NgR protein determined. The cell, for example, can be of mammalian origin or a yeast cell. Determining the ability of the test compound to bind to the NgR protein can be accomplished, for example, by coupling the test compound with a radioisotope or enzymatic label such that binding of the test compound to the NgR protein or biologically active portion thereof can be determined by detecting the labeled compound in a complex. For example, test compounds can be labeled with ¹²⁵I, ³⁵S, ¹⁴C, or ³H, either directly or indirectly, and the radioisotope detected by direct counting of radioemission or by scintillation counting. Alternatively, test compounds can be enzymatically labeled with, for example, horseradish peroxidase, alkaline phosphatase or luciferase, and the enzymatic label detected by determination of conversion of an appropriate substrate to product. In one embodiment, the assay comprises contacting a cell which expresses a membrane-bound form of NgR protein or a biologically active portion thereof, on the cell surface with a known compound which binds NgR to form an assay mixture, contacting the assay mixture with a test compound, and determining the ability of the test compound to interact with a NgR protein, wherein determining the ability of the test compound to interact with a NgR protein comprises determining the ability of the test compound to preferentially bind to NgR or a biologically active portion thereof as compared to the known compound.

Determining the ability of the test compound to modulate the activity of NgR. or a biologically active portion thereof can be accomplished, for example, by determining the ability of the NgR protein to bind to or interact with a NgR target molecule. As used herein, a "target molecule" is a molecule with which a NgR protein binds or interacts in nature, for example, a molecule on the surface of a cell which expresses a NgR protein, a molecule on the surface of a second cell, a molecule in the extracellular milieu, a molecule associated with the internal surface of a cell membrane or a cytoplasmic molecule. A NgR target molecule can be a non-NgR molecule or a NgR protein or polypeptide of the present invention. In one embodiment, a NgR target molecule is a component of a signal transduction pathway that facilitates transduction of an extracellular signal (e.g., a signal generated by binding of a compound to a membrane-bound NgR molecule) through the cell membrane and into the cell. The target, for example, can be a second intercellular protein that has catalytic activity or a protein that facilitates the association of downstream signaling molecules with NgR. In a preferred embodiment, the detection comprises detecting a calcium flux or other physiological event in the cell caused by the binding of the molecule.

Specific binding molecules, including natural ligands and synthetic compounds, can be identified or developed using isolated or recombinant NgR products, NgR variants, or preferably, cells expressing such products. Binding partners are useful for purifying NgR products and detection or quantification of NgR products in fluid and tissue samples using known immunological procedures. Binding molecules are also manifestly useful in modulating (*i.e.*, blocking, inhibiting or stimulating) biological activities of NgR, especially those activities involved in signal transduction.

25

30

20

5

10

15

2. Cell-free Assays

(a) Direct binding:

The invention includes several assay systems for identifying NgR binding partners. In solution assays, methods of the invention comprise the steps of (a) contacting a NgR polypeptide with one or more candidate binding partner compounds and (b) identifying the compounds that bind to the NgR polypeptide. Identification of the compounds that bind the NgR polypeptide can be achieved by isolating the NgR

polypeptide/binding partner complex and separating the binding partner compound from the NgR polypeptide. An additional step of characterizing the physical, biological and/or biochemical properties of the binding partner compound is also comprehended in another embodiment of the invention. In one aspect, the NgR polypeptide/binding partner complex is isolated using an antibody immunospecific for either the NgR polypeptide or the candidate binding partner compound.

In still other embodiments, either the NgR polypeptide or the candidate binding partner compound comprises a label or tag that facilitates its isolation, and methods of the invention to identify binding partner compounds include a step of isolating the NgR polypeptide/binding partner complex through interaction with the label or tag. An exemplary tag of this type is a poly-histidine sequence, generally around six histidine residues, that permits isolation of a compound so labeled using nickel chelation. Other labels and tags, such as the FLAG® tag (Eastman Kodak, Rochester, NY), well known and routinely used in the art, are embraced by the invention.

15

20

25

30

10

5

(b) Immobilized NgR

In one variation of an in vitro assay, the invention provides a method comprising the steps of (a) contacting an immobilized NgR polypeptide, or a biologically active fragment thereof with a candidate binding partner compound and (b) detecting binding of the candidate compound to the NgR polypeptide. In an alternative embodiment, the candidate binding partner compound is immobilized and binding of NgR is detected. Immobilization is accomplished using any of the methods well known in the art, including covalent bonding to a support, a bead or a chromatographic resin, as well as non-covalent, high affinity interactions such as antibody binding, or use of streptavidin/biotin binding wherein the immobilized compound includes a biotin moiety. Binding of a test compound to NgR, or interaction of NgR with a target molecule in the presence and absence of a candidate compound, can be accomplished in any vessel suitable for containing the reactants. Examples of such vessels include microtiter plates, test tubes, and micro-centrifuge tubes. In one embodiment, a fusion protein can be provided that adds a domain that allows one or both of the proteins to be bound to a matrix. For example, and not by way of limitation, GST-NgR fusion proteins or GST-target fusion proteins can be

- 74 -

adsorbed onto glutathione sepharose beads (Sigma Chemical, St. Louis, MO) or glutathione derivatized microtiter plates, that are then combined with the test compound or the test compound and either the non-adsorbed target protein or NgR protein, and the mixture is incubated under conditions conducive to complex formation (e.g., at physiological conditions for salt and pH). Following incubation, the beads or microtiter plate wells are washed to remove any unbound components, the matrix immobilized in the case of beads, and the complexes determined either directly or indirectly, for example, as described above. Alternatively, the complexes can be dissociated from the matrix, and the level of NgR binding or activity determined using standard techniques.

Other techniques for immobilizing proteins on matrices can also be used in the screening assays of the invention. For example, either NgR or its target molecule can be immobilized utilizing conjugation of biotin and streptavidin. Biotinylated NgR or target molecules can be prepared from biotin-NHS (N-hydroxy-succinimide) using techniques well known in the art (e.g., biotinylation kit, Pierce Chemicals, Rockford, IL), and immobilized in the wells of streptavidin-coated 96 well plates (Pierce Chemical). Alternatively, antibodies reactive with NgR or target molecules, but which do not interfere with binding of the NgR protein to its target molecule, can be derivatized to the wells of the plate, and unbound target or NgR trapped in the wells by antibody conjugation. Methods for detecting such complexes, in addition to those described above for the GST-immobilized complexes, include immunodetection of complexes using antibodies reactive with the NgR or target molecule, as well as enzyme-linked assays that rely on detecting an enzymatic activity associated with the NgR or target molecule.

Detection of binding can be accomplished (i) using a radioactive label on the compound that is not immobilized, (ii) using of a fluorescent label on the non-immobilized compound, (iii) using an antibody immunospecific for the non-immobilized compound, (iv) using a label on the non-immobilized compound that excites a fluorescent support to which the immobilized compound is attached, (v) determining the activity of the NgR, as well as other techniques well known and routinely practiced in the art.

5

10

15

20

25

10

15

20

25

30

Determining the activity of the target molecule, for example, may be accomplished by detecting induction of a cellular second messenger of the target (i.e. intracellular Ca²⁺, diacylglycerol, IP₃, etc.), detecting catalytic/enzymatic activity of the target an appropriate substrate, detecting the induction of a reporter gene (comprising a NgR-responsive regulatory element operatively linked to a nucleic acid encoding a detectable marker, e.g., luciferase), or detecting a cellular response, for example, cell survival, cellular differentiation, or cell proliferation.

(c) Competition experiments

In yet another embodiment, the assay comprises contacting the NgR protein or biologically active portion thereof with a known compound which binds NgR to form an assay mixture, contacting the assay mixture with a test compound, and determining the ability of the test compound to interact with a NgR protein, wherein determining the ability of the test compound to interact with a NgR protein comprises determining the ability of the test compound to preferentially bind to NgR or biologically active portion thereof as compared to the known compound.

In yet another embodiment, the cell-free assay comprises contacting the NgR protein or biologically active portion thereof with a known compound which binds NgR to form an assay mixture, contacting the assay mixture with a test compound, and determining the ability of the test compound to interact with a NgR protein, wherein determining the ability of the test compound to interact with a NgR protein comprises determining the ability of the NgR protein to modulate the activity of a NgR target molecule.

The cell-free assays of the present invention are amenable to use of both the soluble form or the membrane-bound form of NgR. In the case of cell-free assays comprising the membrane-bound form of NgR, it may be desirable to utilize a solubilizing agent such that the membrane-bound form of NgR is maintained in solution. Examples of such solubilizing agents include non-ionic detergents such as noctylglucoside, n-dodecylglucoside, n-dodecylmaltoside, octanoyl-N-methylglucamide, decanoyl-N-methylglucamide, Triton[®] X-100, Triton[®] X-114, Thesit[®], Isotridecypoly(ethylene glycol ether)_n, 3-(3-cholamidopropyl)dimethylamminiol-1-propane sulfonate (CHAPS), 3-(3-cholamidopropyl)dimethylamminiol-2-hydroxy-1-

- 76 -

propane sulfonate (CHAPSO), or N-dodecyl-N,N-dimethyl-3-ammonio-1-propane sulfonate.

Modulators

5

10

15

20

25

30

Agents that modulate (*i.e.*, increase, decrease, or block) NgR activity or expression may be identified by incubating a putative modulator with a cell containing a NgR polypeptide or polynucleotide and determining the effect of the putative modulator on NgR activity or expression. The selectivity of a compound that modulates the activity of NgR can be evaluated by comparing its effects on NgR to its effect on other NgR compounds. Selective modulators may include, for example, antibodies and other proteins, peptides or organic molecules which specifically bind to a NgR polypeptide or a NgR-encoding nucleic acid. Modulators of NgR activity will be therapeutically useful in treatment of diseases and physiological conditions in which normal or aberrant NgR activity is involved. NgR polynucleotides, polypeptides and modulators may be used in the treatment of such diseases and conditions associated with demyelination. NgR polynucleotides and polypeptides, as well as NgR modulators, may also be used in diagnostic assays for such diseases or conditions.

Methods of the invention to identify modulators include variations on any of the methods described above to identify binding partner compounds, the variations including techniques wherein a binding partner compound has been identified and the binding assay is carried out in the presence and absence of a candidate modulator. A modulator is identified in those instances where binding between the NgR polypeptide and the binding partner compound changes in the presence of the candidate modulator compared to binding in the absence of the candidate modulator compound. A modulator that increases binding between the NgR polypeptide and the binding partner compound is described as an enhancer or activator, and a modulator that decreases binding between the NgR polypeptide and the binding partner compound is described as an inhibitor.

In another embodiment, modulators of NgR expression may be identified in a method wherein a cell is contacted with a candidate compound and the expression of NgR mRNA or protein in the cell is determined. The level of expression of NgR mRNA or protein in the presence of the candidate compound is compared to the level

10

15

20

25

30

of expression of NgR mRNA or protein in the absence of the candidate compound. The candidate compound can then be identified as a modulator of NgR expression based on this comparison. For example, when expression of NgR mRNA or protein is greater (statistically significantly greater) in the presence of the candidate compound than in its absence, the candidate compound is identified as a stimulator of NgR mRNA or protein expression. Alternatively, when expression of NgR mRNA or protein is less (statistically significantly less) in the presence of the candidate compound than in its absence, the candidate compound is identified as an inhibitor of NgR mRNA or protein expression. The level of NgR mRNA or protein expression in the cells can be determined by methods described herein for detecting NgR mRNA or protein.

High Throughput Screening

The invention also comprehends high-throughput screening (HTS) assays to identify compounds that interact with or inhibit biological activity (*i.e.*, affect enzymatic activity, binding activity, etc.) of a NgR polypeptide. HTS assays permit screening of large numbers of compounds in an efficient manner. Cell-based HTS systems are contemplated to investigate NgR receptor-ligand interaction. HTS assays are designed to identify "hits" or "lead compounds" having the desired property, from which modifications can be designed to improve the desired property. Chemical modification of the "hit" or "lead compound" is often based on an identifiable structure/activity relationship between the "hit" and the NgR polypeptide.

Another aspect of the present invention is directed to methods of identifying compounds that bind to either NgR or nucleic acid molecules encoding NgR, comprising contacting NgR, or a nucleic acid molecule encoding the same, with a compound, and determining whether the compound binds NgR or a nucleic acid molecule encoding the same. Binding can be determined by binding assays which are well known to the skilled artisan, including, but not limited to, gel-shift assays, Western blots, radiolabeled competition assay, phage-based expression cloning, co-fractionation by chromatography, co-precipitation, cross linking, interaction trap/two-hybrid analysis, southwestern analysis, ELISA, and the like, which are described in, for example, Ausubel *et al.* (Eds.), CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, 1999, John Wiley & Sons, NY, which is incorporated herein by reference in

- 78 -

its entirety. The NgR proteins, for example, can be used as "bait proteins" in a two-hybrid assay or three hybrid assay (see, e.g., U.S. Patent No. 5,283,317; Zervos et al., (1993) Cell 72, 223-232; Madura et al., (1993) J. Biol. Chem. 268, 12046-12054; Bartel et al., (1993) BioTechniques 14, 920-924; Iwabuchi et al., (1993) Oncogene 8, 1693-1696; and Brent WO 94/10300), to identify other proteins that bind to or interact with NgR ("NgR-binding proteins" or "NgR-bp") and modulate NgR activity. Such NgR-binding proteins are also likely to be involved in the propagation of signals by the NgR proteins as, for example, upstream or downstream elements of the NgR pathway.

Other assays may be used to identify specific ligands of a NgR receptor, including assays that identify ligands of the target protein through measuring direct binding of test ligands to the target protein, as well as assays that identify ligands of target proteins through affinity ultrafiltration with ion spray mass spectroscopy/HPLC methods or other physical and analytical methods. Alternatively, such binding interactions are evaluated indirectly using the yeast two-hybrid system described in Fields et al., (1989) Nature 340, 245-246, and Fields et al., (1994) Trends Genet. 10, 286-292, both of which are incorporated herein by reference. The two-hybrid system is a genetic assay based on the modular nature of most transcription factors used for detecting interactions between two proteins or polypeptides. It can be used to identify proteins that bind to a known protein of interest, or to delineate domains or residues critical for an interaction. Variations on this methodology have been developed to clone genes that encode DNA binding proteins, to identify peptides that bind to a protein, and to screen for drugs. The two-hybrid system exploits the ability of a pair of interacting proteins to bring a transcription activation domain into close proximity with a DNA binding domain that binds to an upstream activation sequence (UAS) of a reporter gene, and is generally performed in yeast. The assay requires the construction of two hybrid genes encoding (1) a DNA-binding domain that is fused to a first protein and (2) an activation domain fused to a second protein. The DNA-binding domain targets the first hybrid protein to the UAS of the reporter gene; however, because most proteins lack an activation domain, this DNA-binding hybrid protein does not activate transcription of the reporter gene. The second hybrid protein, which contains the activation domain, cannot by itself activate expression of the reporter gene because it does not bind the UAS. However, when both hybrid proteins are present, the

5

10

15

20

25

10

15

20

25

30

noncovalent interaction of the first and second proteins tethers the activation domain to the UAS, activating transcription of the reporter gene. For example, when the first protein is a NgR gene product, or fragment thereof, that is known to interact with another protein or nucleic acid, this assay can be used to detect agents that interfere with the binding interaction. Expression of the reporter gene is monitored as different test agents are added to the system. The presence of an inhibitory agent results in lack of a reporter signal. The compounds to be screened include (which may include compounds that are suspected to bind NgR, or a nucleic acid molecule encoding the same), but are not limited to, extracellular, intracellular, biological or chemical origin.

The function of the NgR gene product is unclear and no ligands have yet been found which bind the gene product. The yeast two-hybrid assay is useful to identify proteins that bind to the gene product. In an assay to identify proteins that bind to a NgR receptor, or fragment thereof, a fusion polynucleotide encoding both a NgR receptor (or fragment) and a UAS binding domain (i.e., a first protein) may be used. In addition, a large number of hybrid genes each encoding a different second protein fused to an activation domain are produced and screened in the assay. Typically, the second protein is encoded by one or more members of a total cDNA or genomic DNA fusion library, with each second protein-coding region being fused to the activation domain. This system is applicable to a wide variety of proteins, and it is not even necessary to know the identity or function of the second binding protein. The system is highly sensitive and can detect interactions not revealed by other methods; even transient interactions may trigger transcription to produce a stable mRNA that can be repeatedly translated to yield the reporter protein.

Other assays may be used to search for agents that bind to the target protein. One such screening method to identify direct binding of test ligands to a target protein is described in U.S. Patent No. 5,585,277, incorporated herein by reference. This method relies on the principle that proteins generally exist as a mixture of folded and unfolded states, and continually alternate between the two states. When a test ligand binds to the folded form of a target protein (i.e., when the test ligand is a ligand of the target protein), the target protein molecule bound by the ligand remains in its folded state. Thus, the folded target protein is present to a greater extent in the presence of a test ligand which binds the target protein, than in the absence of a ligand. Binding of

the ligand to the target protein can be determined by any method which distinguishes between the folded and unfolded states of the target protein. The function of the target protein need not be known in order for this assay to be performed. Virtually any agent can be assessed by this method as a test ligand, including, but not limited to, metals, polypeptides, proteins, lipids, polysaccharides, polynucleotides and small organic molecules.

Another method for identifying ligands of a target protein is described in Wieboldt et al. (1997) Anal. Chem. 69:1683-1691, incorporated herein by reference. This technique screens combinatorial libraries of 20-30 agents at a time in solution phase for binding to the target protein. Agents that bind to the target protein are separated from other library components by simple membrane washing. The specifically selected molecules that are retained on the filter are subsequently liberated from the target protein and analyzed by HPLC and pneumatically assisted electrospray (ion spray) ionization mass spectroscopy. This procedure selects library components with the greatest affinity for the target protein, and is particularly useful for small molecule libraries.

The methods of the invention also embrace ligands, especially neuropeptides, that are attached to a label, such as a radiolabel (e.g., ¹²⁵I, ³⁵S, ³²P, ³³P, ³H), a fluorescence label, a chemiluminescent label, an enzymic label and an immunogenic label. Modulators falling within the scope of the invention include, but are not limited to, non-peptide molecules such as non-peptide mimetics, non-peptide allosteric effectors, and peptides. The NgR polypeptide or polynucleotide employed in such a test may either be free in solution, attached to a solid support, borne on a cell surface or located intracellularly or associated with a portion of a cell. One skilled in the art can, for example, measure the formation of complexes between NgR and the compound being tested. Alternatively, one skilled in the art can examine the diminution in complex formation between NgR and its substrate caused by the compound being tested.

Another aspect of the present invention is directed to methods of identifying compounds which modulate (i.e., increase or decrease) activity of NgR comprising contacting NgR with a compound, and determining whether the compound modifies activity of NgR. The activity in the presence of the test compared is measured to the

5

10

15

20

25

10

15

20

25

30

activity in the absence of the test compound. Where the activity of the sample containing the test compound is higher than the activity in the sample lacking the test compound, the compound will have increased activity. Similarly, where the activity of the sample containing the test compound is lower than the activity in the sample lacking the test compound, the compound will have inhibited activity.

The present invention is particularly useful for screening compounds by using NgR in any of a variety of drug screening techniques. The compounds to be screened include (which may include compounds which are suspected to modulate NgR activity), but are not limited to, extracellular, intracellular, biologic or chemical origin. The NgR polypeptide employed in such a test may be in any form, preferably, free in solution, attached to a solid support, borne on a cell surface or located intracellularly. One skilled in the art can, for example, measure the formation of complexes between NgR and the compound being tested. Alternatively, one skilled in the art can examine the diminution in complex formation between Nogo-R and its substrate caused by the compound being tested.

The activity of NgR polypeptides of the invention can be determined by, for example, examining the ability to bind or be activated by chemically synthesized peptide ligands. Alternatively, the activity of the NgR can be assayed by examining their ability to bind calcium ions, hormones, chemokines, neuropeptides, neurotransmitters, nucleotides, lipids, odorants and photons. Alternatively, the activity of the NgR can be determined by examining the activity of effector molecules including, but not limited to, adenylate cyclase, phospholipases and ion channels. Thus, modulators of NgR activity may alter a NgR receptor function, such as a binding property of a receptor or an activity. In various embodiments of the method, the assay may take the form of an ion flux assay, a yeast growth assay, a non-hydrolyzable GTP assay such as a [35S]-GTP S assay, a cAMP assay, an inositol triphosphate assay, a diacylglycerol assay, an Aequorin assay, a Luciferase assay, a FLIPR assay for intracellular Ca²⁺ concentration, a mitogenesis assay, a MAP Kinase activity assay, an arachidonic acid release assay (e.g., using [3H]-arachidonic acid) and an assay for extracellular acidification rates, as well as other binding or function-based assays of NgR activity that are generally known in the art. NgR activity can be determined by methodologies that are used to assay for FaRP activity, which is well known to those

skilled in the art. Biological activities of NgR receptors according to the invention include, but are not limited to, the binding of a natural or an unnatural ligand, as well as any one of the functional activities of NgRs known in the art. Non-limiting examples of NgR activities include transmembrane signaling of various forms, which may involve phosphatidylinositol (PI) association and/or the exertion of an influence over PI; another exemplary activity of NgRs is the binding of accessory proteins or polypeptides that differ from known GPI proteins.

The modulators of the invention exhibit a variety of chemical structures, which can be generally grouped into non-peptide mimetics of natural NgR receptor ligands, peptide and non-peptide allosteric effectors of NgR receptors, and peptides that may function as activators or inhibitors (competitive, uncompetitive and non-competitive) (e.g., antibody products) of NgR receptors. The invention does not restrict the sources for suitable modulators, which may be obtained from natural sources such as plant, animal or mineral extracts, or non-natural sources such as small molecule libraries, including the products of combinatorial chemical approaches to library construction, and peptide libraries.

Other assays can be used to examine enzymatic activity including, but not limited to, photometric, radiometric, HPLC, electrochemical, and the like, which are described in, for example, ENZYME ASSAYS: A PRACTICAL APPROACH, Eisenthal and Danson (Eds.), 1992, Oxford University Press, which is incorporated herein by reference in its entirety.

The use of cDNAs in drug discovery programs is well-known; assays capable of testing thousands of unknown compounds per day in high-throughput screens (HTSs) are thoroughly documented. The literature is replete with examples of the use of radiolabelled ligands in HTS binding assays for drug discovery (see Williams (1991) *Med. Res. Rev.*, 11, 147-184; Sweetnam *et al.*, (1993) *J. Nat. Prod.* 56, 441-455 for review). Recombinant receptors are preferred for binding assay HTS because they allow for better specificity (higher relative purity), provide the ability to generate large amounts of receptor material, and can be used in a broad variety of formats (see Hodgson (1992) *Bio/Technology* 10, 973-980; each of which is incorporated herein by reference in its entirety).

5

10

15

20

25

A variety of heterologous systems is available for functional expression of recombinant receptors that are well known to those skilled in the art. Such systems include bacteria (Strosberg et al. (1992) Trends Pharmacol. Sci. 13, 95-98), yeast (Pausch (1997) Trends Biotechnol. 15, 487-494), several kinds of insect cells (Vanden Broeck (1996) Int. Rev. Cytol. 164, 189-268), amphibian cells (Jayawickreme et al. (1997) Curr. Opin. Biotechnol. 8, 629-634) and several mammalian cell lines (CHO, HEK293, COS, etc.; see Gerhardt et al. (1997) Eur. J. Pharmacol. 334, 1-23). These examples do not preclude the use of other possible cell expression systems, including cell lines obtained from nematodes (PCT application WO 98/37177).

10

5

In preferred embodiments of the invention, methods of screening for compounds which modulate NgR activity comprise contacting test compounds with NgR and assaying for the presence of a complex between the compound and NgR. In such assays, the ligand is typically labeled. After suitable incubation, free ligand is separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability of the particular compound to bind to NgR.

15

20

In another embodiment of the invention, high throughput screening for compounds having suitable binding affinity to NgR is employed. Briefly, large numbers of different small peptide test compounds are synthesized on a solid substrate. The peptide test compounds are contacted with NgR and washed. Bound NgR is then detected by methods well known in the art. Purified polypeptides of the invention can also be coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies can be used to capture the protein and immobilize it on the solid support.

25

30

Generally, an expressed NgR can be used for HTS binding assays in conjunction with its defined ligand. The identified peptide is labeled with a suitable radioisotope, including, but not limited to, ¹²⁵I, ³H, ³⁵S or ³²P, by methods that are well known to those skilled in the art. Alternatively, the peptides may be labeled by well-known methods with a suitable fluorescent derivative (Baindur *et al.* (1994) *Drug Dev. Res.* 33, 373-398; Rogers (1997) *Drug Discov. Today* 2, 156-160). Radioactive ligand specifically bound to the receptor in membrane preparations made from the cell line expressing the recombinant protein can be detected in HTS assays in one of several standard ways, including filtration of the receptor-ligand complex to separate

bound ligand from unbound ligand (Williams (1991) Med. Res. Rev. 11, 147-184; Sweetnam et al. (1993) J. Nat. Prod. 56, 441-455). Alternative methods include a scintillation proximity assay (SPA) or a FlashPlate format in which such separation is unnecessary (Nakayama (1998) Curr. Opin. Drug Disc. Dev. 1, 85-91 Bossé et al. (1998) J. Biomol. Screening 3, 285-292). Binding of fluorescent ligands can be detected in various ways, including fluorescence energy transfer (FRET), direct spectrophotofluorometric analysis of bound ligand, or fluorescence polarization (Rogers (1997) Drug Discov. Today 2, 156-160; Hill (1998) Curr. Opin. Drug Disc. Dev. 1, 92-97).

Examples of such biological responses include, but are not limited to, the following: the ability to survive in the absence of a limiting nutrient in specifically engineered yeast cells (Pausch (1997) *Trends in Biotechnol*. 15, 487-494); changes in intracellular Ca²⁺ concentration as measured by fluorescent dyes (Murphy *et al.* (1998) *Cur. Opin. Drug Disc. Dev.* 1, 192-199). Fluorescence changes can also be used to monitor ligand-induced changes in membrane potential or intracellular pH; an automated system suitable for HTS has been described for these purposes (Schroeder *et al.* (1996) *J. Biomol. Screening* 1, 75-80). Melanophores prepared from *Xenopus laevis* show a ligand-dependent change in pigment organization in response to heterologous NgR activation; this response is adaptable to HTS formats (Jayawickreme *et al.* (1997) *Curr. Opin. Biotechnol.* 8, 629-634). Assays are also available for the measurement of common second messengers, including cAMP, phosphoinositides and arachidonic acid, but these are not generally preferred for HTS.

Preferred methods of HTS employing these receptors include permanently transfected CHO cells, in which agonists and antagonists can be identified by the ability to transduce the signal for the binding of Nogo in membranes prepared from these cells through the putative GPI anchor. In another embodiment of the invention, permanently transfected CHO cells could be used for the preparation of membranes which contain significant amounts of the recombinant receptor proteins; these membrane preparations would then be used in receptor binding assays, employing the radiolabelled ligand specific for the particular receptor. Alternatively, a functional assay, such as fluorescent monitoring of ligand-induced changes in internal Ca²⁺ concentration or membrane potential in permanently transfected CHO cells containing

5

10

15

20

25

10

15

20

25

30

each of these receptors individually or in combination would be preferred for HTS. Equally preferred would be an alternative type of mammalian cell, such as HEK293 or COS cells, in similar formats. More preferred would be permanently transfected insect cell lines, such as *Drosophila* S2 cells. Even more preferred would be recombinant yeast cells expressing the *Drosophila melanogaster* receptors in HTS formats well known to those skilled in the art (e.g., Pausch (1997), above).

The invention contemplates a multitude of assays to screen and identify inhibitors of ligand binding to NgR receptors. In one example, the NgR receptor is immobilized and interaction with a binding partner is assessed in the presence and absence of a candidate modulator such as an inhibitor compound. In another example, interaction between the NgR receptor and its binding partner is assessed in a solution assay, both in the presence and absence of a candidate inhibitor compound. In either assay, an inhibitor is identified as a compound that decreases binding between the NgR receptor and its binding partner. Another contemplated assay involves a variation of the di-hybrid assay wherein an inhibitor of protein/protein interactions is identified by detection of a positive signal in a transformed or transfected host cell, as described in PCT publication number WO 95/20652, published August 3, 1995.

Candidate modulators contemplated by the invention include compounds selected from libraries of either potential activators or potential inhibitors. There are a number of different libraries used for the identification of small molecule modulators, including: (1) chemical libraries, (2) natural product libraries, and (3) combinatorial libraries comprised of random peptides, oligonucleotides or organic molecules. Chemical libraries consist of random chemical structures, some of which are analogs of known compounds or analogs of compounds that have been identified as "hits" or "leads" in other drug discovery screens, some of which are derived from natural products, and some of which arise from non-directed synthetic organic chemistry. Natural product libraries are collections of microorganisms, animals, plants, or marine organisms that are used to create mixtures for screening by: (1) fermentation and extraction of broths from soil, plant or marine microorganisms or (2) extraction of plants or marine organisms. Natural product libraries include polyketides, non-ribosomal peptides, and variants (non-naturally occurring) thereof. For a review, see Cane et al., Science (1998) 282, 63-68. Combinatorial libraries are composed of

10

15

20

large numbers of peptides, oligonucleotides, or organic compounds as a mixture. These libraries are relatively easy to prepare by traditional automated synthesis methods, PCR, cloning, or proprietary synthetic methods. Of particular interest are non-peptide combinatorial libraries. Still other libraries of interest include peptide, protein, peptidomimetic, multiparallel synthetic collection, recombinatorial, and polypeptide libraries. For a review of combinatorial chemistry and libraries created therefrom, see Myers (1997) *Curr. Opin. Biotechnol.* 8, 701-707. Identification of modulators through use of the various libraries described herein permits modification of the candidate "hit" (or "lead") to optimize the capacity of the "hit" to modulate activity.

Still other candidate inhibitors contemplated by the invention can be designed and include soluble forms of binding partners, as well as such binding partners as chimeric, or fusion, proteins. A "binding partner" as used herein broadly encompasses non-peptide modulators, as well as such peptide modulators as neuropeptides other than natural ligands, antibodies, antibody fragments, and modified compounds comprising antibody domains that are immunospecific for the expression product of the identified NgR gene.

Other embodiments of the invention comprise using competitive screening assays in which neutralizing antibodies capable of binding a polypeptide of the invention specifically compete with a test compound for binding to the polypeptide. In this manner, the antibodies can be used to detect the presence of any peptide that shares one or more antigenic determinants with NgR. Radiolabeled competitive binding studies are described in Lin et al., (1997) Antimicrob. Agents Chemother. 41, 2127-2131, the disclosure of which is incorporated herein by reference in its entirety.

25

30

In other embodiments of the invention, the polypeptides of the invention are employed as a research tool for identification, characterization and purification of interacting, regulatory proteins. Appropriate labels are incorporated into the polypeptides of the invention by various methods known in the art and the polypeptides are used to capture interacting molecules. For example, molecules are incubated with the labeled polypeptides, washed to remove unbound polypeptides, and the polypeptide complex is quantified. Data obtained using different concentrations of

10

15

20

25

30

polypeptide are used to calculate values for the number, affinity, and association of polypeptide with the protein complex.

Labeled polypeptides are also useful as reagents for the purification of molecules with which the polypeptide interacts including, but not limited to, inhibitors. In one embodiment of affinity purification, a polypeptide is covalently coupled to a chromatography column. Cells and their membranes are extracted, and various cellular subcomponents are passed over the column. Molecules bind to the column by virtue of their affinity to the polypeptide. The polypeptide-complex is recovered from the column, dissociated and the recovered molecule is subjected to protein sequencing. This amino acid sequence is then used to identify the captured molecule or to design degenerate oligonucleotides for cloning the corresponding gene from an appropriate cDNA library.

Alternatively, compounds may be identified which exhibit similar properties to the ligand for the NgR of the invention, but which are smaller and exhibit a longer half time than the endogenous ligand in a human or animal body. When an organic compound is designed, a molecule according to the invention is used as a "lead" compound. The design of mimetics to known pharmaceutically active compounds is a well-known approach in the development of pharmaceuticals based on such "lead" compounds. Mimetic design, synthesis and testing are generally used to avoid randomly screening a large number of molecules for a target property. Furthermore, structural data deriving from the analysis of the deduced amino acid sequences encoded by the DNAs of the present invention are useful to design new drugs, more specific and therefore with a higher pharmacological potency.

Comparison of the protein sequence of the present invention with the sequences present in all the available databases showed a significant homology with the transmembrane portion of G protein coupled receptors. Accordingly, computer modeling can be used to develop a putative tertiary structure of the proteins of the invention based on the available information of the transmembrane domain of other proteins. Thus, novel ligands based on the predicted structure of NgR can be designed.

This invention further pertains to novel agents identified by the above-described screening assays and uses thereof for treatments as described herein.

PCT/US01/31488

Compositions and Pharmaceutical Compositions

In a particular embodiment, the novel molecules identified by the screening methods according to the invention are low molecular weight organic molecules, in which case a composition or pharmaceutical composition can be prepared thereof for oral or parenteral administration. The compositions, or pharmaceutical compositions, comprising the nucleic acid molecules, vectors, polypeptides, antibodies and compounds identified by the screening methods described herein, typically comprise the nucleic acid molecule, protein, or antibody and a pharmaceutically acceptable carrier. As used herein, "pharmaceutically acceptable carrier" is intended to include any and all solvents, dispersion media, coatings, antibacterial and antifungal agents, isotonic and absorption delaying agents, and the like, compatible with pharmaceutical administration. The nature of the carrier or other ingredients will depend on the specific route of administration and particular embodiment of the invention to be administered. Examples of techniques and protocols that are useful in this context are, inter alia, found in Remington's PHARMACEUTICAL SCIENCES, 16th ed., (1980) Osol, A (Ed.), which is incorporated herein by reference in its entirety. Preferred examples of such carriers or diluents include, but are not limited to, water, saline, Ringer's solution, dextrose solution and 5% human serum albumin. Liposomes and non-aqueous vehicles such as fixed oils may also be used. The use of such media and agents for pharmaceutically active substances is well known in the art. Except insofar as any conventional media or agent is incompatible with the active compound, use thereof in the compositions is contemplated. Supplementary active compounds can also be incorporated into the compositions.

A pharmaceutical composition of the invention is formulated to be compatible with its intended route of administration. Examples of routes of administration include oral and parenteral (e.g., intravenous, intradermal, subcutaneous, inhalation, transdermal (topical), transmucosal and rectal administration). Solutions or suspensions used for parenteral, intradermal or subcutaneous application can include the following components: a sterile diluent such as water for injection, saline solution, fixed oils, polyethylene glycols, glycerine, propylene glycol or other synthetic solvents; antibacterial agents such as benzyl alcohol or methyl parabens; antioxidants such as ascorbic acid or sodium bisulfite; chelating agents such as ethylenediaminetetraacetic

5

10

15

20

25

10

15

20

25

30

acid; buffers such as acetates, citrates or phosphates, and agents for the adjustment of tonicity such as sodium chloride or dextrose. The pH can be adjusted with acids or bases, such as hydrochloric acid or sodium hydroxide. The parenteral preparation can be enclosed in ampoules, disposable syringes or multiple dose vials made of glass or plastic.

Pharmaceutical compositions suitable for injectable use include sterile aqueous solutions (where water soluble) or dispersions and sterile powders for the extemporaneous preparation of sterile injectable solutions or dispersion. For intravenous administration, suitable carriers include physiological saline, bacteriostatic water, Cremophor ELTM (BASF, Parsippany, NJ) or phosphate buffered saline (PBS). In all cases, the composition must be sterile and should be fluid to the extent that easy syringeability exists. It must be stable under the conditions of manufacture and storage and must be preserved against the contaminating action of microorganisms such as bacteria and fungi. The carrier can be a solvent or dispersion medium containing, for example, water, ethanol, polyol (for example, glycerol, propylene glycol and liquid polyethylene glycol, and the like), and suitable mixtures thereof. The proper fluidity can be maintained, for example, by the use of a coating such as lecithin, by the maintenance of the required particle size in the case of dispersion and by the use of surfactants. Prevention of the action of microorganisms can be achieved by various antibacterial and antifungal agents, for example, parabens, chlorobutanol, phenol, ascorbic acid, thimerosal, and the like. In many cases, it will be preferable to include isotonic agents, for example, sugars, polyalcohols such as manitol, sorbitol, sodium chloride in the composition. Prolonged absorption of the injectable compositions can be brought about by including in the composition an agent which delays absorption, for example, aluminum monostearate and gelatin.

Sterile injectable solutions can be prepared by incorporating the active compound (e.g., a NgR protein or anti-NgR antibody) in the required amount in an appropriate solvent with one or a combination of ingredients enumerated above, as required, followed by filtered sterilization. Generally, dispersions are prepared by incorporating the active compound into a sterile vehicle that contains a basic dispersion medium and the required other ingredients from those enumerated above. In the case of sterile powders for the preparation of sterile injectable solutions, methods of

preparation are vacuum drying and freeze-drying that yields a powder of the active ingredient plus any additional desired ingredient from a previously sterile-filtered solution thereof.

Oral compositions generally include an inert diluent or an edible carrier. They can be enclosed in gelatin capsules or compressed into tablets. For the purpose of oral therapeutic administration, the active compound can be incorporated with excipients and used in the form of tablets, troches or capsules. Oral compositions can also be prepared using a fluid carrier for use as a mouthwash, wherein the compound in the fluid carrier is applied orally and swished and expectorated or swallowed.

Pharmaceutically compatible binding agents, and/or adjuvant materials can be included as part of the composition. The tablets, pills, capsules, troches and the like can contain any of the following ingredients, or compounds of a similar nature: a binder such as microcrystalline cellulose, gum tragacanth or gelatin; an excipient such as starch or lactose, a disintegrating agent such as alginic acid, Primogel or corn starch; a lubricant such as magnesium stearate or Sterotes; a glidant such as colloidal silicon dioxide; a sweetening agent such as sucrose or saccharin; or a flavoring agent such as peppermint, methyl salicylate or orange flavoring.

For administration by inhalation, the compounds are delivered in the form of an aerosol spray from pressured container or dispenser which contains a suitable propellant, e.g., a gas such as carbon dioxide or a nebulizer.

Systemic administration can also be by transmucosal or transdermal means. For transmucosal or transdermal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art, and include, for example, for transmucosal administration, detergents, bile salts, and fusidic acid derivatives. Transmucosal administration can be accomplished through the use of nasal sprays or suppositories. For transdermal administration, the active compounds are formulated into ointments, salves, gels or creams as generally known in the art.

The compounds can also be prepared in the form of suppositories (e.g., with conventional suppository bases such as cocoa butter and other glycerides) or retention enemas for rectal delivery.

5

10

15

20

10

15

In one embodiment, the active compounds are prepared with carriers that will protect the compound against rapid elimination from the body, such as a controlled release formulation, including implants and microencapsulated delivery systems. Biodegradable, biocompatible polymers can be used, such as ethylene vinyl acetate, polyanhydrides, polyglycolic acid, collagen, polyorthoesters, and polylactic acid. Methods for preparation of such formulations will be apparent to those skilled in the art. The materials can also be obtained commercially from Alza Corporation and Nova Pharmaceuticals, Inc. Liposomal suspensions (including liposomes targeted to infected cells with monoclonal antibodies to viral antigens) can also be used as pharmaceutically acceptable carriers. These can be prepared according to methods known to those skilled in the art, for example, as described in U.S. Patent No. 4,522,811. It is especially advantageous to formulate oral or parenteral compositions in dosage unit form for ease of administration and uniformity of dosage. Dosage unit form as used herein refers to physically discrete units suited as unitary dosages for the subject to be treated; each unit containing a predetermined quantity of active compound calculated to produce the desired therapeutic effect in association with the required pharmaceutical carrier. The specification for the dosage unit forms of the invention are dictated by and directly dependent on the unique characteristics of the active compound and the particular therapeutic effect to be achieved.

20

25

30

The nucleic acid molecules of the invention can be inserted into vectors and used as gene therapy vectors. Gene therapy vectors can be delivered to a subject by any of a number of routes, e.g., as described in U.S. Patent No. 5,703,055. Delivery can thus also include, e.g., intravenous injection, local administration (see U.S. Patent No. 5,328,470) or stereotactic injection (see e.g., Chen et al. (1994) Proc. Natl. Acad. Sci. USA 91, 3054-3057). The pharmaceutical preparation of the gene therapy vector can include the gene therapy vector in an acceptable diluent, or can comprise a slow release matrix in which the gene delivery vehicle is imbedded. Alternatively, where the complete gene delivery vector can be produced intact from recombinant cells, e.g., retroviral vectors, the pharmaceutical preparation can include one or more cells that produce the gene delivery system.

The pharmaceutical compositions can be included in a container, pack or dispenser together with instructions for administration.

- 92 -

The dosage of these low molecular weight compounds will depend on the disease state or condition to be treated and other clinical factors such as weight and condition of the human or animal and the route of administration of the compound. For treating human or animals, between approximately 0.5 mg/kg of body weight to 500 mg/kg of body weight of the compound can be administered. Therapy is typically administered at lower dosages and is continued until the desired therapeutic outcome is observed.

Another aspect of the present invention is the use of the NgR nucleotide sequences disclosed herein for identifying homologs of the Nogo-R, in other animals, including but not limited to humans and other mammals and invertebrates. Any of the nucleotide sequences disclosed herein, or any portion thereof, can be used, for example, as probes to screen databases or nucleic acid libraries, such as, for example, genomic or cDNA libraries, to identify homologs using screening procedures well known to those skilled in the art. Accordingly, homologs having at least 50%, more preferably at least 60%, more preferably at least 70%, more preferably at least 80%, more preferably at least 90%, more preferably at least 95%, and most preferably at least 100% homology with NgR sequences can be identified.

The present compounds and methods, including nucleic acid molecules, polypeptides, antibodies, compounds identified by the screening methods described herein, have a variety of pharmaceutical applications and may be used, for example, to treat or prevent unregulated cellular growth, such as cancer cell and tumor growth. In a particular embodiment, the present molecules are used in gene therapy. For a review of gene therapy procedures, see *e.g.* Anderson *Science* (1992) 256, 808-813, which is incorporated herein by reference in its entirety.

25

30

5

10

15

20

The present invention also encompasses a method of agonizing (stimulating) or antagonizing a NgR natural binding partner associated activity in a mammal comprising administering to said mammal an agonist or antagonist to one of the above disclosed polypeptides in an amount sufficient to effect said agonism or antagonism. One embodiment of the present invention, then, is a method of treating diseases in a mammal with an agonist or antagonist of the protein of the present invention comprising administering the agonist or antagonist to a mammal in an amount sufficient to agonize or antagonize NgR-associated functions.

10

15

20

25

30

Methods of determining the dosages of compounds to be administered to a patient and modes of administering compounds to an organism are disclosed in U.S. Application Serial No. 08/702,282, filed August 23, 1996, and International patent publication number WO 96/22976, published August 1, 1996, both of which are incorporated herein by reference in their entirety, including any drawings, figures or tables. Those skilled in the art will appreciate that such descriptions are applicable to the present invention and can be easily adapted to it.

The proper dosage depends on various factors such as the type of disease being treated, the particular composition being used and the size and physiological condition of the patient. Therapeutically effective doses for the compounds described herein can be estimated initially from cell culture and animal models. For example, a dose can be formulated in animal models to achieve a circulating concentration range that initially takes into account the IC₅₀ as determined in cell culture assays. The animal model data can be used to more accurately determine useful doses in humans.

Plasma half-life and biodistribution of the drug and metabolites in the plasma, tumors and major organs can also be determined to facilitate the selection of drugs most appropriate to inhibit a disorder. Such measurements can be carried out. For example, HPLC analysis can be performed on the plasma of animals treated with the drug and the location of radiolabeled compounds can be determined using detection methods such as X-ray, CAT scan and MRI. Compounds that show potent inhibitory activity in the screening assays, but have poor pharmacokinetic characteristics, can be optimized by altering the chemical structure and retesting. In this regard, compounds displaying good pharmacokinetic characteristics can be used as a model.

Toxicity studies can also be carried out by measuring the blood cell composition. For example, toxicity studies can be carried out in a suitable animal model as follows: (1) the compound is administered to mice (an untreated control mouse should also be used); (2) blood samples are periodically obtained via the tail vein from one mouse in each treatment group; and (3) the samples are analyzed for red and white blood cell counts, blood cell composition and the percent of lymphocytes versus polymorphonuclear cells. A comparison of results for each dosing regime with the controls indicates if toxicity is present.

10

15

20

25

At the termination of each toxicity study, further studies can be carried out by sacrificing the animals (preferably, in accordance with the American Veterinary Medical Association guidelines Report of the American Veterinary Medical Assoc.

Panel on Euthanasia, (1993) J. Am. Vet. Med. Assoc. 202:229-249). Representative animals from each treatment group can then be examined by gross necropsy for immediate evidence of metastasis, unusual illness or toxicity. Gross abnormalities in tissue are noted and tissues are examined histologically. Compounds causing a reduction in body weight or blood components are less preferred, as are compounds having an adverse effect on major organs. In general, the greater the adverse effect the less preferred the compound.

For the treatment of cancers the expected daily dose of a hydrophobic pharmaceutical agent is between 1 to 500 mg/day, preferably 1 to 250 mg/day, and most preferably 1 to 50 mg/day. Drugs can be delivered less frequently provided plasma levels of the active moiety are sufficient to maintain therapeutic effectiveness. Plasma levels should reflect the potency of the drug. Generally, the more potent the compound the lower the plasma levels necessary to achieve efficacy.

NgR mRNA transcripts have been found in the brain and heart. SEQ ID NOs: 1 and/or, 3 will, as detailed above, enable screening the endogenous neurotransmitters/hormones/ligands which activate, agonize, or antagonize NgR and for compounds with potential utility in treating disorders including CNS disorders (e.g., stroke) and degenerative disorders such as those associated with demyelination.

For example, NgR receptor activation may mediate the prevention of neurite outgrowth. Inhibition would be beneficial in both chronic and acute brain injury. See, e.g., Donovan et al., (1997) J. Neurosci. 17, 5316-5326; Turgeon et al., (1998) J. Neurosci. 18, 6882-6891; Smith-Swintosky et al., (1997) J. Neurochem. 69, 1890-1896; Gill et al., (1998) Brain Res. 797, 321-327; Suidan et al., (1996) Semin. Thromb. Hemost. 22, 125-133.

10

15

20

25

30

Pharmacogenomics

Agents, or modulators that have a stimulatory or inhibitory effect on NgR activity (e.g., NgR gene expression), as identified by a screening assay described herein can be administered to individuals to treat (prophylactically or therapeutically) disorders (e.g., a disease condition such as a demyelination disorder) associated with aberrant NgR activity. In conjunction with such treatment, the pharmacogenomics (i.e., the study of the relationship between an individual's genotype and that individual's response to a foreign compound or drug) of the individual may be considered. Differences in metabolism of therapeutics can lead to severe toxicity or therapeutic failure by altering the relation between dose and blood concentration of the pharmacologically active drug. Thus, the pharmacogenomics of the individual permits the selection of effective agents (e.g., drugs) for prophylactic or therapeutic treatments based on a consideration of the individual's genotype. Such pharmacogenomics can further be used to determine appropriate dosages and therapeutic regimens. Accordingly, the activity of NgR protein, expression of NgR nucleic acid or mutation content of NgR genes in an individual can be determined to thereby select appropriate agent(s) for therapeutic or prophylactic treatment of the individual.

Pharmacogenomics deals with clinically significant hereditary variations in the response to drugs due to altered drug disposition and abnormal action in affected persons. See e.g., Eichelbaum (1996) Clin. Exp. Pharmacol. Physiol. 23, 983-985 and Linder (1997) Clin. Chem. 43, 254-266. In general, two types of pharmacogenetic conditions can be differentiated. Genetic conditions transmitted as a single factor altering the way drugs act on the body (altered drug action) or genetic conditions transmitted as single factors altering the way the body acts on drugs (altered drug metabolism). These pharmacogenetic conditions can occur either as rare defects or as polymorphisms. For example, glucose-6-phosphate dehydrogenase (G6PD) deficiency is a common inherited enzymopathy in which the main clinical complication is haemolysis after ingestion of oxidant drugs (anti-malarials, sulfonamides, analgesics, nitrofurans) and consumption of fava beans.

As an illustrative embodiment, the activity of drug metabolizing enzymes is a major determinant of both the intensity and duration of drug action. The discovery of genetic polymorphisms of drug metabolizing enzymes (e.g., N-acetyltransferase 2

10

15

20

(NAT 2) and cytochrome P450 enzymes CYP2D6 and CYP2C19) has provided an explanation as to why some patients do not obtain the expected drug effects or show exaggerated drug response and serious toxicity after taking the standard and safe dose of a drug. These polymorphisms are expressed in two phenotypes in the population, the extensive metabolizer (EM) and poor metabolizer (PM). The prevalence of PM is different among different populations. For example, the gene coding for CYP2D6 is highly polymorphic and several mutations have been identified in PM, which all lead to the absence of functional CYP2D6. Poor metabolizers of CYP2D6 and CYP2C19 quite frequently experience exaggerated drug response and side effects when they receive standard doses. If a metabolite is the active therapeutic moiety, PM show no therapeutic response, as demonstrated for the analgesic effect of codeine mediated by its CYP2D6-formed metabolite morphine. At the other extreme are the so called ultrarapid metabolizers who do not respond to standard doses. Recently, the molecular basis of ultra-rapid metabolism has been identified to be due to CYP2D6 gene amplification.

Thus, the activity of NgR protein, expression of NgR nucleic acid, or mutation content of NgR genes in an individual can be determined to thereby select appropriate agent(s) for therapeutic or prophylactic treatment of the individual. In addition, pharmacogenetic studies can be used to apply genotyping of polymorphic alleles encoding drug-metabolizing enzymes to the identification of an individual's drug responsiveness phenotype. This knowledge, when applied to dosing or drug selection, can avoid adverse reactions or therapeutic failure and thus enhance therapeutic or prophylactic efficiency when treating a subject with a NgR modulator, such as a modulator identified by one of the exemplary screening assays described herein.

25

30

Monitoring Clinical Efficacy

Monitoring the influence of agents (e.g., drugs, compounds) on the expression or activity of NgR (e.g., the ability to modulate aberrant cell proliferation and/or differentiation) can be applied not only in basic drug screening, but also in clinical trials. For example, the effectiveness of an agent determined by a screening assay as described herein to increase NgR gene expression, protein levels or upregulate NgR activity, can be monitored in clinical trials of subjects exhibiting decreased NgR gene

10

15

20

25

30

expression, protein levels, or downregulated NgR activity. Alternatively, the effectiveness of an agent determined by a screening assay to decrease NgR gene expression, protein levels, or downregulate NgR activity, can be monitored in clinical trials of subjects exhibiting increased NgR gene expression, protein levels, or upregulated NgR activity. In such clinical trials, the expression or activity of NgR and, preferably, other genes that have been implicated in, for example, a disease or disorder, can be used as a "read out" or markers of the immune responsiveness of a particular cell.

For example, genes, including NgR, that are modulated in cells by treatment with an agent (e.g., compound, drug or small molecule) that modulates NgR activity (e.g., identified in a screening assay as described herein) can be identified. Thus, to study the effect of agents on demyelination disorders, for example, in a clinical trial, cells can be isolated and RNA prepared and analyzed for the levels of expression of NgR and other genes implicated in the disorder. The levels of gene expression (i.e., a gene expression pattern) can be quantified by Northern blot analysis or RT-PCR, as described herein, or alternatively by measuring the amount of protein produced by one of the methods as described herein or by measuring the levels of activity of NgR or other genes. In this way, the gene expression pattern can serve as a marker, indicative of the physiological response of the cells to the agent. Accordingly, this response state may be determined before, and at various points during, treatment of the individual with the agent.

In one embodiment, the invention provides a method for monitoring the effectiveness of treatment of a subject with an agent (e.g., an agonist, antagonist, protein, peptide, peptidomimetic, nucleic acid, small molecule, or other drug candidate identified by the screening assays described herein) comprising the steps of (i) obtaining a pre-administration sample from a subject prior to administration of the agent; (ii) detecting the level of expression of a NgR protein, mRNA, or genomic DNA in the preadministration sample; (iii) obtaining one or more post-administration samples from the subject; (iv) detecting the level of expression or activity of the NgR protein, mRNA, or genomic DNA in the post-administration samples; (v) comparing the level of expression or activity of the NgR protein, mRNA or genomic DNA in the pre-administration sample with the NgR protein, mRNA or genomic DNA in the post

administration sample or samples; and (vi) altering the administration of the agent to the subject accordingly. For example, increased administration of the agent may be desirable to increase the expression or activity of NgR to higher levels than detected, i.e., to increase the effectiveness of the agent. Alternatively, decreased administration of the agent may be desirable to decrease expression or activity of NgR to lower levels than detected, i.e., to decrease the effectiveness of the agent.

Methods of Treatment

5

10

15

20

25

30

The present invention provides for both prophylactic and therapeutic methods of treating a subject at risk of (or susceptible to) a disorder or having a disorder associated with aberrant NgR expression or activity.

Diseases and disorders that are characterized by increased (relative to a subject not suffering from the disease or disorder) levels or biological activity may be treated with Therapeutics that antagonize (i.e., reduce or inhibit) activity. Therapeutics that antagonize activity may be administered in a therapeutic or prophylactic manner. Therapeutics that may be utilized include, but are not limited to; (i) a NgR polypeptide, or analogs, derivatives, fragments or homologs thereof; (ii) antibodies to a NgR peptide; (iii) nucleic acids encoding a NgR peptide; (iv) administration of antisense nucleic acid and nucleic acids that are "dysfunctional" (i.e., due to a heterologous insertion within the coding sequences of coding sequences to a NgR peptide) are utilized to "knockout" endogenous function of a NgR peptide by homologous recombination (see, e.g., Capecchi (1989) Science 244, 1288-1292); or (v) modulators (i.e., inhibitors, agonists and antagonists, including additional peptide mimetic of the invention or antibodies specific to a peptide of the invention) that alter the interaction between a NgR peptide and its binding partner.

Diseases and disorders that are characterized by decreased (relative to a subject not suffering from the disease or disorder) levels or biological activity may be treated with Therapeutics that increase (i.e., are agonists to) activity. Therapeutics that upregulate activity may be administered in a therapeutic or prophylactic manner. Therapeutics that may be utilized include, but are not limited to, a NgR peptide, or analogs, derivatives, fragments or homologs thereof; or an agonist that increases bioavailability.

10

15

20

25

30

Increased or decreased levels can be readily detected by quantifying peptide and/or RNA, by obtaining a patient tissue sample (e.g., from biopsy tissue) and assaying it in vitro for RNA or peptide levels, structure and/or activity of the expressed peptides (or mRNAs of a NgR peptide). Methods that are well-known within the art include, but are not limited to, immunoassays (e.g., by Western blot analysis, immunoprecipitation followed by sodium dodecyl sulfate (SDS) polyacrylamide gel electrophoresis, immunocytochemistry, etc.) and/or hybridization assays to detect expression of mRNAs (e.g., Northern assays, dot blots, in situ hybridization, etc.).

In one aspect, the invention provides a method for preventing, in a subject, a disease or condition associated with an aberrant NgR expression or activity, by administering to the subject an agent that modulates NgR expression or at least one NgR activity. Subjects at risk for a disease that is caused or contributed to by aberrant NgR expression or activity can be identified by, for example, any or a combination of diagnostic or prognostic assays as described herein. Administration of a prophylactic agent can occur prior to the manifestation of symptoms characteristic of the NgR aberrancy, such that a disease or disorder is prevented or, alternatively, delayed in its progression. Depending on the type of NgR aberrancy, for example, a NgR agonist or NgR antagonist agent can be used for treating the subject. The appropriate agent can be determined based on screening assays described herein.

Another aspect of the invention pertains to methods of modulating NgR expression or activity for therapeutic purposes. The modulatory method of the invention involves contacting a cell with an agent that modulates one or more of the activities of NgR protein activity associated with the cell. An agent that modulates NgR protein activity can be an agent as described herein, such as a nucleic acid or a protein, a naturally-occurring cognate ligand of a NgR protein, a peptide, a NgR peptidomimetic, or other small molecule. In one embodiment, the agent stimulates one or more NgR protein activity. Examples of such stimulatory agents include active NgR protein and a nucleic acid molecule encoding NgR that has been introduced into the cell. In another embodiment, the agent inhibits one or more NgR protein activity. Examples of such inhibitory agents include antisense NgR nucleic acid molecules and anti-NgR antibodies. These modulatory methods can be performed *in vitro* (e.g., by culturing the cell with the agent) or, alternatively, *in vivo* (e.g., by administering the

agent to a subject). As such, the present invention provides methods of treating an individual afflicted with a disease or disorder characterized by aberrant expression or activity of a NgR protein or nucleic acid molecule. In one embodiment, the method involves administering an agent (e.g., an agent identified by a screening assay described herein), or combination of agents that modulates (e.g., upregulates or downregulates) NgR expression or activity. In another embodiment, the method involves administering a NgR protein or nucleic acid molecule as therapy to compensate for reduced or aberrant NgR expression or activity.

10 Gene Therapy

5

15

20

25

30

Mutations in the NgR gene that result in loss of normal function of the NgR gene product underlie NgR human disease states. The invention comprehends gene therapy to restore NgR activity to treat those disease states. Delivery of a functional NgR gene to appropriate cells is effected ex vivo, in situ, or in vivo by use of vectors, and more particularly viral vectors (e.g., adenovirus, adeno-associated virus, or a retrovirus), or ex vivo by use of physical DNA transfer methods (e.g., liposomes or chemical treatments). See, for example, Anderson (1998) Nature, supplement to 392(6679):25-20. For additional reviews of gene therapy technology see Friedmann (1989) Science 244, 1275-1281; Verma (1990) Sci. Am. 68-84; and Miller (1992) Nature 357, 455-460. Alternatively, it is contemplated that in other human disease states, preventing the expression of, or inhibiting the activity of, NgR will be useful in treating disease states. It is contemplated that antisense therapy or gene therapy could be applied to negatively regulate the expression of NgR.

The present invention provides for both prophylactic and therapeutic methods of treating a subject at risk of (or susceptible to) a disorder or having a disorder associated with aberrant NgR expression or activity.

Diseases and disorders that are characterized by increased (relative to a subject not suffering from the disease or disorder) levels or biological activity may be treated with Therapeutics that antagonize (i.e., reduce or inhibit) activity. Therapeutics that antagonize activity may be administered in a therapeutic or prophylactic manner. Therapeutics that may be utilized include, but are not limited to, (i) a NgR polypeptide, or analogs, derivatives, fragments or homologs thereof; (ii) antibodies to a NgR

10

15

20

25

30

peptide; (iii) nucleic acids encoding a NgR peptide; (iv) administration of antisense nucleic acid and nucleic acids that are "dysfunctional" (i.e., due to a heterologous insertion within the coding sequences of coding sequences to a NgR peptide) are utilized to "knockout" endogenous function of a NgR peptide by homologous recombination (see, e.g., Capecchi (1989), above); or (v) modulators (i.e., inhibitors, agonists and antagonists, including additional peptide mimetic of the invention or antibodies specific to a peptide of the invention) that alter the interaction between a NgR peptide and its binding partner.

Diseases and disorders that are characterized by decreased (relative to a subject not suffering from the disease or disorder) levels or biological activity may be treated with Therapeutics that increase (*i.e.*, are agonists to) activity. Therapeutics that upregulate activity may be administered in a therapeutic or prophylactic manner. Therapeutics that may be utilized include, but are not limited to, a NgR peptide, or analogs, derivatives, fragments or homologs thereof; or an agonist that increases bioavailability.

Increased or decreased levels can be readily detected by quantifying peptide and/or RNA, by obtaining a patient tissue sample (e.g., from biopsy tissue) and assaying it in vitro for RNA or peptide levels, structure and/or activity of the expressed peptides (or mRNAs of a NgR peptide). Methods that are well-known within the art include, but are not limited to, immunoassays (e.g., by Western blot analysis, immunoprecipitation followed by sodium dodecyl sulfate (SDS) polyacrylamide gel electrophoresis, immunocytochemistry, etc.) and/or hybridization assays to detect expression of mRNAs (e.g., Northern assays, dot blots, in situ hybridization, etc.).

In one aspect, the invention provides a method for preventing, in a subject, a disease or condition associated with an aberrant NgR expression or activity, by administering to the subject an agent that modulates NgR expression or at least one NgR activity. Subjects at risk for a disease that is caused or contributed to by aberrant NgR expression or activity can be identified by, for example, any or a combination of diagnostic or prognostic assays as described herein. Administration of a prophylactic agent can occur prior to the manifestation of symptoms characteristic of the NgR aberrancy, such that a disease or disorder is prevented or, alternatively, delayed in its progression. Depending on the type of NgR aberrancy, for example, a NgR agonist or

- 102 -

NgR antagonist agent can be used for treating the subject. The appropriate agent can be determined based on screening assays described herein.

Another aspect of the invention pertains to methods of modulating NgR expression or activity for therapeutic purposes. The modulatory method of the invention involves contacting a cell with an agent that modulates one or more of the activities of NgR protein activity associated with the cell. An agent that modulates NgR protein activity can be an agent as described herein, such as a nucleic acid or a protein, a naturally-occurring cognate ligand of a NgR protein, a peptide, a NgR peptidomimetic, or other small molecule. In one embodiment, the agent stimulates one or more NgR protein activity. Examples of such stimulatory agents include active NgR protein and a nucleic acid molecule encoding NgR that has been introduced into the cell. In another embodiment, the agent inhibits one or more NgR protein activity. Examples of such inhibitory agents include antisense NgR nucleic acid molecules and anti-NgR antibodies. These modulatory methods can be performed in vitro (e.g., by culturing the cell with the agent) or, alternatively, in vivo (e.g., by administering the agent to a subject). As such, the present invention provides methods of treating an individual afflicted with a disease or disorder characterized by aberrant expression or activity of a NgR protein or nucleic acid molecule. In one embodiment, the method involves administering an agent (e.g., an agent identified by a screening assay described herein), or combination of agents that modulates (e.g., upregulates or downregulates) NgR expression or activity. In another embodiment, the method involves administering a NgR protein or nucleic acid molecule as therapy to compensate for reduced or aberrant NgR expression or activity.

The present invention is not to be limited in scope by the specific embodiments described herein. Indeed, various modifications of the invention in addition to those described herein will become apparent to those skilled in the art from the foregoing description and accompanying figure. Such modifications are intended to fall within the scope of the appended claims.

The following Table 5 contains the sequences of exemplary polynucleotides and polypeptides of the invention.

5

10

15

20

25

TABLE 5

The following DNA sequence NgR2 <SEQ ID NO. 1> was identified in humans:

5 CTCCTGGCCCTGCCCCCGGCCCCCAGCTGCCCCATGCTCTGCACCTGCTACTCATCC CCGCCCACCGTGAGCTGCCAGGCCAACACTTCTCCTCTGTGCCGCTGTCCCTGCCACCC AGCACTCAGCGACTCTTCCTGCAGAACAACCTCATCCGCACGCTGCGGCCAGGCACCTTT GGGTCCAACCTGCTCACCCTGTGGCTCTTCTCCAACAACCTCTCCACCATCTACCCGGGC 10 ACTTTCCGCCACTTGCAAGCCCTGGAGGAGCTGGACCTCGGTGACAACCGGCACCTGCGC TCGCTGGAGCCCGACACCTTCCAGGGCCTGGAGCGGCTGCAGTCGCTGCATTTGTACCGC TGCCAGCTCAGCAGCCTGCCCGGCAACATCTTCCGAGGCCTGGTCAGCCTGCAGTACCTC TACCTCCAGGAGAACAGCCTGCTCCACCTACAGGATGACTTGTTCGCGGACCTGGCCAAC CTGAGCCACCTCTTCCTCCACGGGAACCGCCTGCGGCTGCTCACAGAGCACGTGTTTCGC 15 GGCTGGGCAGCTGACCGGCTGCTGCACGGGAACCGGCTGCAGGGCGTGCACCGC GCGGCCTTCCGCGGCCTCAGCCGCCTCACCATCCTCTACCTGTTCAACAACAGCCTGGCC TCGCTGCCGGCGAGGCGCTCGCCGACCTGCCTCGAGTTCCTGCGGCTCAACGCT GTGTCCAGCTCCGACGTGACCTGCGCCACCCCCCGGAGCGCCAGGGCCGAGACCTGCGC 20 CGCGCCGCGCAACAGCTCCTCCAACCACCTGTACGGGGTGGCCGAGGCCGGGGCGCCC CCAGCCGATCCTCCACCTCTACCGAGATCTGCCTGCCGAAGACTCGCGGGGGCGCCAG GGCGGGGACGCCTACTGAGGACGACTACTGGGGGGGCTACGGGGGTGAGGACCAGCGA GGGAGCAGATGTGCCCGGCGCTGCCTGCCAGGCGCCCCCGGACTCCCGAGGCCCTGCG 25 CTCTCGGCCGGGCTCCCCAGCCTCTGCTTTGCCTCCTGCTCCTGGTGCCCCACCACCTC

The following amino acid sequence <SEQ ID NO. 2> is the predicted amino acid sequence derived from the DNA sequence of SEQ ID NO. 1:

MLPGLRRLLQAPASACLLLMLLALPLAAPSCPMLCTCYSSPPTVSCQANNFSSVPLSLPPSTQRLFLQNNLIRTLRPGTFGSNLLTLWLFSNNLSTIYPGTFRHLQALEELDLGDNRHLRSLEPDTFQGLERLQSLHLYRCQLSSLPGNIFRGLVSLQYLYLQENSLLHLQDDLFADLANLSHLFLHGNRLRLLTEHVFRGLGSLDRLLLHGNRLQGVHRAAFRGLSRLTILYLFNNSLASLPGEALADLPSLEFLRLNANPWACDCRARPLWAWFQRARVSSSDVTCATPPERQGRDLRALREADFQACPPAAPTRPGSRARGNSSSNHLYGVAEAGAPPADPSTLYRDLPAEDSRGRQGGDAPTEDDYWGGYGGEDQRGEQMCPGAACQAPPDSRGPALSAGLPSPLLCLLLLVPHHL

30

35

The following DNA sequence NgR3 <SEQ ID NO. 3> was identified in mouse:

ATGTCTTGGCAGTCTGGAACCACAGTGACACAATCTCCCGTGCAGGCTGCTCAGGTCTCA GGGTGCTGTGGAATTGCTGCTGTTGCTGCTGCTGGAGAGCTACCTCTGGGTGGTGGT TGTCCTCGAGACTGTGTGTGCTACCCTGCGCCCATGACTGTCAGCTGCCAGGCACACAC 5 TTTGCTGCCATCCCGGAGGGCATCCCAGAGGACAGTGAGCGCATCTTCCTGCAGAACAAT CGCATCACCTTCCTCCAGCAGGGCCACTTCAGCCCCGCCATGGTCACCCTCTGGATCTAC TCCAACACATCACTTTCATTGCTCCCAACACCTTCGAGGGCTTTGTGCATCTGGAGGAG CTAGACCTTGGAGACAACCGACAGCTGCGAACGCTGGCACCCGAGACCTTCCAAGGCCTG GTGAAGCTTCACGCCCTCTACCTCTATAAGTGTGGACTGAGCGCCCTGCCCGCAGGCATC TTTGGTGGCCTGCACAGCCTGCAGTATCTCTACTTGCAGGACAACCATATCGAGTACCTC 10 CAAGATGACATCTTTGTGGACCTGGTCAATCTCAGTCACTTGTTTCTCCATGGTAACAAG CTATGGAGCCTGGGCCAAGGCATCTTCCGGGGCCTGGTGAACCTGGACCGGTTGCTGCTG CATGAGAACCAGCTACAGTGGGTTCACCACAAGGCTTTCCATGACCTCCACAGGCTAACC ACCCTCTTTCTCTTCAACAACAGCCTCACTGAGCTGCAGGGTGACTGTCTGGCCCCCCTG GTGGCCTTGGAGTTCCTTCGCCTCAATGGGAATGCTTGGGACTGTGGCTGCCGGGCACGT 15 TCCCTGTGGGAATGCTGCGAAGGTTCCGTGGCTCTAGCTCTGCTGTCCCCTGCGCGACC CCCGAGCTGCGGCAAGGCCAGGATCTGAAGCTGCTGAGGGTGGAGGACTTCCGGAACTGC ACAGGACCAGTGTCTCCTCACCAGATCAAGTCTCACACGCTTACCACCTCTGACAGGGCT 20 AACCGGAACCAGATCTCTAAGGTGAGCTCTGGGAAAGAGCTTACCGAACTGCAGGACTAT GCCCCGACTATCAGCACAAGTTCAGCTTTGACATCATGCCCACCGCACGACCCAAGAGG AAGGGCAAGTGTGCTCGCAGGACCCCCATCCGTGCCCCCAGTGGGGTGCAGCAGGCATCC TCAGGCACGGCCCTTGGGGCCCACTCCTGGCCTGGATACTGGGGCTGGCAGTCACTCTC 25 CGC

The following protein sequence <SEQ ID NO. 4> is deduced protein of SEQ ID

NO:3:

MSWOSGTTVTQSPVQAAQVSGCCVELLLLL AGELPLGGGCPRDCVCYPAPMTVSCQAHNFA 30 AIPEGIPEDSERIFLQNNRITFLQQGHFSPA MVTLWIYSNNITFIAPNTFEGFVHLEELDLG DNRQLRTLAPETFQGLVKLHALYLYKCGLSA LPAGIFGGLHSLQYLYLQDNHIEYLQDDIFV DLVNLSHLFLHGNKLWSLGQGIFRGLVNLDR 35 LLLHENOLOWVHHKAFHDLHRLTTLFLFNNS LTELOGDCLAPLVALEFLRLNGNAWDCGCRA RSLWEWLRRFRGSSSAVPCATPELRQGQDLK LLRVEDFRNCTGPVSPHQIKSHTLTTSDRAA RKEHHPSHGASRDKGHPHGHPPGSRSGYKKA GKNCTSHRNRNQISKVSSGKELTELQDYAPD 40 YQHKFSFDIMPTARPKRKGKCARRTPIRAPS GVOOASSGTALGAPLLAWILGLAVTLR

The following protein sequence <SEQ ID NO. 5> is NgR1 from humans: MKRASAGGSRLLAWVLWLQAWQVAAPCPGA C CYNEPKVTTSCPQQGLQAVPVGIPAASQRI 5 FLHGNRISHVPAASFRACRNLTILWLHSNVL ARIDAAAFTGLALLEQLDLSDNAQLRSVDPA TFHGLGRLHTLHLDRCGLQELGPGLFRGLAA LOYLYLODNALOALPDDTFRDLGNLTHLFLH GNRISSVPERAFRGLHSLDRLLLHQNRVAHV 10 **HPHAFRDLGRLMTLYLFANNLSALPTEALAP** LRALQYLRLNDNPWVCDCRARPLWAWLQKFR GSSSEVPCSLPQRLAGRDLKRLAANDLQGCA VATGPYHPIWTGRATDEEPLGLPKCCQPDAA DKASVLEPGRPASAGNALKGRVPPGDSPPGN 15 GSGPRHIND SPFGTLPGSAEPPLTA VRPEGS EPPGFPTSGPRRRPGCSRKNRTRSHCRLGQA GSGGGGTGDSEGSGALPSLTCSLTPLGLALV LWTVLGPC The following amino acid sequence <SEQ ID NO:6> is a Consensus Sequence of 20 NgR based on homology with NgR1 X S N X X X X I X X X X F X X X X X L E X L D L X D N X X L R 25 GLXXLOYLYLOXNXXXXLXDDXFXDLXNLXH LFLHGNXXXXXXXXFRGLXXLDRLLLHXNX X X X V H X X A F X X L X R L X X L X L F X N X L X X L X X X X L A X L X X L X X L R L N X N X W X C X C R A R X L W X W X X X X R X S S S X V X C X X P X X X X G X D L X X L X X X D X 30 35 XXXXXXL The following protein sequence <SEQ ID NO:7> is the 66 amino acid active domain of Nogo: RIYKGVIQAIQKSDEGHPFRAYLESEVAISE ELVQKYSNSALGHVNCTIKELRRLFLVDDLV 40 DSLK

The following protein sequence <SEQ ID NO:8> is the amino acid sequence of the mature NgR2:

C P M L C T C Y S S P P T V S C Q A N N F S S V P L S L P P S TQRLFLQNNLIRTLRPGTFGSNLLTLWLF.SN 5 NLSTIYPGTFRHLQALEELDLGDNRHLRSLE PDTFQGLERLQSLHLYRCQLSSLPGNIFRGL V S L Q Y L Y L Q E N S L L H L Q D D L F A D L A N L S H L F LHGNRLRLLTEHVFRGLGSLDRLLLHGNRLQ G V H R A A F R G L S R L T I L Y L F N N S L A S L P G E A L 10 A D L P S L E F L R L N A N P W A C D C R A R P L W A W F O R ARVSSSD VT CATPPERQGRDLRALREADFQA C P P A A P T R P G S R A R G N S S S N H L Y G V A E A G A P P A D P S T L Y R D L P A E D S R G R Q G G D A P T E D D Y W G G Y G G E D Q R G E Q M C P G A A C Q A P P D S R G P A L S 15 AGLPSPLLCLLLLVPHHL

The following protein sequence <SEQ ID NO:9> is the amino acid sequence of the mature NgR3:

C P R D C V C Y P A P M T V S C Q A H N F A A I P E G I P E D 20 SERIFLQ N N R I T F L Q Q G H F S P A M V T L W I Y S N NITFIAPNTFEGFVHLEELDLGDNRQLRTLA PETFQGLVKLHALYLYKCGLSALPAGIFGGL H S L Q Y L Y L Q D N H I E Y L Q D D I F V D L V N L S H L F LHGNKLWSLGQGIFRGLVNLDRLLLHENQLQ 25 WVHHKAFHDLHRLTTLFLFNNSLTELQGDCL APLVALEFLRLNGNAWDCGCRARSLWEWLRR FRGSSSAVPCATPELRQGQDLKLLRVEDFRN CTGPVSPHQIKSHTLTTSDRAARKEHHPSHG ASRDKGHPHGHPPGSRSGYKKAGKNCTSHRN 30 RNOISKVSSGKELTELQDYAPDYQHKFSFDI MPTARPKRK GK CARRTPIR APS GVQQASS GT ALGAPLLAWILGLAVTLR

The following amino acid sequence <SEQ ID NO:10> is a conserved cysteine motif

(Cysteine domain 1) of the NgR and homologs based on the Consensus Sequence:

CPXXCXCYXXPXXTXSC

10

15

20

25

30

35

The following amino acid sequence <SEQ ID NO:11> is a conserved cysteine motif

(Cysteine domain 2) of the NgR and homologs based on the Consensus Sequence:

NXWXCXCRARXLWXWXXXXRXSSSXVXCXXP

XXXXGXDLXXLXXXDXXXC

The following amino acid sequence <SEQ ID NO:12> is a conserved Leucine-rich

The following amino acid sequence <SEQ ID NO:12> is a conserved Leucine-ricl domain of the NgR and homologs based on the Consensus Sequence:

Unless otherwise indicated, X is any amino acid. For example, X where indicated may be no amino acid. Additional features of the invention will be apparent from the following Examples. Examples 1-5 are actual, while the remaining Examples are prophetic.

As shown by the following Examples, a gene encoding novel NgRs have been identified by computational analysis of DNA sequence data. The proteins encoded by NgR2 and NgR3 have a putative signal sequence, eight leucine-rich repeat domains in a conserved leucine-rich region (SEQ ID NO:12), a conserved cysteine-rich region (SEQ ID NO:10) N-terminal to the leucine-rich region, a second cysteine-rich domain (SEQ ID NO:11) C-terminal to the leucine-rich region, and a putative glycophosphatidylinositol-linkage (GPI-linkage) site. NgR2 and NgR3 differ from the previously identified NgR sequence. The NgR homologs, when compared to known NgRs, show a consensus sequence (SEQ ID NOs:6). The putative mature NgR2 and NgR3 are shown in Table 5 as SEQ ID NOs: 8 and 9, respectively.

Example 1: Tblastn query of the HTG database

The protein sequence for the human NgR (NgR1) (SEQ ID NO:5) was used to query the high throughput genomic (HTG) database the use of which is familiar to those skilled in the art. The HTG database is a part of GenBank, a comprehensive

- 108 -

NIH genetic sequence database, which includes an annotated collection of all publicly available DNA sequences (*Nucleic Acids Res.* (2000) 28, 15-8). The HTG database includes sequences obtained from genomic DNA. Within genomic DNA, genes are typically encoded by multiple segments of DNA called exons. Thus when one aligns a cDNA sequence (or a protein sequence encoded by a cDNA sequence) to a genomic sequence, the sequence will be broken up into segments depending on the number of exons in the gene.

The BLAST algorithm, which stands for Basic Local Alignment Search Tool is suitable for determining sequence similarity (Altschul et al., (1990) J. Mol. Biol. 215, 403-410, which is incorporated herein by reference in its entirety). Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information (http://www.ncbi.nlm.nih.gov/). The basic BLAST algorithm involves first identifying high scoring sequence pair (HSPs) by identifying short words of length W in the query sequence that either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul et al., supra). These initial neighborhood word hits act as seeds for initiating searches to find HSPs containing them. The word hits are extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Extension for the word hits in each direction are halted when: 1) the cumulative alignment score falls off by the quantity X from its maximum achieved value; 2) the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or 3) the end of either sequence is reached. The Blast algorithm parameters W, T and X determine the sensitivity and speed of the alignment. The Blast program uses as defaults a word length (W) of 11, the BLOSUM62 scoring matrix (see Henikoff et al., (1992) Proc. Natl. Acad. Sci. USA 89, 10915-10919, which is incorporated herein by reference in its entirety) alignments (B) of 50, expectation (E) of 10, M=5, N=4, and a comparison of both strands.

The BLAST algorithm (Karlin et al., (1993) Proc. Natl. Acad. Sci. USA 90, 5873-5787, which is incorporated herein by reference) and Gapped BLAST perform a statistical analysis of the similarity between two sequences. One measure of similarity provided by the BLAST algorithm is the smallest sum probability (P(N)), which

5

10

15

20

25

provides an indication of the probability by which a match between two nucleotide or amino acid sequences would occur by chance. For example, a nucleic acid is considered similar to a NgR gene or cDNA if the smallest sum probability in comparison of the test nucleic acid to a NgR nucleic acid is less than about 1, preferably less than about 0.1, more preferably less than about 0.01, and most preferably less than about 0.001.

To query the HTG database with the NgR protein sequence, we used a variation of the BLAST algorithm known as the tblastn program, which compares a protein query sequence against a nucleotide sequence database dynamically translated in all reading frames (*J. Mol. Biol.* (1990) 215, 403-410: *Nucleic Acids Res.* (1997) 25, 3389-3402). The results of the tblastn search indicated the presence of genes in the database with a significant identity to the NgR. In addition to finding hits to genomic clones which contain the human and mouse NgR genes, we found hits to clones where the identity was not as high, but still very significant. Three human clones were found (Accession numbers: AC068514, AC016869, AC013606) with an e-value of 4e-43 and one mouse clone was found (Accession No. AC021768) with an e-value of 1e-78. The three human clones all appeared to encode the same gene, so further analysis was confined to AC013606.

Example 2: Prediction of the human NgR2 protein sequence (AC013606)

The human NgR protein sequence aligned with two regions of translated sequence from nucleotide sequence AC013606, indicating that the new gene was encoded by at least two exons. In order to define the complete gene, we used the computer program GENSCAN[™] (*J. Mol. Biol.* (1997) 268, 78-94) which can identify complete exon/intron structures of genes in genomic DNA. The gene prediction by GENESCAN[™] contained seven exons. By comparing these predicted exons to the NgR, it was concluded that the new human gene contains two of these exons and a part of another (containing the initiating methionine). The predicted cDNA (mRNA) encoded by these three exons was assembled from AC013606 (HTG11; deposited March 2000; length = 143899; GenBank release 118.0; SEQ ID NO: 15) by combining nucleotides from the three exons whose coordinates are: 123292-123322 (exon 1); 130035-130516 (exon 2); and 138589-139335 (exon 3). The sequence for this cDNA

5

10

15

20

25

- 110 -

sequence is SEQ ID NO:1 (nucleotide sequence of human NgR2; AC013606). The translation of this cDNA provides the protein sequence of human NgR2 (SEQ ID NO:2).

We used the protein sequence of human NgR2 as a query sequence against the human EST database. A number of hits of high significance were found indicating that the NgR2 mRNA is expressed in a number of tissues including fetal brain. Furthermore, two of these ESTs provided support for the exon structure that we deduced. One EST (Accession No: GB_EST19:AI346757) contains 565 nucleotides corresponding to amino acids 84-271 of the human NgR2 (SEQ ID No:4). This spans the second intron located between amino acids 171 and 172, and provides positive evidence for the splicing of exons 2 and 3 at the mRNA level. Another EST (GB_EST26:AI929019) contains 545 nucleotides, part of which corresponds to amino acids 1-75 of the human NgR2 (SEQ ID NO:2). This spans the first intron located between amino acids 10 and 11, and provides positive evidence for the splicing of exons 1 and 2 at the mRNA level.

Example 3: Prediction of the mouse NgR3 protein sequence (AC021768)

The human NgR protein sequence aligned with only one region of translated sequence from nucleotide sequence AC021768, indicating that most of the new mouse gene was encoded by one large exon. However, upon inspection, the protein encoded by this exon was missing an initiating methionine. In order to define the complete gene, we used the computer program GENSCAN as described above. The gene prediction by GENSCAN contained two exons; the large one found by visual inspection and a short one at the 5' end which provided an initiating methionine. The predicted cDNA (mRNA) encoded by these two exons was assembled from AC021768 (HTG14; deposited March 2000; length = 215980; GenBank release 118.0; SEQ ID NO: 16) by combining nucleotides from the two exons whose coordinates are: the complement of 164265-164325 (exon 1); and the complement of 155671-156992 (exon 2). The sequence for this cDNA sequence is SEQ ID NO:3 (nucleotide sequence of mouse NgR3; AC021768). The translation of this cDNA provides the protein sequence of mouse NgR3 (SEQ ID NO:4).

5

10

15

20

25

5

15

20

25

30

We used the protein sequence of mouse NgR3 as a query sequence against the mouse EST database. One hit of high significance was found indicating that the NgR2 mRNA is expressed in the heart. This EST (GB_EST20:AI428334) contains 463 nucleotides, part of which correspond to amino acids 45-193 of mouse NgR3 (SEQ ID NO:4).

Example 4: Similarity between the NgRs

An alignment between NgR1 and the two new receptors is shown in Fig. 1A-1B. The similarities between these proteins include:

- 10 (1) The SignalP program, which locates the signal sequence cleavage position, predicts a cleavage before the first conserved cysteine in all the proteins. Thus the mature protein in all cases will have a cysteine at the N-terminus.
 - (2) All proteins contain eight Leucine Rich Repeats (LRR). LRRs are short sequence motifs present in a number of proteins with diverse functions and cellular locations. These repeats are usually involved in protein-protein interactions. Each LRR is composed of a beta-alpha unit.
 - (3) All three proteins contain a leucine rich repeat N-terminal domain (LRRNT), in which four cysteines are conserved. LRRs are often flanked by cysteine rich domains at both their N and C termini.
 - (4) All three proteins contain a LRR C-terminal domain (LRRCT). The LRRCTs of the three NgR proteins can be distinguished from those of other LRR containing proteins, by the pattern of typtophans and cysteines which are completely conserved in this domain.
 - (5) All three proteins contain a conserved cysteine in the fourth LRR domain.
 - (6) All three proteins contain a conserved potential glycosylation site in the eighth LRR domain.
 - (7) NgR2 and NgR3 have a hydrophobic C-terminus, as does NgR1, an indication that they probably also undergo a modification similar to NgR1, where a GPI moiety is covalently linked to a C-terminal amino acid. This allows the protein to remain tethered to the cell

Example 5: Preparation of Nogo Proteins

A Nogo binding assay was developed which utilizes a method widely used in examining semaphorin and ephrin axonal guidance function (Flanagan & Vanderhaeghen (1998) *Annu. Rev. Neurosci.* 21,3 09-345; Takahashi *et al.*, (1999) *Cell* 99, 59-69). It involves fusing a secreted placental alkaline phosphatase (AP) moiety to the ligand in question to provide a biologically active receptor binding agent which can be detected with an extremely sensitive colorimetric assay. For Nogo, an expression vector is created encoding a signal peptide, a His6 tag for purification, AP, and the 66 amino acid active domain of Nogo. The fusion protein can be purified from the conditioned medium of transfected cells in milligram amounts. This protein is biologically active as a growth cone collapsing agent with an EC₅₀ of 1 nM.

Alternatively, a glutathione-S-transferase Nogo (GST-Nogo) fusion protein may be prepared. For GST-Nogo, an expression vector (e.g., a pGEX vector) is created encoding a signal peptide, GST, and the 66 amino acid active domain of Nogo. GST-Nogo may be purified from the culture medium and used as a GST fusion protein, or GST may be cleaved from the Nogo portion of the fusion protein with an enzyme that recognizes the specific amino acid cleavage sit engineered between the GST portion and the Nogo portion of the fusion protein. Such sites are part of the commercially available GST vectors. The specific cleavage sites and enzymes may be used in accordance with the Manufacturer's specifications.

It has been found that AP-Nogo is actually slightly more potent than GST-Nogo, perhaps because the protein is synthesized in a eukaryotic rather than a prokaryotic cell.

Binding of Nogo to immobilized NgR homologs may be performed in an ELISA-type assay in which AP-Nogo is allowed to react with an immobilized receptor homolog. Specificity of binding may be demonstrated in a competitive binding assay using increasing amounts of GST-Nogo in the type of assay to show a decreasing amount of binding of AP-Nogo (as judged in the colorimetric assay).

30 Example 6: Transfected COS Cell binding Assays

The homologs of the present invention may be used in transfection studies in COS cells to demonstrate binding of Nogo. Specifically, nucleotide sequences

5

15

20

- 113 -

encoding NgR2 and NgR3 may be transfected into COS cells using a suitable vector. Non-transfected COS-7 cells do not bind AP-Nogo. However, transfection of COS cells with nucleic acid sequences encoding NgRs will make them capable of binding Nogo. AP alone does not bind with any stable affinity to these transfected cells, indicating that any affinity of Nogo for NgR2 or NgR3 would be due to the 66 amino acids derived from Nogo. Furthemore, specific affinity of Nogo for the NgR2 or NgR3 proteins may be tested in displacement of AP-Nogo assays using GST-Nogo. NgR2 and/or NgR3 may also bind homologs of Nogo, which may also be tested using this assay.

10

15

20

5

Example 7: Expression of NgR in Human Cell Lines using Northern Blot and a Random-Primed Probe

A Northern blot is purchased from a commercial source, or RNA samples from cells of interest are run on an agarose gel and blotted to a membrane using any of the well known techniques for Northern blotting. The blot is probed with a fragment of NgR2 (SEQ ID NO:1) or NgR3 (SEQ ID NO:3). The probe is prepared from 50 ng of cDNA labeled by a random-primed method (Feinberg and Vogelstein (1983) *Anal. Biochem.* 132, 6-13). Hybridization is carried out at 68°C for 1 hour in ExpressHybTM solution (Clontech, Cat. No. 8015-1) followed by washing with 2X SSC/0.05% SDS at room temperature and two washes with 0.1X SSC/0.1% SDS at 50°C. Expression of NgR2 and/or NgR3 can be assessed by the presence of an appropriately sized band on the blot.

Example 8: Cloning of cDNA corresponding to NgRs

25

30

To obtain the full-length clone corresponding to NgR2 from a cDNA library, the following method may be used. A cDNA library is generated using standard methods from a tissue known to contain NgR2. Such a tissue was identified in Example 2. 1 x 10⁶ plaque forming units from the cDNA library may be screened in duplicate on OPTITRANTM filters. The filters are hybridized with ³²P-labeled oligonucleotides that are generated from the ESTs corresponding to portions of NgR2. The hybridization reaction may consist of 400 mls plaque screen buffer (50mM Tris pH

7.5, 1M NaCl, 0.1% Sodium pyrophosphate, 0.2% Polyvinylpryolidine and 0.2% Ficoll) containing 10% Dextran sulfate and 100µg/ml tRNA and 80 pmol each ³²P-labeled oligonucleotide at 65°C overnight. The filters are washed twice with 2X SSC/1%SDS and twice with 1X SSC/1%SDS and exposed to film. Duplicate positives are purified. DNA from each of these clones is analyzed by restriction enzyme digest followed by agarose gel electrophoresis and Southern blotting. The filters are hybridized to the ³²P-labeled oligonucleotides used for the original hybridization to confirm that inserts hybridize to the probe. The insert is then sequenced to confirm that it represents the cDNA for NgR2. Similar methods may be used to generate a full-length clone corresponding to NgR3.

Alternatively, a full-length clone of NgR2 or NgR3 can be obtained by a person of ordinary skill in the art employing conventional PCR techniques.

Example 9: Hybridization Analysis to demonstrate NgR expression in the brain

The expression of NgR in mammals, such as the rat, may be investigated by *in situ* hybridization histochemistry. To investigate expression in the brain, for example, coronal and sagittal rat brain cryosections (20 µm thick) are prepared using a Reichert-Jung cryostat. Individual sections are thaw-mounted onto silanized, nuclease-free slides (CEL Associates, Inc., Houston, TX), and stored at -80°C. Sections are processed starting with post-fixation in cold 4% paraformaldehyde, rinsed in cold phosphate-buffered saline (PBS), acetylated using acetic anhydride in triethanolamine buffer, and dehydrated through a series of alcohol washes in 70%, 95%, and 100% alcohol at room temperature. Subsequently, sections are delipidated in chloroform, followed by rehydration through successive exposure to 100% and 95% alcohol at room temperature. Microscope slides containing processed cryosections are allowed to air dry prior to hybridization. Other tissues may be assayed in a similar fashion.

A NgR-specific probe may be generated using PCR. Following PCR amplification, the fragment is digested with restriction enzymes and cloned into pBluescript II cleaved with the same enzymes. For production of a probe specific for the sense strand of NgR, a cloned NgR fragment cloned in pBluescript II may be linearized with a suitable restriction enzyme, which provides a substrate for labeled run-off transcripts (i.e., cRNA riboprobes) using the vector-borne T7 promoter and

5

10

15

20

25

- 115 -

commercially available T7 RNA polymerase. A probe specific for the antisense strand of NgR may also be readily prepared using the NgR clone in pBluescript II by cleaving the recombinant plasmid with a suitable restriction enzyme to generate a linearized substrate for the production of labeled run-off cRNA transcripts using the T3 promoter and cognate polymerase. The riboprobes may be labeled with [\$^{35}\$S]-UTP to yield a specific activity of about 0.40 x 10⁶ cpm/pmol for antisense riboprobes and about 0.65 x 10⁶ cpm/pmol for sense-strand riboprobes. Each riboprobe may be subsequently denatured and added (2 pmol/ml) to hybridization buffer which contains 50% formamide, 10% dextran, 0.3 M NaCl, 10 mM Tris (pH 8.0), 1 mM EDTA, 1X Denhardt's Solution, and 10 mM dithiothreitol. Microscope slides containing sequential brain cryosections may be independently exposed to 45 µl of hybridization solution per slide and silanized cover slips may be placed over the sections being exposed to hybridization solution. Sections are incubated overnight (15-18 hours) at 52°C to allow hybridization to occur. Equivalent series of cryosections are then exposed to sense or antisense NgR-specific cRNA riboprobes.

Following the hybridization period, coverslips are washed off the slides in 1X SSC, followed by RNase A treatment involving the exposure of slides to 20 µg/ml RNase A in a buffer containing 10 mM Tris-HCl (pH 7.4), 0.5 M EDTA, and 0.5 M NaCl for 45 minutes at 37°C. The cryosections are then subjected to three high-stringency washes in 0.1 X SSC at 52°C for 20 minutes each. Following the series of washes, cryosections are dehydrated by consecutive exposure to 70%, 95%, and 100% ammonium acetate in alcohol, followed by air drying and exposure to Kodak BioMax™ MR-1 film. After 13 days of exposure, the film is developed, and any significant hybridization signal is detected. Based on these results, slides containing tissue that hybridized, as shown by film autoradiograms, are coated with Kodak NTB-2 nuclear track emulsion and the slides are stored in the dark for 32 days. The slides are then developed and counterstained with hematoxylin. Emulsion-coated sections are analyzed microscopically to determine the specificity of labeling. The signal is determined to be specific if autoradiographic grains (generated by antisense probe hybridization) are clearly associated with cresyl violate-stained cell bodies. Autoradiographic grains found between cell bodies indicate non-specific binding of the probe.

5

10

15

20

25

- 116 -

In some cases, such as using a probe to detect a NgR homolog in a heterologous species, in order to achieve optimal hybridization, it may be necessary to decrease the stringency conditions. Such conditions are well known to those of ordinary skill in the art and examples are provided above.

Expression of NgR in the brain provides an indication that modulators of NgR activity have utility for treating neurological disorders. Some other diseases for which modulators of NgR may have utility include depression, anxiety, bipolar disease, epilepsy, neuritis, neurasthenia, neuropathy, neuroses, and the like. Use of NgR modulators, including NgR ligands and anti-NgR antibodies, to treat individuals having such disease states is intended as an aspect of the invention.

Example 10: Northern Blot Analysis of NgR-RNA with a PCR-generated Probe

Northern blot hybridizations may be performed to examine the expression of NgR mRNA. A clone containing at least a portion of the sequence of SEQ ID NO:1 may be used as a probe. Vector-specific primers are used in PCR to generate a hybridization probe fragment for ³²P-labeling. The PCR is performed as follows:

	Mix:	1μl	NgR-containing plasmid
		2μl	fwd primer (10-50 pM)
20		2μl	rev primer (10-50 pM)
		10µl	10xPCR buffer (such as that provided with the enzyme,
		-	Amersham Pharmacia Biotech)
		1µl	10mM dNTP (such as #1 969 064 from Boehringer Mannheim)
		0.5µ1	Taq polymerase (such as #27-0799-62, Amersham Pharmacia
25		·	Biotech)
		83.5ul	water

BNSDOCID: <WO____0229059A3_IA>

5

10

- 117 -

PCR is performed in a Thermocycler using the following program:

	94°C	5min	
5	94°C 55°C 72°C	1min 1min 1min	30 cycles
	72°C	10min	

10

15

20

25

30

The PCR product may be purified using QIAquick PCR Purification Kit (#28104) from Qiagen, and radictively labeled with ³²P-dCTP (#AA0005/250, Amersham Pharmacia Biotech)) may be done by random priming using "Ready-to-go DNA Labeling Beads" (#27-9240-01) from Amersham Pharmacia Biotech.

Hybridization is carried out on Human Multiple Tissue Northern Blot from Clontech.

Hybridization is carried out on Human Multiple Tissue Northern Blot from Clontech as described in manufacturer's protocol, or on a Northern Blot prepared by running RNA samples from cells of interest on an agarose gel and blotting to a membrane using any of the known Northern blotting protocols. After exposure overnight on Molecular Dynamics Phosphor Imager screen (#MD146-814) bands of an appropriate size are visualized.

Example 11: Recombinant Expression of NgR in Eukaryotic Host Cells

A. Expression of NgR in Mammalian Cells

To produce NgR protein, a NgR-encoding polynucleotide is expressed in a suitable host cell using a suitable expression vector and standard genetic engineering techniques. For example, a NgR-encoding sequence described in Table 4 is subcloned into the commercial expression vector pzeoSV2 (Invitrogen, San Diego, CA) and transfected into Chinese Hamster Ovary (CHO) cells using the transfection reagent FuGENE6™ (Boehringer-Mannheim) and the transfection protocol provided in the product insert. Other eukaryotic cell lines, including human embryonic kidney (HEK 293) and COS cells, are suitable as well. Cells stably expressing NgR are selected by growth in the presence of 100 μg/ml zeocin (Stratagene, LaJolla, CA). As an alternative to FuGENE6™, the expression vector may carry the gene for dihydrofolate reductase (dhfr) and selection of clones with methotrexate (MTX) drug pressure

allows for stable transformation of CHO cells. Optionally, NgR may be purified from the cells using standard chromatographic techniques. To facilitate purification, antisera is raised against one or more synthetic peptide sequences that correspond to portions of the NgR amino acid sequence, and the antisera is used to affinity purify Nogo-R. The NgR also may be expressed in-frame with a tag sequence (e.g., polyhistidine, hemaglutinin, FLAG) to facilitate purification. Moreover, it will be appreciated that many of the uses for NgR polypeptides, such as assays described below, do not require purification of NgR from the host cell.

B. Expression of NgR in CHO cells

For expression of NgR in Chinese hamster ovary (CHO) cells, a plasmid bearing the relevant NgR coding sequence is prepared, using a vector which also bears the selectable marker dihydrofolate reductase (DHFR). The plasmid is transfected into CHO cells. Selection under MTX drug pressure allows for preparation of stable transformants of a NgR (NgR2 or NgR3) in an expression plasmid carrying a selectable marker such as DHFR.

C. Expression of NgR in 293 cells

For expression of NgR in mammalian cells 293 (transformed human, primary embryonic kidney cells), a plasmid bearing the relevant NgR coding sequence is prepared, using vector pSecTag2A (Invitrogen). Vector pSecTag2A contains the murine IgK chain leader sequence for secretion, the c-myc epitope for detection of the recombinant protein with the anti-myc antibody, a C-terminal polyhistidine for purification with nickel chelate chromatography, and a Zeocin resistant gene for selection of stable transfectants. The forward primer for amplification of this NgR cDNA is determined by routine procedures and preferably contains a 5' extension of nucleotides to introduce the HindIII cloning site and nucleotides matching the NgR sequence. The reverse primer is also determined by routine procedures and preferably contains a 5' extension of nucleotides to introduce an *XhoI* restriction site for cloning and nucleotides corresponding to the reverse complement of the NgR sequence. The PCR conditions are 55°C as the annealing temperature. The PCR product is gel purified and cloned into the *HindIII-XhoI* sites of the vector.

5

10

15

20

25

5

10

15

20

25

30

The DNA is purified using Qiagen chromatography columns and transfected into 293 cells using DOTAPTM transfection media (Boehringer Mannheim, Indianapolis, IN). Transiently transfected cells are tested for expression after 24 hours of transfection, using western blots probed with anti-His and anti-NgR peptide antibodies. Permanently transfected cells are selected with Zeocin and propagated. Production of the recombinant protein is detected from both cells and media by Western blots probed with anti-His, anti-Myc or anti-NgR peptide antibodies.

D. Transient Expression of Nogo-R in COS cells

For expression of the NgR in COS7 cells, a polynucleotide molecule having a nucleotide sequence of SEQ ID NO:1, for example, can be cloned into vector p3-CI. This vector is a pUC18-derived plasmid that contains the HCMV (human cytomegalovirus) promoter-intron located upstream from the bGH (bovine growth hormone) polyadenylation sequence and a multiple cloning site.

The forward primer is determined by routine procedures and preferably contains a 5' extension which introduces an *Xba*I restriction site for cloning, followed by nucleotides which correspond to a nucleotide sequence of SEQ ID NO:1. The reverse primer is also determined by routine procedures and preferably contains 5'-extension of nucleotides which introduces a *Sal*I cloning site followed by nucleotides which correspond to the reverse complement of a nucleotide sequence of SEQ ID NO:1.

The PCR consists of an initial denaturation step of 5 min at 95°C, 30 cycles of 30 sec denaturation at 95°C, 30 sec annealing at 58°C and 30 sec extension at 72°C, followed by 5 min extension at 72°C. The PCR product is gel purified and ligated into the XbaI and SaII sites of vector p3-CI. This construct is transformed into E. coli cells for amplification and DNA purification. The DNA is purified with Qiagen chromatography columns and transfected into COS 7 cells using Lipofectamine™ reagent from BRL, following the manufacturer's protocols. Forty-eight and 72 hours after transfection, the media and the cells are tested for recombinant protein expression.

NgR expressed from a COS cell culture can be purified by concentrating the cell-growth media to about 10 mg of protein/ml, and purifying the protein by, for

- 120 -

example, chromatography. Purified NgR is concentrated to 0.5 mg/ml in an Amicon concentrator fitted with a YM-10 membrane and stored at -80°C. NgR3 may also be expressed using this method and the nucleotide sequence of SEQ ID NO:3 or SEQ ID NO:13.

5

10

15

20

25

30

E. Expression of NgR in Insect Cells

For expression of NgR in a baculovirus system, a polynucleotide molecule having a nucleotide sequence of SEQ ID NO:1, 3 or 13 can be amplified by PCR. The forward primer is determined by routine procedures and preferably contains a 5' extension which adds the *Nde*I cloning site, followed by nucleotides which correspond to a nucleotide sequence of SEQ ID NO:1 (or SEQ ID NO:3 or SEQ ID NO:13, respectively). The reverse primer is also determined by routine procedures and preferably contains a 5' extension which introduces the *KpnI* cloning site, followed by nucleotides which correspond to the reverse complement of a nucleotide sequence of SEQ ID NO:1 (or SEQ ID NO:3 or SEQ ID NO:13, respectively).

The PCR product is gel purified, digested with *Nde*I and *Kpn*I, and cloned into the corresponding sites of vector pACHTL-A (Pharmingen, San Diego, CA). The pAcHTL expression vector contains the strong polyhedrin promoter of the *Autographa californica* nuclear polyhedrosis virus (AcMNPV), and a 6XHis tag upstream from the multiple cloning site. A protein kinase site for phosphorylation and a thrombin site for excision of the recombinant protein precede the multiple cloning site is also present. Of course, many other baculovirus vectors could be used in place of pAcHTL-A, such as pAc373, pVL941 and pAcIM1. Other suitable vectors for the expression of NgR polypeptides can be used, provided that the vector construct includes appropriately located signals for transcription, translation, and trafficking, such as an in-frame AUG and a signal peptide, as required. Such vectors are described in Luckow *et al.*, Virology 170:31-39, among others.

The virus is grown and isolated using standard baculovirus expression methods, such as those described in Summers *et al.* (1987) A MANUAL OF METHODS FOR BACULOVIRUS VECTORS AND INSECT CELL CULTURE PROCEDURES, Texas Agricultural Experimental Station Bulletin No. 1555.

PCT/US01/31488

In a preferred embodiment, pAcHLT-A containing NgR gene is introduced into baculovirus using the "BaculoGoldTM" transfection kit (Pharmingen, San Diego, CA) using methods established by the manufacturer. Individual virus isolates are analyzed for protein production by radiolabeling infected cells with ³⁵S-methionine at 24 hours post infection. Infected cells are harvested at 48 hours post infection, and the labeled proteins are visualized by SDS-PAGE. Viruses exhibiting high expression levels can be isolated and used for scaled up expression.

For expression of a NgR polypeptide in a Sf9 cells, a polynucleotide molecule having the nucleotide sequence of SEQ ID NO:1 (or SEQ ID NO:3 or SEQ ID NO:13) can be amplified by PCR using the primers and methods described above for baculovirus expression. The NgR cDNA is cloned into vector pAcHLT-A (Pharmingen) for expression in Sf9 insect. The insert is cloned into the *NdeI* and *KpnI* sites, after elimination of an internal *NdeI* site (using the same primers described above for expression in baculovirus). DNA is purified with Qiagen chromatography columns and expressed in Sf9 cells. Preliminary Western blot experiments from non-purified plaques are tested for the presence of the recombinant protein of the expected size which reacted with the NgR-specific antibody. These results are confirmed after further purification and expression optimization in HiG5 cells.

F. Expression of soluble forms of NgR2 and NgR3 as NgR-Ig fusion proteins.

To generate a NgR2-Ig fusion protein, standard methods may be used as described in the literature (e.g. Sanicola et al. (1997) Proc. Natl. Acad. Sci. USA. 94, 6238-6243). For example, a DNA fragment encoding NgR2 without the sequence encoding the hydrophobic C-terminus (GPI anchor signal) may be ligated to a DNA fragment encoding the Fc domain of IgG1 (which may be human IgG1), and the chimeric fragment may be cloned into an expression vector to generate a plasmid. The plasmid may then be transfected into Chinese hamster ovary cells to generate a stable cell line producing the fusion protein. The fusion protein is then purified from conditioned media using standard methods. For example, clarified conditioned media from the cell line may be loaded by gravity directly onto Protein A Sepharose. The column may then be washed with five column volumes each of PBS, PBS containing

5

10

15

20

25

- 122 -

0.5 M NaCl, and 25 mM sodium phosphate, 100 mM NaCl (pH 5.0). The bound protein may then be eluted with 25 mM NaH₂PO₄, 100 mM NaCl (pH 2.8) and immediately neutralized with 1/10 fraction volume of 0.5 M Na₂HPO₄ (pH 8.6).

Similar methods may be used to generate a NgR3-Ig fusion protein.

5

10

15

20

25

30

Example 12: Interaction Trap/Two-Hybrid System

In order to assay for NgR-interacting proteins, the interaction trap/two-hybrid library screening method can be used. This assay was first described in Fields *et al.* (1989) *Nature* 340, 245, which is incorporated herein by reference in its entirety. A protocol is published in CURRENT PROTOCOLS IN MOLECULAR BIOLOGY 1999, John Wiley & Sons, NY and Ausubel, F. M. *et al.* 1992, SHORT PROTOCOLS IN MOLECULAR BIOLOGY, fourth edition, Greene and Wiley-interscience, NY, which is incorporated herein by reference in its entirety. Kits are available from Clontech, Palo Alto, CA (Matchmaker Two-Hybrid System 3).

A fusion of the nucleotide sequences encoding all or partial NgR and the yeast transcription factor GAL4 DNA-binding domain (DNA-BD) is constructed in an appropriate plasmid (i.e., pGBKT7) using standard subcloning techniques. Similarly, a GAL4 active domain (AD) fusion library is constructed in a second plasmid (i.e., pGADT7) from cDNA of potential NgR-binding proteins (for protocols on forming cDNA libraries, see Sambrook et al. 1989, MOLECULAR CLONING: A LABORATORY MANUAL, second edition, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY), which is incorporated herein by reference in its entirety. The DNA-BD/NgR fusion construct is verified by sequencing, and tested for autonomous reporter gene activation and cell toxicity, both of which would prevent a successful two-hybrid analysis. Similar controls are performed with the AD/library fusion construct to ensure expression in host cells and lack of transcriptional activity. Yeast cells are transformed (ca. 105 transformants/mg DNA) with both the NgR and library fusion plasmids according to standard procedure (Ausubel, et al., 1992, SHORT PROTOCOLS IN MOLECULAR BIOLOGY, fourth edition, Greene and Wiley-interscience, NY, which is incorporated herein by reference in its entirety). In vivo binding of DNA-BD/NgR with AD/library proteins results in transcription of specific yeast plasmid reporter genes (i.e., lacZ, HIS3, ADE2, LEU2). Yeast cells are plated on nutrient-deficient

media to screen for expression of reporter genes. Colonies are dually assayed for β-galactosidase activity upon growth in Xgal (5-bromo-4-chloro-3-indolyl-b-D-galactoside) supplemented media (filter assay for b-galactosidase activity is described in Breeden et al., (1985) Cold Spring Harb. Symp.

5 Quant. Biol., 50, 643, which is incorporated herein by reference in its entirety).

Positive AD-library plasmids are rescued from transformants and reintroduced into the original yeast strain as well as other strains containing unrelated DNA-BD fusion proteins to confirm specific NgR/library protein interactions. Insert DNA is sequenced to verify the presence of an open reading frame fused to GAL4 AD and to determine the identity of the NgR-binding protein.

Example 13: Antibodies to Nogo-R

Standard techniques are employed to generate polyclonal or monoclonal antibodies to the NgR receptor, and to generate useful antigen-binding fragments thereof or variants thereof, including "humanized" variants. Such protocols can be found, for example, in Sambrook et al. (1989), above, and Harlow et al. (Eds.), ANTIBODIES A LABORATORY MANUAL; Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY (1988). In one embodiment, recombinant NgR polypeptides (or cells or cell membranes containing such polypeptides) are used as antigen to generate the antibodies. In another embodiment, one or more peptides having amino acid sequences corresponding to an immunogenic portion of NgR (e.g., 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, or more amino acids) are used as antigen. Peptides corresponding to extracellular portions of Nogo-R, especially hydrophilic extracellular portions, are preferred. The antigen may be mixed with an adjuvant or linked to a hapten to increase antibody production.

A. Polyclonal or Monoclonal antibodies

As one exemplary protocol, recombinant NgR or a synthetic fragment thereof is used to immunize a mouse for generation of monoclonal antibodies (or larger mammal, such as a rabbit, for polyclonal antibodies). To increase antigenicity, peptides are conjugated to Keyhole Limpet Hemocyanin (Pierce), according to the manufacturer's recommendations. For an initial injection, the antigen is emulsified with

15

20

25

Freund's Complete Adjuvant and injected subcutaneously. At intervals of two to three weeks, additional aliquots of NgR antigen are emulsified with Freund's Incomplete Adjuvant and injected subcutaneously. Prior to the final booster injection, a serum sample is taken from the immunized mice and assayed by western blot to confirm the presence of antibodies that immunoreact with NgR. Serum from the immunized animals may be used as polyclonal antisera or used to isolate polyclonal antibodies that recognize NgR. Alternatively, the mice are sacrificed and their spleen removed for generation of monoclonal antibodies.

To generate monoclonal antibodies, the spleens are placed in 10 ml serum-free RPMI 1640, and single cell suspensions are formed by grinding the spleens in serum-free RPMI 1640, supplemented with 2 mM L-glutamine, 1 mM sodium pyruvate, 100 units/ml penicillin, and 100 μg/ml streptomycin (RPMI) (Gibco, Canada). The cell suspensions are filtered and washed by centrifugation and resuspended in serum-free RPMI. Thymocytes taken from three naive Balb/c mice are prepared in a similar manner and used as a Feeder Layer. NS-1 myeloma cells, kept in log phase in RPMI with 10% fetal bovine serum (FBS) (Hyclone Laboratories, Inc., Logan, UT) for three days prior to fusion, are centrifuged and washed as well.

To produce hybridoma fusions, spleen cells from the immunized mice are combined with NS-1 cells and centrifuged, and the supernatant is aspirated. The cell pellet is dislodged by tapping the tube, and 2 ml of 37°C PEG 1500 (50% in 75 mM HEPES, pH 8.0) (Boehringer-Mannheim) is stirred into the pellet, followed by the addition of serum-free RPMI. Thereafter, the cells are centrifuged, resuspended in RPMI containing 15% FBS, 100 μM sodium hypoxanthine, 0.4 μM aminopterin, 16 μM thymidine (HAT) (Gibco), 25 units/ml IL-6 (Boehringer-Mannheim) and 1.5 x 10⁶ thymocytes/ml, and plated into 10 Corning flat-bottom 96-well tissue culture plates (Corning, Corning, NY).

On days 2, 4, and 6 after the fusion, 100 µl of medium is removed from the wells of the fusion plates and replaced with fresh medium. On day 8, the fusions are screened by ELISA, testing for the presence of mouse IgG that binds to NgR. Selected fusion wells are further cloned by dilution until monoclonal cultures producing anti-NgR antibodies are obtained.

5

10

15

20

25

- 125 -

B. Humanization of anti-NgR monoclonal antibodies

The expression pattern of NgR as reported herein and the potential of NgRs as targets for therapeutic intervention suggest therapeutic indications for NgR inhibitors (antagonists). NgR-neutralizing antibodies comprise one class of therapeutics useful as NgR antagonists. Following are protocols to improve the utility of anti-NgR monoclonal antibodies as therapeutics in humans by "humanizing" the monoclonal antibodies to improve their serum half-life and render them less immunogenic in human hosts (i.e., to prevent human antibody response to non-human anti-NgR antibodies).

The principles of humanization have been described in the literature and are facilitated by the modular arrangement of antibody proteins. To minimize the possibility of binding complement, a humanized antibody of the IgG4 isotype is preferred.

For example, a level of humanization is achieved by generating chimeric antibodies comprising the variable domains of non-human antibody proteins of interest with the constant domains of human antibody molecules. (See, e.g., Morrison et al., (1989) Adv. Immunol., 44, 65-92). The variable domains of NgR-neutralizing anti-NgR antibodies are cloned from the genomic DNA of a B-cell hybridoma or from cDNA generated from mRNA isolated from the hybridoma of interest. The V region gene fragments are linked to exons encoding human antibody constant domains, and the resultant construct is expressed in suitable mammalian host cells (e.g., myeloma or CHO cells).

To achieve an even greater level of humanization, only those portions of the variable region gene fragments that encode antigen-binding complementarity determining regions ("CDR") of the non-human monoclonal antibody genes are cloned into human antibody sequences. (See, e.g., Jones et al., (1986) Nature 321, 522-525; Riechmann et al., (1988) Nature 332, 323-327; Verhoeyen et al., (1988) Science 239, 1534-1536; and Tempest et al., (1991) Bio/Technology 9, 266-271). If necessary, the B-sheet framework of the human antibody surrounding the CDR3 regions also is modified to more closely mirror the three dimensional structure of the antigen-binding domain of the original monoclonal antibody. (See Kettleborough et al., (1991) Protein Engin. 4, 773-783; and Foote et al., (1992) J. Mol. Biol. 224, 487-499).

5

10

15

20

25

In an alternative approach, the surface of a non-human monoclonal antibody of interest is humanized by altering selected surface residues of the non-human antibody, e.g., by site-directed mutagenesis, while retaining all of the interior and contacting residues of the non-human antibody. See Padlan (1991) Mol. Immunol. 28, 489-498.

The foregoing approaches are employed using NgR-neutralizing anti-NgR monoclonal antibodies and the hybridomas that produce them to generate humanized NgR-neutralizing antibodies useful as therapeutics to treat or palliate conditions wherein NgR expression or ligand-mediated NgR signaling is detrimental.

C. Human NgR-Neutralizing Antibodies from Phage Display

Human NgR-neutralizing antibodies are generated by phage display techniques such as those described in Aujame et al. (1997) Human Antibodies 8, 155-168; Hoogenboom (1997) TIBTECH 15, 62-70; and Rader et al. (1997), Curr. Opin. Biotechnol. 8, 503-508, all of which are incorporated by reference. For example, antibody variable regions in the form of Fab fragments or linked single chain Fv fragments are fused to the amino terminus of filamentous phage minor coat protein pIII. Expression of the fusion protein and incorporation thereof into the mature phage coat results in phage particles that present an antibody on their surface and contain the genetic material encoding the antibody. A phage library comprising such constructs is expressed in bacteria, and the library is screened for NgR-specific phage-antibodies using labeled or immobilized NgR as antigen-probe.

D. Human NgR-neutralizing antibodies from transgenic mice

Human NgR-neutralizing antibodies are generated in transgenic mice essentially as described in Bruggemann et al. (1996) Immunol. Today 17, 391-397 and Bruggemann et al. (1997) Curr. Opin. Biotechnol. 8, 455-458. Transgenic mice carrying human V-gene segments in germline configuration and that express these transgenes in their lymphoid tissue are immunized with a NgR composition using conventional immunization protocols. hybridomas are generated using B cells from the immunized mice using conventional protocols and screened to identify hybridomas secreting anti-NgR human antibodies (e.g., as described above).

BNSDOCID: <WO_____0229059A3 IA-

5

10

15

20

25

- 127 -

Example 14: Assays to Identify Modulators of NgR Activity

Set forth below are several nonlimiting assays for identifying modulators (agonists and antagonists) of NgR activity. Among the modulators that can be identified by these assays are natural ligand compounds of the receptor; synthetic analogs and derivatives of natural ligands; antibodies, antibody fragments, and/or antibody-like compounds derived from natural antibodies or from antibody-like combinatorial libraries; and/or synthetic compounds identified by high-throughput screening of libraries; and the like. All modulators that bind NgR are useful for identifying NgR in tissue samples (e.g., for diagnostic purposes, pathological purposes, and the like). Agonist and antagonist modulators are useful for up-regulating and down-regulating NgR activity, respectively, to treat disease states characterized by abnormal levels of NgR activity. The assays may be performed using single putative modulators, and/or may be performed using a known agonist in combination with candidate antagonists (or visa versa).

15

10

5

A. cAMP Assays

In one type of assay, levels of cyclic adenosine monophosphate (cAMP) are measured in NgR-transfected cells that have been exposed to candidate modulator compounds. Protocols for cAMP assays have been described in the literature. (See, e.g., Sutherland et al., (1968) Circulation 37, 279; Frandsen et al., (1976) Life Sciences 18, 529-541; Dooley et al., (1997) J. Pharmacol. Exp. Therap. 283, 735-41; and George et al., (1997) J. Biomol. Screening 2, 235-40). An exemplary protocol for such an assay, using an Adenylyl Cyclase Activation FlashPlate[®] Assay from NEN[™] Life Science Products, is set forth below.

25

30

20

Briefly, the NgR coding sequence (e.g., a cDNA or introlless genomic DNA) is subcloned into a commercial expression vector, such as pzeoSV2 (Invitrogen), and transiently transfected into Chinese Hamster Ovary (CHO) cells using known methods, such as the transfection protocol provided by Boehringer-Mannheim when supplying the FuGENE 6 transfection reagent. Transfected CHO cells are seeded into 96-well microplates from the FlashPlate® assay kit, which are coated with solid scintillant to which antisera to cAMP has been bound. For a control, some wells are seeded with

wild type (untransfected) CHO cells. Other wells in the plate receive various amounts of a cAMP standard solution for use in creating a standard curve.

One or more test compounds (i.e., candidate modulators) are added to the cells in each well, with water and/or compound-free medium/diluent serving as a control or controls. After treatment, cAMP is allowed to accumulate in the cells for exactly 15 minutes at room temperature. The assay is terminated by the addition of lysis buffer containing [125] labeled cAMP, and the plate is counted using a Packard Topcount 96-well microplate scintillation counter. Unlabeled cAMP from the lysed cells (or from standards) and fixed amounts of [125]-cAMP compete for antibody bound to the plate. A standard curve is constructed, and cAMP values for the unknowns are obtained by interpolation. Changes in intracellular cAMP levels of cells in response to exposure to a test compound are indicative of NgR modulating activity. Modulators that act as agonists of receptors which couple to the G_s subtype of G proteins will stimulate production of cAMP, leading to a measurable 3-10 fold increase in cAMP levels. Agonists of receptors which couple to the Gi/o subtype of G proteins will inhibit forskolin-stimulated cAMP production, leading to a measurable decrease in cAMP levels of 50-100%. Modulators that act as inverse agonists will reverse these effects at receptors that are either constitutively active or activated by known agonists.

B. Aequorin Assays

In another assay, cells (e.g., CHO cells) are transiently co-transfected with both a NgR expression construct and a construct that encodes the photoprotein apoaquorin. In the presence of the cofactor coelenterazine, apoaquorin will emit a measurable luminescence that is proportional to the amount of intracellular (cytoplasmic) free calcium. (See generally, Cobbold, et al. "Aequorin measurements of cytoplasmic free calcium," In: McCormack J.G. and Cobbold P.H., eds., Cellular Calcium: A Practical Approach. Oxford:IRL Press (1991); Stables et al., (1997) Anal. Biochem. 252, 115-26; and Haugland, Handbook of Fluorescent Probes and Research Chemicals. Sixth edition. Molecular Probes, Eugene, OR (1996)).

In one exemplary assay, NgR is subcloned into the commercial expression vector pzeoSV2 (Invitrogen) and transiently co-transfected along with a construct that encodes the photoprotein apoaquorin (Molecular Probes, Eugene, OR) into CHO cells

5

10

15

20

25

5

using the transfection reagent FuGENE 6 (Boehringer-Mannheim) and the transfection protocol provided in the product insert.

The cells are cultured for 24 hours at 37°C in MEM (Gibco/BRL, Gaithersburg, MD) supplemented with 10% fetal bovine serum, 2 mM glutamine, 10 U/ml penicillin and 10 µg/ml streptomycin, at which time the medium is changed to serum-free MEM containing 5 µM coelenterazine (Molecular Probes, Eugene, OR). Culturing is then continued for two additional hours at 37°C. Subsequently, cells are detached from the plate using VERSEN (Gibco/BRL), washed, and resuspended at 200,000 cells/ml in serum-free MEM.

10 Dilutions of candidate NgR modulator compounds are prepared in serum-free MEM and dispensed into wells of an opaque 96-well assay plate at 50 μl/well. Plates are then loaded onto an MLX microtiter plate luminometer (Dynex Technologies, Inc., Chantilly, VA). The instrument is programmed to dispense 50 µl cell suspensions into each well, one well at a time, and immediately read luminescence for 15 seconds. 15 Dose-response curves for the candidate modulators are constructed using the area under the curve for each light signal peak. Data are analyzed with SlideWrite, using the equation for a one-site ligand, and EC₅₀ values are obtained. Changes in luminescence caused by the compounds are considered indicative of modulatory activity. Modulators that act as agonists at receptors which couple to the G_a subtype 20 of G proteins give an increase in luminescence of up to 100 fold. Modulators that act as inverse agonists will reverse this effect at receptors that are either constitutively active or activated by known agonists.

C. Luciferase Reporter Gene Assay

The photoprotein luciferase provides another useful tool for assaying for modulators of NgR activity. Cells (e.g., CHO cells or COS 7 cells) are transiently cotransfected with both a NgR expression construct (e.g., NgR in pzeoSV2) and a reporter construct which includes a gene for the luciferase protein downstream from a transcription factor binding site, such as the cAMP-response element (CRE), AP-1, or NF-kappa B. Expression levels of luciferase reflect the activation status of the signaling events. (See generally, George et al. (1997) J. Biomol. Screening 2, 235-240; and Stratowa et al. (1995) Curr. Opin. Biotechnol. 6, 574-581). Luciferase

25

- 130 -

activity may be quantitatively measured using, e.g., luciferase assay reagents that are commercially available from Promega (Madison, WI).

In one exemplary assay, CHO cells are plated in 24-well culture dishes at a density of 100,000 cells/well one day prior to transfection and cultured at 37°C in MEM (Gibco/BRL) supplemented with 10% fetal bovine serum, 2 mM glutamine, 10 U/ml penicillin and 10 µg/ml streptomycin. Cells are transiently co-transfected with both a NgR expression construct and a reporter construct containing the luciferase gene. The reporter plasmids CRE-luciferase, AP-1-luciferase and NF-kappaBluciferase may be purchased from Stratagene (Legally, CA). Transfections are performed using the FuGENE 6 transfection reagent (Boehringer-Mannheim) according to the supplier's instructions. Cells transfected with the reporter construct alone are used as a control. Twenty-four hours after transfection, cells are washed once with PBS pre-warmed to 37°C. Serum-free MEM is then added to the cells either alone (control) or with one or more candidate modulators and the cells are incubated at 37°C for five hours. Thereafter, cells are washed once with ice-cold PBS and lysed by the addition of $100~\mu l$ of lysis buffer per well from the luciferase assay kit supplied by Promega. After incubation for 15 minutes at room temperature, 15 µl of the lysate is mixed with 50 µl of substrate solution (Promega) in an opaque-white, 96-well plate, and the luminescence is read immediately on a Wallace model 1450 MicroBeta scintillation and luminescence counter (Wallace Instruments, Gaithersburg, MD).

Differences in luminescence in the presence versus the absence of a candidate modulator compound are indicative of modulatory activity. Receptors that are either constitutively active or activated by agonists typically give a 3-20-fold stimulation of luminescence compared to cells transfected with the reporter gene alone. Modulators that act as inverse agonists will reverse this effect.

D. Intracellular calcium measurement using FLIPR

Changes in intracellular calcium levels are another recognized indicator of receptor activity, and such assays can be employed to screen for modulators of NgR activity. For example, CHO cells stably transfected with a NgR expression vector are plated at a density of 4 x 10⁴ cells/well in Packard black-walled, 96-well plates

5

10

15

20

25

5

10

15

20

specially designed to discriminate fluorescence signals emanating from the various wells on the plate. The cells are incubated for 60 minutes at 37°C in modified Dulbecco's PBS (D-PBS) containing 36 mg/L pyruvate and 1 g/L glucose with the addition of 1% fetal bovine serum and one of four calcium indicator dyes (Fluo-3TM AM, Fluo-4TM AM, Calcium GreenTM-1 AM, or Oregon GreenTM 488 BAPTA-1 AM), each at a concentration of 4 μM. Plates are washed once with modified D-PBS without 1% fetal bovine serum and incubated for 10 minutes at 37°C to remove residual dye from the cellular membrane. In addition, a series of washes with modified D-PBS without 1% fetal bovine serum is performed immediately prior to activation of the calcium response.

A calcium response is initiated by the addition of one or more candidate receptor agonist compounds, calcium ionophore A23187 (10 μM; positive control), or ATP (4 μM; positive control). Fluorescence is measured by Molecular Device's FLIPR with an argon laser (excitation at 488 nm). (See, e.g., Kuntzweiler et al. (1998) Drug Dev. Res. 44,14-20). The F-stop for the detector camera is set at 2.5 and the length of exposure is 0.4 milliseconds. Basal fluorescence of cells is measured for 20 seconds prior to addition of candidate agonist, ATP, or A23187, and the basal fluorescence level is subtracted from the response signal. The calcium signal is measured for approximately 200 seconds, taking readings every two seconds. Calcium ionophore A23187 and ATP increase the calcium signal 200% above baseline levels. In general, activated NgRs increase the calcium signal at least about 10-15% above baseline signal.

E. [35S]GTPγS Binding Assay

It is also possible to evaluate whether NgR signals through a G protein-mediated pathway. Because G protein-coupled receptors signal through intracellular G proteins whose activity involves GTP binding and hydrolysis to yield bound GDP, measurement of binding of the non-hydrolyzable GTP analog [35S]-GTPγS in the presence and absence of candidate modulators provides another assay for modulator activity. (See, e.g., Kowal et al., (1998) Neuropharmacology 37, 179-187.).

In one exemplary assay, cells stably transfected with a NgR expression vector are grown in 10 cm tissue culture dishes to subconfluence, rinsed once with 5 ml of ice-cold Ca^{2+}/Mg^{2+} -free phosphate-buffered saline, and scraped into 5 ml of the same buffer. Cells are pelleted by centrifugation (500 x g, 5 minutes), resuspended in TEE buffer (25 mM Tris, pH 7.5, 5 mM EDTA, 5 mM EGTA), and frozen in liquid nitrogen. After thawing, the cells are homogenized using a Dounce homogenizer (1 ml TEE per plate of cells), and centrifuged at 1,000 x g for 5 minutes to remove nuclei and unbroken cells.

The homogenate supernatant is centrifuged at 20,000 x g for 20 minutes to isolate the membrane fraction, and the membrane pellet is washed once with TEE and resuspended in binding buffer (20 mM HEPES, pH 7.5, 150 mM NaCl, 10 mM MgCl₂, 1 mM EDTA). The resuspended membranes can be frozen in liquid nitrogen and stored at -70°C until use.

Aliquots of cell membranes prepared as described above and stored at -70°C are thawed, homogenized, and diluted into buffer containing 20 mM HEPES, 10 mM MgCl₂, 1 mM EDTA, 120 mM NaCl, 10 μM GDP, and 0.2 mM ascorbate, at a concentration of 10-50 μg/ml. In a final volume of 90 μl, homogenates are incubated with varying concentrations of candidate modulator compounds or 100 μM GTP for 30 minutes at 30°C and then placed on ice. To each sample, 10 μl guanosine 5'-O-(3[³⁵S]thio) triphosphate (NEN, 1200 Ci/mmol; [³⁵S]-GTPγS), was added to a final concentration of 100-200 pM. Samples are incubated at 30°C for an additional 30 minutes, 1 ml of 10 mM HEPES, pH 7.4, 10 mM MgCl₂, at 4°C is added and the reaction is stopped by filtration.

Samples are filtered over Whatman GF/B filters and the filters are washed with 20 ml ice-cold 10 mM HEPES, pH 7.4, 10 mM MgCl₂. Filters are counted by liquid scintillation spectroscopy. Nonspecific binding of [35 S]-GTP γ S is measured in the presence of 100 μ M GTP and subtracted from the total. Compounds are selected that modulate the amount of [35 S]-GTP γ S binding in the cells, compared to untransfected control cells. Activation of receptors by agonists gives up to a five-fold increase in [35 S]-GTP γ S binding. This response is blocked by antagonists.

F. [3H]Arachidonic Acid Release

5

10

15

20

25

- 133 -

The activation of NgRs may also potentiate arachidonic acid release in cells, providing yet another useful assay for modulators of NgR activity. (See, e.g., Kanterman et al., (1991) Mol. Pharmacol. 39,364-369.) For example, CHO cells that are stably transfected with a NgR expression vector are plated in 24-well plates at a density of 15,000 cells/well and grown in MEM medium supplemented with 10% fetal bovine serum, 2 mM glutamine, 10 U/ml penicillin and 10 μg/ml streptomycin for 48 hours at 37°C before use. Cells of each well are labeled by incubation with [³H]-arachidonic acid (Amersham Corp., 210 Ci/mmol) at 0.5 μCi/ml in 1 ml MEM supplemented with 10 mM HEPES, pH 7.5, and 0.5% fatty-acid-free bovine serum albumin for 2 hours at 37°C. The cells are then washed twice with 1 ml of the same buffer.

Candidate modulator compounds are added in 1 ml of the same buffer, either alone or with 10 µM ATP and the cells are incubated at 37°C for 30 minutes. Buffer alone and mock-transfected cells are used as controls. Samples (0.5 ml) from each well are counted by liquid scintillation spectroscopy. Agonists which activate the receptor will lead to potentiation of the ATP-stimulated release of [³H]-arachidonic acid. This potentiation is blocked by antagonists.

G. Extracellular Acidification Rate

In yet another assay, the effects of candidate modulators of NgR activity are assayed by monitoring extracellular changes in pH induced by the test compounds (see, e.g., Dunlop et al. (1998) J. Pharmacol. Toxicol. Meth. 40, 47-55). In one embodiment, CHO cells transfected with a NgR expression vector are seeded into 12 mm capsule cups (Molecular Devices Corp.) at 4 x 10⁵ cells/cup in MEM supplemented with 10% fetal bovine serum, 2 mM L-glutamine, 10 U/ml penicillin, and 10 μg/ml streptomycin. The cells are incubated in this medium at 37°C in 5% CO₂ for 24 hours.

Extracellular acidification rates are measured using a Cytosensor microphysiometer (Molecular Devices Corp.). The capsule cups are loaded into the sensor chambers of the microphysiometer and the chambers are perfused with running buffer (bicarbonate-free MEM supplemented with 4 mM L-glutamine, 10 units/ml penicillin, 10 μg/ml streptomycin, 26 mM NaCl) at a flow rate of 100 μl/minute.

5

10

15

20

25

Candidate agonists or other agents are diluted into the running buffer and perfused through a second fluid path. During each 60-second pump cycle, the pump is run for 38 seconds and is off for the remaining 22 seconds. The pH of the running buffer in the sensor chamber is recorded during the cycle from 43-58 seconds, and the pump is re-started at 60 seconds to start the next cycle. The rate of acidification of the running buffer during the recording time is calculated by the Cytosoft program. Changes in the rate of acidification are calculated by subtracting the baseline value (the average of 4 rate measurements immediately before addition of a modulator candidate) from the highest rate measurement obtained after addition of a modulator candidate. The selected instrument detects 61 mV/pH unit. Modulators that act as agonists of the receptor result in an increase in the rate of extracellular acidification compared to the rate in the absence of agonist. This response is blocked by modulators which act as antagonists of the receptor.

Example 15: mNgR3 does not bind hNogo-A(1055-1120)

To functionally test the mouse NgR3 (hereinafter, mNgR3) for its ability to bind hNogo-A(1055-1120), a cDNA expression vector for a myc epitope-tagged mNgR3 protein was created. The mouse NgR3 cDNA was amplified by PCR from mouse adult brain cDNA, from the signal sequence to the stop codon, and ligated into the pSecTag2 vector such that the vector encodes a signal sequence followed by a myc tag followed by the mature mNgR3 sequence. This plasmid was transfected into COS07cells, and expression of a myc-tagged protein of the predicted size was verified by immunoblot analysis. Alkaline phosphatase–hNogo-A(1055-1120) binding studies and myc immunohistology were conducted as described (Fournier et al., supra).

The cells expressing mNgR3 express the myc-tagged protein but binding to AP-hNogo-A(1055-1120) was not observed under the conditions employed (Fig. 8).

Example 16: Identification of partial human NgR3 cDNA and protein sequences

The tblastn program was used to search for the human homolog of mouse NgR3. The mouse NgR3 protein sequence (SEQ ID NO:4) was used to query a proprietary human expressed sequence tag (EST) database from Incyte yielding one highly significant hit: Incyte Template ID 190989.1. This sequence (937 nucleotides)

5

10

20

25

WO 02/029059

5

10

15

20

25

30

contains an open reading frame of 312 amino acids in the second reverse frame that exhibits 88% identity with residues 66 to 381 of mouse NgR3 (SEQ ID NO:4), strongly indicating that it is part of the human NgR3 homolog.

A query of SEQ ID NO:4 against the public human EST database in Genbank also produced a hit with a 465-bp EST (Accession number: R35699; Version number: R35699.1; GI: 792600). There are a number of single nucleotide deletions and insertions within this sequence which cause frame shift errors. All of the reliable sequence contained in this public EST is present in the Incyte EST (Template ID 190989.1).

To obtain more nucleotide sequence that would extend the amino acid sequence at that carboxy terminal end, the I.M.A.G.E. Consortium clone No. 38319, which corresponds to Genbank accession No. R35699, was purchased from Incyte Genomics Inc. and subjected to further DNA sequence analysis. This clone consists of a Notl/HinD III fragment containing the sequence of interest, cloned into the Notl/HinD III sites of the vector Lafmid BA

(http://image.llnl.gov/image/html/libs/lafmidBA.shtml). The clone was received as an agar stab, which was streaked out on LB agar plates containing 50ug/ml ampicillin to isolate individual colonies. Six colonies were grown in LB medium with antibiotic, and plasmid DNA was prepared using the Promega Wizard Plus Miniprep DNA

Purification System (Promega #A7500). These DNAs were subsequently digested with NotI and HinD III restriction enzymes to confirm that the clones contained an insert. The insert of one isolate was sequenced using a combination of vector specific and gene specific primers yielding a partial nucleotide sequence of human NgR3 of 1176 nucleotides (SEQ ID NO:13). A translation of this sequence provides a partial sequence for human NgR3 of 392 amino acids (SEQ ID NO:14).

The nucleotide sequence of SEQ ID NO:13 differs from the Incyte EST sequence at three positions. Nucleotide positions 12-13 in SEQ ID NO:13 are CG, whereas the corresponding nucleotides in the Incyte Template ID 190989.1 are GT (i.e., positions 12-13 of the complement of Incyte Template ID 190989.1). In addition, position 641 in SEQ ID NO:13 is a C, whereas the corresponding nucleotide in the Incyte Template ID 190989.1 sequence is an A (i.e., position 641 of the complement of Incyte Template ID 190989.1). This results in two changes in amino

- 136 -

acids when comparing SEQ ID NO:14 to the ORF encoded by Incyte Template 190989.1: SEQ ID NO:14 contains a valine at position 5, whereas the ORF encoded by Incyte Template ID 190989.1 contains a leucine; SEQ ID NO:14 contains an alanine at position 214, whereas the ORF encoded by Incyte Template ID 190989.1 contains a glutamic acid.

The nucleotide sequence of SEQ ID NO:13 differs from the public EST (Accession number: R35699; Version number: R35699.1; GI: 792600) sequence at two positions (within the first 200 nucleotides of reliable sequence). Nucleotide positions 12-13 in SEQ ID NO:13 are CG, whereas the corresponding nucleotides in the public EST are GT (i.e., positions 12-13 of the public EST; Accession no: R35699; Version no: R35699.1; GI: 792600) This leads to a single amino acid change when comparing SEQ ID NO:14 to the ORF encoded by the public EST: SEQ ID NO:14 contains a valine at position 5, while the ORF encoded by the public EST contains a leucine.

A Bestfit analysis of the partial human amino acid sequence with the full-length mouse amino acid sequence indicates that the human NgR3 amino acid sequence is complete at the carboxy terminal end and that they share 89.54% identity. An alignment of all the NgR proteins is shown in Figure 9. Although the human NgR3 amino acid sequence is missing the first 25 amino acids, it can be determined that the human NgR3 protein contains the following features in common with the other NgR sequences: (1) eight Leucine Rich Repeat (LRR) domains; (2) an LRR carboxy-terminal (LRR-CT) domain; (3) a conserved cysteine in the fourth LRR domain; (4) a conserved potential glycosylation site in the eighth LRR domain; and (5) a hydrophobic carboxyl terminus.

As those skilled in the art will appreciate, numerous changes and modifications may be made to the preferred embodiments of the invention without departing from the spirit of the invention. It is intended that all such variations fall within the scope of the invention.

The entire disclosure of each publication cited herein is hereby incorporated by reference. This application claims benefit from United States provisional application 60/238,361, filed October 6, 2000, which is incorporated by reference herein in its entirety.

5

10

15

20

25

- 137 -

Key for Sequence Listing:

SEQ ID NO:1	human NgR2 cDNA sequence derived from genomic sequence
	AC013606
SEQ ID NO:2	human NgR2 amino acid sequence
SEQ ID NO:3	mouse NgR3 cDNA sequence derived from AC021768
SEQ ID NO:4	a mouse NgR3 amino acid sequence
SEQ ID NO:5	a human NgR1 amino acid sequence
SEQ ID NO:6	a consensus amino acid sequence for NgRs
SEQ ID NO:7	#1055-1120 amino acid residues of hNogoA (Nogo-66)
SEQ ID NO:8	a mature human NgR2 amino acid sequence
SEQ ID NO:9	a mature mouse NgR3 amino acid sequence
SEQ ID NO:10	a consensus NgR LLRNT amino acid sequence
SEQ ID NO:11	a consensus NgR LRRCT domain amino acid sequence
SEQ ID NO:12	a consensus NgR LRR domain amino acid sequence
SEQ ID NO:13	a partial human NgR3 nucleotide sequence
SEQ ID NO:14	a partial human NgR3 amino acid sequence
SEQ ID NO:15	a genomic sequence encoding a human NgR2 sequence.
SEQ ID NO:16	a genomic sequence (complementary strand) encoding a mouse
	NgR3
SEQ ID NO:17	a mouse NgR1 amino acid sequence
SEQ ID NO:18	a consensus sequence for the NTLRRCT domain of NgR
SEQ ID NO:19	an consensus NgR LRRCT domain amino acid sequence
	SEQ ID NO:2 SEQ ID NO:3 SEQ ID NO:4 SEQ ID NO:5 SEQ ID NO:6 SEQ ID NO:7 SEQ ID NO:8 SEQ ID NO:9 SEQ ID NO:10 SEQ ID NO:11 SEQ ID NO:12 SEQ ID NO:12 SEQ ID NO:14 SEQ ID NO:15 SEQ ID NO:16 SEQ ID NO:16

25

- 138 -

CLAIMS

What is claimed is:

5

1. An isolated nucleic acid comprising a nucleotide sequence encoding a polypeptide comprising an LRRCT domain consisting of the amino acid sequence:

N X₁ W X₂ C X₃ C R A R X₄ L W X₅ W X₆ X₇ X₈ X₉ R X₁₀ S S S X₁₁ V

10

$$X_{12} C X_{13} X_{14} P X_{15} X_{16} X_{17} X_{18} X_{19} X_{20} D L X_{21} X_{22} L X_{23} X_{24} X_{25} D \\$$

- wherein X is any amino acid or a gap and the polypeptide does not comprise the amino acid sequence from residue 260 to 309 of SEQ ID NO: 5 (human NgR1) or SEQ ID NO: 17 (mouse NgR1).
- The isolated nucleic acid according to claim 1, wherein X₁₇ and X₂₃
 are independently selected from the group consisting of: arginine and lysine.
 - 3. The isolated nucleic acid according to claim 2, wherein the amino acid sequence of the LRRCT domain is selected from the group consisting of: residues #261-310 of SEQ ID NO:2 and residues 261-310 of SEQ ID NO: 2 with up to 10 conservative amino acid substitutions.
 - 4. An isolated nucleic acid encoding the polypeptide of SEQ ID NO: 2.
- 5. An isolated nucleic acid encoding the polypeptide of SEQ ID NO: 4 (mouse NgR3) or SEQ ID NO: 14 (human NgR3).
 - 6. The isolated nucleic acid according to claim 1, wherein the

polypeptide comprises: (a) a NTLRRCT domain, and (b) less than a complete CTS domain, provided that a partial CTS domain, if present, consists of no more than the first 39 amino acids of the CTS domain.

- 7. The isolated nucleic acid to claim 1, wherein the polypeptide does not comprise an intact GPI domain.
- 8. An isolated nucleic acid consisting essentially of a nucleotide sequence complementary to a nucleotide sequence encoding a polypeptide selected from the group consisting of: a polypeptide consisting of residues 311-395 of SEQ ID NO: 2, a polypeptide consisting of residues 256-396 of SEQ ID NO:14 and a polypeptide consisting of residues 321-438 of SEQ ID NO: 4, wherein the nucleic acid is from 8 to 100 nucleotides in length.
 - 9. A vector comprising the nucleic acid of any one of claims 1, 4 or 5.
 - 10. A host cell comprising a vector according to claim 9.
 - 11. A polypeptide comprising a LRRCT amino acid sequence:

20

15

$$X_{12} C X_{13} X_{14} P X_{15} X_{16} X_{17} X_{18} X_{19} X_{20} D L X_{21} X_{22} L X_{23} X_{24} X_{25} D \\$$

25 $X_{26} X_{27} X_{28} C [SEQ ID NO: 19]$

wherein X is any amino acid residue or a gap and the polypeptide does not comprise the amino acid sequence from residue 260 to 309 of SEQ ID NO: 5 (human NgR1) or SEQ ID NO: 17 (mouse NgR1).

30

12. The polypeptide according to claim 11, wherein X_{17} and X_{23} is selected from the group consisting of arginine and lysine.

- 140 -

13. The polypeptide according to claim 11, wherein X_{19} is glycine. [SEQ ID NO:11]

- 14. The polypeptide according to claim 11, wherein the amino acid sequence is selected from the group consisting of residues 261–310 of SEQ ID NO:2, residues 206–255 of SEQ ID NO: 14, residues 271–320 of SEQ ID NO:4 and amino acid sequences thereof comprising a conservative substitution.
 - 15. A polypeptide comprising a NTLRRCT amino acid sequence:

- wherein X is any amino acid residue or a gap and wherein the polypeptide is not the polypeptide of SEQ ID NO: 5 (human NgR1) or SEQ ID NO: 17 (mouse NgR1).
- The polypeptide according to claim 15, wherein X₆, X₃₇ and X₃₈
 represents a gap.
 - 17. A polypeptide comprising an amino sequence selected from the

group consisting of: SEQ ID NO:2, SEQ ID NO:4 and SEQ ID NO:14.

- 18. The polypeptide according any one of claims 11, 15 or 17, wherein the polypeptide comprises: (a) an NTLRRCT domain, and (b) less than a complete CTS domain, provided that a partial CTS domain, if present, consists of no more than the first 39 amino acids of the CTS domain.
 - 19. The polypeptide according to any one of claims 11, 15 or 17, wherein the polypeptide does not comprise an intact GPI domain.
- 20. The polypeptide according to any one of claims 11, 15 or 17, wherein the amino acid sequence of the polypeptide further comprises an amino acid sequence of a heterologous polypeptide.
- 15 21. The polypeptide according to claim 20, wherein the heterologous polypeptide is an Fc portion of an antibody.
 - 22. A method of producing a polypeptide according to any one of claims 11, 15 or 17, comprising the steps of introducing an isolated nucleic acid according to any one of claims 1, 4, 5 or 8 or a vector according to claim 9 into a host cell, culturing said host cell under conditions suitable for expression of said polypeptide, and recovering said polypeptide.
- 23. An antibody that binds to a polypeptide of any one of claims 11, 15 or 17.
 - 24. A composition comprising the polypeptide of claim 11, 15 or 17 and a pharmaceutically acceptable carrier.
- 30 25. A composition comprising the antibody of claim 23 and a pharmaceutically acceptable carrier.

5

10

- 142 -

26. A method of decreasing inhibition of axonal growth of a CNS neuron, comprising the step of contacting the neuron with an effective amount of the polypeptide of claim 11, 15 or 17.

- 5 27. A method of treating a central nervous system disease, disorder or injury, comprising administering to a mammal an effective amount of the polypeptide of claim 11, 15 or 17.
- 28. A method of decreasing inhibition of axonal growth of a CNS neuron comprising the step of contacting the neuron with an effective amount of the antibody according to claim 23.
- 29. A method of treating a central nervous system disease, disorder or injury, comprising administering to a mammal an effective amount of the antibody
 according to claim 23.
 - 30. A method for identifying a molecule that binds a polypeptide of claim 11, 15 or 17 comprising the steps of:
 - (a) providing a polypeptide of claim 11, 15 or 17;
 - (b) contacting the polypeptide with the candidate molecule; and
 - (c) detecting binding of the candidate molecule to the polypeptide.

25

1/6


50 SCPMLCTCYS GCPRDCVCYP PCPGACVCYN	100 TFGSNLLT HFSPAMVT SFRACRNLTI	150 FQGLERLQSL FQGLVKLHAL FHGLGRLHTL F-GLLL	200 DLANLSHLFL DLVNLSHLFL DLGNLTHLFL DL-NL-HLFL	250 SRLTILYLFN HRLTTLFLFN GRLMTLYLFA -RLL-LF-	
SCPMI GCPRI PCPG2	TFGS HFSP SFRA(FQGL) FQGL) FHGL(F-GL			
LALPLAAP LAGELPLGG. LWLQAWQVAA L	NNLIRTLRPG NNRITFLQQG GNRISHVPAA -N-I	RHLRSLEPDT RQLRTLAPET AQLRSVDPAT LRP-T	LLHLQDDLFA IEYLQDDIFV LQALPDDTFR L-DD-F-	RLLLHGNRLQ GVHRAAFRGL RLLLHENQLQ WVHHKAFHDL RLLLHQNRVA HVHPHAFRDL RLLLH-NVHAFL	
ACLLLML GCCVELLLLL AGGSRLLAWV	PPSTQRLFLQ PEDSERIFLQ PAASQRIFLH PR-FL-	ALEELDLGDN HLEELDLGDN LLEQLDLSDN -LE-LDL-DN	LQYLYLQENS LQYLYLQDNH LQYLYLQDNA LQYLYLQ-N-		
LRRLLQAPAS QSPVQAAQVS ~~~~MKRAS	NNFSSVPLSL HNFAAIPEGI QGLQAVPVGI	IYPGTFRHLQ IAPNTFEGFV IDAAAFTGLA IF	PGNIFRGLVS PAGIFGGLHS GPGLFRGLAA	HVFRGLGSLD GIFRGLVNLD RAFRGLHSLD FRGL-LD	
1 MSWQSGTTVT	51 SP.PTVSCQA AP.MTVSCQA EPKVTTSCPQ -PT-SC	101 LWLFSNNLST LWLYSNNITF LWLHSNVLAR LWSN	151 HLYRCQLSSL YLYKCGLSAL HLDRCGLQEL -LC-LL	201 HGNRLRLLTE HGNKLWSLGQ HGNRISSVPE HGN	
NOGO-R2 NOGO-R3 NOGO-R1 Consensus	NOGO-R2 NOGO-R3 NOGO-R1 Consensus	NOGO-R2 NOGO-R3 NOGO-R1 Consensus	NOGO-R2 NOGO-R3 NOGO-R1 Consensus	NOGO-R2 NOGO-R3 NOGO-R1 Consensus	
SUBSTITUTE SHEET (RULE 26)					

2/6

	251				300	
NOGO-R2	NSLASLPGEA	LADLPSLEFL	RLNANPWACD	CRARPLWAWF	QRARVSSSDV	
NOGO-R3	NSLTELOGDC	LAPLVALEFL	RLNGNAWDCG	CRARSLWEWL	RRFRGSSSAV	
NOGO-R1	NNLSALPTEA	LAPLRALQYL	RLINDNPWVCD	CRARPLWAWL	QKFRGSSSEV	
Consensus	N-LL	LA-LLL	RLN-N-W-C-	CRAR-LW-W-	R-SSS-V	
	301				350	
NOGO-R2	TCATPPERQG	RDLRALREAD	FQACP.P	AAPTRPGSRA		
NOGO-R3	PCATPELRQG	ODLKLLRVED	FRNCTGP	VSPHQIKSHT	•	
NOGO-R1	PCSLPORLAG	RDLKRLAAND	LOGCAVATGP	YHPIWTGRAT	DEEPLGLPKC	
Consensus	-CPG	-DLLD	CP			
	351				400	
NOGO-R2	RGN	SSSNH.LY		AGAPPADPS.	TLYRDLPA	
NOGO-R3	LTTSDRAA	RKEHHPSH		HGHPPGSRSG	YKKAGKNCTS	
NOGO-R1	COPDAADKAS	VLEPGRPASA		GDSPPGNGSG	PRHI.NDSPF	
Consensus	1 1 1 1 1 1 1	1 1 1 1 1 1 1 1	G	PPS-	1 1 1 1 1 1 1	
	401				450	
NOGO-R2	EDSRGR	QGGDAPTE.D	DYWGGY	· · · · · · GGED	QRGEQMCPGA	
NOGO-R3	HRNRNQISKV	SSGKELTELQ	DYAPDYQHKF	SFDIMPTARP	KRKGKCARRT	
NOGO-R1	GTLPGSAEPP	LTAVRPEGSE	P PGFPTSG	PRRRPGCSRK		
Consensus	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1	! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! !	-R	
	451			491	11	
NOGO-R2	ACQAPPDSRG	PALSAGLPSP		HL~~~~~~H	2	
NOGO-R3	PIRAPSGVQQ	ASSGTALGAP		TLR	2	
NOGO-R1	QAGSGGGGTG	DSEGSGALPS	LTCSLTPLGL	ALVLWTVLGP	ບ	
Consensus	1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1		2	

SUBSTITUTE SHEET (RULE 26)

BNSDOCID: <WO____0229059A3_IA>



SUBSTITUTE SHEET (RULE 26)

4/6 FIG. 3

1	ERR 1 PKVTTSCPQQ GLQAVPVGIP AASQRIFLHG NRISHVPAAS FRACRNLTIL PKVTTSCPQQ GLQAVPTGIP ASSQRIFLHG NRISHVPAAS FOSCRNLTIL P. MTVSCQAH, NFAAIPEGIP, EDSERIFLQN NRITFLQOGH FSP., AMVTL PT PTVSCQAN NFSSVPLSLP PSTQRLFLQN NLIRTLRPGT FGS., NLLTL PHOTOSCAN NFSSVPLSLP PSTQRLFLQN NLIRTLRPGT FGS., NLLTL PHOTOSCAN NFSSVPLSLP PSTQRLFLQN NLIRTLRPGT FGS., NLLTL	LER 2 LER 3 LER 2 WITHSUNDARI DARAFICIAL LEQLDLSDNA QLRSVDPATF HGLGRLHTLH WITHSNALARI DARAFIGETL LEQLDLSDNA QLHVVDPTTF HGLGHLHTLH WIYSNNITFI APNTFEGEVH LEELDLGDNR QLRTLAPETF QGLVKLHALY WITSNNITYI HPSTFEGEVH LEELDLGDNR QLRTLAPETF QGLVKLHALY WLESNNITYI YPGTFRHLQA LEELDLGDNR HLRSLEPDTF QGLERLQSLH W-SNILLT YPGTFRHLQA LEELDLGDNR HLRSLEPDTF QGLERLQSLH	LRR 4 LDRCGLOELG PGLFRGLAL QYLYLQDNAL QALPDDTFRD LGNLTHLFLH LDRCGLRELG PGLFRGLAL QYLYLQDNNL QALPDDTFRD LGNLTHLFLH LYRCGLSALP AGIFGGLHSL QYLYLQDNHI EYLQDDIFVD LVNLSHLFLH LYRCGLSALP AGVFGGLHSL QYLYLQDNHI EYLQDDIFVD LVNLSHLFLH LYRCGLSALP AGVFGGLHSL QYLYLQDNHI EYLQDDIFVD LVNLSHLFLH LYRCGLSALP AGVFGGLHSL QYLYLQENSL LHLQDDLFAD LANLSHLFLH LYRCGLSALP GNIFRGLVSL QYLYLQENSL LHLQDDLFAD LANLSHLFLH LC-LL
Human NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R2	Human NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R2	Human NOGO-R1 Murine NOGO-R3 Murine NOGO-R3 Human NOGO-R2	Human NOGO-Ri Murine NOGO-Ri Murine NOGO-R3 Human NOGO-R3

SUBSTITUTE SHEET (RULE 26)

5/6
FIG. 3, cont.

250	RLMTLYLFAN RLMTLYLFAN RLTTLFLFUN	RLTTLFLFNN RLTILYLFNN RL-L-LF-N	CT 300	KFRGSSSEVP RFRGSSSAVP	RERGSSSAVP RARVSSSDVT R-SSS-V-	350 EEPLGLPKCC EELLSLPKCC SDRAARKEHH TDRAARKEHH	400 RHINDSPFGT RHINDSPFGT	RNRNQISKVS RNRNQISKAG EDSRGR	
		VHHKAFHDLR VHRAAFRGLS VHAFL-	LRR	RARPLWAWLO RARSLWEWLR	INGNPWDCGC RARSIWEWLO RERGSSSAVP INANPWACDC RARPIWAWFO RARVSSSDVT IN-N-W-C-C RAR-IW-WR-SSS-V-	HPIWTGRATD RPIQTSQLTD HQIKSHTLTT HQIKSHTLTT TRPGSRA	00	.KPGKNCTSH .KPGKNCTNP .DLPA	t 1 1 1 1 1 1 1
LRR 7	LLLHQNRVAH LLLHQNHVAR LLLHENQLQW	LLLHENQLQW LLLHGNRLQG LLLH-N		LNDNPWVCDC. LNGNAWDCGC.	LNGNPWDCGC LNANPWACDC LN-N-W-C-C	CSIPORLAGE DIKRLAANDI OGCAVATGPY CNIPORINGE DIKLIAASDI EGCAVASGPF CATPELROGO DIKLIRVEDF RNCTGPVSP. CATPPEROGR DIKLIRAEDF RNCTGPASP. CATPPEROGR DIKLIRAEDF OACP. PAAP. CATPPEROGR DIKLIRAEDF OACP. PAAP.	NALKGRVPPG NALKGRVPPG	••••	
	AFRGLHSLDR AFRGLHSLDR IFRGLVNLDR	TFRGLVNLDR VFRGLGSLDR -FRGL-LDR		APLKALQYLK MPLRSLQYLR APLVALEFLR	SLSEDOGECL APLGALEFLR SLASTPGEAL ADLPSLEFLR L-L-L-L-L-L-LR	CSLPORLAGR DLKRLAANDI OGCAVATGPY CNLPORLADR DLKRLAASDÍ EGCAVASGPF CATPELROGO DLKLIRVEDF RNCTGPASP. CYSPÖLKHGO DLKLIRAEDF RNCTGPASP. CATPPEROGR DLKLIRAEDF OACP.PAAP.	LEPGRPASAG LEPGRPASAG		
LRR 6	GNRISSVPER GNRIPSVPEH GNRIPSVPEH	GNKLWSLGPG TFRGLVNLDR GNKLRLLTEH VFRGLGSLDR GNFRGL-LDR	LRR 8 251.	NISALPTEAL APLKALQYLK NISALPAEVE MPLRSLQYLR STYFLOGDCE APLVALEFLR	SLSEDOGECL APLGALEFLR SLASUPGEAL ADLPSLEFLR L-L-L-L-L-L-L-L-L-LR	301 CSLPORLAGR CNLPORLADR CATPELROGO CVŠPČLRHGQ CATPPERQGR	351 QPDAADKASV OPDAADKASV	PSHGASRDKG SPHGPTRSKG .LYGVA.EAG	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Human NOGO-R1 Murine NOGO-R1 Murine NOGO-R3	- (Human NOGO-R1 Murine NOGO-R1	O	Human NOGO-R1 Murine NOGO-R1 Murine NOGO-R3 Human NOGO-R3 Human NOGO-R2	Human NOGO-R1		Consensus

SUBSTITUTE SHEET (RULE 26)

6/6 FIG. 3, cont.

450	RTRSHCRLGO	RIRSHCRIGO	PIRAPSGVOO	PIRAPSGVOO	ACOAPPD								
	LPGSAEPPLT AVRPEGSEPP GFPTSGP RRRPGCSRKN RIRSHCRLGO	LPSSAEPPLT ALRPGGSEPP GLPTTGP RRRPGCSRKN RTRSHCRLGO	SGKELTELQ DYAPDYQHKF SFDIMPTARP KRKGKCARRT PIRAPSGVOO	AGKQAPELP DYAPDYQHKF SFDIMPTARP KRKGKCARRT PIRAPSGVOO	.QGGDAPTED DYWGGYGGED QRGEQMCPGA ACQAPPD		gnals 490	LVLWTVLGPC	LVLWTVLGPC	AVTLR~~~~	AVTLR	LLLVPHHL~~	
	GFPISGP	GLPTTGP	SFDIMPTARP	SFDIMPTARP	GGED	i 	Putative GPI Signals 490	AGSGGGTGD SEGSGALPSL TCSLTPLGLA LVLWTVLGPC	AGSGASGTGD AEGSGALPAL ACSLABLGLA LVLWTVLGPC		ASSASSIG ASILAWILGL AVILR~~~~~	SRGPALSA GLPS PLLCL LLLVPHHL~~	
	AVRPEGSEPP	ALRPGGSEPP	DYAPDYQHKF	DYAPDYQHKF	DYWGGY		Puta	SEGSGALPSL	AEGSGALPAL	ASSGTALG	ASSASSLG	SRGPALSA	
401	LPGSAEPPLT	LPSSAEPPLT	. SGKELTELQ	. AGKQAPELP	. QGGDAPTED		451	AGSGGGGTGD	AGSGASGTGD	•	•	•	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Human NOGO-R1	Murine NOGO-R1	Murine NOGO-R3	Human NOGO-R3	Human NOGO-R2	Consensus		Human NOGO-R1	Murine NOGO-R1	Murine NOGO-R3	Human NOGO-R3	Human NOGO-R2	Consensus

SUBSTITUTE SHEET (RULE 26)

SEQUENCE LISTING

```
<110> BIOGEN, INC.
      YALE UNIVERSITY
      STRITTMATTER, STEPHEN M.
      CATE, RICHARD L.
      SAH, DINAH W.Y.
<120> NOGO RECEPTOR HOMOLOGS
<130> A116PCT
<140>
<141>
<150> 60/238,361
<151> 2000-10-06
<160> 16
<170> PatentIn Ver. 2.1
<210> 17
<211> 1260
<212> DNA
<213> Homo sapiens
atgctgcccg ggctcaggcg cctgctgcaa gctcccgcct cggcctgcct cctgctgatg 60
ctcctggccc tgcccctggc ggcccccagc tgccccatgc tctgcacctg ctactcatcc 120
cogcccaccg tgagetgcca ggccaacaac ttetectetg tgccgetgte cetgccacce 180
agcactcage gactetteet geagaacaae etcateegea egetgeggee aggeaeettt 240
gggtccaacc tgctcaccct gtggctcttc tccaacaacc tctccaccat ctacccgggc 300
actttccgcc acttgcaagc cctggaggag ctggacctcg gtgacaaccg gcacctgcgc 360
tegetggage cegacacett ceagggeetg gageggetge agtegetgea tttgtacege 420 tgccagetca geageetgee eggeaacate tteegaggee tggtcageet geagtacete 480
tacctccagg agaacagcct gctccaccta caggatgact tgttcgcgga cctggccaac 540
ctgagccacc tettecteca egggaacege etgeggetge teacagagea egtgtttege 600
ggcctgggca gcctggaccg gctgctgctg cacgggaacc ggctgcaggg cgtgcaccgc 660
geggeettee geggeeteag eegeeteace atcetetace tgtteaacaa eageetggee 720
tegetgeeeg gegaggeget egeegaeetg eeetegeteg agtteetgeg geteaaeget 780
aacccctggg cgtgcgactg ccgcgcgcgg ccgctctggg cctggttcca gcgcgcgcgc 840
gtgtccagct ccgacgtgac ctgcgccacc ccccggagc gccagggccg agacctgcgc 900
gcgctccgcg aggccgactt ccaggcgtgt ccgcccgcgg cacccacgcg gccgggcagc 960
cgcgcccgcg gcaacagctc ctccaaccac ctgtacgggg tggccgaggc cggggcgccc 1020
ccagccgatc cctccacct ctaccgagat ctgcctgccg aagactcgcg ggggcgccag 1080
ggcggggacg cgcctactga ggacgactac tgggggggct acgggggtga ggaccagcga 1140
ggggagcaga tgtgccccgg cgctgcctgc caggcgcccc cggactcccg aggccctgcg 1200
ctctcggccg ggctccccag ccctctgctt tgcctcctgc tcctggtgcc ccaccacctc 1260
<210> 2
<211> 420
<212> PRT
<213> Homo sapiens
<400> 2
Met Leu Pro Gly Leu Arg Arg Leu Leu Gln Ala Pro Ala Ser Ala Cys
Leu Leu Leu Met Leu Leu Ala Leu Pro Leu Ala Ala Pro Ser Cys Pro
              20
                                   25
```

Met Leu Cys Thr Cys Tyr Ser Ser Pro Pro Thr Val Ser Cys Gln Ala 35 40 45

- Asn Asn Phe Ser Ser Val Pro Leu Ser Leu Pro Pro Ser Thr Gln Arg 50 55 60
- Leu Phe Leu Gln Asn Asn Leu Ile Arg Thr Leu Arg Pro Gly Thr Phe 65 70 75 80
- Gly Ser Asn Leu Leu Thr Leu Trp Leu Phe Ser Asn Asn Leu Ser Thr 85 90 95
- Ile Tyr Pro Gly Thr Phe Arg His Leu Gln Ala Leu Glu Glu Leu Asp 100 105 110
- Leu Gly Asp Asn Arg His Leu Arg Ser Leu Glu Pro Asp Thr Phe Gln 115 120 125
- Gly Leu Glu Arg Leu Gln Ser Leu His Leu Tyr Arg Cys Gln Leu Ser 130 135 140
- Ser Leu Pro Gly Asn Ile Phe Arg Gly Leu Val Ser Leu Gln Tyr Leu 145 150 155 160
- Tyr Leu Gln Glu Asn Ser Leu Leu His Leu Gln Asp Asp Leu Phe Ala 165 170 175
- Asp Leu Ala Asn Leu Ser His Leu Phe Leu His Gly Asn Arg Leu Arg 180 185 190
- Leu Leu Thr Glu His Val Phe Arg Gly Leu Gly Ser Leu Asp Arg Leu
 195 200 205
- Leu Leu His Gly Asn Arg Leu Gln Gly Val His Arg Ala Ala Phe Arg 210 220
- Gly Leu Ser Arg Leu Thr Ile Leu Tyr Leu Phe Asn Asn Ser Leu Ala 225 230 235
- Ser Leu Pro Gly Glu Ala Leu Ala Asp Leu Pro Ser Leu Glu Phe Leu 245 250 255
- Arg Leu Asn Ala Asn Pro Trp Ala Cys Asp Cys Arg Ala Arg Pro Leu 260 265 270
- Trp Ala Trp Phe Gln Arg Ala Arg Val Ser Ser Ser Asp Val Thr Cys 275 280 285
- Ala Thr Pro Pro Glu Arg Gln Gly Arg Asp Leu Arg Ala Leu Arg Glu 290 · 295 300
- Ala Asp Phe Gln Ala Cys Pro Pro Ala Ala Pro Thr Arg Pro Gly Ser 305 310 315 320
- Arg Ala Arg Gly Asn Ser Ser Ser Asn His Leu Tyr Gly Val Ala Glu 325 330 335
- Ala Gly Ala Pro Pro Ala Asp Pro Ser Thr Leu Tyr Arg Asp Leu Pro 340 345 350
- Ala Glu Asp Ser Arg Gly Arg Gln Gly Gly Asp Ala Pro Thr Glu Asp
- Asp Tyr Trp Gly Gly Tyr Gly Gly Glu Asp Gln Arg Gly Glu Gln Met

380 370 375 Cys Pro Gly Ala Ala Cys Gln Ala Pro Pro Asp Ser Arg Gly Pro Ala 385 390 395 Leu Ser Ala Gly Leu Pro Ser Pro Leu Leu Cys Leu Leu Leu Val Pro His His Leu 420 <210> 3 <211> 1383 <212> DNA <213> Mus sp. <400> 3 atgtcttggc agtctggaac cacagtgaca caatctcccg tgcaggctgc tcaggtctca 60 gggtgctgtg tggaattgct gctgttgctg ctcgctggag agctacctct gggtggtggt 120 tgtcctcgag actgtgtgtg ctaccctgcg cccatgactg tcagctgcca ggcacacaac 180 tttgctgcca tcccggaggg catcccagag gacagtgagc gcatcttcct gcagaacaat 240 cgcatcacct tcctccagca gggccacttc agccccgcca tggtcaccct ctggatctac 300 tccaacaaca tcactttcat tgctcccaac accttcgagg gctttgtgca tctggaggag 360 ctagacettg gagacaaceg acagetgega acgetggeae eegagacett ecaaggeetg 420 gtgaagette acgeeeteta eetetataag tgtggaetga gegeeetgee egeaggeate 480 tttggtggcc tgcacagct gcagtatctc tacttgcagg acaaccatat cgagtacetc 540 caagatgaca tctttgtgga cctggtcaat ctcagtcact tgtttctcca tggtaacaag 600 ctatggagcc tgggccaagg catcttccgg ggcctggtga acctggaccg gttgctgctg 660 catgagaacc agctacagtg ggttcaccac aaggctttcc atgacctcca caggctaacc 720 accetette tetteaacaa cageeteact gagetgeagg gtgaetgtet ggeececetg 780 gtggccttgg agttccttcg cctcaatggg aatgcttggg actgtggctg ccgggcacgt 840 tecetgtggg aatggetgeg aaggtteegt ggetetaget etgetgteee etgegegaee 900 cccgagetge ggeaaggeea ggatetgaag etgetgaggg tggaggaett eeggaactge 960 acaggaecag tgteteetea ecagateaag teteacaege ttaccaecte tgaeaggget 1020 gcccgcaagg agcaccatcc gtcccatggg gcctccaggg acaaaggcca cccacatggc 1080 catecquety getecaggte aggttacaag aaggeaggea agaactgeac cagecacagg 1140 aaccggaacc agatetetaa ggtgagetet gggaaagage ttaccgaact gcaggactat 1200 geoccegaet atcageacaa gttcagettt gacateatge ceacegeaeg acceaagagg 1260 aagggcaagt gtgctcgcag gacceccate cgtgccccca gtggggtgca gcaggcatec 1320 tcaggcacgg cccttggggc cccactcctg gcctggatac tggggctggc agtcactctc 1380 cgc <210> 4 <211> 461 <212> PRT <213> Mus sp. <400> 4 Met Ser Trp Gln Ser Gly Thr Thr Val Thr Gln Ser Pro Val Gln Ala Ala Gln Val Ser Gly Cys Cys Val Glu Leu Leu Leu Leu Leu Ala Gly Glu Leu Pro Leu Gly Gly Gly Cys Pro Arg Asp Cys Val Cys Tyr Pro Ala Pro Met Thr Val Ser Cys Gln Ala His Asn Phe Ala Ala Ile

Pro Glu Gly Ile Pro Glu Asp Ser Glu Arg Ile Phe Leu Gln Asn Asn

Arg Ile Thr Phe Leu Gln Gln Gly His Phe Ser Pro Ala Met Val Thr Leu Trp Ile Tyr Ser Asn Asn Ile Thr Phe Ile Ala Pro Asn Thr Phe 105 Glu Gly Phe Val His Leu Glu Glu Leu Asp Leu Gly Asp Asn Arg Gln 115 Leu Arg Thr Leu Ala Pro Glu Thr Phe Gln Gly Leu Val Lys Leu His Ala Leu Tyr Leu Tyr Lys Cys Gly Leu Ser Ala Leu Pro Ala Gly Ile 150 Phe Gly Gly Leu His Ser Leu Gln Tyr Leu Tyr Leu Gln Asp Asn His Ile Glu Tyr Leu Gln Asp Asp Ile Phe Val Asp Leu Val Asn Leu Ser His Leu Phe Leu His Gly Asn Lys Leu Trp Ser Leu Gly Gln Gly Ile Phe Arg Gly Leu Val Asn Leu Asp Arg Leu Leu His Glu Asn Gln 215 Leu Gln Trp Val His His Lys Ala Phe His Asp Leu His Arg Leu Thr Thr Leu Phe Leu Phe Asn Asn Ser Leu Thr Glu Leu Gln Gly Asp Cys Leu Ala Pro Leu Val Ala Leu Glu Phe Leu Arg Leu Asn Gly Asn Ala 265 Trp Asp Cys Gly Cys Arg Ala Arg Ser Leu Trp Glu Trp Leu Arg Arg 280 Phe Arg Gly Ser Ser Ser Ala Val Pro Cys Ala Thr Pro Glu Leu Arg Gln Gly Gln Asp Leu Lys Leu Leu Arg Val Glu Asp Phe Arg Asn Cys 315 Thr Gly Pro Val Ser Pro His Gln Ile Lys Ser His Thr Leu Thr Thr Ser Asp Arg Ala Ala Arg Lys Glu His His Pro Ser His Gly Ala Ser 345 Arg Asp Lys Gly His Pro His Gly His Pro Pro Gly Ser Arg Ser Gly Tyr Lys Lys Ala Gly Lys Asn Cys Thr Ser His Arg Asn Arg Asn Gln Ile Ser Lys Val Ser Ser Gly Lys Glu Leu Thr Glu Leu Gln Asp Tyr 395 390 Ala Pro Asp Tyr Gln His Lys Phe Ser Phe Asp Ile Met Pro Thr Ala 410

Arg Pro Lys Arg Lys Gly Lys Cys Ala Arg Arg Thr Pro Ile Arg Ala

420 425 430

Pro Ser Gly Val Gln Gln Ala Ser Ser Gly Thr Ala Leu Gly Ala Pro 435 440 445

Leu Leu Ala Trp Ile Leu Gly Leu Ala Val Thr Leu Arg 450 455 460

<210> 5

<211> 473

<212> PRT

<213> Homo sapiens

<400> 5

Met Lys Arg Ala Ser Ala Gly Gly Ser Arg Leu Leu Ala Trp Val Leu 1 5 10 15

Trp Leu Gln Ala Trp Gln Val Ala Ala Pro Cys Pro Gly Ala Cys Val 20 25 30

Cys Tyr Asn Glu Pro Lys Val Thr Thr Ser Cys Pro Gln Gln Gly Leu 35 40 45

Gln Ala Val Pro Val Gly Ile Pro Ala Ala Ser Gln Arg Ile Phe Leu
50 60

His Gly Asn Arg Ile Ser His Val Pro Ala Ala Ser Phe Arg Ala Cys
65 70 75 80

Arg Asn Leu Thr Ile Leu Trp Leu His Ser Asn Val Leu Ala Arg Ile 85 90 95

Asp Ala Ala Phe Thr Gly Leu Ala Leu Leu Glu Gln Leu Asp Leu 100 105 110

Ser Asp Asn Ala Gln Leu Arg Ser Val Asp Pro Ala Thr Phe His Gly 115 120 125

Leu Gly Arg Leu His Thr Leu His Leu Asp Arg Cys Gly Leu Gln Glu 130 135 140

Leu Gly Pro Gly Leu Phe Arg Gly Leu Ala Ala Leu Gln Tyr Leu Tyr 145 150 155 160

Leu Gln Asp Asn Ala Leu Gln Ala Leu Pro Asp Asp Thr Phe Arg Asp 165 170 175

Leu Gly Asn Leu Thr His Leu Phe Leu His Gly Asn Arg Ile Ser Ser 180 185 190

Val Pro Glu Arg Ala Phe Arg Gly Leu His Ser Leu Asp Arg Leu Leu 195 200 205

Leu His Gln Asn Arg Val Ala His Val His Pro His Ala Phe Arg Asp 210 215 220

Leu Gly Arg Leu Met Thr Leu Tyr Leu Phe Ala Asn Asn Leu Ser Ala 225 230 235 240

Leu Pro Thr Glu Ala Leu Ala Pro Leu Arg Ala Leu Gln Tyr Leu Arg 245 250 255

Leu Asn Asp Asn Pro Trp Val Cys Asp Cys Arg Ala Arg Pro Leu Trp

270 265 260 Ala Trp Leu Gln Lys Phe Arg Gly Ser Ser Ser Glu Val Pro Cys Ser 280 Leu Pro Gln Arg Leu Ala Gly Arg Asp Leu Lys Arg Leu Ala Ala Asn Asp Leu Gln Gly Cys Ala Val Ala Thr Gly Pro Tyr His Pro Ile Trp Thr Gly Arg Ala Thr Asp Glu Glu Pro Leu Gly Leu Pro Lys Cys Gln Pro Asp Ala Ala Asp Lys Ala Ser Val Leu Glu Pro Gly Arg Pro Ala Ser Ala Gly Asn Ala Leu Lys Gly Arg Val Pro Pro Gly Asp Ser 360 Pro Pro Gly Asn Gly Ser Gly Pro Arg His Ile Asn Asp Ser Pro Phe Gly Thr Leu Pro Gly Ser Ala Glu Pro Pro Leu Thr Ala Val Arg Pro 395 Glu Gly Ser Glu Pro Pro Gly Phe Pro Thr Ser Gly Pro Arg Arg Arg Pro Gly Cys Ser Arg Lys Asn Arg Thr Arg Ser His Cys Arg Leu Gly 425 Gln Ala Gly Ser Gly Gly Gly Gly Thr Gly Asp Ser Glu Gly Ser Gly 440 Ala Leu Pro Ser Leu Thr Cys Ser Leu Thr Pro Leu Gly Leu Ala Leu 460 Val Leu Trp Thr Val Leu Gly Pro Cys <210> 6 <211> 440 <212> PRT <213> Artificial Sequence <220> <223> Description of Artificial Sequence: Consensus sequence <220> <221> MOD RES <222> (3)..(4) <223> Variable amino acid <220> <221> MOD RES <222> (6) <223> Variable amino acid <220> <221> MOD RES <222> (9)..(10)

```
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (12)..(13)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (15)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (18)..(25)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (27)..(29)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (31)..(34)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (36)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (39)..(40)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (42)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (44)..(50)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (52)..(59)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (62)..(63)
<223> Variable amino acid
<220>
<221> MOD RES
 \langle 222 \rangle (66) \dots (69)
 <223> Variable amino acid
 <220>
 <221> MOD_RES
```

```
<222> (71)..(74)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (76)..(80)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (83)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (87)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (90)..(91)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (94)..(96)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (98)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (101)
<223> Variable amino acid
<220>
<221> MOD RES
 \langle 222 \rangle (10\overline{4})..(105)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (107)
 <223> Variable amino acid
 <220>
 <221> MOD_RES
 <222> (109)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (111)..(112)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (11\overline{4})
 <223> Variable amino acid
 <220>
```

```
<221> MOD RES
<222> (116)..(117)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (119)..(122)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (124)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (127)..(128)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (136)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (138)..(141)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (143)
 <223> Variable amino acid
 <220>
 <221> MOD_RES
 <222> (146)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (148)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (15\overline{1}) <223> Variable amino acid
 <220>
 <221> MOD_RES
 <222> (15\overline{4})
 <223> Variable amino acid
 <220>
 <221> MOD RES
 \langle 222 \rangle (16\overline{2})...(170)
  <223> Variable amino acid
 <220>
  <221> MOD RES
  <222> (17<del>5</del>)..(176)
  <223> Variable amino acid
```

```
<220>
<221> MOD RES
<222> (184)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (18\overline{6})..(189)
<223> Variable amino acid
<220>
<221> MOD_RES
\langle 222 \rangle (19\overline{2})..(193)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (196)..(197)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (199)
<223> Variable amino acid
 <220>
 <221> MOD RES
 \langle 222 \rangle (20\overline{2})..(203)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (205)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (208)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (21\overline{0})
 <223> Variable amino acid
 <220>
 <221> MOD_RES
 <222> (212)..(213)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 \langle 222 \rangle (21\overline{5})...(218)
  <223> Variable amino acid
  <220>
  <221> MOD RES
  <222> (221)
<223> Variable amino acid
  <220>
  <221> MOD_RES
  <222> (223)..(224)
  <223> Variable amino acid
```

```
<220>
<221> MOD_RES
\langle 222 \rangle (22\overline{6})..(227)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (232)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (234)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (236)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (238)
<223> Variable amino acid
<220>
<221> MOD_RES
\langle 222 \rangle (24\overline{3})
<223> Variable amino acid
<220>
<221> MOD RES
<222> (246)
<223> Variable amino acid
<220>
<221> MOD RES
 \langle 222 \rangle (24\overline{8})..(251)
 <223> Variable amino acid
 <220>
 <221> MOD_RES
 <222> (253)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (257)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (25\overline{9})
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (261)..(262)
<223> Variable amino acid
 <220>
 <221> MOD RES
 \langle 222 \rangle (26\overline{4})...(267)
 <223> Variable amino acid
```

```
<220>
<221> MOD_RES
<222> (26\overline{9})
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (27\overline{2})...(273)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (27<del>5</del>)..(277)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (27\overline{9})...(281)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (283)..(287)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (28\overline{9})...(290)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (292)..(328)
<223> Variable amino acid
<220>
<221> MOD RES
 <222> (330)..(341)
 <223> Variable amino acid
 <220>
 <221> MOD_RES
 \langle 222 \rangle (34\overline{4})...(346)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 \langle 222 \rangle (348) ... (399)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 \langle 222 \rangle (40\overline{1})...(428)
 <223> Variable amino acid
 <220>
 <221> MOD_RES
 <222> (431)..(439)
 <223> Variable amino acid
 <400> 6
 Cys Pro Xaa Xaa Cys Xaa Cys Tyr Xaa Xaa Pro Xaa Xaa Thr Xaa Ser
```

Cys	Xaa	Xaa	Xaa 20	Xaa	Xaa	Xaa	Xaa	Xaa 25	Pro	Xaa	Xaa	Xaa	Pro 30	Xaa	Xaa
Xaa	Xaa	Arg 35	Xaa	Phe	Leu	Xaa	Xaa 40	Asn	Xaa	Ile	Xaa	Xaa 45	Xaa	Xaa	Xaa
Xaa	Xaa 50	Phe	Xaa	Xaa	Xaa	Xaa 55	Xaa	Xaa	Xaa	Xaa	Leu 60	Trp	Xaa	Xaa	Ser
Asn 65	Xaa	Xaa	Xaa	Xaa	Ile 70	Xaa	Xaa	Xaa	Xaa	Phe 75	Xaa	Xaa	Х́аа	Xaa	Xaa 80
Leu	Glu	Xaa	Leu	Asp 85	Leu	Xaa	Asp	Asn	Xaa 90	Xaa	Leu	Arg	Xaa	Xaa 95	Xaa
Pro	Xaa	Thr	Phe 100	Xaa	Gly	Leu	Xaa	Xaa 105	Leu	Xaa	Leu	Xaa	Leu 110	Xaa	Xaa
Cys	Xaa	Leu 115		Xaa	Leu	Xaa	Xaa 120	Xaa	Xaa	Phe	Xaa	Gly 125	Leu	Xaa	Xaa
Leu	Gln 130		Leu	Tyr	Leu	Gln 135	Xaa	Asn	Xaa	Xaa	Xaa 140	Xaa	Leu	Xaa	Asp
Asp 145		Phe	Xaa	Asp	Leu 150	Xaa	Asn	Leu	Xaa	His 155	Leu	Phe	Leu	His	Gly 160
				Xaa 165					170					113	
			180					185					190		
		195	5	Xaa			200	ı				205			
	210)				215	•				220				Xaa
225	5				230)				235	•				Arg 240
				245	5				250)				255	
			260	D				265)				270	,	. Xaa
	•	27	5				280	0				283	•		Pro
	29	0				29	5				300)			a Xaa
30	5				310	0				31	5				320
				32	5				33	0				33:	
			34	0				34	5				35	U	a Xaa
Ха	a Xa	a Xa	a Xa	a Xa	a Xa	a Xa	a Xa	a Xaa							

365

360

375

395

405

425 420

Xaa Xaa Xaa Xaa Xaa Xaa Leu 435

<210> 7

<211> 66

<212> PRT

<213> Homo sapiens

<400> 7

Arg Ile Tyr Lys Gly Val Ile Gln Ala Ile Gln Lys Ser Asp Glu Gly 1 5 10 15

His Pro Phe Arg Ala Tyr Leu Glu Ser Glu Val Ala Ile Ser Glu Glu

Leu Val Gln Lys Tyr Ser Asn Ser Ala Leu Gly His Val Asn Cys Thr

Ile Lys Glu Leu Arg Arg Leu Phe Leu Val Asp Asp Leu Val Asp Ser

Leu Lys 65

<210> 8

<211> 390

<212> PRT

<213> Homo sapeins

<400> 8

Cys Pro Met Leu Cys Thr Cys Tyr Ser Ser Pro Pro Thr Val Ser Cys

Gln Ala Asn Asn Phe Ser Ser Val Pro Leu Ser Leu Pro Pro Ser Thr

Gln Arg Leu Phe Leu Gln Asn Asn Leu Ile Arg Thr Leu Arg Pro Gly

Thr Phe Gly Ser Asn Leu Leu Thr Leu Trp Leu Phe Ser Asn Asn Leu

Ser Thr Ile Tyr Pro Gly Thr Phe Arg His Leu Gln Ala Leu Glu Glu

Leu Asp Leu Gly Asp Asn Arg His Leu Arg Ser Leu Glu Pro Asp Thr

Phe Gln Gly Leu Glu Arg Leu Gln Ser Leu His Leu Tyr Arg Cys Gln 105 100 Leu Ser Ser Leu Pro Gly Asn Ile Phe Arg Gly Leu Val Ser Leu Gln 120 Tyr Leu Tyr Leu Gln Glu Asn Ser Leu Leu His Leu Gln Asp Asp Leu 135 Phe Ala Asp Leu Ala Asn Leu Ser His Leu Phe Leu His Gly Asn Arg Leu Arg Leu Leu Thr Glu His Val Phe Arg Gly Leu Gly Ser Leu Asp Arg Leu Leu His Gly Asn Arg Leu Gln Gly Val His Arg Ala Ala Phe Arg Gly Leu Ser Arg Leu Thr Ile Leu Tyr Leu Phe Asn Asn Ser 200 Leu Ala Ser Leu Pro Gly Glu Ala Leu Ala Asp Leu Pro Ser Leu Glu 215 Phe Leu Arg Leu Asn Ala Asn Pro Trp Ala Cys Asp Cys Arg Ala Arg Pro Leu Trp Ala Trp Phe Gln Arg Ala Arg Val Ser Ser Ser Asp Val 250 Thr Cys Ala Thr Pro Pro Glu Arg Gln Gly Arg Asp Leu Arg Ala Leu Arg Glu Ala Asp Phe Gln Ala Cys Pro Pro Ala Ala Pro Thr Arg Pro Gly Ser Arg Ala Arg Gly Asn Ser Ser Asn His Leu Tyr Gly Val Ala Glu Ala Gly Ala Pro Pro Ala Asp Pro Ser Thr Leu Tyr Arg Asp 305 310 315 Leu Pro Ala Glu Asp Ser Arg Gly Arg Gln Gly Gly Asp Ala Pro Thr 330 Glu Asp Asp Tyr Trp Gly Gly Tyr Gly Glu Asp Gln Arg Gly Glu Gln Met Cys Pro Gly Ala Ala Cys Gln Ala Pro Pro Asp Ser Arg Gly Pro Ala Leu Ser Ala Gly Leu Pro Ser Pro Leu Leu Cys Leu Leu Leu 375 380 Leu Val Pro His His Leu <210> 9 <211> 421 <212> PRT <213> Mus sp.

15/127

<400> 9

Cys Pro Arg Asp Cys Val Cys Tyr Pro Ala Pro Met Thr Val Ser Cys Gln Ala His Asn Phe Ala Ala Ile Pro Glu Gly Ile Pro Glu Asp Ser Glu Arg Ile Phe Leu Gln Asn Asn Arg Ile Thr Phe Leu Gln Gln Gly His Phe Ser Pro Ala Met Val Thr Leu Trp Ile Tyr Ser Asn Asn Ile Thr Phe Ile Ala Pro Asn Thr Phe Glu Gly Phe Val His Leu Glu Glu Leu Asp Leu Gly Asp Asn Arg Gln Leu Arg Thr Leu Ala Pro Glu Thr Phe Gln Gly Leu Val Lys Leu His Ala Leu Tyr Leu Tyr Lys Cys Gly Leu Ser Ala Leu Pro Ala Gly Ile Phe Gly Gly Leu His Ser Leu Gln Tyr Leu Tyr Leu Gln Asp Asn His Ile Glu Tyr Leu Gln Asp Asp Ile 135 Phe Val Asp Leu Val Asn Leu Ser His Leu Phe Leu His Gly Asn Lys Leu Trp Ser Leu Gly Gln Gly Ile Phe Arg Gly Leu Val Asn Leu Asp Arg Leu Leu His Glu Asn Gln Leu Gln Trp Val His His Lys Ala 185 Phe His Asp Leu His Arg Leu Thr Thr Leu Phe Leu Phe Asn Asn Ser 200 Leu Thr Glu Leu Gln Gly Asp Cys Leu Ala Pro Leu Val Ala Leu Glu Phe Leu Arg Leu Asn Gly Asn Ala Trp Asp Cys Gly Cys Arg Ala Arg Ser Leu Trp Glu Trp Leu Arg Arg Phe Arg Gly Ser Ser Ser Ala Val Pro Cys Ala Thr Pro Glu Leu Arg Gln Gly Gln Asp Leu Lys Leu Leu 265 Arg Val Glu Asp Phe Arg Asn Cys Thr Gly Pro Val Ser Pro His Gln Ile Lys Ser His Thr Leu Thr Thr Ser Asp Arg Ala Ala Arg Lys Glu 295 His His Pro Ser His Gly Ala Ser Arg Asp Lys Gly His Pro His Gly His Pro Pro Gly Ser Arg Ser Gly Tyr Lys Lys Ala Gly Lys Asn Cys 330 Thr Ser His Arg Asn Arg Asn Gln Ile Ser Lys Val Ser Ser Gly Lys

350 345 340 Glu Leu Thr Glu Leu Gln Asp Tyr Ala Pro Asp Tyr Gln His Lys Phe 360 Ser Phe Asp Ile Met Pro Thr Ala Arg Pro Lys Arg Lys Gly Lys Cys Ala Arg Arg Thr Pro Ile Arg Ala Pro Ser Gly Val Gln Gln Ala Ser Ser Gly Thr Ala Leu Gly Ala Pro Leu Leu Ala Trp Ile Leu Gly Leu 410 Ala Val Thr Leu Arg 420 <210> 10 <211> 17 <212> PRT <213> Artificial Sequence <220> <223> Description of Artificial Sequence: Consensus sequence <220> <221> MOD RES <222> (3)..(4) <223> Variable amino acid <220> <221> MOD_RES <222> (6) <223> Variable amino acid <220> <221> MOD RES <222> (9)..(10) <223> Variable amino acid <220> <221> MOD RES <222> (12)..(13) <223> Variable amino acid <220> <221> MOD_RES <222> (15) <223> Variable amino acid Cys Pro Xaa Xaa Cys Xaa Cys Tyr Xaa Xaa Pro Xaa Xaa Thr Xaa Ser 10 Cys <210> 11 <211> 50 <212> PRT <213> Artificial Sequence

```
<220>
<223> Description of Artificial Sequence: Consensus
      sequence
<220>
<221> MOD_RES
<222> (2)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (4)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (6)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (11)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (14)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (16)..(19)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (21)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (25)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (27)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (29)..(30)
<223> Variable amino acid
 <220>
 <221> MOD_RES
 <222> (32)..(35)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (37)
 <223> Variable amino acid
```

```
<220>
<221> MOD RES
<222> (40)..(41)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (43)..(45)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (47)..(49)
<223> Variable amino acid
<400> 11
Asn Xaa Trp Xaa Cys Xaa Cys Arg Ala Arg Xaa Leu Trp Xaa Trp Xaa
Xaa Xaa Xaa Arg Xaa Ser Ser Ser Xaa Val Xaa Cys Xaa Xaa Pro Xaa
             20
Xaa Xaa Xaa Gly Xaa Asp Leu Xaa Xaa Leu Xaa Xaa Xaa Asp Xaa Xaa
Xaa Cys
     50
<210> 12
<211> 196
<212> PRT
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Consensus
      sequence
<220>
<221> MOD_RES
<222> (2)
<223> Variable amino acid
<220>
<221> MOD RES
 <222> (5) ... (6)
 <223> Variable amino acid
<220>
 <221> MOD RES
 <222> (8)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (10) ... (16)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (18)..(25)
 <223> Variable amino acid
```

<220>

```
<221> MOD_RES
<222> (28)..(29)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (32)..(35)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (37)..(40)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (42)..(46)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (49)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (53)
<223> Variable amino acid
<220>
 <221> MOD RES
<222> (56)..(57)
<223> Variable amino acid
 <221> MOD_RES
 <222> (60)..(62)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (64)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (67)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (70)...(71)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (73)
  <223> Variable amino acid
 <220>
  <221> MOD_RES
  <222> (75)
  <223> Variable amino acid
```

```
<220>
<221> MOD RES
<222> (77)...(78)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (80)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (82)..(83)
<223> Variable amino acid
<220>
<221> MOD_RES
<222> (85)..(88)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (90)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (93)..(94)
<223> Variable amino acid
<220>
<221> MOD_RES
\langle 222 \rangle (10\overline{2})
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (10\overline{4})..(107)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (109)
<223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (112)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (114)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (117)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (120)
 <223> Variable amino acid
```

```
<220>
<221> MOD RES
<222> (128)..(136)
<223> Variable amino acid
<220>
<221> MOD_RES
\langle 222 \rangle (14\overline{1})...(142)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (150)
<223> Variable amino acid
<221> MOD_RES
\langle 222 \rangle (15\overline{2})...(155)
<223> Variable amino acid
<220>
<221> MOD RES
<222> (158)..(159)
<223> Variable amino acid
<220>
<221> MOD RES
\langle 222 \rangle (16\overline{2}) \dots (163)
<223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (165)
 <223> Variable amino acid
 <220>
 <221> MOD_RES
 <222> (168)..(169)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (171)
<223> Variable amino acid
 <221> MOD_RES
 <222> (174)
 <223> Variable amino acid
 <220>
 <221> MOD RES
 <222> (176)
 <223> Variable amino acid
 <220>
 <221> MOD_RES
 \langle 222 \rangle (178) ... (179)
 <223> Variable amino acid
 <220>
  <221> MOD RES
  \langle 222 \rangle (18\overline{1}) \dots (184)
  <223> Variable amino acid
```

<220> <221> MOD RES <222> (187) <223> Variable amino acid <220> <221> MOD_RES <222> (189)..(190) <223> Variable amino acid <220> <221> MOD RES <222> (19\overline{2})..(193) <223> Variable amino acid <400> 12 Arg Xaa Phe Leu Xaa Xaa Asn Xaa Ile Xaa Xaa Xaa Xaa Xaa Xaa 10 Phe Xaa Xaa Xaa Xaa Xaa Xaa Xaa Leu Trp Xaa Xaa Ser Asn Xaa 20 Xaa Xaa Xaa Ile Xaa Xaa Xaa Aaa Phe Xaa Xaa Xaa Xaa Leu Glu Xaa Leu Asp Leu Xaa Asp Asn Xaa Xaa Leu Arg Xaa Xaa Yaa Pro Xaa 55 Thr Phe Xaa Gly Leu Xaa Xaa Leu Xaa Leu Xaa Leu Xaa Xaa Cys Xaa 70 Leu Xaa Xaa Leu Xaa Xaa Xaa Phe Xaa Gly Leu Xaa Xaa Leu Gln Tyr Leu Tyr Leu Gln Xaa Asn Xaa Xaa Xaa Leu Xaa Asp Asp Xaa Phe Xaa Asp Leu Xaa Asn Leu Xaa His Leu Phe Leu His Gly Asn Xaa 120 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Phe Arg Gly Leu Xaa Xaa Leu Asp 135 Arg Leu Leu His Xaa Asn Xaa Xaa Xaa Val His Xaa Xaa Ala 150 Phe Xaa Xaa Leu Xaa Arg Leu Xaa Xaa Leu Xaa Leu Phe Xaa Asn Xaa 170 Leu Xaa Xaa Leu Xaa Xaa Xaa Leu Ala Xaa Leu Xaa Xaa Leu Xaa 185 180 Xaa Leu Arg Leu 195 <210> 13 <211> 1176 <212> DNA <213> Homo sapiens <400> 13 gagggcatcc ccgtggacag cgagcgcgtc ttcctgcaga acaaccgcat cggcctcctc 60

23/127

cagcccggcc acttcagccc cgccatggtc accctgtgga tctactcgaa caacatcacc 120

```
tacatccacc ccagcacctt cgagggcttc gtgcacctgg aggagctgga cctcggcgac 180
aaccggcage tgcggacget ggcacccgag accttccagg gcctggtgaa gcttcacgcc 240
ctctacctct acaagtgtgg gctcagcgcc ttgccggccg gcgtctttgg cggcctgcac 300
agectgeagt acctetacet geaggacaac cacategagt acctecagga egacatette 360
gtggacctgg tcaacctcag ccacctgttt ctccacggca acaagctgtg gagtctgggc 420
cegggcacet teeggggeet ggtgaacetg gacegtettt tgetgeacga gaaceagetg 480
cagtgggtcc accacaaggc attccacgac ctccgcaggc tgaccaccct cttcctcttc 540
aacaacagcc totoggagct gcagggtgag tgcctggccc cgctgggggc cctggagttc 600
ctccgcctca acggcaaccc ctgggactgt ggttgtcgcg cgcgctccct gtgggaatgg 660
ctgcagaggt tccggggctc cagctccgct gtcccctgtg tgtcccctgg gctgcggcac 720
ggccaggacc tgaagctgct gagggccgag gacttccgga actgcacggg accagcgtcc 780
cegeaceaga teaagteaca caegeteace accaeegaca gggeegeeeg caaggaacae 840
cactcacccc acggccccac caggagcaag ggccacccgc acggcccccg gcccggccac 900
aggaageegg ggaagaactg caccaaceee aggaacegea ateagatete taaggeggge 960
geegggaaae aggeeeega getgeeagae tatgeeeeag actaceagea caagtteagt 1020
tttgacatca tgcctacgge ccggcccaag aggaagggca agtgtgcccg caggaccccc 1080 atccgtgcc ccagcgggt gcagcaggcc tcctcggcca gttccctggg ggcctccctc 1140
ctggcctgga cactggggct ggcggtcact ctccgc
```

<210> 14

<211> 392

<212> PRT

<213> Homo sapiens

<400> 14

Glu Gly Ile Pro Val Asp Ser Glu Arg Val Phe Leu Gln Asn Asn Arg 1 5 10 15

Ile Gly Leu Gln Pro Gly His Phe Ser Pro Ala Met Val Thr Leu 20 25 30

Trp Ile Tyr Ser Asn Asn Ile Thr Tyr Ile His Pro Ser Thr Phe Glu

Gly Phe Val His Leu Glu Glu Leu Asp Leu Gly Asp Asn Arg Gln Leu 50 55 60

Arg Thr Leu Ala Pro Glu Thr Phe Gln Gly Leu Val Lys Leu His Ala 65 70 75 80

Leu Tyr Leu Tyr Lys Cys Gly Leu Ser Ala Leu Pro Ala Gly Val Phe 85 90 95

Gly Gly Leu His Ser Leu Gln Tyr Leu Tyr Leu Gln Asp Asn His Ile 100 105 110

Glu Tyr Leu Gln Asp Asp Ile Phe Val Asp Leu Val Asn Leu Ser His 115 . 120 125

Leu Phe Leu His Gly Asn Lys Leu Trp Ser Leu Gly Pro Gly Thr Phe 130 135 140

Arg Gly Leu Val Asn Leu Asp Arg Leu Leu Leu His Glu Asn Gln Leu 145 150 155 160

Gln Trp Val His His Lys Ala Phe His Asp Leu Arg Arg Leu Thr Thr 165 170 175

Leu Phe Leu Phe Asn Asn Ser Leu Ser Glu Leu Gln Gly Glu Cys Leu 180 185 190

Ala Pro Leu Gly Ala Leu Glu Phe Leu Arg Leu Asn Gly Asn Pro Trp 195 200 205

Asp Cys Gly Cys Arg Ala Arg Ser Leu Trp Glu Trp Leu Gln Arg Phe 215 Arg Gly Ser Ser Ser Ala Val Pro Cys Val Ser Pro Gly Leu Arg His 230 235 Gly Gln Asp Leu Lys Leu Leu Arg Ala Glu Asp Phe Arg Asn Cys Thr Gly Pro Ala Ser Pro His Gln Ile Lys Ser His Thr Leu Thr Thr Thr 265 Asp Arg Ala Ala Arg Lys Glu His His Ser Pro His Gly Pro Thr Arg Ser Lys Gly His Pro His Gly Pro Arg Pro Gly His Arg Lys Pro Gly 295 Lys Asn Cys Thr Asn Pro Arg Asn Arg Asn Gln Ile Ser Lys Ala Gly 315 Ala Gly Lys Gln Ala Pro Glu Leu Pro Asp Tyr Ala Pro Asp Tyr Gln 325 330 His Lys Phe Ser Phe Asp Ile Met Pro Thr Ala Arg Pro Lys Arg Lys Gly Lys Cys Ala Arg Arg Thr Pro Ile Arg Ala Pro Ser Gly Val Gln Gln Ala Ser Ser Ala Ser Ser Leu Gly Ala Ser Leu Leu Ala Trp Thr 370 Leu Gly Leu Ala Val Thr Leu Arg <210> 15 <211> 143899 <212> DNA <213> Homo sapiens <220> <221> modified_base <222> (2044)..(2144) <223> a, t, c, g, other or unknown <220> <221> modified base <222> (6609) <223> a, t, c, g, other or unknown <220> <221> modified base <222> (6625)..(6724) <223> a, t, c, g, other or unknown <220> <221> modified base <222> (14153) .. (14252) <223> a, t, c, g, other or unknown <220> <221> modified_base

25/127

```
<222> (19512)..(19611)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (22595)..(22694)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (27825)...(27924)
<223> a, t, c, g, other or unknown
<221> modified base
<222> (34953)..(35052)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (40783)..(40882)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (49000)..(49099)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
 <222> (62884)...(62983)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified_base
 <222> (75528)...(75627)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (87944)..(88043)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (111030)...(111129)
 <223> a, t, c, g, other or unknown
 aagcacatac aggtgacatt acagaactga cagttatgcc aggcactgta cttagcccct
                                                                          60
 ataccatcct caaacagctg tatgatgtag attgggtatt aaccccatta ataacaaaag
                                                                         120
 tacagggaac aaagtgactt tccaaaggtc atgccattca aaggagggtg aatcttaggt
                                                                         180
 tggacgcagg ctgtctgact ctggagtctg aggtgttaat gctgcctcct ccatgggaac
                                                                         240
 agcccaagtg aaaaacagct gatccactct tcatttactt ggcatctgtg ctaagctggt
                                                                         300
 cectgageca agetetgage aacagaaaca gaagetetge attaggaget tgtgageatg
                                                                         360
 tcaatgccgg gtaaaggagt gctggaaacc gctgggatgg ccgccgagca ctaggccgtt
                                                                         420
                                                                         480
 gaaggtgggc tctgtgtgac tggttcctct acactctggc ctggctgcct gcaggaagaa
 gatcaagctg agtgggctgg ccctggacca caaggtgaca ggtgacctct tctacaccca
                                                                         540
 tgtgaccacc atgggccaga ggctcagcca gaaggccccc agcctggagg acggttcgga
                                                                         600
 tgccttcatg tcaccccagg atgttcgggg cacctcagaa aaccttcctg agagtgagtg
                                                                         660
 tetggtcaag gtgccggcct tgggggatag tgatggtggg tcctcatatt cagtgagcac
                                                                         720
 tcatggttga gtatttattc gcacccctct tcagtcctta caacacccca tgatgtaggt
                                                                         780
                                                                         840
 ggggcatgct cctcatttac agatgggcac atcaaagctc agctaacgct gggaagttca
  gattcagggt taccctgctg gattcctggg attggggagg gaggagcttc caaaatgggg
                                                                         900
```

acaaggtote tgggcotgte gggtagetgg ttteetcagg geccettgea acetetgage	960
The threat a partacearce agreecated decreeted addddecre cacacceage	1020
white a constact an transmand additional activities of the constant	1080
	1140
aggranttgag gagtttgagt Coluctott agttatagge tatgagatt	1200
	1260
	1320
	1380
The section to address and todadt address detect de	1440
cttgagcaag tcatttaact tcctgagctg cagtttcctc atcagtaaaa tgtgataagg	1500
atagggttgt tgtaagattt tattaaatgg ggtaataaat gtcaagtatg tagcccatag	1560
tgagtgcttc agagtttttt tcttttgttt ctttcccccc cgccccgaga tggagcctta	1620
ctctgttgcc caggetggag tgcagtggca tgatcttggc tcactgcaac ctccgcctcc	1680
egggttcaag caatteteet geetcageet eccaaatage tgggactaca ggegtgeace	1740
	1800
etggtetega actectgace teatgatget cetggeeteag ecceegaaag ttttgggatt	1860
acaagtgtga geecegtge cetgecagt thittith thittith tgtaaaacac	1920
ccacagggta ttgctgttgc ctgggctgga gtgcggtagt gcaatcatag ttcactgcag	1980
ccacagggta ttgctgttgc ctgggctgga gtgcggctgacagcc tcctgagtag ctgggaatac	2040
ccttgacctc ctgggctcaa gtgatcctca ppananana npanananan nnnnnnnn	2100
aggnennnnn nnnnnnnnnn nnnnnnnnn nnnnnnnnn	2160
nnnnnnnnn nnnnnnnnn nnnnnnnnn nnnnnnnn	2220
agacagggtt ttcccaatgt tggccaaggc tggtctaaaa ctcccaacct caggtgatcc	2280
acceactca geoteccaaa gtactgggat tacaggegtg agacacegtg eccagecagg	2340
aggettattt tettgataaa ttacceagte teaggtattt etetacageg atgeaagaac	2400
agoctaatac atccaggotc agcatcagtg gacccaggtg ggagagotta agatgtcaag	2460
gtctgaatgc cgcttccaca cacctttggg acctagggac tccctcttt tttcttttt	2520
cagtagaaga tgttatcttc tcctttctct gaccagtagt tggtgatggt ttcagagata	2580
gttttcagt caagatatat ttcagtggct tcactgagcc caagttccct cgcctctcta	2640
ggactttatt teettgttte tagaagaggg ataacacata ttttetaagg tggttgtgag	2700
attaagggag ctggtaccgg gtggtgcata aggacaggat agagcaatgg tgagaccact	2760
caaaaagcga aaagttgacc tgcgagggtg acacttatca aatcagcaca cagtgggagt	2820
ggaaggaatg teceteatea gttacaatat ttggagagtg caagttatag aaaacccage	2880
cctggccggg cgcggtgggt catgcctata atcccagcac tttgggaggc tgaggcaggt	2940
ggatcacgag gtcaggagtt caagaccagc ctgaccaacg tggtgaaacc ccacctctac	3000
taaaaataca aaattagctg ggcgtggtgg tgtgtgcctg taatctgagc tactcaggag	3060
	3120
ccactgcact ccagectggg caacagageg agactccate tcaaacgaaa aaaaaaaaag	3180
aaagaaaacc cagctctaac tggcttaaac agtaagaaga tctattatat tatccatctc	3240
aggrage aggreed graggggact ccaaggttgg ttgatccagg gcttaacgat	3300
gtcatcaaag acccaggtte tttetgtete ggcacetetg tetgcaggge cagetteate	3360
ctaagccaga ttgttcttgt cttgattaca agttggctgc tgggccagca gacgctgcct	3420
gcctccctgt tcatcttcag aagtagaaag tggcccttcc ccagtcatgg aatgaaagag	3480
ttteetttet gtetgggatt gettaggtee acceaectga agecaatgae tgteaecagg	3540
aaggtaatat acactgattg tottaagtca gggttoctga gccagtottg ggcaaggagt	3600
gtgatactgt catgattgtc ttgggctcat cagggcagct ctgcagatga gatcaaactc	3660
caagctacat tattctgaac agtgggaagt aggaaagaga cattttggga gatacaaaac	3720
acaatgtcta teccatatee etaggteeag gteacagtgt ettggttgga cateaaatgt	3780
agaaaaagaa agactgtcca tocatttato tacctattca totggttttt gatttttttt aaattttatt ttaagacatt otcactotgt cacccagact ggagtgcagt ggtttgatca	3840
tggctcatgg cagcctcaac ctcccaggct caagtgaccc tcccatgctc aagtgatcct	3900
cctacctcag cctcccaagt agctagaact aaaggtgcat gccaccacge tcagttaatt	3960
cctacctcag cctcccaagt agctagaact adaggerat gcacattet ggaattctg	4020
tttgcatttt ttgtagagat ggggtttcgt catgatgccc atgctagtct ggaattcctg	4080
aactcaagca atatgcctgc ctttgcctcc caaaatgctg ggattgtagg catgagccac tgctcctggc tcatctgttt aataatttat gaaacaacta ctgggtgctg agcacggggc	4140
tgeteetgge teatetgttt aaldattat gaadeadete eeggysges gittetaaa	4200
caggggctgg agatctagca gggaccaggc agatctctgc caagtcgttg gtttcttaaa ggttttgctc ataattcccc ttttctttc tctttcgtt tttttctttt ctttcttt	4260
trettett trettett gagacagagt createst tacceagger ggagtgeagt	4320
ggtgcgatct cagctcactg caacctctgc ctcctgggtt caagcgattc tectgcctca	4380
ggtgcgatct cagctcactg caacctctgc cocceggget caagggates totage	4440
gctcccgag tagctgggac tacaggcgcc tgccaccatg cccggctaat ttttgtgttt	4500
ttagtagaga ctgggtttca ccatattggc caggctggtc ttgaactcct gaccttgtga	4560
tegeceget teggeeteec acagtgetgg gattacagge gtgagecacg gegeecagee	4620
agtttcctt ttcaatagg cetecetgae etcatacte tacteeteca cetggeceae	4680
tcagctctac tttttcttcc ccatagcact caagacctcc taacatacta cgtaagttat ttatttacta ggcttactgt gtattgtctg tcttcctcta ctagaatgta aactccatga	4740
ttatttacta ggcttactgt gtattgtctg tettected dagaarge and besseles	

gaatagaaat ttttgccttt ttatttagtg tggtgtctgc agcccctggc ttagtccctg 4800 gcatacaaca gtcactccac ccacagttgc tgaataagtg actaaaggtc cctgccctca 4860 tattgttatg agggagtgtg catgttgtta gagaaaaatc tgaggcacaa taaaatttta 4920 4980 tagagtttaa gttttctttt ttaagcaatc cacgaattgg ggtagtttca gaggtagttt 5040 ttcagtcatg acgtatttca atggcttcac tgagcccaag ttctttcacc tctctaggac tttatttcct tatttctaga acggggataa cacatagttc ataaggcagt tatgagagta 5100 agggagetgg tatggggtga tgcataagga caggatagag cagtggtgag accgctcaga 5160 tgacaaagcg tcagagacca gtatttacga cggaaatgtg gaagcatgat aaagaaatta 5220 tttgggcigg gcacaatgac tcacaactaa taaaactttg ggaggccaag gtgggaggat 5280 cacttgactt gcagaaggtc aaggctgcag tgagctgtga ttttgccact gcactccagc 5340 ctggtcaaca gagtgagacc ctggctcgaa acgttatttg attggttaca gttatacagt 5400 5460 tgccttattt ggtctattcc atttgaaagt tcctagttct ataattttaa gtttgttggc tgtttctgat tggttaagct taagttttgt tttcctttaa tacagttaag tgccccataa 5520 tgacattitg gicaaggaca gaccacatat acagtggtgg tcccataaga ttataatgga 5580 gctgaaacat tcctattgtc tatggcgtag tggtcctgat gttgtagcgc aatgcattag 5640 ttatatgttt gtggcaatgc tggtgtaaac acacctactg cactgccagt gatataaaag 5700 5760 aatagcacat acagttatat atagtacata atatctgata atgataatac ataactatat tactggttta tatatttact atattattta tctttatttt atttttgaga cagagtctca 5820 5880 ttctgtcacc caggctggag tgcagtggcg cgatcttggc tcaccgcaac ctccgcttcc tgggttcaag tgattctcct gcctcagtct cctgagtagc tgggattaca ggtgtgcacc 5940 atgacaccct gctaatatgt tttgtatttt tagtagagat ggggtttcac catgttggcc 6000 6060 aggetggtet tgaactactg acctcaagtg atcaccccgc ctcggettec caaagtgctg ggattacagg cgtgagccac cacgcatggc ctatttataa ttattttaga gtgtacgcct 6120 tatacttata aaaaaaagct aactgtcaaa cagcctcggg caggtccttc aacagatatt 6180 ccagaagaca ttgttatcat aggagatgac agctccgtgc atattattgt ccctgaaaac 6240 6300 6360 caaaaatttt taaatagaaa aaagctgccc aggaacaatg gctcacacct gtaatcccac 6420 cattegggga ggccaaggtg ggtggattge ttgageteag gagtteaaga ecageetggg 6480 caacatggtg aaaccccatc tctacaaaaa atacaaaaat tagccgggtg tggtggcatg 6540 6600 cggctatagt tccagctaat cgaggggctg aggtgggagg atcactgggg gggaggtggt 6660 tgaggctgna gtgagctgtg attgnnnnn nnnnnnnnn nnnnnnnnn nnnnnnnnn 6720 nnnnatattc ttaaaaaaat tttttttat ttttgagaca gaatttctct cttgttgccc 6780 6840 aggetggagt geaatggege tateteaget cagggeaace tecaceteet gggtteaage 6900 gatteteetg cettageete ceaggtacag gegeegeea ecatgetegg etaatttttg tatttttagt agagatgggg tttcaccatg ttgtccaggc tggtcttgaa atcctgcctc 6960 aggtgateca eccectegg ceteceaaag tgetggaatt tacaggegtg agecactgtg 7020 cetggeetee tttacatttt tttaaattta attttaattt tttaatttt aattteteat 7080 atatatat ttttaagact agccaagtga agcagtggga gtggaaaagg aactggtttt 7140 gatcaatagg tgtaaacacc actgcactgg gaccagccta ttttacattc ctgttagcag 7200 7260 tgatgagggt tcactttctt tgtagcctca acaatatgtg tcgttgccca tcttttttt ttttttttt tttttttg agatggagtc tcactctgtt gcctaggctg gaatgcaatg 7320 7380 gcatgatete ageteactge aaceteegee teccaggite aagtgattet tgtgteteag 7440 cctcctgagt agatgggatt acaggcgtcc accaccacgc ccggctaatt ttttgtattt tcagtagaga tggggtttca ccatgttggc caggttggtt tcgaactcct gacctcaagt 7500 gatccgccca cctcggcctc ccaaagtgct gggattacag gcatgagcca ccgcgcccgg 7560 7620 cotgoccatc tttttttttt tatagccatc ctagtggatg taaagttttt ttgtgatttt 7680 gatttgtgtt tccctactga tcaatgatgt tgagcatctt ttcctgtgct tattggcttt 7740 tggtatatct ttggagaaag gtctattcag gtcctttgcc cactttaaaa ttaggttatc 7800 tttctattac tgagatgtaa gagttcttta tgttctagat ataagtctcc tacatatgat ttgtaaaaat tttccttcca ttattgggtt gtctttcact ttcttttggt gtcctttagt 7860 gcacaacagt ttttaatatt gaagtccaat tttctatttt tctcttttgc cacttgtatc 7920 ttggtgtcat gtttaaggaa ctattgccta atctcaggtc acaaagattt acacctgtgt 7980 tteettett cetteettee tteetteett cettettee etceeteet etcteetee. 8040 8100 8160 ttccttcctt ccttccttcc ttccttcctt ccttcctttg tccttctgac ggaatcttgc tetgteacce aggetggagt gtagtggcae gatettgget caetgeaace tetgeetect gggtteaage aatteteetg ceteageete etgagtaget gggactacag geacacacca 8220 8280 8340 ccatgcccag ctaatttttg tattttagt agagacgggg tttcaccaca ttggccagga tggtttcgat ctcctgacct cgtgatccac ccgccttggc ctcccaaagt gctgggattg 8400 caggtgtgag ccaccatgcc cggcctgtgt tttcttagag ttttgtagtt ttagctctta 8460 tagttagatc cttgatccat tttgagttga ttttgtatat agtgtgagat atccacctgg 8520 tgttgtaaat tgcccagaag tgggtatgct tctaaatctg gctgttaggg attactagag 8580

8640

gtgaccaaag tgaattttt ctttgtttct ttttttttt ggagacagag tctccgtcac ccaggetgga gigcaatgge tteatettgg etcagtgeaa cetetgeeti etggtiteaa 8700 gcagttetee tgeetcagae teetgagtag etggtattae aggegtgtae caccatgett 8760 ggctaatttt tgtattttta gtaaagatgc agtttcacct gttggccagg cttttctgga 8820 acteceggee teaagtgate catetgeete taceteccaa agtgetggga ttacaggtgg 8880 gagccaccgt gcccagtcct tttctcagaa tttatttgtt ttttttgtt ttgtttcatt 8940 tttgagatag ggtctcactc tgtcagctag gcaggagttc agtggtgtga tcattgctgc 9000 agccttgaac ttctggactc acgtgatctt cccacctcag cctcctgagt agctaggatt 9060 acaggcatgt gcttccacac ctggctaatt ttttaatttt ctaggactta tttgtccatt 9120 cttgcaaage agggtacaac atgcctatct ctacctacct ctcttccctt caagggactc 9180 cagccaaaat ccttgagget ctcgggctga ctgtgggtgc tgttgcctga tctgcctcag 9240 teatgetgea tgateaaaag tgteegtttt etgettettg gaactttatt eactttgggt 9300 gteagtette etetgeagtg teccaagaac acagaattag accaggaate tgtgttgeca 9360 9420 tagtgtgtgg aaagaggcag acttccaact ccgctatgtg ctgttgggtg attgaagctt aattttettt etatettet ttetttett ttetttttt ttetttggag atggaatete 9480 getetgttge ceaggetgga gtgeagtggt gegateteae eteaetgeaa ceteegeete ceaggtteaa gegattetee tgeeteagee teetgagtag etgggattae aggtgeatge 9540 9600 caccatgece ggetaatttg tgtaatttta gtagaaacag tgtttcacca tattggtcag 9660 getggteteg acetecteae etcaggtgat ceacegeet tggcetecea aagtgteggg 9720 attacaggeg tgagecaceg tgeetggcae ttaattitet taatacetea attaceceat 9780 atggtaaaat gggactagta atccatacct tatagcgctg ttgtgaaaat gaaatgaggg 9840 taagcagata aaatttcaga ctacggatgg gattgttact acattctgaa cctggctttg ctgttatttg ctatgtgacc ttatcttctc tggatctcca ttctttccaa gtctataaaa 9900 9960 caaagtggac aattgtcaac ctttcttcca aagagcaatg atttaaggat caaatgatgt 10020 catttaacaa aaatatgaag agctcaacaa atgaggaact cattattatt attacaatta 10080 ttattatttt agaaataggg tcttgttctc ttgcctaggc tggagtccag tggtataaac 10140 acageteaat geatetteag ecteetggat acaagtgate eteatgtete atececetaa 10200 gtagctggga ccacaggcat gtaccaccac gcacggctaa ttttttattt tttatttta 10260 ttttttgaga cagtettget ttgtegecca gactggagtg cageagegea ateacegete 10320 actgcaacct ccgcctcctg ggttcaagtg attctgctgc ctcaacctcc caagtagetg ggattacagg cctgtgccac catgcccggc taatttttt gtatttttgg taaagacggg 10380 10440 gtttcaccat gttgcccagg ctgatctaga accectggcc tcaagtgate cccctttett 10500 ggcctcctaa agtgctagga ttacaggcgt gagcctctgc acctggcctc ggctaatttt 10560 ttattttttg tagagacagg ttctcactat gttgccaggg ctggtcttga actcctgggc 10620 tcaagtgatc ttcccacctc agcctcccaa agtgctgaga ttacagatgt gagccactgt 10680 gectggeetg gaacteatta tigaageatt cactagiate aacttigggg ttacetggee 10740 acatcctctg acctacctat aagggtatca cagctaacgg agcctctgtt tctcagaatt 10800 taggcagaag cagttcaatt tatcacaaac tactctatat ccagcataag tgcccaaata aaacaattgc taaagttctt taggcattta ctgtttgtta gttagatatt tagtcctcac 10860 10920 tacaaatctg tgatacaggt attatttta ttaaccccat tttatagaag agaaacctga 10980 agctcagaga tgctaagtaa cttgtgcaag gtcacacagc tagtaaataa agggcagagt 11040 aaagatttag tttcacattg gactccagaa cctttctact gggactcatg ggaatagtgt 11100 ggatgtccct gaccttcagt ggcccagggc tctcctgggg gaatccagcc atagacaaga 11160 caccagcgag agcccaatcc taagattttg tttgtttgtt tttgagacaa ggtctcactc 11220 11280 tgtcaccaga ctggagtgca gtggcatgat caatgctcac tgcaaccttg atctcccagg ctcaagcaat cctcccacct cagcctcctg agtagcttgg actacaggtg cacaccacca 11340 cacctgacta attttaaat tttatttaat taattactta ctattattt ttgagacagg 11400 gtatcacttt gtcacccaag ctggactgca atggtgtggt ctcagctcat tgcgtcctcc 11460 aceteccagg ttcaagtgat ceteccacet cageetetgg agttgcaggg actgcaggtg 11520 tgcgccacta tgctcagcta atgtttttat tttttgtata gatggggtct cactatgttg 11580 ccagggctag totcaaacte ttggactcaa gcgatoctee tgtottggcc teccaaagtg 11640 ccgggattac aggcataaac caccacaccc aacccctaag gtgtttttgc tgaatgtgac 11700 catgicagag gcaggaaagg gaagcatcat ggggttagga aaggaacact gagcagggag acaaagaaaa tgggatcatt ttgtgagtgt tcgctgtgtg tgtatgtgtg acaattctca 11760 11820 gagccagect etcaggtggt tgagaccaca gtccccattt cccagatgag ataatggage 11880 ctcagagagt ttctgcagca cagctagtgg aattagaatt tgaacccggc tcttccagac 11940 tecaggiget teacaaceat eccaaaceta gicattigea gittacette atgattitae 12000 catticcett tgccataget agtgttattt acttaataat teettttgaa teagtetget 12060 taaaaaaaaa tagcttcatt ctaaagtgta atattcttgg aatatcgggt ttgctgttac 12120 ccacccccac acgttataca tatacatgta tgtttctaat acatatatat gtacgtatat 12180 acgtgtatcg ttítttgtta tttttttgt tgttgttagt tttttttaga tggagtctct 12240 ctctgtagec caggetggag tgcagtggtg tgatttegge teactggaac etetgeetee 12300 tgggttcaag cgattctcct gcctcagcct ctggagtagc tgggattaca ggcacccacc 12360 actacacceg gctaatgttt gtatttttag tagagacagg gtttcaccat gttggccagg 12420

tgggtcttga actcctgatc t	caagtgatc	cacctgcttt	ggcttcccaa	agtgctggga	12480
ttataggtgc gagctactgc g	ractaaccaa	totatotttt	taatacacat	tcaaataacg	12540
aataactatg aaacctgaaa a	actactaca	tottacttcc	tgaacccatc	ttgagtgctc	12600
acatgctgtg cataccacat a	ttaggeeeea	actoctttcc	ctaacttcca	agcccagctt	12660
acatgetgtg cataceacat a	ttgggaaac	tttgtctata	aatgttgggg	ttagagatta	12720
aatcactgtc ccatcctatg C		atagacacaa	ctctaagagg	tettageate	12780
atgccaaaga ccttttctgt t	greattaat	argyacacag	tccaactact	cagagtgate	12840
ttgggctggc tctcctttta	gttcagaatt	iggalitita	aggetgate	gataaaacag	12900
aagcetteet tatgaatgaa	ctcgttggtc	aaactcataa	aaggeegace	ttctccatta	12960
gaatgaatgt atgaattgac	actaagtcat	tagcatttca	cgggaatgga	ctgagctaac	13020
	ctaacea	atototott	qqqaaaccca	cegagocaa	13080
tereseatet aacacadadd (-cettragta	cautuuaaaa	Clyclyacte	Lygugueta	13140
	tacctataaa	aagctggcta	actyaatty	CLLGCCCCC	13200
	ataaaaaca	ttgtactcac	CCLLLaggge	caccycacyy	13260
	raaaatatto	ocacaaaqta	quiquaaatt	Lycacycous	13320
teensthatt tatasaaass ;	attatcattt	gattatcaaa	gacttaggag	caggaacage	13320
	atogaaatgc	cagctgaggc	caggeattry	CLaataatty	13440
- metabaggaran aggaggarata (gaatagcaat	atctaggaat	taaaagagag	gcgaggacgc	13500
whatmacett dadaaddcaa	gecetageaa.	aaggggatgg	CCTCCactca	gccacageca	
tweetawate ttetaacttt	ttattttat	ttttatttt	Lyayacyyay	ccccgccccg	13560 13620
tereseasance tagantacan	taacacaatc	tcaactcact	gcaagetteg	CCCCCGgggC	
tanagagett etectacete	adoctoccaa	gtagctggga	ctacgggcgc	CCaccaccac	13680
gaaagactaa tttttttt	otatttttag	tagagatggg	gillicatege	gccagccagg	13740
atentataga tetectaact	ttataattta	ccctccttqq	cctcccaaag	Lyclyygatt	13800
agagettes eccacedese	ctaaccaatc	ttctaacttt	ttaaayayaa	gcaagacacc	13860
	cctcatttta	aactoocacc	Caailalaal	LLacacacac	13920
ataammetea acattoccao	cadadcaaaa	cataggtaga	ggcaactgct	ggttactggt	13980
~b~~~~ctc tcctaaaa	tratctttqt	atttcltct	quittatqua	cegeeeege	14040
acambachat tatataataa	atatecagta	agtgggtgta	gaatgaataa	accaatgeag	14100
	dacacadita	cecatototo	Laattttagt	C CTTTTTTTTTTTTTT	14160
nnnnnnnn nnnnnnnnnn	nnnnnnnnn	nnnnnnniiiii	1711111111111111111111111111	11111111111111111111	14220
nanananan nanananan	nnnnnnnnn	nntagtccca	qcactttggg	aggccaaggc	14280
to-to- cotracutca	ggagttcaag	accadectiqq	Ccaatatayt	gaaaccccgc	14340
ctctacaaaa ataaaaaaat	tatotogoca	tgattgcagg	tgcccctaat	Cocagocaco	14400
ammandata addccddada	attacttaaa	cctadaaqqc	ggaggiligia	gryageegag	14460
ateatecest tocactccad	cctaggtgag	ggagcaagat	Lucylula	daddadada	14520
	agaaaaagaa	acaatgaatg	agugugaggu	. ccacggcage	14580
attact dagagtagee	aaccttatto	ιαtcatcccaq	ccacgaagig	aaatyytacc	14640
actacettaa accaataaat	gaggaagaat	: aatqqcaaat	, gggggtctal	, gettettatet	14700
teangenets agasagtete	aagcttgaaa	tccagtgact	agguettetag	geeeeggaee	14760
tagecapted tectacagic	aagtagataa	a geggagggil	. iggiccigiti	ggccacggag	14820
atagtgatca aggccgttac	totocaatca	gactcagaaa	tggcctctca	gttacttctc	14880
catttgtggg tcttttggaa	папсапапа	gaggaaggaa	tttaggtctt	ctcaccctct	14940
gggctgcctg tccctgctcc	ctgagccate	gagggctgg	gtggaatat	g gggaataaat	15000
ctgtactttt tttttttt	tttttgag	cagagtete	ctccgtcgc	caggctggag	15060
tgccgtggcg tgatctctgc	tcacagcag	atctgcctc	cgggttcaa	g ttattcttcc	15120
acctcagtct cctgagtagc	taggattag	agtaccac	accacqccc	g gctaattttt	15180
	- atttcactd	r arragacau	, Cladicar	acacccgacc	15240
tanaatanta chaccacaca	-tacctccca	a agtgctggaa	i Llacayyca	t gagecacege	15300
gcccggtcct accaatctgc	acattttaa	t tgacaagggi	t cacceteca	c tcatgtgcca	15360
ggcatagttc tgagaagcat	CCCacaagg	a tocctctoa	ttcaccctg	a caagtccact	15420
agctcttggc agagacatct	ggcaaattc	a aggettgag	catgctggc	c tctctttaaa	15480
gtgcagcaaa ttttgtctag	agettggte	a ottaaaatt	t tgatgtttt	g ttttgcatta	15540
atttcaattt ttaagaaatg	ttacattaa	a atottattt	a tcttgaata	g taaatttctt	15600
agtgtcccct taatttctta	atatateta	a gttgagage	c teceetace	t gattctagtc	15660
cagaccotgg ggtgacagaa	gagagaaag	a agatagaaa	g tgaggagg	g agtgttggtt	15720
ggagaggatg atctacagag	tactacea	a actitatat	g gagetttte	a tgctgcctgt	15780
ttgccagccc tgaagctatg	cettereset	t addcasact	g gcatatcct	a gatcagagat	15840
cctcaactgg ggccattttt	ctcccagg	a dacatttaa	a aacatotoo	a gacattttq	15900
atcatctgcg ggccattttt atcatctgcg ggggtgggga	. decectage	c toacatete	g tgagtagag	a ccagagggac	15960
cattaaactt tctacaacgo	gayyyycca	c ccctccaca	a taaagagtt	a tttgacctca	16020
cattaaactt tctacaacgo catattaata gcacaaagtt	. ccayyacay	t datchadat	c cacadcaca	g aagaaaggat	16080
gtagattttt cacacattaa	. yayyaacci	a acttatace	t gtaatccct	g tgactcagga	16140
gtagattttt cacacattaa ggctgtggca ggaggattac	ayaryayaa . ++azaccc	a goodgegoo	g ttacagtga	a ctatcatogo	16200
agcactgcac tccagcctgc	, ctgagecea	rc aagattttg	t ctcttaaaa	a aaaaaaagat	16260
agcactgcac tccagcctgg	gryacayag	, auguettey		-	

gaggacaggc	acagtggctc	atgcctgtaa	tcccagcatt	ttgggaggcc	gaagtgggtg	16320
gatcacgagg	tcaggagttc	aagaccagcc	tggccagcat	agtgaaaccc	catctctact	16380
aaaaatacaa	aaaattagcc	agctacttgg	gaggctgagg	caggagaagc	gcttgaaccc	16440
aagaagtaga	gcttgcagtg	agccaaaatc	ttgccattgc	actccagcct	gggcgacaga	16500
gcaagactcc	gtctcaaaaa	gaaaaaaaaa	aaagatgaga	aagaggaagg	gagagaaaaa	16560
рарарарара	gaaagaaga	gagaaggttt	tggagtcaaa	aagacttaga	aattccagtt	16620
cttccacttc	ccatggaacc	ttggcaagtt	gccttctctc	tttctctgaa	tctcacattt	16680
tacctctata	aagtagggt	gatacctagt	ggagatgatg	cggagatgag	ggcgaggggc	16740
atattacaca	ctatocccct	aggatgggtg	agagcttggg	agcacugaac	ctccctttcc	16800
cctcttgttt	cttcccccca	ttqtctccca	ccagctccct	gggatctcca	Cttcactctc	16860
taggattcca	ccagcaggag	gctactcctg	gagttaaggc	gtgttgttca	gactggggca	16920
ttttaggggg	cataaataat	aattatqcct	ggacaatgga	cataacatct	agggccttct	16980
gaaggaaagg	aggatataga	gtacccaaac	aaggcagtag	gccccaggag	gcaggtccct	17040
gragtercag	cagagagcag	ggcacagggt	tqaqaagact	gagcaaactt	cattatcage	17100
tectttatec	cccactctqt	cctggagcaa	tcattctggc	Ctcttcccac	LLCCCCaaaa	17160
acccagtata	aaggctgctt	ctaaccccta	aagccagagg	cactgagagt	ggaggtetea	17220
gactettgga	aggtgagttc	ttttctaact	gcccaggcag	gaccagtgta	ggccccggga	17280
agaagcagca	cctcataggg	caaacacgta	ggaggcctgt	ccttaggaac	atcatagcta	17340 17400
agcagacctg	tccccacagg	ggcaggagtc	tgggctaagg	grgaracigg	agagcagcaa	17460
cggagactgg	aagacaaatg	aaatttggta	cctgagttat	ccctcccacc	attecttte	17520
tagactctcc	agctcagggt	ctgttcatgg	caagaggaga	aagcaatctt	bestageiere	17580
taatcaaaca	attaaacaaa	tattccctct	atactatgtg	ccaggggcta	tactagacac	17640
acaaagacag	ccccaagaag	gacggtggag	tagtgtcctc	gctaaaagac	tastataaat	17700
caatgcctct	tgctcctgcc	ctttctcctg	ctgggaacag	tttctgctct	categggt	17760
aagtctctcc	cttccctcct	catgcgtctt	tecettett	cetteret	ttaggtgata	17820
ccccccgctt	ttatttgcac	tcatgaggcc	aggaccacag	teacted	ctagetyata	17880
cagctcatct	ccggtaagat	atcacttgga	ctcagaactg	-taacccggaa	tttttattt	17940
tttgtttgat	tttttttgt	tgttgttgtt	tttgttttt	taceataaca	castctcac	18000
tgttttgaga	cggagtctcg	ctctgttgcc	caggerggag	cgcageggcg	cctgagtagc	18060
tcaccacaaa	ctccgcctcc	cgggttcaag	ggtaatgttt	gtattttag	tagagataga	18120
tgggactaca	ggcacatgcc atttgccagg	accaegeeeg	actectaace	ttataattca	cccacccaa	18180
gtttcaccat	tgctgggatt	acaggeetga	acceccase	ccoccaaact	gtaacctgaa	18240
cctcccaaag	gaaaaaccac	ccacctotta	agatgaaggg	ctaataacta	ccccaggett	18300
ctccayaag	ctttctccca	ccttcaaaac	acacactcot	aatatcaacc	agaagtcagg	18360
ttcttataca	tttgtgggtg	tgacccgaga	gatctctcct	tacctaacac	caaggaaatc	18420
ctccagtctt	gtcttcaggt	ggaattccta	ggaaagctcg	agcgacgttg	ctggagctgt	18480
ccacagtact	ggaactagga	agctcttgac	ctgatggcag	gttacctctt	cttcccagag	18540
aatgatgcc	cccatctgga	gagcctagag	acacaggcag	acctaggcca	ggatctggat	18600
agttcaaagg	agcaggagag	agacttggct	ctgacggagg	aggtgattca	ggcagaggga	18660
gaggaggtca	aggettetge	ctgtcaagac	aactttgagg	atgaggaagc	carggagreg	18720
gacccagctg	ccttagacaa	ggacttccag	tgccccaggg	i aagaagacat	tgttgaagtg	18780
cagggaagte	caaggtgcaa	gatctgccgc	tacctattgg	tgcggactcc	taaaactttt	18840
gragaagete	aggtaagtag	tagggaggct	. actgcggagg	acctggggga	aaagagagta	18900
cattcagtct	tetatteest	attcatttac	gctagtggtt	: ctcaaagcct	. cgcatgcatc	18960 19020
agaatcacct	ggagttgttg	ttaaaacaca	getttetggg	cctcacctgo	acgaettety	19020
atttaggagg	gctgaggtga	agcctgagaa	tttgcattta	caacaaatco	ccaggtgatg	19140
atgatattgt	. tggtctgggg	agaaccaccg	atttaaacaa	aaggettige	tgttagaaac	19200
gcctgtgtta	aattctggtt	ctgcctttta	ttagetgtgt	. caccigggce	agttgctttg	19260
cctttcaaag	ctttagcacc	ttcatttgta	aaacgaaga	. atalageace	aacttcttag	19320
agttgtggtg	agcattaaat	gagataatac	algadagig	gtattatcat	tcactgggct	19380
gtaataaact	ctcaataagc	ggiggilala	actactaty	adddaddca	ttcctgtagg gtaggtttat	19440
attgtcctga	cagetaatta	ayaaycaaa	gataggatte	tcagaaactt	gaaataaatg	19500
ttttaacct	aaaagggatg	nnnnnnnn	, geelggagae nnnnnnnnn	nnnnnnnnn	nnnnnnnn	19560
agagggaatt	. chimmininin	וווווווווווווווווווווווווווווווווווווו	ותתתתתתתת ו	nnnnnnnn	ngaattctct	19620
minimininini	. succeusecs	totagaagg	gtggtagga	tggggattac	g aggttccagc	19680
tagaaacaat	: ggcacttgca	. aaggetttgt	tgaagtggc	ı taagtgtgga	a ggtggagcat	19740
traggaggedat	agagetteac	cttcagtgt	gctggagtg	tgggtgtga	a gagaggtgaa	19800
gatgaggcti	. ggaggetogg	cagattttg	tccaaaaqa	g cttggtgaa	tgtgataagg	19860
agtttggati	ttctcctact	aaggacaaca	a gcaaactati	t gaagagttt	a aatcgttcag	19920
tgacaatga	e acotttocot	: tttggtggci	t cactcgagc	t gccagccag	g tagacagtgg	19980
cagaagatg	r aagataaag	c actaaagggi	t qatqaqqcaq	g gaagccagt	g aggagagaaa	20040
ggggacgate	tgagtgacac	taaatcatt	t gttgggttg	c tattgtgtg	c taagctctgt	20100

gctaaattct tcacgtgtat tatttcagct aatccatcta acaactctgt aaggcaggta 20160 caatcgttcc cagctgaaga agctgaggct ctcaaaagct agtaacttgc ctaagttcat 20220 gcagcatgca agttgtccag ccaggattct aacttagaca ccagaggcca cttttaacca 20280 ctgctctagg actgggggaa atggtcccta gtgagatatg tgtcgagttt catatttcat 20340 tcaacaatat tgttggcctg ctacatgtga agagctgtgg aaagcgccca aagtgagtta 20400 gatccctatg agcaagtggg atgggggtgg agtggacagt aggagggctg gaacacat 20460 aaaagggtat aagaaataac aattaggccg gccaggggtg gtggctcacg cttttaatcc 20520 cagcactttg ggaggccgag gagggtggat cacttgaggc caggagtttg agaccagccc 20580 ggccaacatg gtaaaacccc atctctacta aaaatgcaaa aattagctgg gctggtggtg 20640 20700 cacgcctgta atcccagcta cttgggaggc tgaggcacga gaatcacttg aacccaggag gcagaggtta cagtgaactg agattgcacc actctactcc agcctgggag acagagtgtg 20760 20820 accetgicte aaaaaaagaa aacaaaacaa gtaggtacti tetgecatag ggaggattea taaactgcta gtcctcaggt gcatttttgc ttatcagttt taaaaatcag agaatgtctc 20880 20940 aaagaattag gatgtcagct tettttgaaa atttgggcca gaageggtgg etcaegeetg 21000 taatcccagc actitgggag gctgaggtgg gtagatcacc cgaggtcagg agttggagac cagcetgace aacatggega aaccegtat ctactaaaaa tacaaaaatt agetgggetg 21060 gtggtgcatg cctttagttc cagctactca ggatgctgag gcatgagaat cacttgaacc 21120 cgggaggcag gggttacagt gaaatgagat tgcaccactg cactctagcc tgggagacag agcaagaccc tgcctcgaaa aaaagaaaaa gaaaatttgg aagatctgac aacagttgac 21180 21240 21300 ctgcattcct gctcggcaac agcctgatgg tggatgggca gaggctcagt tgtctgccaa 21360 acctcccatc actgatgtct tecetegetg teatcatetg ettgacatgt aggeatttgg tgtgtgcctt ctgctctggg tgcccagatg aattggatgc tatatgagaa aacattctgt 21420 aaatgtettg tggtaggcaa cetcaaagat cactggggee tecaatgate ceteetteet 21480 ggtattcatg cctgtgtata atcctctccc ttgagtgtgt actacacctg gatacttgct 21540 tctaataaac agaacacagc aagggtaatg ggatgctact tctaaggtta aattacaaga 21600 gtgtaaagtc tgtcttgttt gtttccctct cttgatcttc ctctcattct ctctctcc 21660 ctetetetea etttettaet gtettgteet teeetttgtt taetetgatg aageaageta 21720 21780 gcaagcatcc atgttgtgag ctgacctatg aagaggccca tgtggtggta aggaactgag ggcagcetet acccagcaag gaactgagte actcateata tgggtgaget tggagacaaa 21840 tecttececa ettgagetti eagatgaegg eagecetgge tgatgetttg eaggettgtg agacacetg agacagaaca etcagetaag etataceeta teteetgaga tagagtataa 21900 21960 tacatgtagt tttaagctac tatgttttgg gataatttgt tactcagcaa tagataacca 22020 22080 atacatatac catgtacata actgtttcag ttgtctgaga ctatatttag tcattttaca cctacatcaa gaatgtgtca ggcaccattc caggtacttg gaatacatca attaacagaa 22140 taggtaaaga ggccaggcat agggctcaca tctataatcc cagcactttg ggaggcccag 22200 22260 gtgggaggac tgcttgagcc caggagttga gaccagcctg ggtaaaatag tgagacactg totcaactaa aaaaaaaaa aattagttgg gcacagtggc acatgcctgt ggtgccagct 22320 getcaggagg etgaggtggg aagategett gageccagga gtttgaaget ceagtgagee 22380 acggtcacaa aactgcactc tagcctgagc aacagaaaaa gaccctgtct caattaaaaa 22440 22500 aaaaaaaaa aaaaggaaag aaagaaaaaa ataggtaaag atccttgatt cttgccctct tggaacttet attetagagg gggatggttt tteacagtag aagtetgtgt tgacageget 22560 22620 gtttaaagct ccttcagcat ctggggaaaa ggttnnnnnn nnnnnnnnn nnnnnnnnn 22680 nnnnnnnnn nnnnattttt tagagatagg gtcttgctat gttgcccacc aggctggtct 22740 22800 tgaactcctg ggctcaagca atcctcctgc ctcagcctcc tgagtagctg ggaatacagg tgtgcaccac catgcctggc ttatttcata tatatatatt tttatatata tgtatattta 22860 tatatataaa tatatatata atttctgtat ataaataaat aaatatatat atatatata 22920 ttttagagat agggtcttgc tatgttgacc accaggtctt gaactcctgg gctcaagtga 22980 tectectace tetgeettte aaagtgttgg gattacagge gtgagecatg geacetaact 23040 gagttatttt taccacacga agcataggac atacatccaa aaatgttctg agctgagcaa 23100 gagcctggag gcaagtgaat ctgaactttc ccgtctttga agaaaccagt ctctctccaa 23160 agtcacatag ttagtgtcac tccccccaag aactgcatga gctgggacaa tcagagggca 23220 gtggaaggte tggggcteag gggcgccccc tgctgtetcc ccagggtetg teceettacg 23280 caagageete tgeteecca ettteetgtg gageeteete accatgggea tgacccaget 23340 geggateate ttetacatgg etgetgtgaa caagatgetg gagtacettg tgactggtgg 23400 ccaggagcat ggtgaggcac cgctgaggcc cctgggggtt gggggcacag gcgggtcacc 23460 23520 ctggctgage tececteace atacgtttee ctacceacag agacaaatga acagcaacaa aaggtggcag agacaggtag ggctatgaaa gcagggccct ggctcacgcc caccccactg 23580 23640 caaccogett etcagggggc gggacteete taggeetggg eccaeccagg taaccetttt gtgggatgta agagtctggg ttcagaggaa ggctattttg gtgctctctg gcctccgctg 23700 gaaggggtga tagtgtccac tgagtgccag ttcctgaccc cactgccctt cccatcctgc 23760 ccagttgggt totactcctc cgtettcggg gccatgcagc tgttgtgcct tctcacctgc 23820 23880 cccctcattg gctacatcat ggactggcgg atcaaggact gcgtggacgc cccaactcag ggcactgtec teggagatge caggtgacet geetgtacag ggatggtgac agcaagtggt 23940

24000

caggcagtgc ttttcatttt ctctgtgcgt ttacatccag cagcttgttg ctttctccca agaaccctag gagatcaggg gtacctcccc attttacaga tgaggaaact gaggctagga 24060 agggacctgg cttgcttaat aataagaata gctaatgcag agtgctgact gtgcacttgg 24120 caccttgcct tgtttagtcc tacaacacct ctttgaggta gatgcgttaa tatcttcatt 24180 ttgcagttga ggaaaccgag gtacagggtt gcacagttag gtcattcacc caagatcaca 24240 cagetttcag tggcagecte cagaacetgt gttataaggg tacaegetaa agtettgtta 24300 gggctagaat aggtagagtt ggtatattag atatttattg ctgtataaca aatcaccca 24360 aggettggca ttttaaaaca acaaacactt ctcatctcat acagtttctg acagtcagaa 24420 atcagggaga gactcagccg gctgattctg agtcacagtc tctcatgaag acatagtcag 24480 gctgtcagcc agggctgcag tcatctgaag ggctgactgg ggttggagaa tctatgtcag 24540 24600 ttcaattacc cccatggcct ctccataggg ctgctcagga cacagcacct gctttccctt gagcaagagg gctaagcgac agagaccccg tatcttctct cacataatct cagacgtagc 24660 ataccatcac ttctgttacg ttctattata ggcacagagc aaccctgata tactgtggaa 24720 ggagactgga caaagcaggg gaataccagg aggcaggatc cttgagggct gtcttgttgg ctggagacca ccattgaggg ttttttttt ttttttatt gagacagtct tgctctgtcg 24780 24840 cccaggctgg agtgcagtgg cacgatctca gctcactgca acctctgcct cccaggttca 24900 agegattete etgeeteage etceegagta getgggatte accatggagt ettgaaccea 24960 gattetgtga etgettttge tetttttgtg tteatecaaa cagtecetgt ttateetaag 25020 25080 aggatgggag aaagagactg ggagagaagg aaatccagtg gcctccctcc ctgctagcag agectggeec tggcactgag cettecteet etaccetetg etectaatgg tgagggteec 25140 ctagcagggc ccttctgtcc aggacacatg ggccgcctgt cctcacccca gcctactgac 25200 ctctctctg ggctggcctc agtgcccttg attgtgccgg agagaggaag cgctggacag 25260 tcaggccaag ctgctgtccc caggagggca tctgcttatg tctagggcag ggacaccttc 25320 ctgaggactt ctgatgagag acggtgtgag agcttcccac ttcccacctt ccttcccatc 25380 cttggttctc aaaccttcaa gtgtgcatga gaatcactta gtgggggata tttgtccaaa 25440 tgcagatttg cagatatccc cgctgagatt ctgagggccg agatgaggcc tgtgaatctg 25500 catgttaaga aagcacccgc tttgatgcgt gtgtcattgg gtaggggagc aacactttga 25560 gaaacatgga gctagagaac gtgggtttct atgggtttcc catagaaaca tggatttctg tgttttctgc tgccctgaca tcgaaggcac atctgaaggg ggaggggcca ggccaagaac 25620 25680 cagggagtcc tgggaacgta gaggcagcag ccagtgactt cccgtactcc tcagggacgg 25740 ggttgctacc adatccatca gaccacgcta ctgcaagatc caaaagctca ccaatgccat 25800 25860 cagtgccttc accetgacca acctgctgct tgtgggtttt ggcatcacct gtctcatcaa caacttacac ctccaggtac ccaccttcat ccttcccctc tccctgcctc ccgaggctcc 25920 tocaaaggga tggtccatco agcacctgco ttocaggaag cgcagttotg gtottotgat 25980 ctggatctat tttccgggtt ctccaggaag tgtttctagt agattgggtt ggcgaggggg 26040 tgggaattga ggcccagttg gcctcttcgc cctacccctc cttcctccag cctccacaca 26100 26160 ctctcctaac ctcttcactc tctctttttg gttttagttt gtgacctttg tcctgcacac cattgttcga ggtttcttcc actcagcctg tgggagtctc tatgctgcag tgtgagtctg 26220 ttgggctgaa atgccttcct gagctitgca accgtgatca gagaacccca gggaagggtt 26280 gggagggccc caggcatccc ctaatgcacc tctctctgag accetctgat ggcagggage 26340 tcacttcctt aaaggcagcc tatcctgctg taattgactc cccctgttgg agtcttccct 26400 26460 tagaggaage tgaaatacct ggettgatga cactttggtt ctatgtetge tgtttgaaac ggcccccaga atggcctccc ctccatgccc accctgaaga aatttcccaa gggcagccat 26520 ttgccttata attttcctct tcatgttgga cagtccccac ttgcatctct ctcctggttt 26580 cccctgctgg gcgctgctga gggactctcc cctgtgtatg tgatggagta acaggacatt 26640 acaataatga tgacaaaatg acaaccatta tcaagtgctc cgttggtgca ggcagcaggc 26700 aggatecttg accateacte ectgagttea geeteactge ageggteteg geagagggea 26760 26820 getetettte etteatetge teaageeaga accetggagt tteettgatg ttteteteee 26880 tcacactcca tgttcactcc atcctcagta cagccagcag cagcttctac acaccccaaa tetgaccett cttgtcacct ccactgetge ctctccagte ctagecacca acatetetag 26940 cetggattat tgtggcagec tttagtetee cacatetgee etggeeeege tgteteagte 27000 tatttttaac acaggggctg cagtcacctg tcaggacata agtctcttca catcactctg 27060 tggtgtcctg tctcatctgt ctcagagtaa aagccaaagg ctttactatg gcctaaaaag 27120 ceetgeaage tetggeecea geactteact ecetetage teeceeteet ceattgttea 27180 ctctgccaca gccacagtgc ttcctagtgc tccggaagtc tcaagtgtgt tccctgcttg 27240 gcatctttgc atgtactagt ccctgtttct agaacattct tctccagata tctgcaaggt 27300 geceaatett acettetete ettetteagg tettteeetg actgteetet teteagtgag 27360 gcctcccttg gctgtcccat gtacaattgc aacctcccta ctgcccgctt ctctgcttgg 27420 27480 tttttctcag cgtttatcac taacactctg cctatctctt gcttattgtc tgaccgccac ctgctccatg ggaatgccac ctcctcgatg gcaggaatct gttgacttgc ttgatcgtgg 27540 tatctccagc acctagagca gtgcctggca catagtaggt tctcagctaa atgtttgttg 27600 acagaataca gtggacagtc ctgcgaggtc aatgccatcc ctgttattag tggaggaagt 27660 27720 ggggctcagg gagtttgagc cacttgccaa tatcacacat acaggaggtg tgagaaccca gctcagtggc cctgaagttg gagcatttgc cctcaaggct ggggaccaaa gagcccatgc 27780

ааапапсссп	aacgcttaag	caccaccctg	cctggccagc	ggggnnnnnn	nnnnnnnnn	27840
nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	ппининин	27900
מממממממממ	nnnnnnnnn	nnnncccact	gcgcctggcc	cattactttt	aatggcaaaa	27960
accacaatta	cttttgcacc	cacataaata	gttaccatgg	gctgagcatg	gtggctcagg	28020
cctgcaatcc	cagcactttg	ggaggctgag	ccaggcggat	cacttgaggc	caggagttca	28080
agaccagect	σσccaacatσ	gtgaaacccc	gtctccacta	aaaaatacaa	aaattagttg	28140
aatataataa	cacataceta	taatcccagc	tattcaggag	gcagaggttg	cagttcactg	28200
aaatcatgcc	actocactcc	agectgggcg	acagaatgag	actitgtitt	aaaaataaat	28260
aaataaataa	ataaatattt	accatqtttt	gaccacctgt	tatgtgccaa	Cigiatiati	28320
tasasacacc	cataggaaga	toggcacagt	ggctcacgcc	tgtaatcgga	cacttiggaa	28380
aaacssacaa	ggaggatece	ttaaggccag	gagttcaaaa	ccagcctagg	taacacagta	28440
agecetatet	ctacaaaaaa	taaaaaaatt	aactgggcat	ggtggtgtgt	geetgtaace	28500
ccaactcctc	ggggggggg	gggagaggtt	cacttgagec	cagcagtttt	aggiligeagi	28560 28620
dadccaddac	caagacacta	cactccagcc	tgagtgacag	agcaagacac	Lycciciaaa	28680
caaacaaaca	aacaaaagcg	acctgtgggt	aggtaggaac	aggctcatag	tacagalgag	28740
aaagcagagc	ttggagggct	caagcgattt	gccaagcaga	ggtccaagcc	gaggtetete	28800
traatroaaa	ottaattcco	tctatcatat	caccacagcc	ctctctgccc	cagggagagu	28860
ctctgcccac	tccagccact	cacgtgtaat	tgacttcctc	aggggcagga	aaggettega	28920
tgggccagtt	gagggtgcag	ttcagaaaga	taaggcaggc	caggccagac	caggigaaca	28980
tgatgaccac	gaaggccaca	ccggcatcgt	agatcagctg	tgagaggagg	gggcaggccc	29040
gtgggggaga	ctgcctggcc	ccagacccca	ccaaggtaga	teccaggeet	cagaggeeee	29100
aaagaagttc	tcttctcccc	ttgtccttgt	gcccaatttg	cagatgagga	attenagece	29160
agaagtttag	agtcagactc	agaagaccca	tcattccttt	TTCTTTTCC	anatassast	29220
cctagagagc	tatgaaatag	tctccacaaa	gcctgaagtt	getggeeaet	ggcccaaaac	29280
atctctgaaa	tttccattat	cttaaaaaaa	tacatacatt	tregectary	ggaaacttag	29340
cattcatgtt	catgttcgca	caaaaatgtc	catttcatag	ettestases	cattececae	29400
tgctctaggt	ttaccgggcc	taatcgtgtt	tateetgeee	terestttes	cacccccag	29460
gggaaaaggc	aaacccagac	tgctcatgct	cagectttte	agtactatac	ccaaggcccc	29520
cacgtgcaac	aactgggggg	gttggggaga	gggaggtgta	tatacaaata	tatcageest	29580
tcaaccccag	ggcaggtaag gaagctgatg	coccaatty	cctcttatcc	tccccatacc	atctgaccag	29640
tcttatggaa	gtctgctctc	caccaccigi	cctactcaaa	cctttttctc	tacaatctta	29700
gataattaat	grergerere	cctagger	ggacagaget	tcaaagggcc	acaccccaa	29760
gaccttggtg	gtaagatctg	actettessa	cactacttca	gttgaaaaga	agggagaact	29820
atgtgtggag	catgcctgcc	caccadaaca	actgatggc	ccccaccca	tgcgctctct	29880
geccaecete	taracacact	dadcagaadt	accttcttta	gtactctttq	taaagtgcaa	29940
aacccccc	artttratac	tacccaccat	ggaggttgag	gagcatggca	tggctcaaag	30000
gatactta	tatttgacag	aggaaattga	ggccccatc	ttgcactgag	ctaaaacttt	30060
ggtccccaga	cttcgaggta	caccaggttg	acctgtccag	gatccagcct	ggcataaact	30120
cactttqtqa	ccttggacca	aaccacccat	cctctctgga	aggtgtggaa	aaatgtggcc	30180
ccaaaggeto	r aataaagcca	gagagtcagg	qaccttgaac	gcatgtgaag	gggctggact	30240
tgattctgta	ggtgaagcta	aaccactgaa	ggtttttcag	cagtgtgtga	gecagtteec	30300
catctgagat	: ctttctggaa	gtcacgtgag	_I tgacagagta	. cagagaaaaa	gaatcagagg	30360
Caddadacc	· acctdagaaa	acttactata	gcccaggaga	qaqqqqqaaq	gcctgcattg	30420
ggatgatgag	: agagaaagga	gagcggagaa	ı gtcagacccg	tgggtcagca	ctagetgetg	30480
ctcactcggg	: cccacccddt	tcttqtqtca	ayacaaaay	aaaacccag	, eggeeee	30540
ccttcattcc	· tagaaacata	atoocagaag	, aggcgtaaga	gecaateate	, agggccalla	30600 30660
acatagaaca	r cadditiccca	aacatgttgg	r gcagctgagg	, agggaaagca	i gcacccarga	30720
ant agains ca	contraccet	tocccaocat	tcccaqccct	: gctccatace	atagetecay	30720
dadacdcad(adaaaadccc	: caaggtaaaa	ı caaacaqaaa	l aatcaatgig	ggaaactyta	30840
ctctgcccc	tgcctacaca	gtcacagtgo	cctttagctt	: caaaaaggc	cccagacacc	30900
cctcagagag	g acattttgtt	: aattttgttt	aattccaggu	ttcccaagu	tgttacgtaa	30960
cacctctgaa	a aaacacatgg	, aataggtgct	taagaaacac	tgattttgg	tgggcgcagt	31020
ggctcatgc	tgtaatccca	gcactttggg	g aagccgaagc	: ctccaccaa	g cttgaggtca	31080
ggagttcaag	g accageetge	acaacatggu	transporta	tecadadaci	a aatacaaaaa	31140
ttagctagg	atggtggcat	gegeetgtaa	a loccoaccia	a datedeace	t gaggcaggag	31200
aatcgcttg	a acctgggagg	cygaggicgo	agugaguege	a aaaaaaaaa	a ctgcacttta	31260
gccrgggrg	a cagagegage	conttt	accountation	tgagaccca	a agaaaagaaa g ggaggaaaag	31320
gaaacagtg	a tottgtccaa	a cocattigaç	g atyayacaa	attatcatt	g ggaggaaaag g tcccagccct	31380
tgtactcaa	y ticacagage	. acaccaacy	r dataatadd	c agtgcctct	t aacctctcg	31440
aacccaagg	c cycgaccato	- totacotaa	t caddacaaa	t cacatecto	g gaggtgaggg	31500
+~~===+==	n nnannnaari	TAGCCAGGG	c agacagtct	c cagaggagg	t ggctctgatg	31560
cagadataa	u tcamaacco	a caccaddad	a gaatttaat	t gatcatqtq	t tecaetcace	31620
cagageagg	y coagaacce					

tacctcaacc	aagccctcag	ggcaggggaa	ggcaaagtca	ggatgccctt	cgcacacacc	31680
atactatac	cccaccatcc	tccccaaqtc	actagatccc	acageryaya	aggaccetag	31740
antecataca	aagcctaaac	acactccaca	gagggggaaa	ctgagactet	gaayyyayy	31800
atanagaact	ctaataaaaa	aggcgtttag	qccqqqcqca	giggeicaca	CCLycaacco	31860
and an atten	agagggggg	acaaataaat	tacctaaqct	caggageeeg	cyaccagece	31920
~~~~~~~~~	atasasccc	ntctccacta	aaatacqaaa	additageeg	99090999	31980
artaca acta	tagtcccagc	tactcoooda	actgaggcag	gagaattytt	Lyancelagy	32040
	tacaataaac	cdadatcdcd	ccactocact	ccaycctggg	cgacaccgcg	32100
	+ < > > < > < > < > < > < > < > < > < >	aaaaaaaaa	atdututla	addatatata	ac Juanted	32160 32220
acttacacat	tecectoaad	taactaactc	aggaaaaacc	LCLacicaci	caggeagagg	32220
++++aa+aa	ccctdcatcc	ataaaacacc	actoccaaqq	acgccayyya	aggeegeeag	32340
acataaaaaa	addeaddace	ccctcccctc	caaqqqqcca	Cadacycigi	cigogoodag	32400
taggetagget	aanacaaaac	caaccaacta	accccqqqcu	ggeggeeeeg	cagegege	32460
~~~~~~~~	actagaccca	caagactcag	cacgggacgi	CCCCyccaa	geeegggeea	32520
2424424444	cccsaaaaaac	aaaaccaacc	agagggagcg	gggagaggcc	gagggegge	32580
~-~~~~~~	aaccctacca.	ttaactaaa	attacaddad	geggggaear	agcagggagg	32640
agccgctgga	caagccccac	ccggccgcca	gggagggtet	gaggccaaga	deeddaadaa	32700
20002+++20	aaccctaaac	caagttgcac	aqcaqqqaqa	aggggccgcg		32760
gggagaaagg	gatccgcttc	cttcctttag	agetgtgaaa	cartcarge	gcccttctca	32820
ggcggctgct	ggggagaggt	gaaattcagc	caaaaccacc	ctccaactc	cctaageett	32880
gagataaaca	gtccgagcca	geeeggeeag	gaaccccccc	aataaacaca	ctttgagcaa	32940
taacactcct	aagcctttaa	cgcgtttaca	atcaaccat	atacacaaca	aggtgtcgac	33000
cacacataca	ccactcacca	catglaatag	caaacacacc	taccaactca	tggctttcac	33060
aatttcatat	ggttcaacct	agradactea	gacatggcaa	gcgtgcacac	gctatctcaa	33120
agggacgggg	tcacacaccc	atcatctac	ccacttttat	tttcttccca	gcacctatga	33180
gctgctccct	ccccccaag	tttacttatt	tattgggtta	tctatacccc	tcacccccaa	33240
cgactgacat	aatttattag	ggatgactcg	atcagtecta	attotoctot	agtccaggac	33300
aatgtaacct	actccataga	cattcatgg	ctctgtacac	acaaacacac	acattaacat	33360
ctagaacaga	gccccacgga acacacctc	atccacacac	acacageete	acacctgctc	tttgcagcca	33420
oct con cact	ttctcacaca	ctcacttgat	ctagtgatct	gegtecacay	geceeeee	33480
an eacenete	· stactaccct	caccccactc	actitacici	caccccactc	gygggaacec	33540
tactaccaaa	ccaddcctdt	gacactcacc	: gtgagtgaag	Egaacgilay	gcagacgcca	33600
ccaaaaccat	tcagggacag	caccaddaat	. atcaacggay	acayayccyy	adaggggaaa	33660
acaacaaata	, adddcatttd	aggagetgte	ggaagccaag	ggcgggagcc	. ggggcaaaca	33720
tecacettes	teccaectat	tetttette	tggggccaca	agaggacaya	Caactcacce	33780 33840
tecaeatece	- aaaaaaaccaa	gaccataaaa	n gtgcaggacg	cagigaayca	ggcaccgcgg	33900
2426262446	, sadddcdadd	aattaaccto	, tgagcacccc	GGGTGGGGTG	culturguage	33960
a contract	, tecteceatt	ccccatagc	cadccaccic	accigccaac	, cageegeaeg	34020
aat caaaaa	- caaaaccootc	: catgaggatg	cccaqtqqc	i gggrggrggv	, geegageaeg	34080
224422462	taataaaac	. caddttdadd	atctcqtcc	, gulygilala	gcccggccac	34140
ctgcgctgct	catcctgggt	ggtgttggt	g etgeteteag	accadeces	g ggaagggagg	34200
gctcagcaca	a tgacaccago	aacagctggg	tacayyaya	. ctadadtcad	agtcaggcgg	34260
cctgctttca	a aatcccatgo	caagtgcct	t tgggggtace	ctagageeat	atctcctctg	34320
atggggctg	c tccagaaat	geagecatte	a geacecgaea	cataaaaqta	cttgtgcaca tttactaagt	34380
cacageetg	a ggetteaaci	. ageceaacy	a aaattataa	ccccaacaa	gaagtgcccc	34440
	. ~~~~~~~~	a addcadtd	a ataatactc	t aatqqctat	a acaayaacce	34500
2++2222+4	a cecaacata	r tagttcatg	c ctgtaatcc	z accactyty	y yayyetyaya	34560
anagangat.	c acttaadcci	- acaagtttg	a daccadcct	q qqcaacaty	y Laaaacccca	34620
+ <+ <+ > > > +	anseses e	a atttagaaa	o aacactaaa	a cttagaggad	a gettetetga	34680
++	a totaataaa	a taatagota	a tacttattq	a gcacttaac	t atyciciayy	34740
aaat att at	a antrantta:	a taaaqtatc	c cattcccta	g gtgatgaag	c cyayycacay	34800
22+42422	c addractdo	- checagice	c ctctagaag	t ccacttgga	g gadilylddi	34860
taaccataa	a ctoccaact	r agagttata	a caagttaag	g agaaaagct	a gigalaggag	34920
202220000	+ acttcactt	t actcaatge	t cannnnnn	n nnnnnnnnn.	II IIIII	34980
	n nnnnnnnnn	n nnnnnnnn	n nnnnnnnn	n nnnnnnnn	U DUMINIMI	35040
	n nntccctcc	c teceteest	c cctcccttc	C TECCTECCE		35100 35160
++ cc++ cc+	+ ccctccatc	t totocacac	c tootatcat	c atacagaag	c agagaggaci	35160
gazattaat	a seeatttca	a tictcctqt	a tagagagat	g agcactgag	g aagggguggg	35280
aactataaa	a ggagactta	c ccaatcttt	c cadcccacc	a atecettige	c caguguette	35340
2+222+22	a aacctttta	c atctgattt	a agtaggaag	c tgattcctg	a geceectaga	35400
tctgctgaa	t cagatagct	a agggggccc	t ggaatctgc	a cittagcaa	g cggaggtggg	35460
ttatgaago	a ctccaaagt	t tgagacacg	c ctcaaaggt	y gagiggill	t gtggggggca	

						35520
gaaaggaaaa	tgcaaagggg	gaaggggtca	cacttgggga	aggtttcaga	caataccgag	
tggaaagggt	gatgccaggt	gtggggagta	acagatagag	gaggcaaagt	gagtggagac	35580
caagccagac	cagggaggag	ggggccacag	ccaaggtgag	acaggtcagc	agccagaaac	35640
casacsasc	acttgcaggg	tacaccccac	cctctcttca	tggcaatctg	agaccgagga	35700
h	ataaaaaaaa	cccaacetta	tttctaaaaa	gtgggtcaga	gadgaageet	35760
cguggagacu	Ciggagagee	tt	b	2599900090	gtggttagg	35820
ctcatccccg	ggcaccagcg	gccttcccgg	gaggereaac	acgcagatac	tragacagge	
gtccatcact	ccccggcca	gagcccacca	acgctcctcg	aggtccgacc	ttgtccctcc	35880
ttctacccca	cagtccccag	tectagetea	tctgcataaa	gctccaatta	acatgttttt	35940
cctttactat	ttacaatece	agaactcott	cccacccca	agcccgtttc	ccqccqcttc	36000
-t	~~~~~~~	cccattaacc	ctcacaeccc	gggccgctcc	tagcagtect	36060
ecogeococy	ggagggegge		ctagagataa	aggacgaca	ctaaaacsas	36120
gaccccgcca	ccccgtcccg	cggcgggggc	cigggggiga	ggggcgcgcc	ceggggeaga	36180
ggattgcgcg	gcagggtctg	ccacagggca	gaggccaggg	ctctccggga	aaaaggcagg	
cgcatatatg	ccccctttc	tgggaaaaga	cggggagggg	ggcttctcct	gggagactcc	36240
aggettegaa	attcctcgtt	ccctatcctc	cggccccgc	acccctcctc	ctccccgcca	36300
cacacactat	ccctccca	accatctatt	ccactcccca	gcgccgcgac	aaacacggct	36360
cycaccccc	tacacacata	90000000000	tecesages	ccggggagtg	agagagaga	36420
ccagctcgct	reegeeeetg	cccagccccc	teteccaagee	tetacasas	agatagagag	36480
cagacgccct	tctcctagga	ggccggaatt	tetgeeteea	tctcccaccg	gggcccggcc	
ggccagaggc	aagcttcgag	acccccacc	aaccaccacc	accgttgcga	gggccggtga	36540
ggctgcagat	aacgcttgca	aggacgggag	tcggggaggg	tgtagggcga	gtttaaagga	36600
cooocagage	aagccccggg	aagaggcagg	ggttttccct	cccgggtcgc	cgcccccgc	36660
acceteggage	CCSGCCGCSG	ccacacaaca	ccacctacca	ggcacaccaa	ggacctggcg	36720
accereggag			acactactaa	ctcacactca	acctcccaa	36780
cgcacgtggc	gettacece	acccccgggL	eegereery	ctcgcgctca	geeteeteag	36840
actattcgca	aattgaggat	cccggacaca	gagtgcagag	accccggcaa	gcctactgaa	
agccagccga	acccgctggt	gggtgctagc	caattctgat	tttgtacttt	acaaaaacaa	36900
aaaaagtcag	tottogaagt	cgggagtctg	ggctcagagc	agcagggatc	tgcgatgtga	36960
ctttaccaaa	tetecadace	cctgaggaga	ggttttccta	tctgaaaacg	gaggggacag	37020
b at at at at	teretteter	2009499404	33222222	agggaaaatg	acttaactaa	37080
tetetettat	Laacticica	ayayaaacaa	agacaaaggg	tagggaaaacg	at at an aat a	37140
aatgctgtct	tacagagcca	acctttggag	grggggaga	tggccaaggc	- tetagaggee	
actcttggcc	ccaggagcag	ctgagaaccg	gaaagaagct	tgggacctcc	tttctgcaga	37200
gctatccttt	ccacagactg	ccgaggttcc	aaattgagct	ccaccaccta	acactgtgtg	37260
cccttgggtg	totoccttaa	cctctctaga	cttgtttcct	acagcgacaa	gaaagaatga	37320
Caacaccaac	ctcttaggct	atagtttgga	taaaatgaga	tagctgtgta	gaacagacag	37380
caacaccaac	+	ttcccttcat	ttaaaaaactt	gctctaacct	ccagggetta	37440
accetaaace	aatgttagtt	-t	eeggggaccc	gatatatat	tctacaaat	37500
tgtcccagag	gcacaagcag	grgcagggcr	ggataaataa	ggtatgtctt	therest	37560
ctcttgtcct	cactgatggt	gtcttctctt	gatatagata	attttaaagc	ttcacgttat	
ttatttattt	actttaaagc	ctcactttaa	tgttaaaggt	aaatgtaaat	atagtataac	37620
aaggaagctc	aaaatttqca	taaagtttta	agataaaata	ggagactcca	aaaaagtgtt	37680
actttcggca	gaccctaggg	atgctatggt	gggaagtttg	agtcatacct	tagcattctt	37740
tetasagget	teteteetaa	tectetatat	ddadaaaadc	cagcttcctg	gatgtacccc	37800
LCLaaagcat	cetyteetaa		a at a sat a sa	agaataaag	acadacata	37860
aaatcctggg	aagtaggggg	caggagetgg	acteceteca	agcactaagg	gcagggcacg	37920
gttgggaaca	gggaggtgag	ccagacagcc	agaggcgaac	gggctggcat	gecaagegie	
ctagttaatg	cccagctgag	cctgggtgaa	gaaggatggg	ggtgtgggga	agacaccccc	37980
caccaaccgc	caaagacagg	cgcacaccag	ccagtctctc	acttcccttt	ttatttcctc	38040
taagacttgc	aaggaggagg	accagagagg	gaacctgccc	tectggeeet	qqaaqqqqcc	38100
- anagacongo	ccctaaccca	agacacaget	accepted	gcccctttcc	ttctgaaagg	38160
gacccccaac	-t-t-t-c-c-	55000000000000000000000000000000000000	990000000	tacatatata	cacactcato	38220
agggctgtgt	CECECECACA	Licacacaca	cacagacaca	tgcatgtgtg	cacacccacg	38280
gcacatggga	cctcaggggt	agcctgtttg	ccgatcccc	caagaggtac	caggaggcag	
accgctagaa	ggagataaga	ggcaccctgg	tctcctccaa	cccaaggagg	aagaaagctc	38340
aacccctcta	ggatagggac	tgtcttcagt	caatggagcg	ttgacttagg	gggcgttttt	38400
gaaggtttt	tttcctcctt	tttacaatct	ttacaaaaat	agaacttctc	ttggtattta	38460
taaatotaco	accataacta	tatotocato	ttacaggtag	aaaagccata	tagaacactc	38520
	gecaeggete	eatherstat	cottonggong	ccttggtctg	agaagtetat	38580
cttttggttg	cccaggeeri	gartgeetge	Cattotagget	+	agaageetae	38640
gcggtcacct	cagagccgct	aagcaccttc	agtgggccca	tcccattggc	ggegtaetee	
tgctggagcc	gggcacggta	atagaagagg	taggaaggca	acaggaatcc	caggagtgag	38700
aatagcagga	ggcccagatt	cacctttagg	gcaaggagag	agaaacagag	tcaagtaggt	38760
agtcatctgc	ccttagcctc	ccacagggag	gagaaggcgg	ccatttttct	ccaggtcctg	38820
anccanaata	aatacancta	gtacttatta	tatataatca	ttgttccacc	agtatctcac	38880
+++	goaattetee	aaantoooto		tctcaggtat	aacaagtggc	38940
LLaatgilca	guaautuugu	aaaytyytty	agacyayacı	torrange ac		39000
agggcctggt	gggtgcccac	accatatggc	acteactagg	taggtatgag	yaayycacay	
cactgtagga	gtctgggctg	gtcaggctgc	: tcccgaaatg	gggccttctg	ggctcacccc	39060
tctgaccttt	ggagatgtta	accaatggga	tcccgttcag	ggtggcgaga	ggaggctctc	39120
agacacagtt	caaggaactg	ggatgcacao	cctggtggac	: agaaggcttg	gaaggcccag	39180
gacacacaaa	ctctcactcc	gttcacatco	cactctgcat	tactcactot	gtgactttgg	39240
gacacgeggg	- desattette	ctaactacct	cettetesas	actattataa	cgaagatgta	39300
gcaaataatg	yeaattetta	Cigagigee	. Culturage	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-333-4	-50

anttaaaaaa	aagtatgcat	catgcttagc	acatagtgag	tgcttggtaa	atagaagcag	39360
++-++	acaattettt	aaaaaaaaa	tttacqtqtq	ggtggtttta	cagggcagac	39420
	aatcaddad	acadatdadt	tcaatgtaag	gaaaagaccc	actaacagea	39480
gaaagaccag	ctcgtgcagg	autuaatacc	ctaccactga	gggtatctaa	gctaagaggg	39540
gcagggctgc	tttcaggggt	actagagaca	ggatcccaca	ctaggtagaa	ctggattgga	39600
aagggtcccc	ctgaacacag	geeggagaea	caggactggc	cacttcacaa	agcacctgga	39660
ccaatggtgc	ctgaacacag	t- esagetes	aggactataa	ctcacaccta	taaccccagc	39720
gtttactaaa	aacagactcc	caggaggcca	tasaaccaaa	agtttaagac	tagectgtge	39780
actctgggag	gccaaggtga	gaagatcatt	cgaggccagg	taaaaaatta	accaditate	39840
aacatggcaa	gaccctgttt	atctgtacaa	adultutt	accagagat	cacttgages	39900
gtagccatca	cctgtggttg	cagctactca	gaaggerygg	geeggaggae	tagacaacaa	39960
caggaatcag	aggetgeagt	gagctgtgat	tttaccaccg	cactccagac	taactaaaac	40020
	c++c+c+aca	aaaaaaaaa	aacaataqqq	ccgggcgcgg	Lygocaaygo	40080
	aggagtttgg	magactaaga	agggcagate	acqayguugg	gagacegagg	40140
+	taggaggtg	aaaccccctc	lilatiaaaa	accedana	uuuuuu	40200
	ataataataa	acacctataa	tcccadctac	LLgagaggcc	gaggeaggag .	40260
+~~+~-	accedagaaa	cadaacttac	agtgagccga	gallycalla	Cigcacicoa	40200
-actagaaaa	cagaatgaga	ctccatctca	aaaaataaaa	aladaataa	ataaataaat	
	+++	acaaaaacad	actcctacqq	Leadderdag	acaccccgac	40380
	~~~~~~tcta	tatttttaac	actccctdad	qqqttctaaa	aggcagacaa	40440
	tacadattad	agacetetga	aatacctctq	gcigagaiga	gigaggaig	40500
	assaggeets.	recetacec	caggagagtg	geteetgete	CCCCacaca	40560
+ cact	ct cacccada	adddctctcc	tttcadddd	Cocaccatce	ccacguaaag	40620
tagatactas	SUCSSUCCUS	acacaccact	ggtgagggac	egcaggeerg	ccagcgcccc	40680
aaaaatt	agataggaac	ctatececaa	aacqqqaqat	caaagggryy	Lyggggccc	40740
teraggggcc	caagaacttt	ttcttttcct	tcccaacatq	ggnnnnnnnn	nnnnnnnnn	40800
	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	ummmmmm	1111111111111111111111	40860
mmmmmm	nnnnnnnnn	nncactccao	cttgggtgac	agagtgaaac	cctgtctcaa	40920
nnmmmm	aatcttaaag	aataaqqata	taaagaaaga	aaatatttt	gtgtagctgt	40980
aagaaaaaa	tatttcaagc	caactattat	tacaaaacad	tcaaaagttt	ttaaaaattt	41040
tcaatgtttg	aaagtaaaaa	agetaagtaa	gctagggtta	attttttat	cgaacaaaga	41100
aaaagtttat	: aaagtaaaaa: : tgtataaact	tagtcaagcac	taadtotaca	ttottttat	tttatttatt	41160
aaaatatctt	: tgtataaacc	~+++cactct	tattacceaa	actagagtac	aatggcatga	41220
ttttatttt	ttgaaatgga	gricuation	, cyccycccag	tratactaca	tcagcctccc	41280
tcttggctca	cggcaagctc	tgtetecty	g grecaagega	agtttcttt	cattttttt	41340
aagtagctg	gattatagge	accegecace	atguatgget	ataatacaat	ctgggctaaa	41400
ttgaaatgga	a attttgctct	ttgacccago	tetestaset	cacctcctc	antancton	41460
tgcaacctc	acctcccage	ttcaagaga	- stattatatat	tttageeceeeg	gacagogtto	41520
attacaggc	a tgcaccacca	cactegger	a acceptage	tectageage	aggtgatcca	41580
tcaactaaa	g agaaccatgt	tggccaggc	t ggtotagaat	. cccigaetc	r ccarccarta	41640
cccacctcg	g cctcccaaac	tgctgggat	c gcaggcacya	stagecate	acattcactt	41700
tacagtgtt	t ataaagccto	: cagtagtgt	a cagcaatgt	tagaceta	atacetasts	41760
	+ cactcactc	. cccadadca:	a ctoccaulu	Lycaayccy	. acguacgaea	41820
agtgcccta	t ataggtgaad	cattttta	a tattttatac	tatattttt	ctgcaccttt	41880
	- ~~t-~c-c	tactracca	E Editallaca	Luguetacay	g caaccagene	41940
++-	+ >+aaatttai	- addctaddc	t ataccatqu	- quulaugug	c grayregree	42000
-+-a+a+a+a+	a atttatacac	rctatcato	t ttucalaaa	, alaaaalla	c ccaabgara	42060
	~ ~+~+ <u>a</u> ++cc1	- attattaad	c aacacatut	i Laaacacc	a caagaaacag	42120
	4 +++++~+++	- datacaddd	r creactita:	L Calleagy	c ggagcgcagc	42180
	+ caacacact	r coacatcta	c ctccccqqu	Liaallyall	c cccggccca	42240
	a taattaaaa	r tacaddcac	d caccaccac	4 cccggccaa	c cccccgaa	
	a sastagaat:	t ttaccatat	t aactadacu	q quullyaac	c cccgaceca	42300
	a acacettaa	r cticccaaca	t actaggatt	a caqqcatya	g ccaccacgee	42360
	~ a++++++	n ttotttaat	ב בכנננננננ	t taayayata	g acceded	42420
+~+~~+~~	a actagaata	c aatddcaca	a ccatagoto	a cigcayeer	c caacccccgg	42480
	· acctectec	c traggette	c cagtaactg	a gactacayy	L glgagecace	42540
-++-a	.+++-+++	t tatotttta	it tittigtag	a gggggggcc	L LLCLargery	42600
	- +ctcsssct	c ctadactea	a tcaattctc	c tactitigge	c ccccaaaggg	42660
	a saatatasa	c ctdaaaac0	t totadtoto	q aaqtqqaaq	a Laggeceugg	42720
+	.+ +++c>>artt	a adcaaddti	t addtcactt	a iyaayiiiy	a ccagcccege	42780
++++	, astetaesa	a cotaacete	ed dttttcatt	i gilliaala	g cycecacycy	42840
*	-~ +++=+~+ac	a tacataata	in daddaaadc	t cayaaatca	a graageeaa	42900
020222021	-~ tsattataa	a caaaaataa	aa ttctatqat	.q aayaaytat	.g ggccacggga	42960
++	*+ accepteta	a taatcadda	a caatuteet	t Lyyyaay Ly	a caccegages	43020
	s atacaataa	a adttadtta	ad dddtdaduc	a ylaayaccu	a gage-ggggg	43080
atgccctga	a gracggrag	g agecygete	ad accepted	a ctctoctac	a gggcagtgag	43140
ttcctgca	ca ageteaget	y yycaccya;	,,	,		

gagcagaaag						43200
	gctgaggaag	gcrgggrgrg	grggcrcaca	cttgtaatee	cagggetttg	
agaggetgat	gggggaaaat	cootagaget	caggagtttg	agaccagcct	gagcaacata	43260
agaggoog	55555			aaatataata	atatacatet	43320
gcaagactcc	atccctgtaa	aaayeeeea	aaaaccagcc	gggcgcggcg	gracycarer	
gcagtctcag	ctactcaaga	ggctggggta	aggattgctt	gagcctagga	ggtggacgct	43380
acaatacacc	acgattgtgc	cactotacto	caacctagga	gacaaagcga	gatectgtet	43440
geagegeee	acgattgtgt	Caccycacco	caaccagga	gucuuugugu		
caaaactgaa	tgaataggct	gtgtgcggtg	gctcactcct	gtaatcccag	cacttttgga	43500
gactgaggtg	ggtggatcac	ctataattaa	gagtttgaga	ccaqcctqqc	caatatggtg	43560
990090955			teastanent	atataattaa	agetagtegg	43620
aaacccgata	caaaaattaa	cigggcaigg	tggctcacat	Cigidaticc	agccacccgg	
gaggetgagg	catgagaatg	tcttgaaccc	ggggggcaga	gggtgcagtg	agctgagatc	43680
gcaccactgc	actccagcct	nadadacade	gagactccat	ctcaaaaaaa	aaataataat	43740
geaceacege	accodagece	ggguguougo	gagaccaa			43800
aataacaatt	aaaaaaaat	taaaaggcca	gggagcactg	gcagcctgtc	caaggtttca	
ggtcacttta	gtaaagggag	aacaatggct	cctcccagga	cctctgggat	ctcagcattg	43860
	catggaaatg					43920
ctgccctgcc	ttggccactt	cctggccctc	tgcatgcccc	agggtctcag	caccaagctg	43980
ttctcagtga	gtagctctca	tttagtgcca	agactetega	gcttacatcc	tacgatgacg	44040
		~~~	55555	200000+++02	ateteateae	44100
atggaatgca	taaaagatgg	ggctgtgata	geccayaget	aggggtttga	accidations	
atgttcatgg	agccctggga	gggagctcag	tgcaagttca	tttctctttt	ttggttgaga	44160
tagaactcaa	aggaggaagg	acttottcaa	agacacacag	ggagtgtttc	agtgtgggac	44220
eggggeeeag	aggaggaagg	1		55-5-5-5-	-9-9-999	44280
	ggagaaaggg					
gcaagcctca	actctgtaga	cttggtgggg	gccaggccct	cccaaacaca	cctgacaggt	44340
atctataatc	ttggggacat	tatcactccc	cttcctacta	atactatact	atcactates	44400
geeegegee	ccggggacac	cyccycccc	cccccgccg	acgesecges	*	
catgaagcgt	atctcttcgc	cgtcccccat	ccttgctgag	agaggatggg	ttetettetg	44460
accaatactq	aagatcttta	gtaaagttct	ctttttttc	attttctgaa	agtccctctc	44520
*******		5-t5-t	266262222	agadataga	accaptataa	44580
Ligagaaale	aggacaagtg	agicayggcc	aggacaaaaa	acagiging	acgagegegg	
tggctcacgc	ctgtaatccc	agcactttgg	gaggccaagg	tggcggatca	cttgaggtca	44640
trantttran	actagectgg	ccaacataat	gaaacctcgt	ctctacaaaa	tacaaaaatt	44700
egageeegag	accageeegg	coaacacagge				44760
agccaggcgt	ggtggtgcat	gcctgtaatc	ccagctattc	gggaggerga	ggcaggagaa	
tcacatgaac	ccaggaggcg	gaggttgcag	cgagctgaaa	ttgggccact	gcactctggc	44820。
ctcttaacaa	cagagccaga	ctacctctca	aaacaaaac	aaaaacaaac	gacaaacagt	44880
						44940
gtagactttg	tgtttttctc	aaaagcactg	tcaagccagt	gcccgcagca	gragaccraa	
acacctccag	tcttgcctca	gggtcagttt	ccagcctccc	tggacacttc	ccccaggtat	45000
a+a+=a+++	tgattgtcct	aaatroanan	tetataacet	gacctggttt	gtcacagete	45060
gegeaceeee	cyatigecee	adacccagag	cccgcggccc	<u> </u>	900000000	45120
tcagtccctc	cccatcccga	atcccaggga	gccgcaggtg	tgtgcagaag	aggcacacca	
cactcaatac	atcttgcatc	ctcgctggac	ccaatccatt	ggcttggtga	tgtacagact	45180
gagggtgatt	atagccgttc	attectatta	acctttccad	atcaatctgc	cagettgget	45240
gagececate	acageegeee	greecegeeg	accececag	accaaccege	ougotoggot	
						45200
tctccgagtt	tcgcttgtca	gcatttctcc	aatcccatca	tgtactttgg	acctctttgt	45300
taaataactt	tcgcttgtca gctttatctg	gcatttctcc	aatcccatca	aggtetetee	acctctttgt tttgtccctt	45300 45360
tgggtggctt	gctttatctg	gcatttctcc aaattttcag	aatcccatca atttgacttc	aggtctctcc	tttgtccctt	45360
tgggtggctt aatatggctt	gctttatctg aatggtggac	gcatttctcc aaattttcag cctgtcaggg	aatcccatca atttgacttc gtagagaaaa	aggtctctcc tattgaggag	tttgtccctt ccctgacttt	45360 45420
tgggtggctt aatatggctt gaggtgcaca	gctttatctg aatggtggac agttagaggg	gcatttctcc aaattttcag cctgtcaggg ttagacaagt	aatcccatca atttgacttc gtagagaaaa ccagccacaa	aggtctctcc tattgaggag ccagcccaag	tttgtccctt ccctgacttt ctgcagtgta	45360 45420 45480
tgggtggctt aatatggctt gaggtgcaca	gctttatctg aatggtggac agttagaggg	gcatttctcc aaattttcag cctgtcaggg ttagacaagt	aatcccatca atttgacttc gtagagaaaa ccagccacaa	aggtctctcc tattgaggag ccagcccaag	tttgtccctt ccctgacttt ctgcagtgta	45360 45420
tgggtggctt aatatggctt gaggtgcaca gggaggcctg	gctttatctg aatggtggac agttagaggg tccagctgct	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca	aggtetetee tattgaggag ccageccaag tacaggaagg	tttgtccctt ccctgacttt ctgcagtgta cttccttctt	45360 45420 45480 45540
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct	aggtctctcc tattgaggag ccagcccaag tacaggaagg ttggtagaag	tttgtccctt ccctgacttt ctgcagtgta cttccttctt aaagaaaggc	45360 45420 45480 45540 45600
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct	aggtctctcc tattgaggag ccagcccaag tacaggaagg ttggtagaag	tttgtccctt ccctgacttt ctgcagtgta cttccttctt aaagaaaggc	45360 45420 45480 45540
tgggtggett aatatggett gaggtgeaea gggaggeetg getgeageee tetgtetetg	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa	tttgtccctt ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg	45360 45420 45480 45540 45600
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctg ctcttccaaa	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa etgggtatea	tttgtccctt ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc	45360 45420 45480 45540 45600 45660 45720
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctcta ctcttccaaa ctgcgccact	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa etgggtatea tcaettaatt	tttgtccctt ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct	45360 45420 45480 45540 45600 45660 45720 45780
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctcta ctcttccaaa ctgcgccact	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa etgggtatea tcaettaatt	tttgtccctt ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct	45360 45420 45480 45540 45600 45660 45720 45780 45840
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctcta ctgcgccact gcctcttagg	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcacttcc	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa etgggtatea teacitaatt aggtgtggga	tttgtccctt ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacctga	45360 45420 45480 45540 45600 45660 45720 45780 45840
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctaaa ctgcgccact gcctcttagg	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcacttcc cttggaggta	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttctc	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc accggggact	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa etgggtatea teaettaatt aggtgtggga ecgaaaccaa	tttgtccctt ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacctga acgaaaagca	45360 45420 45480 45540 45600 45660 45720 45780 45840 45900
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctaaa ctgcgccact gcctcttagg ctagttactc	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcacttcc cttggaggta cagcctaaag	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttctc gacgcttcct	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatgagat gtgtgccta atacttacc accggggact acatgacttc	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa etgggtatea teaettaatt aggtgtggga ecgaaaccaa aggettgegg	tttgtccctt ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacctga acgaaaagca gggctggagc	45360 45420 45480 45540 45600 45720 45780 45840 45900 45960
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctcaaa ctgcgccact gcctcttagg ctagttactc aggccaagcc	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcacttc cttggaggta cagcctaaag caatggagtt	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgcctag taatggcact ctctgactgc ggcgctaggc cctgatcca tctgcttctc gacgcttcct	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatgagt gtgtgcctaa aatacttacc accggggact acatgacttc cagggaggg	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa etgggtatea tcaettaatt aggtgtgtggg ecgaaaccaa aggettgegg atgtgggaagt	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacctga acgaaaagca ggctggagc gctttgcttt	45360 45420 45480 45540 45600 45720 45780 45840 45900 45960 46020
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctcaaa ctgcgccact gcctcttagg ctagttactc aggccaagcc	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcacttc cttggaggta cagcctaaag caatggagtt	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgcctag taatggcact ctctgactgc ggcgctaggc cctgatcca tctgcttctc gacgcttcct	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatgagt gtgtgcctaa aatacttacc accggggact acatgacttc cagggaggg	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa etgggtatea tcaettaatt aggtgtgtggg ecgaaaccaa aggettgegg atgtgggaagt	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacctga acgaaaagca ggctggagc gctttgcttt	45360 45420 45480 45540 45600 45720 45780 45840 45900 45960
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctcta ctgcccact gcctcttagg ctagttactc aggccaagcc gtggggtgg gcaaactcta	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcactctc cttggaggta cagcctaaag caatggagtt gagaaccgtg	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgcctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttctc gacgcttcct ggggggggct taaataggag	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatgacta gtgtgcctaa aatacttacc accggggact acatgacttc cagggaggg tgattattct	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa etgggtatea teaettaatt aggtgtgtggg ccgaaaccaa aggettgegg atgtggaagt gteeettece	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctcccatcc tctctgtgct tgcacctga acgaaaagca ggctggagc gctttgcttt	45360 45420 45480 45540 45600 45720 45780 45840 45900 45960 46020 46080
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctcta ctgcgccact gcctcttagg ctagttactc aggccaagcc gtgggggtgg gcaaactcta acaggaatca	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcactct cttggaggta cagcctaaag caatggagtt gagaaccgtg gcatcccaca	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctagcc ctgatccca tctgcttctc gacggtgggct taaataggag gcccatgtt	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatgagt gtgtgcctaa aatacttacc accggggact acatgacttc cagggaggg tgattattct agctatgaag	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa etgggtatea tcaettaatt aggtgtgggag ecgaaaccaa aggettgegg atgtggaagt gteeetteec aatggaaact	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctcccatcc tctctggct tgcacctga acgaaaagca ggctggagc gctttgcttt	45360 45420 45480 45540 45600 45720 45780 45840 45900 46920 46020 46080 46140
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctg ctcttccaaa ctgcgccact gcctcttagg ctagttactc agggcaggtcg gcaaactcta acaggaatca gaggggtata	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcactct cttggaggta cagcctaaag caatggagtt gagaaccgtg gcatcccaca gggaggagcc	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttctc gacggtgggct taaataggag gcccatgttc agcaggtct	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc accggggact acatgacttc cagggaggg tgattattct agctatgaag tgagttcata	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa etgggtatea tcaettaatt aggtgtgggag ecgaaaccaa aggettgegg atgtggaagt gteeetteee aatggaaact ttagtgeeet	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctcccatcc tctctggct tgacacctga acgaaaagca ggctggagc gctttgcttt	45360 45420 45480 45540 45600 45720 45780 45840 45900 46020 46080 46140 46200
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctg ctcttccaaa ctgcgccact gcctcttagg ctagttactc agggcaggtcg gcaaactcta acaggaatca gaggggtata	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcactct cttggaggta cagcctaaag caatggagtt gagaaccgtg gcatcccaca gggaggagcc	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttctc gacggtgggct taaataggag gcccatgttc agcaggtct	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc accggggact acatgacttc cagggaggg tgattattct agctatgaag tgagttcata	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa etgggtatea tcaettaatt aggtgtgggag ecgaaaccaa aggettgegg atgtggaagt gteeetteee aatggaaact ttagtgeeet	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctcccatcc tctctggct tgacacctga acgaaaagca ggctggagc gctttgcttt	45360 45420 45480 45540 45600 45720 45780 45840 45900 46020 46080 46140 46200
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctag ctcttctagg ctagttactc aggccaagcc gtggggtgg gcaaactcta acaggaatca gagggtata ggcacatctg	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcacttcc cttggaggta caatggagtt gagaaccgtg gcatcccaca gggaggagcc tgtttcttt	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttctc gacgcttcct ggggggggct taaataggag gccatgttc agcaggtct tattttatt	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc accggggact cagggaggt tgattatct agctatgaag tgagttcata tgagttcata tgaatttaat	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa etgggtatea teaettaatt aggtgtggga ecgaaaccaa aggettgegg atgtggaagt gteeetteee aatggaaact ttagtgeeet	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacctga acgaaaagca ggctggagc ggcttgctt tttctttcca gaggctccgg ttcctccata tttggcagag	45360 45420 45480 45540 45660 45720 45780 45840 45900 46020 46080 46140 46200 46260
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctcaaa ctgcgccact gcctcttagg ctagttactc aggccaagcc gtggggtgg gcaaactcta acaggatca gagggtata ggcacatctg tcttqctctg	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcacttcc cttggaggta cagcctaaag caatggagtt gcatcccaca gggaggagcc tgttttcttt tcgcccaggc	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttct gacgcttctc gaggggggct taaataggag gccatgttc agcagggtct tattttattt	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc accggggact acatgacttc cagggagggg tgattattct agctatgaag tgagttcata tgagttcata tgagtgggtc	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa ctgggtatea teacttaatt aggtgtagga ccgaaaccaa aggettgegg atgtggagg ttgtggagg ttgtggaagt gteeeteec aatggaaact ttagtgeect ttttttttt tcagtteact	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctggt tgacacctga acgaaaagca gggctggagc gctttgcttt	45360 45420 45480 45540 45660 45720 45780 45960 46920 46020 46080 46140 46200 46260 46320
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctcaaa ctgcgccact gcctcttagg ctagttactc aggccaagcc gtggggtgg gcaaactcta acaggaatca aggggtata tggcacatctg tcttgctctg	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcacttcc cttggaggta cagcctaaag caatggagtt gcatcccaca gggaggagcc tgttttcttt tcgcccaggc tcaagtgatt	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttct gacggttct gaggggggt taaataggag gccatgttc agcagggtct tattttattt	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc accggggact acatgacttc cagggagggg tgattattct agctatgaag tgagttcata tgagttcata tgagtcccga	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa ctgggtatea tcacttaatt aggtgtagga ccgaaaccaa aggettgegg atgtggagg ttgtgagg ttgtgagg tttgtgagg tttttttt	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacctga acgaaaagca ggctggagc gctttgcttt	45360 45420 45480 45540 45660 45720 45780 45960 46960 46080 46140 46200 46320 46380
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctcaaa ctgcgccact gcctcttagg ctagttactc aggccaagcc gtggggtgg gcaaactcta acaggaatca aggggtata tggcacatctg tcttgctctg	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcacttcc cttggaggta cagcctaaag caatggagtt gcatcccaca gggaggagcc tgttttcttt tcgcccaggc tcaagtgatt	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttct gacggttct gaggggggt taaataggag gccatgttc agcagggtct tattttattt	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc accggggact acatgacttc cagggagggg tgattattct agctatgaag tgagttcata tgagttcata tgagtcccga	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa ctgggtatea tcacttaatt aggtgtagga ccgaaaccaa aggettgegg atgtggagg ttgtgagg ttgtgagg tttgtgagg tttttttt	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacctga acgaaaagca ggctggagc gctttgcttt	45360 45420 45480 45540 45660 45720 45780 45960 46920 46020 46080 46140 46200 46260 46320
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctag ctcttccaaa ctgcgccact gcctcttagg ctagttactc aggccaagcc gtggggtgg gcaaactcta acaggaatca gagggatata ggcacatctg tcttgctctg ctcttggt	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcacttcc cttggaggta cagcctaaag caatggagtt gagaaccgtg gcatcccaca gggaggaggc ttttcttt tcgcccaggc tcaagtgatt acccagctga	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttct gacggttct tagagggggtt taaataggag gccatggtt tagaggttct tatttttttggagtgcag ctcctgcctct	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc accgggagtgact acatgacttc cagggagggg tgattattcat atgagttcata tgagttcata tgagttcata tgagctcccga tttagtagag	aggtetetec tattgaggag ccagcccaag tacaggaagg ttggtagaag acataattaa ctgggtatca tcacttaatt aggtgtggga ccgaaaccaa aggettgcgg atgtggagg ttgtggaagt gtcccttec tatttttttt tcagttcact gtagctggga acagggtttc	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacatga acgacacaga gggctggagc gctttctttcca gaggctccgg ttcctccata tttggcagag gcaatctccg ttacaggtgt acagtgttgg	45360 45420 45480 45540 45660 45720 45780 45960 46920 46020 46140 46200 46320 46320 46380 46440
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctcaaa ctgcgccact gcctcttagg ctagttactc aggccaagcc gtggggtgg gcaaactcta acaggaatca gggcacatctg tcttgctctg ctcttggt	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcacttcc cttggaggta cagcctaaag caatggagtt gagaaccgtg gcatcccaca gggaggaggc tgttttcttt tcgcccaggc tcaagtgatt acccagctga cttgaaatcc	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttct gacggttct tagagggggt taaataggag gccatgttc agcagggtct tattttattt	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc accgggactt acatgacttc cagggagggg tgattattct agctatgaag tgagttcata tgagttcata tgagtcccga tttagtagag tgatctcccga	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa ctgggtatea tcacttaatt aggtgtggga ccgaaaccaa aggettgegg atgtggagg ttgtgagg atgtggagt gteeetec tattttttt tcagtteaet gtagetgga acagggtte gcctegge	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacctga acgacacaga ggcttggagc gctttcttt tttctttcca gaggctccgg ttccccata tttggcagag gcaatctccg ttacaggtgt acagtgttgg	45360 45420 45480 45540 45660 45720 45780 45960 46920 46020 46140 46260 46320 46320 46340 46500
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctag ctcttccaaa ctgcgccact gcctcttagg ctagttactc aggccaagcc gtggggtgg gcaaactcta acaggaatca gagggtata gcacatctg tcttgctctggt cctctggt tctgctctg tctggtatatata	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcacttcc cttggaggta cagcctaaag caatggagtt gagaaccgtg gcatcccaca gggaggagcc tgtttcttt tcgcccaggc tcaagtgatt acccagctga	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttctc gacgcttctc ggggggggct taaataggag gccatgttc agcagggtct tattttattt	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc accgggact cactgacttc cagggaggg tgattataa tgagttataa tgagttataa tgagttataa tgagttcata tgagtcata tgagtccccga tttagtagag tgatctgcta agccaccccga	aggtetetec tattgaggag ccagcccaag tacaggaagg ttggtagaag acataattaa ctgggtatca tcacttaatt aggtgtggga ccgaaaccaa aggettgcgg atgtgcgg atgtgcag tttttttt tcagttcact ttagttcact gtagctggga acagggtttc gtagctggga acagggtttc gtagttcact gtagctggga	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacctga acgaaaagca gggctggagc gctttctttcat ttctttcca gaggctccata tttggcagag tttggcagag tctcggttacata tttggcagag gcaatctccgg ttacaggtgt acagtgttgg cccaaagtgc gagaggaaag	45360 45420 45480 45540 45600 45720 45780 45960 46920 46080 46140 46200 46320 46320 46380 46440 46500 46560
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctag ctcttccaaa ctgcgccact gcctcttagg ctagttactc aggccaagcc gtggggtgg gcaaactcta acaggaatca gagggtata gcacatctg tcttgctctggt cctctggt tctgctctg tctggtatatata	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcacttcc cttggaggta cagcctaaag caatggagtt gagaaccgtg gcatcccaca gggaggagcc tgtttcttt tcgcccaggc tcaagtgatt acccagctga	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttctc gacgcttctc ggggggggct taaataggag gccatgttc agcagggtct tattttattt	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc accgggact cactgacttc cagggaggg tgattataa tgagttataa tgagttataa tgagttataa tgagttcata tgagtcata tgagtccccga tttagtagag tgatctgcta agccaccccga	aggtetetec tattgaggag ccagcccaag tacaggaagg ttggtagaag acataattaa ctgggtatca tcacttaatt aggtgtggga ccgaaaccaa aggettgcgg atgtgcgg atgtgcag tttttttt tcagttcact ttagttcact gtagctggga acagggtttc gtagctggga acagggtttc gtagttcact gtagctggga	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacctga acgaaaagca gggctggagc gctttctttcat ttctttcca gaggctccata tttggcagag tttggcagag tctcggttacata tttggcagag gcaatctccgg ttacaggtgt acagtgttgg cccaaagtgc gagaggaaag	45360 45420 45480 45540 45660 45720 45780 45960 46920 46020 46140 46200 46320 46320 46320 46340 46500
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctag ctcttccaaa ctgcgccact gcctcttagg ctagttactc aggccaagcc gtgggggtgg gcaaactcta acaggaatca gaggggtata gcctctctgggt tcttgctctg tcttgctctg tctgctctgt acaccaccac ccaggcttgt tggtattata gggataatgt	gctttatctg aatggtggac agttagaggg tccagctgct aggtgttctg acttgtcaac agccttgggc cacctgctct tatcacttcc cttggaggta cagcctaaag caatggagtt gagaaccgtg gcatcccaca gggaggagtt tcgcccaggc tcacagtgatt acccagctgatt acccagctgat acccagctgat cttgaaatcc ggtgtgagcc gcattttgtg	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttctc gacgcttctc gacggttgat gcccatgttc agcaggtct tatttttt tggagtgcat tttttgcaat tgacctcaag actgcgctcg gaagcttggg	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc accgggact ccagggaggg tgattataat tgagttcata tgagttcata tgagttcata tggcctcccga tttagtagag tgatctgcta caccatgtcccga	aggtetetec tattgaggag ccagcccaag tacaggaagg ttggtagaag acataattaa ctgggtatca tcacttaatt aggtgtggga ccgaaaccaa aggettgcgg atgtgcggaage gtcccttccc aatggaage ttatttttt tcagttcat ttattttt tcagttcat ttattttt cgagtcgga acagggtttc gcctcggcc tgttttaaat ctaggactc	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacctga acgaaaagca ggctggagc gcttttctttcca gaggctccgg ttcctccata tttggcagag gcaatctccg ttacaggtgt acagtgttgg cccaaagtgc gagaggaaag tatgatctc	45360 45420 45480 45540 45600 45720 45780 45900 45960 46020 46080 46140 46260 46320 46380 46440 46500 46560 46620
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctag ctcttccaaa ctgcgccact gcctcttagg ctagttactc aggccaagcc gtgggggtgg gcaaactcta acaggaatca gaggggtata gcacatctgt tcttgctctggt acaccaccac ccaggcttgt tggtattata gggataatgt ataagttttc	getttatetg aatggtggac agttagaggg tecagetget aggtgttetg acttgtcaac agcettgggc cacetgetet tatcacttcc cttggaggta cagcetaaag caatggagtt gagaaccgtg gcateccaca gggaggagtt tcgcccaggc tcacagtgatt acccagetgat acccagetgat acccagetgat acccagetga cttgaaatcc ggtgtgagcc gcattttgtg cccagggag	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttctc gacgcttctc ggggggggct taaataggag gcccatgttc agcagggtct tattttt tggagtgcct ttttgcaat tgacctcaag actgcgctcg gaagcttggg	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc accgggact caggagggg tgattatact agctatcata tgagttcata tgagttcata tgagttcata tgagtcata tgagttcata tggcctcccga tttagtagag tgatctgcta gccacatctg ccgtttgtgt cacttaggga	aggtetetec tattgaggag ccagcccaag tacaggaagg ttggtagaag acataattaa ctgggtatca tcacttaatt aggtgtggga ccgaaaccaa aggettgcgg atgtgcggaage gtcccttccc aatggaage ttatttttt tcagttcact ttattttt tcagttcact gtagctggga acagggtttc gcctcggcct tgtttaaat ctaggaccc gtcaggaccc	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacctga acgaaaagca ggctggagc gcttttcttcca gaggctccgg ttcctccata tttggcagag gcaatctccg ttacaggtgt acagtgttgg cccaaagtgc gagaggaaag tatgatcttc ccagtcctta	45360 45420 45480 45540 45600 45660 45720 45780 45960 46020 46020 46140 46260 46320 46320 46380 46440 46500 46560 46620
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctag ctcttccaaa ctgcgccact gcctcttagg ctagttactc aggccaagcc gtgggggtgg gcaaactcta acaggaatca ggcacatctgtctgtctgt tctgctctgt ccacaccac ccaggcttgt acaccaccac ccaggcttgt ataagttttc aggataatgt	getttatetg aatggtggac agttagaggg tecagetget aggtgttetg acttgteaac agcettgggc cacetgetet tatcacttcc cttggaggta cagcetaaag caatgagtt gagaacegtg gcateccaca gggaggaget tecaggett tecaegetgat acceagetgat acceagetgat acceagetgac cttgaaatcc ggtgtgagcc gcattttgtg cccagggag cctctaaaa	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttctc gaggggggct taaataggag gcccatgttc agcagggtct tatttttttggagtct tttttgcaat ttgactcaag actgcgctcg gaagcttggg gacactgttc tggagacagc	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc accgggact ccaggagggg tgattataat tgagttcata tggagttcata tgggctcccga tttagtagag tgatctgcta agcctcccga tcagtagagg tgatctgcta agcctcccga tcagtagag tgatctgcta agcctcccga tcagtagag tgatctgcta agccatctg ccgtttgtgt cacttaggga agttccagg	aggtetetec tattgaggag ccagcccaag tacaggaagg ttggtagaag acataattaa ctgggtatca tcacttaatt aggtgtggga ccgaaaccaa aggettgcgg atgtgcgga ttgtgggacct ttattttt tcagtcctt ttattttt tcagtcctt ttattttt tcagtcgga acagggttt gcctcggcc tgtttaaat ctaggaccc ctggctggg	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacctga acgaaaagca ggctggagc gcttttttcttcca gaggctccgg ttcctccata tttggcagag gcaatctccg ttacaggtgt acagtgttg cccaaagtgc gagaggaaag tatgatcttc ccagtcctta ttctgtcac	45360 45420 45480 45540 45660 45720 45780 45960 46900 46140 46200 46320 46320 46320 46440 46560 46560 46620 46680 46740
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctag ctcttccaaa ctgcgccact gcctcttagg ctagttactc aggccaagcc gtgggggtgg gcaaactcta acaggaatca ggcacatctgtctgtctgt tctgctctgt ccacaccac ccaggcttgt acaccaccac ccaggcttgt ataagttttc aggataatgt	getttatetg aatggtggac agttagaggg tecagetget aggtgttetg acttgteaac agcettgggc cacetgetet tatcacttcc cttggaggta cagcetaaag caatgagtt gagaacegtg gcateccaca gggaggaget tecaggett tecaegetgat acceagetgat acceagetgat acceagetgac cttgaaatcc ggtgtgagcc gcattttgtg cccagggag cctctaaaa	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc ggcgctaggc cctgatccca tctgcttctc gaggggggct taaataggag gcccatgttc agcagggtct tatttttttggagtct tttttgcaat ttgactcaag actgcgctcg gaagcttggg gacactgttc tggagacagc	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggagt gtgtgcctaa aatacttacc accgggact ccaggagggg tgattataat tgagttcata tggagttcata tgggctcccga tttagtagag tgatctgcta agcctcccga tcagtagagg tgatctgcta agcctcccga tcagtagag tgatctgcta agcctcccga tcagtagag tgatctgcta agccatctg ccgtttgtgt cacttaggga agttccagg	aggtetetec tattgaggag ccagcccaag tacaggaagg ttggtagaag acataattaa ctgggtatca tcacttaatt aggtgtggga ccgaaaccaa aggettgcgg atgtgcgga ttgtgggacct ttattttt tcagtcctt ttattttt tcagtcctt ttattttt tcagtcgga acagggttt gcctcggcc tgtttaaat ctaggaccc ctggctggg	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggtctg ctccccatcc tctctgtgct tgacacctga acgaaaagca ggctggagc gcttttttcttcca gaggctccgg ttcctccata tttggcagag gcaatctccg ttacaggtgt acagtgttg cccaaagtgc gagaggaaag tatgatcttc ccagtcctta ttctgtcac	45360 45420 45480 45540 45600 45660 45720 45780 45960 46020 46020 46140 46260 46320 46320 46380 46440 46500 46560 46620
tggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctg ctcttccaac ctgccactg ctcttactc gctcttactc gctgctactc gctgctactc gctgggggtgg gcaaactcta acaggaatca gggcacatctg tcttgctctgc tctgctctg tcttgctctg tcttgctctg acaccacc ccaggcttgt aggatatatg tggtatatatg ataagtttcag actaggagag	getttatetg aatggtggac agttagaggg tecagetget aggtgttetg acttgteaac agcettgggc cactactet tatcacttec cttggaggtt gagaacegtg geateceaca gggaggagec tgtttettt tegeecagge teaagtgatt acceagetga cttgaaate ggtgtgagec gettttettg acceagggag cettgaaate ggcattttgtg gcattttgtg ccceagggag cctetcaaaa ggcaagtgag	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgcctag tactgcact ctctgactgc ggcgctaggc cctgatccc tagggggggct taaataggag gcccatgttc agcaggtct tattttattt	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggctacta cacgggact acatgacttc cagggaggg tgattattct agctatgagt tgagttcata tgagttcata tgagttcata tgagttcata cgccccga tttagtagt gcctcccga tttagtgcta gccatcttgccga tcacttggga tgatcttgcgg tgatcatctg cgatttgggga agttccagg	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa ctgggtatca tcacttaatt agggtaggaaccaa aggettgegg atgtggaagt gtccettece aatggaaact ttagtgecet tttttttt tcagtteact gtagetggga acagggttte gceteggeacce ctgtttaatt	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc ctcggttcccatcc tctctgtgct tacacctga acgaaaagca ggcttggagc gctttgcttt	45360 45420 45480 45540 45600 45660 45720 45780 45960 46020 46080 46140 46260 46320 46320 46340 46560 46560 46620 46680 46740 46800
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctg ctcttccaaa ctgcgctactagc ctggctactc gctgttactc gctgctacta ggggggtgg gcaaactcta acaggaatca gaggggtata ggcacatctg tcttgctctg cctcttgctctg tcttgctctg acaccacc ccaggcttata gggataatat gggatatata gggatatat gggatatat gggatatat gggatatat gggatatat tcaagattcag actaggagg	getttatetg aatggtggac agttagaggg tecagetget aggtgttetg acttgteaac agcettgggc cactagetct tatcactetc cttggaggta cagcetaaag caatggagtt gagaacegtg gcateccaca gggaggagec tgtttettt tegeecagget accagetga cttgaaatcc ggtgtgtggag cctetaaaa ggcatgtgag cctetaaaa ggcaagtgag cctetcaaaa ggcaagtgag cctetcaaaa cctagtgat	gcatttctcc aaattttcag cctgtcaggg ttagacaagt ccacggttga gctgcctag tactgactgc ggcgctaggc cctgatccc tctgcttctc gacgcttcct gacgcttctt tagaggggt tatttatt tggagtgc tttttgcaat tctgctccg gacgctcgatct ttttgcaat tggcgagct tggtgtttgg gacactgttc	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggctact acatgacttc caggaggg tgattattct agctatact agctatcat tgagttcata tgagttcata tgagttcata tgagttcata tgatttagt gcctcccga tttagtagat gcctctagtg gattattct agcttctagt agcttcata gcctcccga tttagtagat gccacatcttc cagttggga agttccatggga gattcatatggga agttccatggga agctacttgg	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa ctgggtatca aggtgtggga acggaaaccaa aggettgegg atgtggaagt gtccettece aatggaaact ttagtgecet tttttttt tcagtteact gtagetggga acagggtte gcetegge tgttttaaat ctaggacce ctgggetgg agtattaga catettaaa	tttgtccett ccctgacttt ctgcagtgta cttccttctt aaagaaaggc cctgggttgcccatcc tctctgtgct tacacctga acgaaaagca ggcttggagc gctttgcttt	45360 45420 45480 45540 45600 45660 45720 45780 45960 46920 46080 46140 46260 46320 46320 46320 46320 46440 46560 46560 46620 46680 46740 46800 46860
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctac ctgccactgcctactagccactgcagccac gctgcagccc aggcgggtgg gcaaactcta acaggaatca ggcacatctgtcttgctctgccactgcactctactc caggggtata acaggagtata ggcacatctgt tcttgctctggt acaccaccac ccaggcttgt tggtattata gggataattc aagattcag actaggagag actaggtccaattc	getttatetg aatggtggac agttagaggg tecagetget aggtgttetg acttgteaac agcettgggc cacetgetet tatcactet tatcactet catggaggta cagtgagtt gagaacegtg geateccaca gggaggagce tgtttett tegeecagge tcaagtgat acceagetga cttgaaatec ggtgtgagce geattttgtg ccccagggag cctctcaaggag cctctcaaggag cctagtgag ccagtgag cctagtgag cctagtgag cctagtgag ccagtgag cctagtgag ccagtgag cctagtgag cctagtgag cctagtgag cctagtgag cctagtgatag	gcatttctcc aaatttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc cctgatccct gacggttcct gacggttcct gacggggggt taaataggag gcccatgttc agcagggtct tattttatt tggagtgcag ctctgctct tggtgcag ctctgcttct agcaggtct tattttatt tggagtgcag ctctgctc ttttgcaat tgacctcaag actgcgtcg gaacatgttc tggggacttggg gaacacttat tggagtgttt tggagacacc	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggctaa catgacttc cagggaggg tgattattct agctatagattcata tgagttcata tgagttcata tgagttcata tgagttcata tgagttcata tgagttcata tgagttcata cagcactccga tttagtagag tgatcttcggccactctgccgtttagtgag cactccggaggcactactgccactcgcactcgcactcgcacaccaccaccaccaccaccaccaccaccaccaccac	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa ctgggtatea aggtgtgtggaag atgtgggaagt gtecettece aatggaaact ttagtgccet tttttttt tcagttcact gtagetggga acagggttte gceteggec tgtttaaat ctaggacce ctgggctgg agtattatga catettaaaa gcegttatta	tttgtccett cctgacttt ctgcagtgta cttccttctt aaagaaaggc ctcccatcc tctcccatcc tctctctga acgaaaagca ggcttgcttt tttctttcca gagctcccata tttggcagag ttcctccata tttggcagag gcaatctccg ttacagtgtt acagtgttgc gagaggaaag ccaaaggag tatgttcccata ttctgtcacagg tacagtgttgc gagaggaaag ccaagaggaaag tatgtcccaaagaggg gaagaagct	45360 45420 45480 45540 45600 45660 45720 45780 45960 46020 46080 46140 46260 46320 46320 46340 46560 46560 46620 46680 46680 46680 46800 46860 46920
tgggtggctt aatatggctt gaggtgcaca gggaggcctg gctgcagccc tctgtctctac ctgccactgcctactagccactgcagccac gctgcagccc aggcgggtgg gcaaactcta acaggaatca ggcacatctgtcttgctctgccactgcactctactc caggggtata acaggagtata ggcacatctgt tcttgctctggt acaccaccac ccaggcttgt tggtattata gggataattc aagattcag actaggagag actaggtccaattc	getttatetg aatggtggac agttagaggg tecagetget aggtgttetg acttgteaac agcettgggc cactagetct tatcactetc cttggaggta cagcetaaag caatggagtt gagaacegtg gcateccaca gggaggagec tgtttettt tegeecagget accagetga cttgaaatcc ggtgtgtggag cctetaaaa ggcatgtgag cctetaaaa ggcaagtgag cctetcaaaa ggcaagtgag cctetcaaaa cctagtgat	gcatttctcc aaatttcag cctgtcaggg ttagacaagt ccacggttga gctgccctag taatggcact ctctgactgc cctgatccct gacggttcct gacggttcct gacggggggt taaataggag gcccatgttc agcagggtct tattttatt tggagtgcag ctctgctct tggtgcag ctctgcttct agcaggtct tattttatt tggagtgcag ctctgctc ttttgcaat tgacctcaag actgcgtcg gaacatgttc tggggacttggg gaacacttat tggagtgttt tggagacacc	aatcccatca atttgacttc gtagagaaaa ccagccacaa gggtggagca ctgcctggct atgagattgc aacatggctaa catgacttc cagggaggg tgattattct agctatagattcata tgagttcata tgagttcata tgagttcata tgagttcata tgagttcata tgagttcata tgagttcata cagcactccga tttagtagag tgatcttcggccactctgccgtttagtgag cactccggaggcactactgccactcgcactcgcactcgcacaccaccaccaccaccaccaccaccaccaccaccac	aggtetetec tattgaggag ccageccaag tacaggaagg ttggtagaag acataattaa ctgggtatea aggtgtgtggaag atgtgggaagt gtecettece aatggaaact ttagtgccet tttttttt tcagttcact gtagetggga acagggttte gceteggec tgtttaaat ctaggacce ctgggctgg agtattatga catettaaaa gcegttatta	tttgtccett cctgacttt ctgcagtgta cttccttctt aaagaaaggc ctcccatcc tctcccatcc tctctctga acgaaaagca ggcttgcttt tttctttcca gagctcccata tttggcagag ttcctccata tttggcagag gcaatctccg ttacagtgtt acagtgttgc gagaggaaag ccaaaggag tatgttcccata ttctgtcacagg tacagtgttgc gagaggaaag ccaagaggaaag tatgtcccaaagaggg gaagaagct	45360 45420 45480 45540 45600 45660 45720 45780 45960 46920 46080 46140 46260 46320 46320 46320 46340 46560 46560 46620 46680 46740 46800

	taagattaaa	attaactatt	ctccatcctt	gaaaaatttg	gttttagggt	47040
cccagagaag	atgactgacc	atacadaatd	gggaggaaac	ttgggaagaa	agaaggcaca	47100
gaattcaaga	ctcccaatag	tcacccctga	actocaccco	gaccatcagt	tatctctgtg	47160
gttcagagct	aggaatctaa	aatccatttt	aaaattaaag	tatatcgggg	ctgggcggg	47220
ggtagagctc	ctgtaatccc	agectttee	daddccdadd	taggaggate	acqaqqtcag	47280
tggctcatgc	ccagcctggc	ageaccetgg	aaggccgagg	ctactaacaa	tacaaaaatt	47340
gagtttgaga	ccagcctggc	cacatggtga	coagetatte	ggaaggctga	gtcagaagaa	47400
agccaggcat	ggtggcagac	acciglagic	taagecaace	ttataccact	gcactccagc	47460
ttgcttgaac	ctgggaggca	gaggttgcag	caayccaaga	aaaaattaa	agtatgtcat	47520
ctgggcaaca	gagggagact	ctgtctcaaa	aadadadaa	tassatttta	cacatotata	47580
		accrtaagtg	Lacaucccaa	Lyadacccca		47640
						47700
	~~~~~t	marccacacc.	tetectuere	cqqcggcaac	cuadous	47760
	ペナッナ ペコンナナス	attttaccca	LLCLLUade	ccacacagac	ucucu	47820
aggcatgatg	actcatgcct	gtaatctcag	cactttggga	ggccgagacg	statacaaaa	47880
	asattaaaa	ctactctdda	caacatautu	ayacccccya	CCCCCCCCC	47940
+	agetggtcat	aataatacat	gcctgtagtt	LLagutate	gagacgccg	48000
	+ctcttdagc	ctaaaaaatt	gaggctgaag	Lyayeeyeya	cegeacodo	48060
acastacaac	ctaddtdaca	gagtgagatt	ctgcctcaaa	aaayaaaaaa	catggeeggg	48120
	casacctata	atoccadoac	tttgggaggc	Caayycyyyc	ggaccacgag	48180
~+ ~~ ~~ ~~ ~~ +	adadaccatc	ctooctaaca	coordaaacc	Cigididial	Ladadacucu	48240
	~~~~~~~	rradecadde	alduluucuu	que ce e e e e e	200000	48300
tt aaaa aact	waddcaadad	aatggtgtga	acccqqqaqq	Cagageeege	agegageega	
+	++~~~~	acctadacaa	Cadaqtaaya	CLUCYLLLL	aaaaaaaa	48360
		tacattotot	actttttqqc	acceggeeea	Letegeeeaa	48420
	~~~~~~++~~	tctacactqt	atataaa	qquuqquuu	ccccgccgcg	48480
	ccatcatata	actacdddac	aatttucila	LLLGLatte	caccaacaaa	48540
	- attaccaaat	tetaactatt	atoaataaay	Liquialgu	caccoog	48600
	· aataaacata	- tocactcatt	tcacttatat	adatattttg	ggcggaacca	48660
	. aaataaatat	attaacttta	rtaatotocio	actiggicat	geegaaccee	48720
		tadadcddaa	catdadddiu	LULULLUAYY	gaacccggag	48780
	aa-aaaaat	caatttctaa	rctcacacatu	Liqiyaciya	actgetggta	48840
++-	, acatamanct	gacttctcct	ttaacattac	Claciging	ggcaggcgcg	48900
	, actocatoca	atgaacccg	gettelycaa	aalacattuu	caacgacag-	48960
	. actastatac	ratttaaaασσ	ttcagttcan	[11]]]]]]]]]	I IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	49020
	- ~~~~~~nnnnnr	nnnnnnnnn	nnnnnnniiiiii	[[[[]] [] [] [] [] [] [] []	1111111111111111111111	49080
		· carcartroi	teteaactga	qualayetti	, gccccagagg	49140
	~ ++	. adacatett	. Loallulcat	, autocagoog	, uguugguu	49200
	+ ++++aataa	agatagagag	g gctgctaaac	alclaacaa	, gcacaggaca	49260
		- эгссаптсал	a aaal.uluudu	, auturus	. 999	49320
		t dadactdtd:	e etnadadead	l udayyayta	Lugguuugug	49380
	+ + - ~ c+ c+ cc	r rrragaaa	o cleatities	, ccqcccqca,	,	49440
	~ ~~~~~+~~	a aractonano	n caududaau	, aacceggge	,	49500
	~ ~~~~~~~~	r amcammuna	c taduaaauu	, qcaqaggca	* -99999999	49560
+a+-a	a sastaataa:	a daaadcacu	a Ladilaali	a acgegege	- 999999	49620
~~~~+~~	a astascaa	a diccidect	t dcaudicia	, ccggaagge	9 409900000	49680
at ~~ ~~ ~~	t daccacaaa	a antidaadca	a attiquequ	. grgrgrgrg	c gracacata	49740
-+	a sattesate	t dadatotot	t ggactcacae	a tytttatyy:	g acatornage	49800
	+ cttaaataa	c catatotot	g agretgeag	c icayaaaca	g gcccggggcc	49860
	a acttadaaa	t datctdcdt	a tatattigg	L agullyage	c acaagageag	49920
	a acatastas	a tatacadaa	t taggagaga	c ytycaccaa	g augeeuggeg	49980
-t	a tttaaccat	c togaagaat	a adaddaycc	t yttaataya	a accessances	50040
22+44444	a aggetact	σ ασαασσσαα	g cagttcila	a gaayyyyya	a gegaagagge	50100
	a cadadatea	a dtaddataa	o aactoaaua	a tytttytty	g gcccggcaa	50160
~~~~+ ~ ~+ ~	· atamacaca	t ooocaaaao	c actitique	y yaycaacay	g gacaacagaa	50220
	o tataataan	a ddaddaada	ia dalulluau	y aagtggccu	g cgageer	50280
++	a asaasaatt	a actitaata	ic aaagcagag	a agecageic	a cicacigace	50340
	. ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	a atcatccat	a Eccedacio	a aatticayi	a ccaccaggag	50400
+-	o cctadaaat	r ccateccae	it teteetela	C LLatterat	.c ccaccegee	50460
	A CCCSAACTS	a ococtacet	c ctcaaucaa	y cocococo	ic cogoograms	50520
+ ~ ~ 4	-a stoctascs	a cactgaaaa	it atatatcic	t tecalical	g claycocae	50580
actitaagi	st statestas	a tatattaco	t totttact	a atatoctco	t tetgtttgcc	50640
acttctgag	n accidence	a accteect	ic aactagaga	t tctctttaa	g tatttgttga	50700
ttatttato	sa golacolla	ra atcetcet	ra goctogtag	a ggcttgtgt	c catggtggat	50760
ataaatgaa	ar yaarcaato	rt areatrras	a taaatocat	a tatacteto	ga tctaaactca	50820
gaggctcag	ya adalaceti	, ayaaccya		J J-9	-	

gctaaacttt ctccaggggg taaagttcaa gttgattagt caattgatta attaattcat 50880 tatqtaatgg aaaaactcct tctatgacct gggcagagtt ataggcagtg aacaagacag 50940 51000 acaagqtcct tgttgtcatg aagtttgctt tctgaaggag agagataata aacaagaaac 51060 cagtaagaaa gcaagattat atcattttgg taaatgttct tgtggaaata aatgtgatga tgtgtaacaa aagtaccaaa taggagagtg gggtgggtgg gcttctttta gaaagagttc tcggagaagg cttatctgag gaggtggcct tttaaccagt acaaatgctt tagcttggcc 51120 51180 agtggagctg ggaccaggat gacaagggtc acttgtcatg ccagtgagtt tgagcttgta 51240 gacaagagcc tgatcatgaa agactttgca gatggtggta atgggtttgg gttaattgct 51300 actatgtggg aagactttga atgggaagca tggggacaat ggcctgtgat acatgttatc 51360 51420 aaatatggtc gcaggggcta gtgaggtggc agcagagata gggagaagta gacggactgg 51480 ggaaggtaga agatggggca ggggaggcaa ttactgcaaa gacatattcc ttctaagctc 51540 actgagtgtt catggtctct gggagcagag gttcctggag gggaaagagg ataatgtcac ttcctgagga agcgggaaga acccatctga gacgtgggga ctgtgctggt tcgtttctaa 51600 ggggccttcc agatctcaca tgccaatcgt cttggtctat gtcaattgtt ggggcatcca 51660 aatggggaac tgttgtccag gccgatttca cagaacaacc gcccagtcca tatctcccga 51720 gccattcacc cttgcagtgg cgttagctct ttcaccagct tttatctgcc ccgtggggat 51780 51840 gttggccaag cccagttaac aagcagttga tcagccccag agatcaggtc cctggagtct gtcacttttc tgagggtggg gagagaatcc tggagcagaa catgtaacta gaagggccac 51900 ctggcttcct atggtctgag ggagagaatg gtgggatctc tggcctgaat caaacctccc 51960 tttctcagtg tccatcttac ctctctgctg taccttcgtt attttccagc agctcctcag cccgttcctg tgggaccett ctctgccaat ccctacaccc actgtaaatt tcaccgtgg 52020 52080 agggagatgg gccttgaggg ctgtattagt cttctattct gcataacaaa ttgcctcaaa 52140 tttaqcaqct tcaaacaact catqtttatt agctcatcgt gagttcatca gcagtgtggg 52200 52260 cccagcatgg ctaggttttc tgctcagggt ctcacaaggc taaaatcaag atgttgtctg ggctgtgtgc tcatctggag tttagggttc tcttccaggc tcacgtggtt gtggcagaat 52320 tetgtteet ggagttgeag ggetgaggte etgtttett getgaetgte agatgaggge 52380 tgctctcagg tcctcgagge tgcccacatt gcttgccacg tgcgtggtct tttccatcct 52440 tgaagccagt gatggagaat ttcccttgga ttgaatcacc cacatggttg gactctctga 52500 cttcaggaag agagccctgt ctcttttatg ggatcacctg attagatcat acccatagag 52560 52620 ggcagttcct tttccttaaa gtcaactgtg gcatgtaaca tcacacaacc acaggagtaa aatccatcat atttacagtc ccagggatta tgcacagtgc accaggggac aactgaattc 52680 tgcctgtcaa aagggccaag caggacttta ttggtgaaga acagtggaat gtcattcttg 52740 gttcttccag aaaaaaatca ctcagtaaag ttagaggttc tcttgccttt tgggaagtca 52800 tcaaagaatc tcatggaggg tttggacctt caccctagaa acatcacacc atgttttcta 52860 52920 taattqcaqq qttcatqqtc ccttqaagcc tattcatagt ttccaggttg aaaagctctg 52980 ctgcagggtg tggggaggga tgcaggtgga ggtgagggct gaatagtgtg agctgcatat 53040 ctggagctgt ggtggttttt ttagtcttta agctgtcatg tgttgggggt tgggcatggg aggggcatec caagagetee ttggtattga caccatetee aaggtgatet etgetetgee 53100 53160 tggtgcacac atgtttttct cctgttgcaa cagcccactc ttgtagaaga gcagacccct cagtaccagg totgaccotg gacagottgt accaggagot acagcacact cocccacaag 53220 53280 cctaaagttq qqatqagccc cccgagaatt agatcagaaa agattaaatg cagaggtgat 53340 ctqtcaqqtc ccctttqqaa gtqctqqtat ggagaggatt gactgagtct gtttaggaac ctccaagctc tgtagtaact ttagggctag aaaggaggat gcctaagatt caggatcctg 53400 53460 cagtgatgag tcaacatttc ttggggaagg aggcagggct gaggattaaa cggagatgat gggtatcgtt ctcttgctca aaggcactgg accccaaggc ctccagctct tcgctcccat 53520 ttgaaattca agtcctgagc acaccacagt tgtgatgcag ggaaagaatg tgcttatcag 53580 agagectggg caagtgggee cettgtgagt accgttcaac ctcatttatg tcattggeac 53640 caaaaqtaqa catcaqtctc ttgaaaqttt gattaatgct ggtcacactc aaagaccctg 53700 53760 ggtagcattc atttactaag caattactaa ataccagttt ctgtgctaaa tgctgcatca gtcagggctc ttaatggcag gcagcagaaa ctctccttgg ctgatctaag tagaaaaatc 53820 caggactgaa aggaaacgga gtagctcatg aaattgcagg aagggccgga aaaccagaca tggagccaaa gtcaggctgc agaacaggtc tagggaggat cccactgctg ctgagaccta 53880 53940 gaccttgtgt ctggcaccca ggatgttgta gggctcagac cctggatcaa tgtatcctgc 54000 agtgcctctg tgggtactgc aactccagga actcaatctt gtcaacgcca ccgccagaga 54060 54120 gaggeettet tggeeteeat etttttggte actageteea gatteaaaat ettgaataga 54180 tgcttcttct ctttgataga gcccagtcat atgcgttagc tgcaaaggaa gctgaaaatc tattaggaac ttttgtcttc aaaaatgaga ggcctgtcct ccaccaagat ccataggaaa 54240 54300 tggaatccaa gaaaccacag gaaggggtga ggtgactggg cagctcacag catgcatgct acatgtgaat tatctcattc atttctcaca ctacccagtg aggtaggtat tgtcatccct 54360 54420 54480 gcagctatta agtgctagac ccagtcaatt tgagtctgac ttggactgtc tgactccaga agccaccctc tcagacactg ctgtatactt ccagtgaatg ttgatgaaat tttcagggtt 54540 gctaagctgt ggatttcaga tcctggattg tatgacctaa aagagagact tccctaggag 54600 54660 tgagggtccc tgaacagtca actggtttcc aagaatgggc tccctctcat caccttatga

PCT/US01/31488 WO 02/029059

54720

cagtaatcct ctgtccaaca gccaaagagg tcctgtgggg agggcttgca gatgggagtg cgcagagccc agctcaaagc tcctgactag gctcttgttg agtattcctt tgattcctgc 54780 54840 ttctgtcttt ttaaatcaat ggagacaggg gagggttatc tccatcctcg gctcaagatg 54900 anatgcateg tteetegttt tteteattee tteecaatgt gtgtactgtt aactttagtt 54960 atgaaggaaa ttacagtgte etgtgcatat accaaggetg tecaacetec acacetttge tcaagctgtt ccttctactt gaaatgcctg tttccttccc ttctaattgc atctttccat 55020 ccaggtagga atcagctcct tggttcatgg agccttttct gctctgtttt actatgcatg 55080 gacttccttc tgaattagca gaggatgttt cctagcttgg tcttaaccct tctccttttg 55140 tttgacctca atttactcat cttacaaatt aggttgtaag ctaattgaat acaggatcta 55200 tgcttcactc tgattttatc tccacctgga tagcatcatt tttgacacac aagcaggcat 55260 atgggagggg agagaagttt ggtgccagaa agaactggat ttgaattcta accetgttgt 55320 ttacgtgagt acgttactta accattaatt acttcaatgt atatttatta agtacctact 55380 55440 atgtgccggg cactgtacta agcaccaagg atacaatggt gagtaaagag atgcagcctt caccatcacg aaggaagaca gatgttaatc cattaaccaa gtaatctcac aagaaaagta 55500 aaatgactaa ctgataagga caagcccctg gagctacaag agggtgtata cagggcatcg 55560 atccaataag ggcagtgttg cggggagatc aggagccaca cagagcctgg gttgtctcac 55620 ttggaaaatg gggtatcaac cacctacctc actaggtttt taaaatcagg ttaaatgagg 55680 55740 taatacttgc catgaacagt attttgttga ttgatgattg attgaaacgg agtctcactc 55800 tctcgcccaa gctggagtgc agtggtgcaa tctcagctca ctgcaacctc tacttcctgg gttcaagtga ttctcctgcc tcagactccc aagtagctgg gattacaggc agccacccct 55860 55920 atgcctgact aatttttgta tttttagtag agacaaggct ttgcaatgtt gaccaggctg 55980 gtctcaacct cctgacctca aaagatccac ccacctcagc ctcccaaagt gctgggatca caggcatgag ccactgcatc cagccacttg ccatgcatgg catttaaaaa tgttcagtaa 56040 atgttaccat aatgaaggct ggtaggttgg ccaactgagt ggtctgattc agaaggaaag 56100 aagttagaca tacgtgaaca tittcctgtac ttgaagatcc tcaggacagt gactcctaga 56160 56220 cccatcttcc atcacagtca gctgggaagc ttttaaaaaa atgcagacat ctgaccttca cgctagacct attagccaag cagaagtttc tgggcagggc atctgcatat ttttaaaaat 56280 ctttaataag gcagcctcaa aattacagat tcagcacgca tttaccataa ccactgaaga 56340 aatgcaaagt tataaaaaga agataaacaa caatctgtct cctgctttct tccctcct 56400 cccctgcttc tggaggcaac aaggtcaact atttggtgtg attcctttta gcattccctc 56460 catcaatggt cacataagga tgctcacaga taagcaccta tgcgggggtt tttttttcc 56520 ttgtaaaact attcacatac taaatacttt cctcagtatc ttgccttttt tcacttcatg 56580 tcacagaaac atctcttcag gtttatagat acaggiccag ctcttctttt catagccata 56640 56700 taacattctg tagaatagag aggacacatt ttactcagtg tccgattgat ggatatcaat 56760 tataggcgca tttatgccta aaggatagtc tcaaaagagt gaaactgatc aaatgtgcat 56820 56880 ttttttattt taataggtat ggacagattt gttctcaaaa tgtttgtggc agttcaaaac accagtaaaa caggggagat atgtattttg gaaaagcacc caaggcgatt ctgaagtgta 56940 gcccaggata agaaccattg cccagagctg ttccagatgg cccctgggtt cctgaagtgg 57000 gtatcgggag agaaatcttc actgaatgaa tgagtgggct ccccagggaa gtgatgaaat 57060 ggtccttatc agccttgcta tetecetetg acagaggcaa actetetete cetgggggaa 57120 gttcctccaa ggcctctata taagaagtct ttgtgagagg aagcaaagaa ggacctgggc 57180 57240 tttgggaaga tctaaagacc caggaaggtc tctgggtggg tgagtgcttt ctctgctgtg gtggagctgg tgacagttta ttctcccagg aggtccctgg ctgtggctga cagtttctgg 57300 agggctggca ggcgtctacc tgtggctttc aggttatgag gatgtcagca ggggcagcct 57360 teatectetg cettgeacat teettetgeg ggatgtgaaa gtgeteettg getggggaaa 57420 ggagatggtg gagacatgga ggagggtgtg ggtggcttct tgaactctga ggaggggaca 57480 taccttctaa gtcctatgtg ttcctaggaa agccaataat cattgcttct cccgcctttt 57540 ttatgtcata gactctgagg gacccattaa gtacaaacaa ataagcgtaa tagtcccttc 57600 tttacttccg ggcctgaagg aaagccagcc tcagccaccc ctcagggttt gctgcgttct 57660 gtttagaaag aggtccttgc gtcctggatc ctggagcatc aggagctggg cttggcatga 57720 gettttetgg cecateetga tttetattea ggeettettt ttetecacet cacteccaeg 57780 gtcccctaat ggtgtgattg tgatgtgtgt gcatgtgtgt ctgtgtgtgt caatgacaaa 57840 ctgtgttctc cgttgcagga taaagccaag atgaaactcc ccttacttct ggctcttcta 57900 tttggggcag tttctgctct tcatctaagt aagtgttttt tgccttcagt ctttcttct 57960 ctgttttttc cctttctatg gtagatgggg tcagagttac acacccaccc ccttctttga 58020 tegtetteta tttetgaatt tetgtgtget taaagggatg gggaetetat ggeeaggagt 58080 tgaaaggatt tetcaaggeg tetgttatgt etgtggtett ggttetaetg tgacatteee 58140 aattttgtcc tttctccatt atgcttactt tgagcttact gagtgccttc tctcctttaa 58200 58260 ctctcttagc atcgccatga agtaggtggt attgtatacc catttcacag aaatacagct ggtggatgat ggaaccagta cccaagccca tgactgcccg actctaagtc catgctctta 58320 58380 accaccttga ccttgtcagg cagcttgggt tcccctcata gagactgggt tccaggttcc cetteccagg cagagttgag cactetgatg cecagggeaa ggtgtgaget gtetgtggtt 58440 ctggggagga acaaggggag atgtgaagga aggacactta gctatcctcc ctgccagggt 58500

ctgagacttc cacctttgag acccctttgg gtgctaagac gctgcctgag gatgaggaga 58560 58620 caccaqaqca qqaqatqqaq qaqacccctt qcaqgqaqct ggaggaagag qaggaqtqgg gctctggaag tgaagatgcc tccaagaaag atggggctgt tgagtctatc tcagtgccag 58680 atatggtgga caaaaacctt acgtgtcctg aggaagagga cacagtaaaa gtggtgggca 58740 tecetgggtg ccagacetge egetacetee tggtgagaag tetteagaeg tttagteaag 58800 cttgggtgag tggcctatgg ctgaggctga ggtgggagca tggaacgggt gtgggatatg 58860 58920 ccccaqcat tgctatcact ggctcttttt cccattgagg gccctggggg tgtcagtaga 58980 acctgagect cagagaggtg ttggggtaag aggggaggge cacctacaaa cagaagttge attttggtct ccaaccttca aatggttgtg gcaggggagg gagggaatga attgtgggga ctcaagaccc atgtgaattc atgtaggaag gatgctccat tctttgtctt ttatcctgcc 59040 59100 59160 ctqtaqttta cttqccggag gtqctacagg ggcaacctgg tttccatcca caacttcaat attaattatc gaatccagtg ttctgtcagc gcgctcaacc agggtcaagt ctggattgga 59220 59280 ggcaggatca caggctcggt aagagaagtg tgaacactaa atggggtgca cctgctgatc 59340 tcagccagca ctcagcttgc atcagatttg tctgtttttc tcctgtataa tctccagaag aaccagggat agatggacac ccacagacaa cactgagggg gctgcctggg cattcaggga 59400 agagctaagg atttagaatc aggaggtttg ggtccaagtt cctttccatc tctcactatc 59460 59520 tatgtaactt aagttagctg ggcatggtgg tgcatgtctg taatcctagc tacttgggag gctgaggcag gagagtcact ggaacctggg agacagaggt tgcggtgagc cgagatggag 59580 ccattgcact ccagcctggg caacaagagc gaaactccgc ctcaaaaata aataaataaa 59640 59700 taaataaaat aaaaaaaaaa ttaaaacaag accatgagtt tgtttcctca tctctaggat 59760 qaqttqqcaa cccttqttct accttttqtt agggctggaa ggacaagcct gtcactggga tgcatagaat ctgatggtga taattgccgt ggatcagcat ttcagatgac taggacagtt 59820 cccatcatgg tccagcaggg aagggcccat tgcccggtgg gcagcagaaa gagctggcag 59880 atacggggcc aggtctgctt ctctgccttc cctctgcccc atcccttctt cccctcttgc 59940 tttctccagg gtcgctgcag acgctttcag tgggttgacg gcagccgctg gaactttgca 60000 60060 tactgggctg ctcaccagcc ctggtcccgc ggtggtcact gcgtggccct gtgtacccga 60120 ggtgaggtgg ggctggggat gaacgatgga aaggtctggg agatgggaag tgccccaagg 60180 aggagatget acaaagagee tgaceetttg tgggagagge tteetgggte ttttatatae tctgactcca cagcagtgtg tgggtgggaa aagaggccct cctgtgggtt gagttgggat 60240 ggacaagagg ctgaaagtcc ctttctgttc tgccttcaca ggaggccact ggcgtcgagc 60300 ccactgcctc agaagacttc ctttcatctg ttcctactga gctggtccca gccagcagtt 60360 cagagetgee etetectggg cagetgeete ecetectetg ettgecatee etecetecae 60420 60480 ctccctgcaa taaaatgggt tttactgaaa tggatttatt ttctcctctg atcgcggatc 60540 cactetgett ageceteatt gaaacttett cettateate tetececaea ecacaacttt 60600 catagaagtg tcagaagcta ctactccttg aggaggagga tggagggtgg agttgggtct atggageett ttggagatgg aggaatggge teagetagtt etetteatag aacacetgat 60660 tactgggcac ctgcatagtg ctgccaggac ctttcaaggt tgtaggtaga ctcccaatgg 60720 cecagtttgc atctctgtaa ccaaaggcct tttctctctc tctctccaac cccagaactg 60780 60840 tggttggttt tatatgtaag gaagttaaca tgtccctggg aacagtccac aacattcagg 60900 aatgaatgta taagtaccgc aatccccggc ccctcaagtg gaataaatct aacatgtatt gggcaccatt toccagtggc ctgctgtggt agttggcctt attccatgca tttttatggg 60960 ctgccttccc ttcctcaact gcattctctg ctccttccta ctctctgcaa ctcccaaata 61020 61080 aacacttgta cgcaactccc tctctcaqqa tctccttctg gggaaacctg atataagaca gettgecatg egteagacte tgaatgagge etgggaatae aagacatagt cetetggeae 61140 61200 ttgggatata tggttatttg taacataggc acaaaaacat ctactagttg ttatcgctta 61260 ttgagcaccc acaacatacc ccctqctgtg gcaggcacct tgcctagatg acctcatgtg 61320 atcaataatt atgageeeta ttttacagaa ecaggeteag agaagttagg atetgteaaa agacttgccc aagactgaac ctctaaatgc aactcatatt gaaattcaac tctgctccaa 61380 agcatgitac titaaccett gtgettttac agetggetac teteceetta tggtcacaeg 61440 gggatgaagc acggggggag gaaagccaga ctgtctcact cttgggttca tcttgggaca 61500 61560 61620 tctcaacccc ttctgtacta gggaggtcag cagaagaaaa taattcaatg ttctaaagcc attttttct ccagcattcc tccaattcat agatcttcat atgggattag gggctcagag 61680 aggggtgaaa caagaactct atttttttgg agtgtggtat agagaaggga tgctacttct 61740 61800 ctaaggtcac atagtaagtt gagaaagaga gagaaatcaa actcaggttc atttcaacta 61860 ttgttccaca agaatctgtt gatttcaaag atggtggact atgggttcat ccctgtggtg 61920 agtgctgtga ggatgcagct gaggtggaac tttcactcct tgccctcttg gactttatat 61980 tctggtgtgg aaaggcattg cttcccttat ttcaatatta acaacaaagg gtaataatat ttcccattta ttaagcattt actaggtgtc aggtactgtg ctaaatgtta ggtgaacttt 62040 gtcttgttcc tcataaatct ctgccgctgt gggtgtgtac tttgacagaa gtttgacttc 62100 62160 cagtccacag agatcttctt tgggggagta atatcaagaa ggggcacgaa ggaagctgca gggctcctag tcccatcctg tatctcgacc taggcatgtt tacattggtg cattcactgt 62220 gaagtttccc tgagcagtcc actctatagt gtgctttata ggagcacatt gtacatccat 62280 62340 tgaaaaattt ttcttggccg ggcacggtgg ctcatgtctg taatcccagc actttgggag

gccgagacag	gcggatcacc	tgaggtcggg	agtttgagac	ctgcctgacc	aacatggaga	62400
aaccccgtct	ctactaaaaa	tacaaaaaaa	ttagccgggt	gtggtggcac	atgcctgtaa	62460
tcccagctac	tcaggaggtt	gaggctggag	aatcgcttga	acctgggagg	cgaaggttgc	62520
agtgagccga	gatcgtgcca	ttgcactcca	gcctgggcaa	caagagcgaa	actccgtctc	62580
aaaagaaaga	aagagatttt	ttctttttct	taaaaagtaa	aaatcatgaa	ataaggggac	62640
tgggctaata	ttccaaaata	tgggtttgtg	tgtgaatttt	cctctccagt	aagatactaa	62700
ctaagctctg	tgaaactgtt	tatctatggt	tctttatcat	tgaatccttg	gagttcctta	62760
cactotocao	agcacagagt	aggggctcaa	tcaacagtgc	actcattgct	ttttcataga	62820
caagggccac	cctcactcaa	ctcatgtgcc	aggcatagtt	ctgagagcțt	tgcttaagct	62880
gatnnnnnnn	${\tt nnnnnnnnn}$	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	62940
nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnggtcact	aatttggtat	63000
agagttatgt	tcattgattt	cattttattt	tgtttctgat	ttttaaagat	tgttttactt	63060 63120
gttttcttcc	tattattatt	ttattttatt	tgtaaaacat	ttacatatca	gacatttaca	63180
ttttcccaaa	ggtaaaactg	tgaaacaaga	tatattcaaa	gaagtttact	tteeetetet	63240
gtttcttgta	ccccttttcc	tcttctttag	gtaaccattt	ctattttttt	addiacadac	63300
attgtgtagg	tgtatataca	tgtattagtc	tgttttcatg	cegergaraa	agacccacct	63360
gagactggga	agaaaaagag	gillaaligg	ettacaceet	actacacygee	ggcaaggccc	63420
cagaatcatg	gcaggaggtg	aaaggcaccc	cccatcacygt	ctcataaaat	ttattcacta	63480
gaagaatcaa	aagtggaaac agcgtgggaa	coccyacaaa	ccatcagat	attaccetce	cccactaggt	63540
tcacaagaat	atacgtggga	agactggccc	atataattca	acatgagatt	tagatagaga	63600
cccacccaca	ccatatcaat	accettgggag	ctcttttaga	taaaaggtag	tatactotat	63660
cacagecaaa	gcagagtttt	++++++++	datataacto	tateetgagg	gtgctctgta	63720
acactattet	ctcatgcctt	ttaaccacta	cctgggtctc	cattacatgg	ctgcagcata	63780
gcagggaccc	cattcctgta	ctgatgacta	tttggattgt	ttccagtctt	ttgctattac	63840
cartactatt	acaaagagga	tctggctaca	tottcagggt	addaaddac	agatgtgtag	63900
cctatcaga	gggtattgca	gtaatccatg	actgagttaa	togtagttta	aagctaggat	63960
gagtcagga	ggttggagag	aagtgggcac	atttgaatga	tatgtaggag	gtgaatgatc	64020
agcattattg	atgagtttga	ggtggggcat	gtggggaaag	gattcgagga	tgactcccag	64080
atttctatta	ggacagtgga	tggatagtgg	ctcctccct	ttttccaatc	ttccttggcc	64140
cttcactaac	ttctattaga	ttggcctaca	gagagcttct	ttttcctctc	tgttcgccca	64200
ggttcctcca	ctttggcggt	ggccctctgc	tcgacggtgc	cttcgctggc	cctgacatcc	64260
ctgctgtgcc	tgggcttcgc	cctctgtgcc	tcagtcccca	tectecetet	ccagtacctc	64320
accttcatcc	tgcaagtgat	cagccgctcc	ttcctctatg	ggagcaacgc	ggccttcctc	64380
acccttgcgt	aagtggcctt	ggggcgggct	ctgtggagac	ggacacactg	gggcaaagag	64440
aagctggagg	taaagaaatt	gggaggcaag	gcggggcctg	gaggcagtca	ggtgcgggag	64500
actgggtttg	ggggcaggtg	tggagggggt	gagaccagag	gtggtgggaa	ggatagaaca	64560
ttcatgcact	tgagccttta	catctgcggt	gccctctccc	tetgtttet	acctggtgaa	64620 64680
ctcgtattca	tcctctgagg	cccacttctg	tttcagttct	ccagggaaga	aatggaaaag	64740
tgtcttccct	tctttgtgcc	cttagtactc	tagtettaet	tectttgeta	gracegrace	64800
tgtctggcat	gccatccatt	tacatgcctg	tetttett	cciggigeag	taggtangat	64860
ggtcctgtct	gtttttccag	ggeeeegeat	gracecter	attagaaaa	aggectagae	64920
gtctgagcag	agctgaagag ggggacaagc	ggaaaggcca	cccaggigig	caccettete	cttggagga	64980
caggggagct	agctcactgg	aacccctctc	atttctctcc	ccagtttccc	ttcagaggag	65040
tttaggaagg	tctttgggct	aatcatacc	ttatcaacta	tagtatetet	gctccagttc	65100
cccatcttca	ccctcatcaa	aggeteeett	cagaatgacc	cattttacgt	gagtactggg	65160
aggatgggga	tccctggcag	gaggeetggg	ccttaggcct	taactaccc	aaatctggct	65220
ataataacct	gggtatgtag	catggtgcag	cttcccaaaq	gatetatatt	attcaagtat	65280
ttgggggaaa	agtatttgtg	tatataaaa	aacagacatt	ctggagtagg	gtggggaatt	65340
ctcacgaaac	ttcaagcaaa	atcctgagac	ctcaaaggtg	tttcctgctt	gtggtgagtg	65400
caggcccac	ctaacctctc	ccctaggccc	acacagggtt	tccacagttg	gccccaggga	65460
caggacctct	gtgctttcac	ctctgtgtcc	: ttacacctgg	, agggatgctc	: tgaggtcctg	65520
ctctaggagg	togtcgtgag	tctcctgctc	: tttgcagaaa	ctgaggctca	aagaggttac	65580
ttacgtgttc	agaggcacca	gctaaggagc	: aaaagtcaac	: tttgaattct	gtgttttgac	65640
tactgcacac	g ctctatttgc	ctcattttt	: atttttaaag	cagcaaatct	. tagaatagga	65700
gtttaaatc	atcacttqqa	gaaaagaaag	, actaaatgtt	: ttttgtttt	gttttggaga	65760
cacgatette	g ctttgtcacc	: caggctggag	tgcagtggca	. caatctcggc	tcactgcagc	65820
ctcgatctcc	tggactcaag	cgatectete	: atctcagcct	cctgagtago	tgacactaca	65880 65940
ggcatgtgc	c accatgccaa	gcttatttta	ttttatttt	. ttgatagaca	ctggggtttc	66000
gctatgttg	ctgggctggt	tttgaattco	tggcctcaag	cgatccacco	gtctctgcct	66060
tccaaaatg	tgtgattaca	ggcgtgaaco	actgtgcatg	gecaaaagag	taaacttgaa	66120
atctgaggc	g aargacttga	tigigacato	aggigaccta	trattrast	gtgtattcta ctcgctaggc	66180
gerggrgeet	_ claccagett	. cccatgtgac	Cicyaacate	, ccaccyaac	, cocyclayge	55100

66240

ctctgtttct ttatctgtga aatgggcttg atattcctcc tctaccccaa ccgatagtgc agaatgaaaa gtaactgaaa gtecttecte cagggcacca tagtgtetgg gtgaaaagta 66300 gaatataaac teggtagaet tetggteet teattggtea tggaatggae cagtgettge 66360 ttcattgage aacagttetg ttgttcagaa ttcctggatt tcacctcact tctgctctcc 66420 ctgcaggtga atgtgatgtt catgcttgcc attcttctga cattcttcca cccctttctg 66480 gtatatoggg aatgoogtac ttggaaagaa agtooctotg caattgoata gttcagaago 66540 ceteactitt cagececgag gatggttttg ticatettee accacetttg aggacetegt 66600 gtcccaaaag actttgccta tcccagcaaa acacacacac acacacaca acacacaaa 66660 taaagacaca caaggacgte tgegcagcaa gaaaagaate teagttgeca agcagattga 66720 tatcacacag actcaaagca aaggcatgtg gaacttcttt atttcaaaac agaagtgtct ccttgcactt agccttggca gacccttgac tccaggggag atgacctggg ggaggaagtg 66780 66840 tgtcaactat ttctttaggc ctgtttggct ccgaagccta tatgtgcctg gatcctctgc 66900 cacgggttaa attttcaggt gaagagtgag gttgtcatgg cctcagctat gcttcctggc 66960 teteceteaa gagtgeagee ttggetagag aacteacage tetgggaaaa agaggageag 67020 67080 acagggttcc ctgggcccag tctcagccca gccactgatg ctggatgacc ttggcctgac cetggtetgg tetcagaate actttecca tetgtaaaat tgagatgaat tttggtgttg 67140 aaagttette etggageaga tgteetagaa ggttttagga atagtgaeag agteaggeea 67200 ccccaagggc catgggagcc agctgacctg cttgaccgaa ggatttctga cagactatct 67260 ttggggatgt tttcaagaag ggatataagt tatttacttt gggcatttaa aagaaaattt 67320 ctctcgggaa taattttata gaaaaataaa gcttctgtgt ctaaggcaac tactgtttcc 67380 67440 gtatgtttct gaggaggccc taccctggca tgagagggta gggaatctgg ctacacatct 67500 agtgtggcag ctggacccag aggtggggca ggaaccctga ctatgattca ccccgctggt 67560 cetgggatgt gggcccagag acttectece ccaggaacce etetgettee tetteetete 67620 cacatectta actaactita geagaacect actecteact acacacece agetagaage 67680 getggatgga atcagaaatt cetagtttga gtttcaatte tgeecetcag cagetgggca 67740 agccccttaa ccactctgag tcactagttc cccacctgca aagtgcagtt aatcatttct 67800 67860 atctctgatg gcgattgtga gaatgtaaag tcattgcaac tgcctagcac atggtaggag 67920 cacatgaggg tttgctcctg tgtttactca tgacccttgg ggaggacggg ggcaaagagg gagaagttga gggtgcagga ggagagatgg caggtgggtg ggatgggaga atctggggca 67980 cacctgctgt ctcattccca ccttgctagg agagggacta ggaaagaaca gtgggaggca 68040 gggggatggg ggtggaaggc agggggtggc aggcaggttc atccatccat tcattcaaca 68100 aatgittati gagcaccige cacgigicag geectgieet gggtgetggg getataaaga 68160 tgcagaaggg tctgaaaccc agctcttcct tcttcctgtg gatgtcgggg tgtaatttcc 68220 aggggccagg agcctgggtc tgagggcgga caccaaagtt ctagtggtgt ctattagcag 68280 cgtttaaatc taatggatgg atttggtctt gttaccctgc tcaaaagctt tcagcagctc 68340 68400 cccactgtcc acaggacaaa aatccagatg ctagcctggc attcaaggct gtcactagtg tgatctcaac ctctcccctt ccctctttac ctcctaccaa cagcggggca gagcccaccc 68460 ctgtggacca agattcccag tctctgggtc tgtgtgtgca ccagttcctc tgcgtgggtg 68520 gctcaccetg cetcagettg tgaaatecat etggtetget gggatectge teaaaatgte 68580 atcttctcca aaaatcatta ctcaggcttt ccagcatgtc tgagtccctg gcacttggtc 68640 acaccettee tggtgactgg cattigeete cacateatga eceteceace cettgeetgg 68700 geageatact ccaggaggea aggtetgtte tegeetgget ctaattaate tgtgettace 68760 atccacatgg taccagctaa ttcttgttga atgaatgatc gttgaatgag tggattcttg 68820 68880 ttttggcctc agaaccaatt agaaggagcc agaaaaacac atgggggtgg gggaggtgca gtgtggtgca gtggaaaaaa accettctgg aaatctcage tctgtcactt actttgtcag 68940 69000 ctctgtgact ttggatggac cacttctttg tcagtatggt gggagaaata gacatgcctc tctgggctgt tgtaaggatt acaaattagg tcgagtgctt ggcatgtggt gggttgaaca 69060 gatcacagct agcattacag atgatatatt aaagccaaaa aaagatgcct aatgtccacc 69120 agttggtgaa cggacaaagg aaatgtacca tatttgggat attatttggc aatcaaaaaa 69180 agtactgaca cctgctacaa cacggatgaa tcttgaaaac attagactaa gtgaaagaag 69240 ccagacacaa gaaactgcta atgattccat ttaaatatga aatatcgggc cagggtgcag 69300 tggctcatgc ctgtaatccc agcactttgg gatgccaagg tgggcagatc acttgaggcc 69360 aggagttcgt gaccagectg gccaacatgg cgaaaceceg tetetaetaa aaattageeg 69420 agtgtagtgg catgcacctg taatcccagc tacttggttg gctgaggcac aagaattggt 69480 tgagcctggc aggtggaggt tgcagtgagc caagatcgtg ccactgcact ccagcctgga 69540 69600 tgacacagtg aggttccgtc tcaaaaaaaa aaaaaaaaa ggaaaaagaa aaaaagaaat ttccagaata ggccaatctg tagaggcaga aagtagattc atgattgggt aggcctgggt 69660 69720 gtggaggcca tgggtagtga tggctaatgg ggaaggggtt tcttttgggg tgatgaaaat gggtggactt atggtatgtt aattatacct caataaaact gttatttaaa ggaagaaaag 69780 atgcctggat tccccaggaa gtgtacagta gacttctgtg agaatcagaa atgatttctg 69840 gggaagatgg gcgagaggag agtaagtggg agaagtgacc acgtgcgcaa ctctcatcgt 69900 69960 tetgecetga gageetteet eetgeaactt tatttattta tttatttga aacaggttet cactetgtta ecctggetgg agtgeagtgg tgtgatetea geteactgea geetegaeet 70020

gccaggetca agcaateete etgtttgage teetgagtag etgggaetae aggegeatge 70080 caccacatct ggctaatctt ttatttattt atttatttat ttatagagat tggggagtct 70140 cactetgttg ctcaggetgg tgtcaaacgc ctggactcaa gtgatectec cacettggee 70200 70260 teccaaagtg ttgggattat gggtgtgage cactgtacet ggcacetect gcaacttett cctcaagtgg aaccaatgag gaagcaagca actcagagct ttcacaagtt ttgatttcaa 70320 tragcaacgg gcttccaatg caacccttct ctcctgtaac cagcctcagt agagaggaac 70380 tggaggtgaa ttggccccca tcacaccccc acagtgccaa gctgggccct tccatcaggg 70440 ggagaacaca tgccgtgtaa gggacagcca acagcataaa ataggaattg tgtgatgatc 70500 ccttttaagc ctattcagcc cagggaagtg catatgatca gccccatttc atagatgaag 70560 70620 aaagtcaggt tcacccatta gcacattgtg gggctggtat ttaaaccagg tctgtctggc 70680 teccaaggte acatteattt agacattace tttactttae atttettett etttettet 70740 70800 70860 70920 70980 tettgeteta ttgeccaggt tgaatgeage atcateatae etaaatgeag eettgaacte ctggccttaa gcaatccccc tgcctcggcc tccaaaagtg ccaagatttc aggcatgagc 71040 71100 caccatgece ageetgeatt tattetettg taagaaagat ateatttaaa acagaegaga aaataaagag ggacatgaaa aagacgcatc accattaatt ggaccactca gagataatca 71160 tggttaacat gttggtatgt tccctcccgt catttgactg gatgtatgtg ataatttaaa 71220 tgatctcata agcttttcct tatgtaatca aatagtagcc aaaaacatga ttttaaatgg 71280 ctgctcacaa ccccatctcg tggttctgcc acgccttgtt tatccccatc caccccctac 71340 71400 tecetttece ettecetgee tgtgtggggg tectagatga eggtgageea gagggeagee ttggtcagca gattggagag tgcaaataat aaaaacactc agaaggcgag ctgttgtcaa 71460 gtgggcttat cacaaaagag caccttggga tattccagag aatgacctca tacccgctaa 71520 tcactateca taatetggtg ctaactgtae tttagetgaa ggtgetggea ggteetgeee 71580 71640 aggtgctgct aagaacactt ctattctgtg agaatcagag atgatttcta gggaaaatgg 71700 gcgagaggga gtaagcagga gaaacaaccc acaggcacag ctctcatctt tctgccctga 71760 gagectiect ectgecacgt ggttttgttt gtttgtttgt ttgtttgttt cagatagggt ctcactctgt cacccaggct ggagtgtagt ggcaagatca tggctcactg aagcctcgac 71820 71880 ctcccaggct caagcagtcc tccccaaatt caaagcttgg agtgatggtc ccagtggtta 71940 tgtctaggag ccctttttcc tgccagcccc tcaggggatt gatgactctc aaatgcttca ggtgtgacat gggcacagca gtgagtcatt cctctgacat tctttgggaa gaacattttc 72000 catccagget tecaggeata agatecagte etetggtgat aaggagttea cagacaggae 72060 aatgtctgag tgtatcttaa acccaggacc atggcttgtg ttcacaccag accctccagg 72120 72180 72240 tetetgtege caggetggag tgcagtggca cgateteage teaetgcaac ettegeetee cggttcaagc gattctcctg tctcagcctc ctgagtagct gggactacag gtgtgcacca 72300 ccacacccgg ctaatttttg tattttaat agagactgtg tttcaccatg ttggacagga 72360 tggtcttgat ctcttgacct cgtgatcctc ccgcctcggc ctcccaaaat actgggatta 72420 caggcatgag ccaccgtggc ccgcccaatt ttgagttttt atgttctaat cccaaacate 72480 tgctcacagg cccctcagca tattctttcc tgggtccagt gtcacctccc aggcctgcag 72540 gctggctaga gcagtagggt gtgtgggaaa gctctgggct ttgcaggcac tgatcagctg 72600 tgtgacctta accaccctga acctcagttt cctcacctgt aatggaaata ggtaccacgg 72660 cagtttgttg caaggactag agagtaacct tgggaataaa aggtagcagc agcttgggct 72720 ctggagatgg actgtccaag accaacttcc agttcctccc cacacaagct ctggcactta 72780 72840 gattcctggt acctccgctg cttcatctgt aaaatggagt aacaatagga atactttata 72900 gagttgtaag gattgagtgg ctggatgaac gtcaagcact tcaaagggga cctggcatgt agtgagtgat caatataaac cacctggctt gtagcaggtg tgctgtgtgt ggctgcaggt 72960 gttattagta acatetgtgt gcccttcaga gcgtgcacca cacttcacac cttgtggagt 73020 ctggaatgcc actattatag ttcaggatag aaaacctccc tgcaagcact cgctttagct 73080 tgtctccacc gaacaaaaca acacaagttc tttattactt ggaatgggaa aacttcaaag 73140 gcaaaaaaaa aaaaagactt tcgagttacc ccaaatctta agccaaagtc aatgaaaaat 73200 73260 atcaatcttc atattcaatt tttgcgatac ttttgtctcc ccagcagtca atggagagaa tecaageaca cagaaatgte aattaceagg ggeagggeta tgaatteett teagageeet 73320 gggctgggga agagtgcagg cagacagatc tgggtcctgt tatcacgttc ttagattggg 73380 73440 tgtccttgta ggagtcatga agcatcttag tgcctttgtt tgctacctat aatgcctacc tcagagagta ataaggataa gtaaggctct acgtgaaaag tgctcggccc tggcacatag 73500 taggtccttc attaatggca gctactaatt tttattacat acgcaaaatc acattacagg 73560 73620 tcaagtacgc tacatgacag tgaaacagtt tttttgtttg tttgtttga gacagagtct cgctctgtca cccaggctgg agtgcagtgg cacgatcttg gctcaccgca acttctgcct 73680 tcaagcaatt ctcctgtctc agcctcccga gtagctggga ttacaggcat gtgccaccac 73740 gccagctaat tttttttggt atttttagta gagacggggt ttcaccatat tggccagact 73800 73860 ggtctcaaac tcctgacctt gtgatctgcc caactcagac tcccaaagtg ctgggattac

tggcatgagc caccgcacct ggctgtgaaa cagttttatt gtgtttctgt ggaatgtgtc 73920 ctacccaacc tatagctaac tectatagtt cecteagtte teageteaga tatecettee 73980 tttctgtact gttacctagt actggttttc atagcaccag gtacctctct qqcatagaqc 74040 ttgtcacagt tgcagtttaa tgtaccatca taggatttta aaaatattca gttgtgtctt 74100 ccattagget ticatttggg aactecaege aggeageage tgtatatttt gtattgeeta 74160 ctgtatcctg agaactttgt accctactta gcacagaatg gaggctcagt aaatactgga 74220 74280 aatcccaqct ctgagcttct agttccctga tggtgaggac tgtgatgtgt ctcacacggt 74340 aatgagcact tatgcagaag aggctcagaa aatttctcct catggccaac ggaagactta 74400 gagttetttt ccaageteca eegtttgetg geatgeaaaa tttggaetat eaettaagtt 74460 ttccaageet tgettttet atecetaaca taggacaata ttcagcattg ttgtttgttt 74520 gttgggggca ccatgtttca ggcacttagt agattattgt accaccacat ttcaattggt 74580 cctcctcaag ccctgcaaca tctgtgaggt ggtcatcctt aacaactcac agatgagcaa 74640 caggagactg gggggatgag ggaactgcca aggaggtcca gcttatgggc aqcaqacca 74700 agaatggaac cagggtcttt tattttttta tttttttatt tttattttt aaccagggtc 74760 ttttaacatc cgaggaccac attctttgtg ctttccaaat catcacctgc cccatgcaac 74820 ttacagggta agttacatta aacaacgtat gtaaatggct ttgtgctagt tattcaccac 74880 cacaggggaa gtgagtcacg gacaagagtg cagccgctcc attcggatcc tggctctgac 74940 acttacctgg aaaatgactt aaccattece aggateaget gtttgtetgt aatttaggta 75000 gtttaatggc acttgtgtcc tagagttgtt tagaaggttg aataatatgg agcacttaac 75060 atacttagca cctagaaaca cttcctaaat attagttgct gctgttgtta tcgttattaa 75120 aatttctgcc taagatctca tttcagggag cccaactcaa tctttgacaa gcttaaacaa 75180 aaattgcttt tcttcattta ttcacttaca cagcaaacat gaattgagcc tgtactgtgt 75240 ttccagaact gtgcaggacc agagaggcac aggtgaagga agcaaggctc tggctctact 75300 ggggaaacag caagaagatt gctacaatga ggtgggaaga gggctggact agagagaagc 75360 cctgattagt gtccttgcta cctttctctg ggagagccaa ggcaggcttc ctggaagagg 75420 tgatccttgg ctgaaacttc qatgaagaaa aggaaagagc gcagtggtta gggaggaaag 75480 ggcattctgg gcagatgaaa tgacatgtga caaaatatgg gtgatcannn nnnnnnnn 75540 75600 nnnnnnnn nnnnnnnn nnnnnnngca ctccagcctg ggtcactgag tgagagaccc 75660 tgtctcaaaa aaattaaaaa aaaaaagtcc agaagaacat ttgggtctca ctctgtggcc 75720 caggetggag tatagtggca caatcatage teactgeaca tteaaactee tggeeteaag 75780 tgatcctcct gccttagcct tgaaataagc ttggattaca gatgagccac cacacccagc 75840 cagaccatta ttcataatag ccaaaatgtg aaaacaaccc aaatctccat caactgacaa 75900 atggataaat agaatggtgg ttgatccata caatggagta tttactcagc aataaaaaga 75960 agtoctgata catgotacaa ggatgaacct cgaaaacatt atgotaagtg aaagcagcca 76020 atcacaaaag gctacatatt acaagattcc atttaaatga aatgttcaga ataggtaaat 76080 ctaactttta tcacaggcaa agctatgaca ggaaatagat gagtggttgc ctagtgcttg 76140 ggggcagagg tgggggtgag gcgagtgagt actqctaatg gtacagagtt acttttqqqq 76200 ataaagaaac tgttctgaaa tggactctgg tgatggttgc actactctga acatactaaa 76260 actgttaaat tatatacttg aaatgggtga cttgtgaggc atggaaatta tatcttaata 76320 aagctgtttt acatatttta catatttaaa aatgcaggtg gagggatgag ccctctaaag 76380 agaagcagga gtttgaggag gttctaaata ttgtgtggtg ggtactgagg catataaatt tgtcagacct catcaaaatg tatgatgtaa tcttcaagaa agttgattt aaagaaacac 76440 76500 caccagcacc aggtggagaa ggcaggaaga agttacacaa ggggtaggcc aagagtggtg 76560 gctcatgtct ataatcccag cactgcggga ggccgagctg ggtgggtgac ttgaggtcag 76620 gtgttcgaga ccagcctggc caacatggtg aaagcccgtc tctactaaaa atacaaaaat 76680 tagccagacg tgctcgcgtg aacccagggg gagaaggttg cagtgagcga agatcatgcc 76740 76800 cataggggac agtggcaggt gtcaagggca ggcagggtct ctcctatctc caggataaac 76860 tcatagggga cttagatgcc atgtgggtcc ctaatagccc tccacttggt tcttgcagcc 76920 actettatgt gtateattte atgteaggee tettetteee aacceacea gecateceag 76980 cetggetgee aaccecacet cetecagece etgteacece ataattgggg ceaggaggea 77040 tgggagagte gecatetete ggtgecatet gttgeatett tacagataac catggetgga 77100 tgcggcagat cctggggtgg agcagccgct gttcagagca gtgatcaaga cctccccatc 77160 tecaccete aaggaategg tittetteca tagecacate aggtgetgtg caggaaggag 77220 ttgaaacgag aagccaggag caacgagaag gacactaaca tttattaagc actgcagact 77280 ctcacagcac tcccacggaa tcgatattat tatccccatt ctgaagacca ggcaactgaa 77340 gctcaatgtt taaggaactc accgaagtca ccaactgata aaagtgatgg aagctgggat 77400 . 77460 tcaaatccaa gctaaacttc cttccaagct tactccacaa cacagaggtt ggggaaaggg gataaaaaga gaggggagcc caattccatt tccacccagc tcctgaggcg gagcttgtca 77520 gcacagetet etectteeca gaataggaag atacceatea gaggeaagte etagacaeca 77580 gcagtggtaa ctccctgccc caaggcagct gcagacagcc tatggctgta gttactgctc 77640 ccaaagagtg ttagaattcc cactcccagc ttcggggcca ctcacacaag gtgattgaag 77700

77760

tggaaaccag agactotoca caatgoooto otagagtaaa tgaggotatg taactttgto 77820 caaatgagta atttgaaaac ctgggggctc ccagctcctg aaaagggaag gatgtggggc cetttatatt catactecae tttgtgcage tetecettgt ettatgatag cectattaag 77880 77940 aaattootot occagoacgt otoottoaaa gagototaga octgaggotg toagaggott aggactetge ctattagtee cagggtetgg atgaccagea ggacacetgg catteagtga 78000 ccactggatt agataaatga aacagtgggc agagtgccac ccaatctccc cctgaagttt 78060 gaagaggteg agaagtgagg etgtecaact getgaceetg etttetgtee acetggeeac 78120 ctaacctttt ctggcttcca cctgcccctt tgccatccct cccccagcc cacccagccc 78180 attttcaggc atacctgggc acgtgctgga atagaagccc tcgttcttca gaatgatcaa 78240 cagggagece cageecagga gtacageaga gaagaagagg ttetecagea cageegtgea 78300 78360 ggccatccac cagcgcctcc ggtacgcctg ttgcagcgtg ggggccatgc tggccccgag cctgcacaga aacagagcgc tgggtgaagg gcccccagt ggccccaggg aagggtcctg 78420 catcatggtg gcacccgaga cctctcgggc cagcccgcga ggagcccctc atggaggccc 78480 catagagece tgggettece ageeggtgee aaggagetgg eteegegege actageagtg 78540 ccagaggtgc acgcggcacg gggctcccgc tgagccacta tcggaaacaa ggaaggtcct 78600 gtetgegege tgeagettee tageaggetg eegggttete teacceagge cagggegete 78660 agggccgggc tgctggggag aaagtccgca tctgcccagg tccccagagg acagcaaggg 78720 gcagagegeg ctetgaagea cegegggeec atgteeggae tetegegeea ggaaagaeee 78780 ctagaagctg gcaggaagaa gggcaagttc aaggctaccc tacgacccca tcttccagtt 78840 gecetecaa gacetetet teetteggg geegggegae ageaageet eccetttee 78900 gtatcaggtg acccacgacc ctacagtctc tcgggccaag ccaacagctg ccacgtggag 78960 ggagaccaq gacgggetet ceteggttee etecteece gegegeecet cacteaetee 79020 gcagggctcg gggcaccagg ctttgcacct cggaacccgc ttgcccccct ccagccccgg 79080 gagggggctc ggacttcggc aggaagtctg gcggctgctg actttataag ggcagcggtg 79140 79200 gcggatgggc tggcgggcgg gtgtgtttac caaagggagg gaaagagccc cagctccccc 79260 cgccgcggcc gctgcagcct cggcgggagg agagggaacg cgggcagcgc gggggcgggg 79320 agaggggagg aagtaccagt cacttettee agggggaete ggtattetea tetgtgaaac 79380 ggggctttgg gttcaagcgc tccaggaggt ccgctggaac tctggcaaac gcgcagctct 79440 aagcagagga agtgcagcga gcggggaccc gggaggaaga gaagagtcgg aggggtcaga 79500 gaaaagaaaa gggaaggacg cgcttggcga gatgggacac tgtgccgcgg gaccgcgggc 79560 79620 gcaagtaacg gtctttcctt gggaagcctg gcagtgtcgg cgggagccgg cctcggtgtc 79680 tetcageega egeatageeg gagaeectae gegegeeece teecegeeca egetgeteae cteeggteac eggeaaatga geagecagea getgeggaeg eeteegggag egeaaegett 79740 79800 tegeggegeg teeggagtee egtgggeeca geectgagee gegeeggege tggggtette 79860 tetgegtgea ggacceggee gecaeggage tteageetga cageceggtg geetegeete cgctgtctcc tcggaagaag cgggggaact gggaacccgc cgggcgccag aggtctgcga 79920 79980 agctgggctt ggatgaagtg gatctgcgga gttgatagtt gtatttacac gcgtccggag ctgcgccccg aggtggggcc gggggctccc ttcttttccc ctccccttag gtcgagtttc 80040 acgcgcacgt gactcgcccg ctggtcccgg acactctccc tctggcacag ccccagcacc 80100 tacatttcca ccctggaccc ccatcttctc ccccaagccc ccagactaac atcaggcagc 80160 80220 gccctctgta tccttgttca aaacaaagtg cgattcggct gaagccgact gaccgcgatt cagggeegee ttgggtgggg ttttgaactg tgeagetgga ageagtgttt teegagagge agagtggeae gggtttettt ggagttagte agategaggt etgagtettg aettttaae 80280 B0340 80400 tgactaccct gggttaccta gggcaagtta cctctctgag cctcagcttc ctcctctta aattcggtta aaatggaacc tacctaactg cccaaaggaa tcgcgattgt gatgcaggta 80460 aaatgctaag catagcattt ggcatagtaa gcataatgtt aattgttgct gctgtcatta 80520 tttcagaaga cctggtgatc ggatgcttcc agatcaacaa ttgattgact ccaggtaaat 80580 ctctcagcct ccctgagcct cagtatcctc atctgtaaaa tagactacta tggtgtggag 80640 taatgagaag taatctcatt acatgtgagt ttaattgtgt gttaagagtg ctgctaatgc 80700 atgctgaget taatacctag gtgatgggtt gataggtgca ataaaccacc atggcataca 80760 tttacctacg taacaaacct gcacattctg cacatgtacc ccagaactta aaataaaaat 80820 aaaatttttt taaaaaaaga gtgatactgg tggccaggtg tggtggttca tgcctgtaat 80880 80940 cccagaactt tgggaggcca aggcaggagg atcgcttgag ctcaggagtt cgagaccaac 81000 ctggacaaca tggtgaaacc ccgtctctac aaaaaagaaa aaaaaatagc caggcatggt ggtgtgcacc tgcagtctca gctacccagc aggctgaagt gggaggatca ctgagctgga 81060 gagatggagg ctgcagtgag ccaagatcat gccactacac tccagcctgg gtgacagagt 81120 81180 aagactetgt etcaaaaaca aaacaagaat gactacagaa agetecaaga aggeeteaga 81240 taaaagggaa cccctgaaca gatgagccac caagccaaga gaggaactaa tggctaccat agacagggca ctttccaaaa taaaaatact gttattaatt cctcaagaca tcatggtccc 81300 atttaaacct catagctttt cacagaggga gaaactgcag gcttgaagct ggagcaaggt 81360 81420 tagaggtagg atgcagagtc aggtcggcct ggcatttaag tacggctcct tccattcctc 81480 ccagaaggag aatggcaaga gcaaaggctt agctgtggga atggcacaag gagttctcgg 81540 tggccaaagc acatgtcagg ctctgatggt ttaacttctt aaaatgcaat actgcctccc

PCT/US01/31488 WO 02/029059

81600

agaacttcca gatcaaggtc aaactcctca gctctacaca gggggaccta gagtcaactt tctaagctag gagagtcatg gatccctttg agaatacaaa agacagtggg cgcggtggca 81660 gtggctcatg cctgtaatcc caacattttg ggaggctgag gcaggaggat cacttgagcc 81720 caggagttca agacctgctt ggtcaacata gtgagacccc tatttctaca aaaaattcag 81780 ctgagcatgg tggcatgtgc ctgtagtctc agttactggg gaggctgaag taggatgatc 81840 ectgagectg ggaggtecag gaagetggag tgagecgaea tetegecaet geaetecage 81900 ctgggtgaca gagaccctgt ctcaaaaaaa aaaaaaaaa gaagaaatat gttattgatc 81960 tactettgac aaaaatgett gtgtgaacat ggacacacac acteatcaac attcacattt 82020 caaggttttc atggaccctt tecatgaggc tctagtggtc catggacccc catggctgga 82080 acacttgete tteeteatet caacceaeat tteeatggag ttggaetgte tgetgeatga 82140 ggacacagge etcatttggt gtgttcatte actgetgtgt atcccagcae ecagaacage 82200 acctcaccta aggggcactc agcacatgtg cagtgaagag tcagtcagct ggtttcacac 82260 ctcccagtct ttgcacctgc tattccttct tgtgggaatg acagatttcc ttcattctt ttttttttt ttttgacaga ttccagctct gttgcccgag ttggagtaca gtggcacgat 82320 82380 ctcagctcac tgcaacctct gcctcccagg ttcaagcaat tctcatgcct cagcctccca 82440 agtagctggg attacaggtg cacaccacca cctgtgagct gatattttt tctttcttt 82500 tetttttee tgagacagag teteactetg ttgeccagge tggagtgcag tggegtgate 82560 teggeteact geaageteea cetecegggt teaagtgatt etectgeete ageeteecaa 82620 gtagctgaga ctacaggege gcaccaccat gcctggctaa tttttgtatt ttttagtaga 82680 ggcggggttt caccatattg gacaggctgg tetegaacte etgacetegt gateegeeca 82740 cgttggcctc ccaaggtgct gagattacag gtgtgagcca ctgcactcgg ccattttttg 82800 tattittta gtagagatgg ggittcacca tgitggccag gciggtcttg aactcttggc 82860 ctcacgtgat ccacccacct tggccaccca aagtgttggg attacaggca tgaaccactg 82920 egetcageet cettetteat ttetaatgta etcateette acaacteage tcaagtttea 82980 cttctctctg gaagetctac tctaggctgg attcagggec ttgtccacat acccaccaaa 83040 tactctgctt acctctatgg aagtccccac actgatctag aataatcagc ttagttttct 83100 83160 gececcatee egececatga gatgtacate ttgtggggge aggaaceace aegtggtagg tgatttgtgt gcctgctgcc tatcacaggg cctggcgcct aataagcttg cggccaacat 83220 ttgttgaata aatgaaaagg gaatggtggg aaaggaagct gaaaaggtag gctaaaatca 83280 gtttggaatt acctctggga ggccaaggac tttcagtctt gcagggtagg taacaggaaa 83340 ctcctggatt ttgttttctt ttggttttgt ttgtttttaa tgaagggtag cgttatcgtc 83400 aggtttttgt gtttaattaa tggagcatat attggaaagg acagagacct taaagcagtt 83460 aggagaccac cataatagtt cacattttgc agccataaaa aggaatgagg ccaggcatgg 83520 tggctcactc ctgtaatctt atcacttcgg gaggttgagg caggcggatc acctgaggtc 83580 aggagtttga gaccagcete accaacatgg agaaacceca tetetactaa aaatacaaaa 83640 ttatccagge gtggtggtac atgcctgtaa tcccagctac tcaggagget gaggcaggag 83700 aatagettga atetgggagg cagaggttge ggtgageega gategtgeea ttgcattgea 83760 ggtacatgga tgaagetgga agccatcate etcagcaaac taacacagga acagaaaace 83820 aaacaccgca tgttctcact cataagtagg agctgaacat tgaaaacaca tggacacaga 83880 ggggaacatc acacactagg gcccgttggg gagtggggt tggggggtaa ggggagggaa 83940 cttagaggac gggacaatag gtgcagcaaa ccaccatgac acacgtatac atatgtgaca aacctgcaca ttctgcacat ggatcctgtt ttgttttaag aagaaataaa gaaaaaacca 84000 84060 agaagaaaca aacaaacaaa aataattccc atttaaaaca ataaaaaata ggccaggcat 84120 ggtgactcag gtctataatc ccaacacttt gggaggccaa cgcgggcaga tetettgagc 84180 ccaggagttc aaggccagcc tgggcaacat ggcaaaaccc tgtctctaca aaaaatataa 84240 aacaaacaaa caaaatagcc aggagtggtg gtgcatgcct gtcatcccag ctactcaggt 84300 ggctgaggtg ggagaatcac ttaagcctgg gaggcggagg tagcagtgag ctgagatcgt 84360 gccactgcac tccacctgga gcaacagagc aagattttgt ctctaaataa ataaataaaa 84420 taataaaaaa cagagaagag gaaagacacc tgagatatat ttccatatct gaatcaatag 84480 gattatcaa cgttctcctc tacccccaaa actaattcct tcctaaactc tgttctcctg 84540 84600 acactactca taggttaagt ataacagcat tatcacattg gctgtcatgt gggctcctgg ctagaggetg etteacaget taatggacaa gagcactgag acagggtggg tetaaateet 84660 ggetetgeag etgattattt gtgtgatttt gtccaaatca etccatetea tgageeteae 84720 tettetagte tgttaagtge tgaaaataaa agtateeaat teaatteatt atttaatgaa 84780 ttatttagcc taacaaatag ctattataaa tatttaggct gggcacagtg gctcacgcct 84840 gtaatcccag cactttggga ggccaaggtg ggcagatcac ctgagtcagg agtttgagac 84900 cagoctgaco aacatggtga aaccocgtot ctactaaaaa tacaaaaatt agctgggtgt 84960 ggtggcatgt gcctgtaatc ccagctactc aggaggctga ggcaggagaa cgcttgaacc 85020 caggagacag aggetgeagt gagecaagat egtgecaetg caetetagee tgageaacag 85080 agcaagactc tgtctcaaaa aaaaaaaaa aatctctgca tgaagaatgt acataaaatg 85140 gtgcagccat ttcggaaaac agtttggcag gtcctcaaat agttaaacat agagttacca 85200 ctatagccca gcaattccac tcctaaatat actacaccca agagaattga gaatatttgt 85260 taacacaaaa atgtgtatac aagtatttat agctgtatta ticattacag ctaaaaagtg 85320 caaacatccc agcagtccat cagctgatga acggagaaac aaaatgtggt atacccatac 85380

aatgtcatat	tatttggcca	taaaaaggaa	gtactgatac	atgctacaac	atggatgaac	85440
cttgataatg	ttattctaag	tgaaagaaac	cagacacaaa	agaccacata	ttgtatgact	85500
gcatttatat	daadtoccca	gaataggcaa	atccacagag	acagaaagta	gattagtggt	85560
tgccagagac	tagaggagg	agataatggg	aaatgtggaa	tgactgctaa	tggtatgggg	85620
tttcttcttg	aaataataaa	aatgttgtac	aattagataa	tggtgatcat	tgtaaaactt	85680
tgtgaatata	caacatocto	aattttatac	tttattatat	tttattttt	ttgagacaag	85740
gtctcgctct	atcacccad	ctggagtgca	gtggcacgat	ctcagctcac	tgcaatctct	85800
ctgcctccca	gcctcaagca	atcctcctcc	ctcagcctcc	tgagtacctg	acactacage	85860
atgtgctacc	atacctagea	aatttttgca	tttttagtag	agacagggtt	tcgctatgtt	85920
gcccaggctg	attttgaact	cctggactca	agtgctccgc	ccacctcage	ctcccaaagt	85980
gctaggatta	caddtataad	ccaccactcc	coocctaaat	tgtattcttt	aaaagactga	86040
attgtatggt	gtgcgaatta	tatctcaatt	taaaaaaaac	aaaacaaaac	aaaaaaaaa	86100
cctttgcgtg	tatcadacac	tagggattcg	atoctoaata	agacacagac	cctaccctca	86160
gagaacacag	adcccadcad	gagagagtca	cagatgaatc	aagtgttaca	tcatctatag	86220
gaagcgccat	ageeeageag	catootocca	tgagaacata	cgcttagaga	agggaatttc	86280
atctagacta	ggaagaaaga	aggaatettt	cagggtgatg	cttqtqctca	gagttttcca	86340
tgtcagaatc	agtagaattt	atcaatcctc	cagaggagga	aacagcaaat	gaaaaatctt	86400
acaacadaac	gatgggggga	cattccgaga	gctgatcaag	ggctggtgtg	aacaaagcac	86460
ataggag	gargesgraga	tataaaatta	cagctggaaa	ggtaaaacac	taattacatt	86520
ggatcttctg	agacaataaa	gagtatgcaa	taatctcaaa	cgaccgaaac	tgaccttcct	86580
cctccctaac	ttacttactt	ccactattac	ccgtatcata	aaagcaccac	cctcttctac	86640
ccagtggctt	aagacacgaa	actcaagtca	teccaggett	tctccccacc	tcactctcca	86700
catccagect	at.cagcgagc	ttatagatct	taccacgtaa	agacttctca	tctccagcta	86760
ctaccatccc	ccaageccag	atcaccatca	gctcaggcct	ggactcctgc	aacctttcta	86820
accagatett	cccaatccta	cccccccaac	atgaccccaa	tagcccatca	gaatggacta	86880
atcgagatgt	agatttgatc	aggccacatc	ccttgaaagg	cttcctgtga	ccctcgggga	86940
aatgcacaaa	ctcccaatga	tggcccctga	gtcctgtgcc	atctgggtct	gccctctgcc	87000
ctctatatct	ttgccatggt	aacctccttc	acacccatta	atactccatg	ctctctccta	87060
cctcaacttc	ttcctagact	ggaacattct	ctgcactagc	ctagccaact	aaccctttag	87120
atcttttgtt	tatttattta	tttatttatt	tgtttttgag	acagtcttgc	tctgttgcca	87180
aactaasata	caatggtgca	atctatctcg	gctcactgca	acctctgcct	gccgggttca	87240
agcaattctt	ctgccttagc	gtcctgagta	gctgagacta	taggcaccta	ccatcacgcc	87300
cooctaattt	ttotatttc	agtggaggtg	ggttttcacc	atgttggcca	ggctggtctc	87360
gaactcctgg	cctcaaatga	ccaccctcct	cggcctccta	aagtgctggg	attacaagca	87420
tgagccactg	tacccaaaca	acacttcaga	tcttaatgat	catttccttt	aagtgcctga	87480
cctcttgtag	taactagcct	gactccagca	atgaatcctt	ttgcaatgta	acctatataa	87540
catctgagtt	tccctttgat	aaaactcatc	atatatttgt	tcctctgaca	gttcagaggg	87600
caagggcctt	tgcccacctt	cctcaccact	atcctctcac	cacttaacac	agaactcacc	87660
acccaccatg	cctcctgcct	gacaaattcc	taaccatcct	tcaaatctca	ctcacctatt	87720 87780
accttctggg	aggcagtctt	ccctgagcac	: caagacaatg	ggacacattc	ctttatacac	87840
cctgctgaac	atctctttt	tgaggggcgg	_l gtagagatga	gtgtctcact	atgctgccca	87900
ggctgacctc	aaactcctgg	cctcaagcga	tcctcctgcc	trggccrccc	aaaatgctgg	87960
gattacaggc	atgagccact	gtacctgacc	gcaactgggt	tagninnnnn	nnnnnnnnn	88020
nnnnnnnnn	nnnnnnnnn	nnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	88080
nnnnnnnnn	nnnnnnnnn	nnncctgggc	aacaaagacc	ectectetat	: aaaaaaaaaa	88140
aaaaaaaaa	aaaaaaaaa	aaattattt	aaattageca	t gacacggcag	tgcatgcctg	88200
tagtccaagc	tacttgggag	gctgaaggga	gaggattatt	. Egageceage	aggttgaggc agacctcatc	88260
tgcagtgagc	cgtgatcgta	ccaccgcacc	. deagettggg	tetetaatee	gatatatcct	88320
cctaaaaata	aagaagaaaa	tatggcaatt	. tgactycaca	casadaadta	gcaacagtat	88380
aaggatgaga	aaggaataag	gaaggacaga	aaaaayyaaa	. aaaccadtaa	ttatatttaa	88440
ttagcaattg	tattgttatt	aagtaacat	- atacatatat	taggaaccaa	gtttatcaga	88500
aatactatat	atgigiatgi	tetasaate	arycacacy:	a aatttgaata	aaaatatcag	88560
ggaagagaaa	gggctacaaa	tttottata	ayyaaacaac	tatatottaa	ctctatccaa	88620
tattaagtat	catgatate	. ccaggagaga	taaaaaaact	cagcatccac	g actgtagtct	88680
attagattta	cagigacaac	. ccaggagcar	r tagttgggaa	aaatgacaat	ttcatgtcta	88740
ggggaagaaa	cacecctect	dacctaggg	c tgaacattta	a attotottac	g aaagtaagga	88800
yygcaagaaa	aaataatat	. gadacygact	a aaagacacac	attctgggct	ggtaaagttt	88860
tosatoocas	aaacaacgcg	aatttgagg	a tcaagaaga	a tcatgacaga	acagattaaa	88920
acatotoasa	tatattttaa	aatgaaata	t tataaaaga	acaattagt	gccatccctg	88980
aaggtcacta	gggcaccaac	: tcatatttc	a aactggtaaa	a taaatgtgta	a agccaagcat	89040
ttatttctgg	gtaacaaaat	agtaaggaa	t atttttctti	t ctagaagaa	t totagtgatt	89100
aaaaqtaqaa	gatagaaata	gaaaatcat	c cttttagcca	a ggggcagtg	g ctgtaatccc	89160
agaactttoo	daddccaadd	caggtggat	c actogagate	c aggagtttg	a gaccagcctg	89220
-9-4000099	, ,-,,,	, - 55-554-	2,2,3		-	

gccaacatgg tgaaacccca tctctactaa aaatacaaaa attagccagg tagtgggtgc 89280 ctgtaatgcc agctactcgg gatgctgagg caggagaatc gcttgaacct gggaggcgga 89340 ggtcgcagta ggctgagatt acgccactgc actccagcct aggcaacaca gtgagactct 89400 gtctcaaaaa aaaaaaaga aagaaaagaa aatcatcctt ttgcgatcct aatgaaataa 89460 tgggcctagg cattgatcat taatggctcc taaaatcact aagtatatgg ttgatgggaa 89520 actitatagi ggatggatca gactogcaat gtotaaacca gtigatcaai ctiaacaicg 89580 taacaagaca acagacacca ggggctgctg acaggagaac agaggaaacc catagctcta 89640 ccactgagtt attcacggca aaaaaaaaa aaaaaaaatt aaactgcgtt tcctccaagc 89700 89760 aaaacaacgc caaatccaaa atatggggaa atgacccagt ttcttcaaca aataaacaag 89820 aaaaggtagg ggggaggact gttctagatt ttaaaagcta tagaagacac agcaaccaaa 89880 tacactgcat ggaccaggca tggatcctaa ttggaacaaa ccaactgtaa aaggatgtat 89940 ttgaaatgat tggaggaatt tgaacagtga ctgcacagta gatgatatga agaaattatt 90000 gtiatttitt aggtgtgatc atgattttat ggtgatgttt aagtaaaaga ggccttattt 90060 gttagagata catgtacggg tatagagaaa tatttacgga tgaaatgata cgatgtctga 90120 gatttgettt gaaaacteta geaggtgtgg gagaageagg tgeatgggtg ggggaaggga tagatgaaat aagtatgeaa aatgttagte tacttttgte eeteetgace eageaggtta 90180 90240 aaatacctca gcatacctct actcctccaa ccaggtccaa ggatcaggcc aaaactccct 90300 gatgtggtaa acagcetgae ecettettae etetetet ecagceaett ecetaagatt 90360 ceccagtget etgtgeeeta gecageeega eteatetgee eagatteete aatgttteae 90420 90480 teteteatte accattttga ecceattgtg etcetgggee actetecaag geeegeete ttcatctcct ccctccttac tcatccttca ggtcttggct taggtgccat tccctccagg 90540 90600 aagcetteee tgacaccaat cecatectea ectagaacag attatgtgeg ettetttgtg eccecatgg eccectgtgg gtttgettea eggattataa etgeetgaet acctgeettt 90660 ctccaccctc tagactgaga acaccttgag aaaaagaaca catctatctt gtctgtcatt 90720 gaatccctgg tgtctggcac catggctgac acataactat cactcagtga ctagtgtttt 90780 90840 aatgaatgaa tgagtgcaac tagacagggt taagaacaaa agagaagacc aggcatggtg 90900 cttcacgcct gttatcccag cattttggga ggctgaggcg ggcagatcac ccgaggtcag gagttcaaga ccagcetgac atggtgaaac cccgtctcta ctaaaaagac aaaaattagt 90960 gggggatggt ggcacacgcc tgtaatccca gctacttggg aggctgaggc aggagaatct 91020 cttgaaccca ggaggtgcag gctgcaatga tctgagatca caccactgca ctccagcctg 91080 ggcaacagag taagactcta tcacaaaaaa aaaaaaaaa aaaaaaaaa gagcgagaga 91140 agatgtcatg gggtaaatga agacctccct tcctggttcc ctgaccagcc cctgccctcc 91200 91260 cocgcatoto acctgtottt cttgcttoct totggtactt ctgtttaage cggtccatga gcaggccatt ccagggggca cacagcactc cgaactgagt gaaggcaaag gcatttgtgt 91320 aggtgctgac tgcagaagga agagagaggt tggttgatga gaagtttcca aaactccctt 91380 ccaggcaggg acteteccae ettaccettg tetgcatgte cetectecce acaccateag 91440 accetectet ggtgtgtaca gecetgetgg gaggetetgt gtteecaget gggacatgea 91500 gatgggctac ctcccagccc taccacatac ctcgtgccat gtccccaccg gccatgttgg 91560 tcagcaagga gttgagagtg ccaatgaaga ggtagtgcca caactgtatc acagacagcc 91620 acaccaggtg ccaggcaaag cgccgagaga aagcgtagct ccagaaggag cggagttcct 91680 gettetgece tgeceetggg gietetaaig gggagaggag gatetgggeg tgaaitacga 91740 ggaaagtgga caggtaggat ggggagtgtg gaggcttcaa tggaacattt cagatccggg 91800 cceacettet accettgget cccagaacte acceggegtg etetgeacet geeteggaet 91860 cacacatece cacetecetg etttgtcatg etggecetae cacettggat gaceetetgt 91920 91980 gttcttctct attgaaatcc gatctgtctc tcacagcctg gtcaatgaca cttcttgcag taatacette etgatettte teagegagaa aggtgaaagg aacgacaagg agaggagaaa 92040 gtcagaaggg agaggagaat gagtgtggat actctgttct aacctgctcc tcagcacctc 92100 cettictiti gataccagta icctgagitt ctttgggaaa tetteeteta ceetaatett 92160 catggtccag atgggaccat gaattcagtg ttctgttcct ctctcaaggt taaccaatga 92220 gatggtteet ectaacaagg cagaceggec atgagtttag attaggatgg acttaateta 92280 aaataggtcc tacaccctgg caagttcaat gtcctccctt gattttggaa gcttcccaga 92340 accetattet tettettta aaataaataa ataaatacat gttttggate caattgteag 92400 atggtaaaaa taaaaacaaa aaaatcaatt ttattctgta tatttaagat atacaatatg 92460 aggicatagg atacatatag ctactaagat ggttactaca gttaagcaaa ttaacatatc 92520 92580 catcatctca catttctacc tgttttgtga caagagcagt taaaatctac ttgtttagga aagtcccaaa cacaatgcag titgatgacc tacagtcttc gtgctgtgca ttagatctct 92640 92700 aggeotytte atectgetea tetgeteett tttgteette gaeetgeate teccatetee teteceacce egttettatt tetactgtag etagetgegg tttgtgatgt gtgtaaccaa 92760 agacgcagaa cagagaggaa ggaaaggaag cagtgataga gttgggacaa taagagaggg 92820 cggacccagg agacctggag aaatgggggc actgtaccag acttagtgca atggcatcac 92880 agaagagggc agaaccgagg agtgggggga agggaaggca acccatggca ggcgggcttc 92940 aaggggtggg gaagtgatag gatgcgaaat agagaaaaga gggacagaaa agagacgaaa 93000 93060 gccctggacc ctccattaag tgagagggtt gggaagatgc ctaaggccct ttttctgtcc

tacctttcct	gattctgggt	ccctggggga	gctctggagg	tgaggggcca	ggaaaggcac	93120
aaddadaddc	ttaaatctaa	aggagagatg	ggttagccag	cagggctcac	etteettege	93180
taaaaaaaac	tcctttgact	gtagctccct	gttttcatgc	tcagctgttt	ccttctcttc	93240
ctttataata	ccattcccag	ggcacaggct	atggaaacaa	aagccccacc	agcaaggcca	93300
aggactataa	accasaceta	agactcagac	tqqaqqqaat	agcatggtga	atcccacatt	93360
aga agaga ct	ttggaatcac	cttttagcca	ctctgatgcc	caggttgcag	accagaccag	93420
ttaaatcaga	atototogag	ataaaaacca	ggcttccttt	tctaagattt	Clarycyaac	93480
attaataatta	taataadcad	caaagtttag	gaagcatgaa	aagagtaggg	Caggeccagg	93540
ttcaaatccc	addtctdcct	cttcctagca	acagaaagat	ggctcagact	Laacectect	93600
gaggeteatt	ttttgcattt	agaaaatgga	gataaggata	teteagayya	ccaccycyay	93660
catraaatra	gagaggagat	aggatetaae	aattagtaag	tgagcagcaa	aggaatgeee	93720
++cc+ctact	ccttataaca	aatgactgca	aaaatgatca	cattlcilca	Collective	93780
atttccccca	atttqaatqa	gactgcagct	ctatttcccc	atgccctgaa	tergggeeag	93840 93900
ccttataac	tacttcaacc	aaaagaatgc	agcagaagtg	gctgtgccaa	Ciccaageee	93960
apatict caar	aacgettgtg	catttctcca	ctctttcaga	acccigaaal	cacggcgcga	94020
atgagcccac	gctggcttgc	tggaggatga	cagccacgtg	acccaggcat	catacasata	94080
ccaaacctat	gtgagtgagg	ccatcctagc	atagccagcc	teractest	caccasact	94140
atcagatgta	tgaatgagcc	ctgtcaaaat	catctacatc	aggeeetgat	actactaaat	94200
agccagctac	ccacagactt	gtgaaaaata	ataaatgett	atactccag	cctcctcctc	94260
tttgagatag	tttgttatgc	agcaatagct	aacagatgca	gagagaatga	agaactctaa	94320
tcctgtgata	ggtttgcttt	accetgteea	######################################	gggccaacga	ggggccccgg	94380
cccacaatca	ccagatagtc	cttacccata	tactacatac	caddtactdc	agacagagat	94440
gtgcccccgg	ggcatcagga gaggccctga	ggaaagtgcg	tttttcataa	agaagetge	gaaggagaag	94500
gaagatgaag	gtgtcacacc	ggctgatgtt	acadcactat	tcacaatago	caaaggatgg	94560
gaaaaagtca	agggtccatc	acquicata	cagctasaca	taatgtgatc	tatacacaca	94620
aagcaaacta	attcagcctt	agcagacgaa	adaddcaacc	atactaactc	acacctacaa	94680
atggaatatt	ttgggacgca	caaaaaaggaa	ctgaggeccad	ttcaagacca	gccttgacaa	94740
teceageace	ccctcacccc	ttctctagaa	aatttttatt	taattagctg	ggtgtggtgg	94800
catagugaga	tagtgccagc	tactcaggag	actgagtggg	aggatttctt	gagcccagaa	94860
atttaaaact	gcagtgagtc	atgactgggC	cactgcaccc	cagcctggac	aatgaaacat	94920
gaccttgcct	ccaaataaaa	aaaaaaaaqq	aaaggaaaga	aattetgaca	Catyctycaa	94980
catogatgaa	ctttaagagc	actatqcaqq	gccaagctca	geggeeeeeg	CCLGLAALLC	95040
tagtgcttta	gaagaccaag	acaggaggat	tgcttgagtc	caggagcttg	agaccagccc	95100
aaaaaaaaa	: aagacctcat	ctctactaaa	. aataaataaa	taaatcagct	gggcgtgatg	95160
gtgcacgcct	: gtaattccag	ctacttggga	ggctgaggtg	agaggatatg	attacatgat	95220
tacatoccto	r taat.cccaqt	actttqqqaq	gctgaggcaa	gcagatcacc	Lgaggccagg	95280 95340
agttccagac	cagcctggcc	aacatggtga	aaccccgtct	ctactgaaaa	tacaaaaatt	95400
agtggggcat	ggtggcacgc	acctgtaato	ccagctactc	gggtggttaa	ggcaggagaa	95460
tcgcttgaac	ccdddaddca	gaggttgcag	tgagccaaga	gattagata	gcacccage	95520
ctgggcaaca	gagcgagact	ctgtctcaaa	aaaaaaaaa	ggccaagaca	ctagaaccct	95580
tgttatgtat	atttattgc	atacaaaaa	accagcagaa	ctateaacto	attagggaca	95640
gttttctaag	g gagtectagt	acaagecat	acctactact	. dacaatagaa	attagggaca gagtcctcat	95700
cctggtacac	acatgeecee	atgaaget	ctcatataa	tececagaga	tcttctagcc	95760
acgacccat	tttcccccaa	coacaccaa	aacctttat	tcaaagaaaa	ttttacacaa	95820
asatteatet	- tacaaaacac	: accaatggg	r agcttgccac	tcatctccct	ctttattctc	95880
cttaataact	ggtatgacat	: caaagagaat	: ccctaagttc	ctcaacagct	; cagtttgaaa	95940
accaccaac	r tageceaace	: tcctcccati	t ttacaqaqaq	, tgacgttgag	g gtccagagag	96000
ataceatae:	a ttgctcaata	: aattgacaga	a dtaadcadca	a gcaaagtcag	g attaaactaa	96060
caatteetei	r tectactec	: tttcccctt	c caactctaga	a gagacaggag	g agaggctggg	96120
catagtagg	t catacctata	atttcagca	c tttgggaggt	: caaggaagg	ggattacttg	96180
aggtgaaga	r ttcaadacca	acctaaccaa	a catoocoaaa	a ccccatctc1	. actaaaaata	96240
C2222727	~ ctaactataa	r tagcacacci	t ataqtcccaq	g ctactcagg:	a ggctgaggca	96300
agagaatta	c ttaaacccac	taggcagag	a ttgcagtgag	g ccaagatcc	z accaatgeac	96360
tecarecte	ipasasasa n	gagactcca	a ctcaataata	a aaaaaaaaa	a aaaaagagag	96420
200222022	a datdaddcad	r ccatctddd	t tctccaggg	g aaggaggga	g aacccagaaa	96480 96540
ataactett.	a toccaogagi	t agaaaggct	t gagtgcctca	a ggggctcag	c ctclgcalaa	96540
ccctccaaa	c ctccaaagci	t tatoooact	a agctagact	c atgtetggg	c ggcgaccgcc	96660
agagatcct	c ttctctgcc	c ccataacct	g caggcagtg	c caactgcct	g tgacctaaca	96720
ctaagccca	g agagaagtc	c caggttgga	t ggcttgaga	c ttactacet	t cccttccttt	96780
cactcagcc	a tetgtggtg	c gctggcttt	a gicciccag	c aacattcaa	c ataattgaag	96840
catggttgc	c acaactcca	g ctatcacat	a dddagaedd	a atcccctta	t gaggaagact a atcttccact	96900
ttgtttta	c terderec	a eccegeged	a yyyaayaaa	_ gg		

atatacactc cctttatctc attaaaaagg actggatcat atgctgacct ccacctatca 96960 ctagcaacgg gtaaatggat tgccatggtt ggctttaatc aatcaggatt catcccctgg 97020 gctaageggg tcactgccca gataaaactg ttcgcaatga ataagacaga atggttgttg 97080 attgacetet aatageettg geaacagtte atceeetgat accceaacat cagecaetgg 97140 gacagetgga caageetetg tgtetgeece tgetgtaece actageeact tgecacette 97200 ttgtccaaac tagaagctca cagcagcaaa cgccccactc taaaggtccc ccagcctcta 97260 cccaacactg gcccaagcac attatgacca ctgccacaaa agcttgggca agtctgaaga 97320 aggggettag eggttacaag etcaggetet agaacegaca ageetgggtt caagttecag 97380 tatcatggct actagctgca gaaccttcaa caagcttttt aacctcagag actcaaatgc 97440 ttcatctgta aaatgggggt aacacagtac ctacctcacc gagttgatgg agacaaataa 97500 tgcaggttca caagacaagt gtctggcata tacaagtgcc cagtgaatgt aggctgttgc 97560 tatatttacc ttaataataa ggaagactgc cgaggaagag tcaaatgctc cattgtacag 97620 agtgatgatg gtcgaacggt gttggccaaa taggttccca atctggggat gataggacta 97680 gcctggatca cttatttatt catgaaacag atacttcctg agcacccagc atgtggcaga 97740 coctocttat acccaaacte accetecace getagagete ceaceteage ttgggccaae 97800 cccatctgag gcagccaatt atagaaaagg gtctctcctt ccctccacct tcccgccacc 97860 ctgccgagtg cctgggatta gggaaggctc ccacctgcag gttggtgatg agaaacagga 97920 ttcccccaat ggtgagcatt ggcatggcca ggaagagcag cacggctgag cctggaccat. 97980 caaagtcaga ggtagggtgg tgtcatagtg caacccaaac atggagcccc aaactctgct 98040 cccacctgct ccaaattccc aacaatcctg gtatccaggc cccaattcta gccagcgttc 98100 cagcgtcctt caagggtttt taggataccg gccaaggctt ccccagatat ctctgtggaa 98160 gtettetgag ceaeettett eccaaccaaa gttggteete agtetgtgge aggeeaggaa 98220 gtctacagac agaggcagag ctctaagtga agccacctct ctcttccctc agtaaaccac 98280 aagctgcctc tccctttcat ccttgacact cctggaaaag aagaccctgg actcaggtcc 98340 ctggctcaac cctctagccc attccctaat tcatggtatt ggccttgagc ttcaatcatc 98400 tgtttaatgg gaacaacagt teetgetett eetgteteag gtgetatgag aactgagtga 98460 gaaaaggacc atggtctttt ctttgttcac taaactctga gcacttcttt ggtgccaggc 98520 attgtgettg geactggaaa tgcaagatga atcagatagt cettgeeett aaatagaetg 98580 acatgcaaac aaatggttat aacaggtctg gtaagtgtga gaccacagca aaaaagctca agagctgggc taggggaacc cttgacaaat tcttcctccc caaaccagac ttctgcccac 98640 98700 cattattctg gccacaacct atgcctgtcc tattatttgc taaaatgttt taagttgact 98760 98820 cacttttatc caaaaagtat ctatttttaa aggacacttt atatcactac tgtagatgaa aacactggca ttacttgtca tgaatagaaa gtaactgtca aaataaatac aatgaaagga 98880 98940 aaacaatgtt attcaattgt agctggatgc atttgacctt agaatgttca aagcctaaga 99000 cctgctcttc ccatcagtgt taaaatcaca ctggccccac atgaagacat tctttcatga aatcagaagg actgaaagag aaataaaaag ggaatagctg ttctaccagg tgatttgatg 99060 tttgttagtg tagttcacgt agtatgcgtg tgcccctaac atcctcttaa ctaccgtgct 99120 atacettaag aagcactgee aagagetaat titagagtat teacacagtt taccatteaa 99180 tttctgtctt tataaaatgt acatctctcc tactactaaa ggttggagac tcctttcaca 99240 99300 atagagteet tatgggetea atgettttt caaaactgaa aageeetata ttatggagga agaggaggat tgttgctcag acgatttgca ggcacgagtc aaacattacc cagccaccac 99360 ctccacattc agttgcttaa aaatcattta caggctttta gagtagatga tgctggtttg 99420 ataaggagag tggtttgaaa taattggttt gaggtgctgg gccatctcat gagatctgtg 99480 tgaacaaaga cactcagcct ctgtgtttgc ccagcatgag tgcagacaat ctcatgatgc 99540 tgtcagcttt agcatagctt acacacacaa gagtaatgta ctttctttcc taaaccaaaa 99600 attgagccac gggtctaaca ctaggaagga atattgggag gcatctcgtg gccaccataa 99660 ccaaggcaat gacagaaaga agagtgaggg atcaggaggc ctgcacatca ggcccacctc 99720 ccacttgctt tctctgtggc catggacatg tctttgcaag gggtcctgct gtggcttcag 99780 tttctcctct gtgtaatggg tggaagggtg gtggaaaata aaccagattg gagttccaga 99840 cttaacagac tggtgaaatt ttaaaacaaa gattttgagt acaatagggt tgtcaacttt 99900 taccctgcta agtaaggata tttgcaaaat ggtcattcat ataatcattt cattaaaaag 99960 100020 100080 caatggtgtg atcttggctc actgcaacct ctgcctcctg ggttcaggca attctcctgc 100140 ctcagcctcc tgagtggctg ggattacagg cgcgcaccac catccagcta atttttgtat 100200 100260 tttttttagt agagaaggga tttcaccatg ttggccaggc tggtcttgaa ctcctgacct 100320 cagatgatcc accegectea geeteccaaa gtgctgggat tacaggagtg agecactgca cetggecaga tgtaaagttt tgaataaatt ctactetetg aagtaateee tetecateat 100380 100440 ccttgctttt cacattttct caataaactg ttttcacaga ccagcaatag ctcaagatcc ttccaggatt ctttcaagct gcagatctct gaataaccat gtggtctgta tatcttgcct 100500 atagecetet geteacacet geeccageea ecaggtgeet etgagettge atecetecca 100560 cccacctgac agcactcacc tgcagaggtg aaggctatga tgagtgtggc ggtggtgtag 100620 100680 aaaaatctga aacacataac aggaaaagca gaatattgtc aaggagggag aaacctggga gaaaaaacat gattctgctc agccagccca caagtgtagg acttgaccgc accctcagcc 100740

tgggatgcaa (raaacactaa i	tacctctaaa	cccaggete	aaaaccaggc	gcaagaagcc	100800
gcgatgagat 1	rgagatgtgg	tectgaeete	atggacagtg	cattttgctc	attctgaggc	100860
ccaaggctag	ratogaaagt (cttogacaat	gageteaget	gacgatgtga	ttggcttggg	100920
acttagecag (racagaatgg (acaaaacaa	ggtcctccca	cctggaagcc	Ccaacagccc	100980
paccetter:	: acasaccoct	tagtgcctgg	tctqcaaatc	aaggccttga	gilliaalic	101040
ctcctcactc	totoacctto	agcaaggcgc	tatcettete	tgggcctcag	gagccttttc	101100
tataaaaana :	aatgatcgga -	ctgatctagc	tcagagtgct	atgatttag	gactacagec	101160
ccaaggttat	caddctccct :	tagcatttgg	gggtcttgta	aggcatggag	Laadaaaaaa	101220
apadcaatat .	cctaaggetg -	gagaagagg	aqqqqacaaa	ggaaggggag	gaaaggggag	101280
atageaggga .	dccaaddacc -	aagaaggact	gaggtacagt	cattergeat	Ccaaaggccc	101340
asattataaa .	ggactggctt	tactctggct	gtttccggaa	aggcaggccc	agecagecee	101400
cccatctctc	tetetgacag	ccaatctcac	atgtgcctcc	ctgggaycac	ctyctctgag	101460
ctatatcage	cccagcagg	ccactaatta	ccactgagcc	tggccacaga	gcacgagacc	101520
aggatgcagc	aacacactgt	gtgtgagatc	acgtcccgaa	ccttctgact	Cattlegeaca	101580
CCSSSCCCC	ccagteteee	ctccagtcag	aagggacctg	aaattecaee	agrygeaaca	101640
CC222C222C	ttcctattag	ctaagcccct	agggagtgat	rggcrgrrgg	ggcgggagg	101700 101760
agagacaata	aggaggatga	ggatgaagcc	tgggcaacct	ggalglyagg	cigiglaggg	101760
gatgaggaga	aggateetto	agataaaqa	agagaagagc	aattttaggt	ccigccaacc	101820
ttataaccct	ggctccaage	cagcccttac	aggaagtcac	cctggcctcc	ggctcaaccc	101880
aggacatast	adddaadcca	catttatgca	gagcagggaa	cgaggtaagg	aaatyyaayt	102000
agaactataa	tgaagtgggc	aagtctagag	agagtcccgc	Egectgggge	Lycticaac	102060
agetactaga	ancoagetge	aggtatagta	cctqqcaggg	tggccgggct	geeegaceee	102120
ggatttcact	ccaagctagg	ctgctgcctg	aaggatteet	cttacccacc	cccgcccggg	102120
ctggcctttg	ggacttacat	ggctatgagg	cgtgccacgg	tggtcttgaa	gaagatgagt	102240
atgtagccag	tggggaatgt	catgaagttg	ttcatgaagg	accccagggt	catgoticco	102300
gagaacctct	catcctgggc	tttgcagtct	ggagtagaaa	aaayyttttt	acttatca	102360
agccttcctg	ccaaatgagc	acacaggctg	ggeteeeete	caccicagac	ccctcaggag	102420
tcgcaaactt	gtcccttaag	ctgagttgaa	tanagtaga	tangaactac	tgaccettee	102480
ctggtgcctc	cctcccaggc	acttcccaga	ccaagegggg	tectactect	toccaccaco	102540
tctcatcata	gaaagagggg acttaacttc	ettagaaaag	tcatccctcc	ccttaccage	ctaccctata	102600
tgggagccag	teggeceage	atetagaaaag	cacadatect	taaagtaatc	ttcattcttq	102660
gcattgccaa	ctagtgaagg	acceggeeea	addacdccad	caaagcccag	gcattccagc	102720
aagacaaaca	gcagtgtggc	cacqtqcaqq	ggaagacct	ggcccgccat	gagcagaagt	102780
ageccageca	ttcaaatccc	actttgtcct	cctggacgga	tcacaggcgc	cgtaagcctg	102840
ggagtggatt	acttggaaaa	ttcctctaac	aagccaagcc	cttcctttcc	cgtagctctc	102900
taattattte	aggectagge	aaaaaccatc	: agcgggtgat	tetetggate	Cigiagaala	102960
aadatadadd	ctactagaag	aggaggeetg	cqqqaaaggg	aaaggtagac	tagagilali	103020
tataaaatac	attaagaggc	aggatgatca	. tggccgctgg	cagcaaatgu	ggggaaraaa	103080
tactccaata	catcatctta	ggcactgcat	: ttgagtaacc	acgtggcaag	Lagagaggca	103140
aatettaata	gccacctgga	gtcacaggtg	_l agataaacga	cttacccaat	agetteeegg	103200
dadcadd†dd	agaagcggag	ctcctacact	: cgaattctga	ataccgtccc	Cladadalaal	103260
dacadcaact	caaccaggtg	cagaggcagg	, qaqatttcat	acagaagaca	Cadacttttg	103320
ctaccaaatt	ggtgttatct	tcagtttact	: qacaatgaaa	caaaagcicc	dateggatte	103380
aggaacttgc	ccaaggtcac	agggctagtt	; tagtcacgac	geaggecati	. Clacigicay	103440 103500
aaataccccc	aactcccatq	accetedect	: aggactcgca	aacctggtct	; degeogeter	103560
tcctcgcatc	aacttctacc	aggaaagcct	ccgggggcc	ctccccgcca	gcctccgcac	103500
cccgctccag	cctgcggcct	geceteece	g cagaggagco	cgaggggcca	ggccgcgctc	103620
ggcgccccat	ggcgcccgaa	aggggaccct	tegecetace	e egeetgetee	gegeegggge	103740
teteegegee	ctttccgcac	gggccaggti	cgcattcgcg	- cereregeas	ccctcccag	103800
teceetgete	gcctccgccc	cctcctgcc	c gcccggaag	ggergggge	gacctcccac	103860
tctccatcac	ttccttcttc	ttttccctt	g ctcacageco	- accordance	ttttacctct	
ccctcttgaa	acttctccct	ctagaaccc	t tagaactc	tccctaac	ttecctccct	
cctcgctgcc	tttcagcctc	ecagecee	a assetato	cacccadca	aagttagttg	
aatgctgtta	ctcgctcagg	cccacctage	g gaaaatytti	tttatacati	c ccagaggaca t ttgccttgac	
cacagacago	acatgagggc	. alayyyada	t atttratea	cagettaac	gtctctccca	
cgctgggttg	gcayyyaaca	CC2222222	t cocaaccac	a gaatcagga	a gccaagaacc	
guetcacact	. cocayayery	, codededed	c togacoacte	cccatatt	t tcactcccaa	104280
aaacccctta	gatgactccc	: tocctcacc	c ccaccccc	a ggttctgaaa	a gagcetteee	104240
accadactac	· attgattaac	: cattcattq	c cccattttt	t attaatcaa:	a gacatatata	104400
attactcatc	· ggagettgte	, atcagogto	a ggccttact	a agcagctgc	c ttactatect	104400
tecareceae	, adcacdtdad	, ctgacgtct	t ctttaacct	g tgtggccgt	t teettgeeaa	104320
aagctcagtt	tagagagag	ttcttacat	a ttagatgca	g tctgcagac	t cccaacccca	104580
			- -			

	taccetasaa	acccaddaac	tccagctatt	ccaagcccac	tcctctttt	104640
		attackatan	oogacaacca	uaaccyayya	LCCCCC	104700
	~~~~~~~~~	+ > > > > ATTCTG	caaccaccc	aytyactoga		104760
caccaccaaa	gcacaaaaga	tadaagcccg	tactcactag	ttatacaacc	tgaggcaagc	104820
gaagggtggc	Eggggtcctg	caccccaage	caatagtacc	ttaattatag	gaattgtcat	104880
tctttggctg	cccaccigi	aagacgagga	cctgcatggc	gcaggtgcta	taggcagatt	104940
aaaagaagta	taagatgggt	gtatgaggtt	atgtagacag	accadadaa	gcagetetgg	105000
gtagggtagt	agattttcta	geetgeaget	cattetacaa	agetgeagta	ccttcccaac	105060
ggaggaattt	caaaggaact	tgeceaeggt	cattctacaa	ttggacatta	gagaaaacaa	105120
tctgaaacgt	atgctctcat	cacceegee	taacaaacat	caaaaatata	gcatcccagg	105180
gtcttttctt	aaaataacat	tatttatygg	agaaaatcca	aagacacaaa	gactctgaaa	105240
acaaacaggg	cttaagatgc	aagattttt	attttactgc	tetectagga	ggatcagtaa	105300
ttaatgcatg	ccctatcttc	tgctctggca	tacattttag	receeegggg	attttagaat	105360
gtgtggaagt	agcaagggag	aaacagaaaa	aagtcaaagt	adayayacay	catccaggac	105420
gttaatctgc	aggagcctgc	cagaaagatc	tagctcatgg	gocattetct	tattacctct	105480
tgaagcacgg	gacacggggc	aggtcgtcca	gggttctgtc	tatacagaaa	acataacctc	105540
	2424CC+CC2	ctccacatct	CCCalcaalu	cccycagaag	4090990	105600
	~~+~++~~+~	aactgatggg	acaggaaatt	agaacacccc	cigaaccacc	105660
1 1 1 1 1		++ccancanc	Idoddaduuc	auacyccuc	009-0	105720
		nattaatdad	raacatcada	yayayaayey	accucaca-	105780
	+~~~~~~~	- ATCTTCATCC		quecece		105840
		~~~~**********************************	TICAACAAAL	acacucuucu	cccaaggaca	105900
	accadaatte	atamamada	dattcautuc	Ctyctctuu	9999	105960
						106020
	+-44-444	cattmaaagg	cacddaacci	Caacaaaaca	acaucuccu	106080
						106140
<u> </u>	. ~~~~++>>~~	attcadccca	catcaattaa	Coalgacea	cegacoco	106200
. +	· ~+~+~~+		. caclucica	cycagacac		106260
	. + + - + +	-ccaaaccatc	. accattctt	Lycadyages	, cacceean	106200
	, astaccttca	crtaactdci	caaaacccc	Cigaggice	goodeoogg	106320
		tetaaaaata	1 ccadccatua	galatigue	. cgagggaag	106380
	. gaartggatc	tectocate	tactocccaa	graceaarge	, cggaggegge	
	, <u> </u>	- antictogata	a tecaggatee	accitaty	Legicultural	106500
	· assastaast	atotttaggi	tagggaaaqa	gggtttgtt	aagagggcag	106560
L	· ctacactcca	fcattcccci	c ggcacaaaca	alygerages	Coccodagee	106620
	. aasacttcc:	- atocaotecc	e tacctatcca	Lagacece	CCCCCCCCC	106680
L L _ L	~ ~~~ctcaacc	, adddcaatt	g ccactctctc	ggcagagtc	, agatacter	106740
	- 1	· ++~+====++1	r orananduau	l didadiiii	agecuce	106800
	+ ++ <i>a</i> =+++cac	r atacoccaa:	a cacataaaca	l aacaaacaca	ageceeee	106860
	~ ~+~~+~+	i ttaaaatut	t taallille	, cccacggeo.		106920
	_ +~++++~~~	atcamaaam	c aaaaddtaaa	i Lycaaacac	c accedaces	106980
	+ +<+>>+ <	- ttdaddcad	t occaaaaal	a acacaayca	c accessasses	107040
	- +	- dadcttccd	T CECCLCALC	. acaaaaccy	g uuccgagees	107100
		, tassascta	c ccaattagta	i Cactattaa	t addiagouge	107160
+	ト っっぺっっったった	r attmactta	c Luudadada	a ayayyuuuc	u uuguu	107220
+	+ ++casagtg	r rectaacct	a adadayada	t aaattaggg	g gaaaa	107280
++	a tasactcac	r traccttoc	t Laadaaquu	c caccecage	g aaooga	107340
4 -	a aannataca	c trantacaa	c ccccaaua	c cacciagge	c caaggeaggg	107400
	~ toatataaa	c tataaaaaa	T CEGEECALU	a yccacayca	g acaggaaggg	107460
+ +	+ +-~~~~+~~	c tetreaddd	TE AECECCIAG	L yeyeecaaa	g cagoocaa	107520
	w sactactac	a tarccaagt	a aataluauu	c ccccccgcc		107580
		~ > + C + C + C = 2 2 2 C	in aracccado	u auduuuuu	u 449-433337	107640
	. aatasasa	a decadetea	a cttcagtag	a Lyclayayy	c ageagaggae	107700
						107760
		w cctaadada	a adcadadcc	c caageeeea	ic cacaccaggg	107820
- 4- 4 4	+ + ~ - +	C CACCCCCC	ia addicidiade	t CCacccca	ic goodaraaaa	
	- ataataact	a cactteece	ia tadactitu	c taqaaayya	ia tycocouges	
	·+ »+c+»»»cc	t dcaactcta	aa ddactaddc	i qqqqaacac	e gegeedaeae	
	++ cctaccct	a agaagaaa	aa taaddaala	L Caacaacac	,	
+	va otatotato	rt dattcdaad	ac aceterac	i Laallige	,a cegaaceee	
	*+ + <i>~</i> ++ <i>a</i> ++ <i>a</i>	ic atctattai	to todoccaau	it gaggeeras	ya gggacgaag	
+	an acateacea	a ataacaat	at caddactq	ly alayaaac	, gargereega	
-4	,, +~~t++++	. + +++++++++	tt ttttttti	it tgagacage	a ceceaecee	
	tamentaes	sa taatataa	to toadttcad	t deaderre	sa culculagge	. 200000
tcaccaage	yc cyyaycyae Ff cfccfccat	c accetece	ga gtagctgg	ga ttacagge	gt gcaccaccat	108420
ccaagiga	LL CLUCKYCC		J JJ.			

gcccagctaa tttttttgca ttttttgtag agatggggtt tcgccatgtt ggccagactg gtctcaaact cctgggctca agtgttctgc ctgccttggc cccacaaagt gctaggatta caggegtgag ccaccatgee cagecagetg atgetettaa tetgtgeeet acceageett 108600 cctgggaggc ttcccaagag ctacacagag catgagttct ggaatcgggt tgatggggt 108660 accagttatt actaatagga atgaagatgg gtaattcttt cagacagcac ccttgattaa 108720 108780 aacaagagag tagtgctgcc tetetgtgat tetgtgtete eetgeeetge teacacagae accacaccca cccacacgca tgatcatgaa aagaggaaat ggatccagga gaaggagacg 108840 actectgagt gaaaacaacg gggtttttca cattgagage tttgcccaac accccaaaga 108900 tgaaaagage aggaaactgc tggggccgat tgaacactgg acttttgttg tggaaaaagg 108960 caaagggaag ccggaagaga ctggaacagt ttccatggtg ctggaggatg gggaagtggg 109020 tagggattag ctggagggag aaggagaagc tggggtggga ggggaacctc cacttgccag 109080 gagagcacat gtaggatggg aaccccagat gatactcaag gcatggcatt agaccagaag 109140 caagtotgtg gtgaaattag ggaaggotoc actgoggact gtagacagag cactggacaa ggaagtggga gacccagggt ccagtootgg ctotggagoo coctgggtgg gotgooocgg 109200 109260 geacetttet etettgggge etecatteet acetetgtga agegagtget gaacetetet 109320 tagccctgac ttgctgaaat gctgggactc tgtacagagg ctgacattaa gcagggatct 109380 gtcgtggggt gctgcaatgt tcctccagat gctgcacggg agagggcaga aaaggcctat 109440 atggtgagte egecetggga geetetgett ggaagetgaa gtggeetgag agtgaeteag 109500 aaaccacgga agttcccggg gctgatgggt tcttatagat tgtacatgca gctctcctcg 109560 tgggctgcaa aaccgcaaga tgggctgtga ccactctcaa ggaaagagcc ctatctqcaa 109620 aaagcattct gccctccagg tcttaaagca aacacagact caatccttat tccttttaag 109680 acaaaattgc ctcaggggca tcagggaggc agcaggcctc aaatgtgtgc ctttctagaa 109740 ttctcaatga aagcaccctt ttgggtatta ataatgacaa cagtaatgac agtcatttac 109800 tgagtgctgc ttttgggaca ggcattgggc taagagctat atgtaatata tattattatt 109860 tgatgcccac agccacccca taaggaggcg gaggtactat cattatgcca actttaaaga 109920 tgaagaaact gaggcctcaa gagatgaagt aacttggcca agtcactcag ccagtaaatg 109980 ggaagagata gacttcccag tatccagagc ccatgttttc accattatgc tgaagtacct 110040 cttttcctgt gccaatgtga tctgcctcca ggaatcctgt cttgatgttc ccttccccat 110100 acagaagtee tetetgtgte etetteagee tgatagtata tetttteata ecattetttg 110160 gacatetetg ttatactact ccaatggtgt teceteect acceetect gggagettag 110220 ttgttgtgat taagtatagg ggaaatgacc cacactaaac aaactcataa gagactgatt 110280 gataaacctg aaatgcaatt tattaattaa cactgagaaa tgaaaccacc cagcagatgg 110340 gaatcctaag gctgactggt cagcacaatc tctttcagga aggacaggct tttgggaaag 110400 gaaatcaata ccagaaggtt ctttgttgag tacaaagtca gagggaaggg agttgatgga 110460 ttgacacata ggtgaagett gacatacete tataaageet ecateetgee aaggateaga 110520 atatccaagg cagggagcca tctqqqtqtc ctctcctttq qacaqtqctq qatttttctq 110580 gatcctatga agatcttacc tttctggctg catttatcat gattgtggaa ggctttttgt 110640 ttccttgttt gcttagatta atttctgcgt atttaataga actgaaaggc aatttcccat 110700 tgagacccac tgaagaggaa taatcaatac atactagttg tgttgccctt tgcagagaat 110760 tcacttctgt gttgtcactg tatcctcatg cttccttata atggagggac agagatggta 110820 aaaacatgga cttggaagcc agaccgtctg ggtttgaatc ctggctctgt tacttataag 110880 ctctgcaacc tcgggcagat tacctaagtc agtttcccct tctctgaatt ggggatataa 110940 tagcacccac ctcaacatct gtcaagagga ttcaatgagg gaatacacat aaagtgctca 111000 gaacagtgtc tgccatctgg taagcagtcn nnnnnnnnn nnnnnnnnn nnnnnnnnn 111060 111120 nnnnnnnnc taatttttgt atttttggta gagacagggt tttgccatgt tggccaagct 111180 ggtctcaaac tcccgacctc aggtgatcca cccgcctcgg cctcccaaag tgctgggatt 111240 acaggcatga gccaccacgc caggccccac acacctttta aacaaccaga tttcattcat 111300 cgggaagtgc ctgtggggct ggtgtggaca tgtgggtgaa ggtggcactg ggagaagtta 111360 ggatteteca tgacetetgt tacteatatt eccacaetee teaaattage etgagteteg 111420 aggacagtet gatggetggg caaaccetge ggcaaaccat tececageee tgeeetetea accagagtee tteegataca tgattetggg cagetgttgt taccegtgte etceatgte 111480 111540 ttccagagat atccatgcat gcatcggcat atgtgtataa ttattatatc tatatttcat 111600 cccacaagct tttgacatca atagtagcat attattaaat tgttctgtac attatttat 111660 taacttggta tctctggtac tgctcaatat aagaacatat agacctggcc aggcacagtg 111720 gctcacatct gtaatcccag cattttggga ggctgagatg ggtggatcac ttgaggtcag 111780 gagttcgaaa ccagcctggc catcatggtg aaacccccat ttctactaaa aatacaaaaa 111840 ttagccaggt gtggtggcag gcgcctgtaa tcccagctac ttgggaggct gaggcaggag 111900 aattgcttga acctgggagg cagatgttgc agtaagccga gatcacgcca ctgcactcca 111960 gggtaggcaa caaaqcgaga ctctqtctca ataaaaaaaa aaaaqqaatq tatagacctt 112020 ctttattett tttgatggct gtaggtggat gttctaaaat ttgtgtaacc aatctcctat 112080 tgataatatt taagttatgt cttcagcatc atatgaaact tacaaacaag gttgcattga 112140 ctatccatct gtaaatgtct ttttgaacat ttctagaata attgcaggat aaactcctaa 112200 aatgagaatt totgggtoaa agaggatatg catttacat ttaatagata tttgtcaaat 112260

tgtcttccaa agtggtcgta ccaattaaca ccccgacctg taatgaatga gagtgccttt 112320 titccccaca ccctggagag atgaaaaatt tatgggccca ctttggagtg catggtggag 112380 gaagctgttg gccgttatat aaccctcgtc attaataagc ctgggggtgg ggggggagaa 112440 agagaggtta gttagtgggt gcaaacatac aattagatag aagtaataag ttctaatgtt 112500 cgatagcaga ggagggtgac tatagttaac aacaatgtat tgtatatttc aaaatagcta 112560 gaatggagga cttaaaatat tccaacacat agaaataata aatgcttgtc tgcggccatg 112620 ccaccetgaa tgtgccagat cttgtttgtt cttggaaget aagcagggtt gaacctggtt 112680 agtatttgga tgggagaaat gataaatgct tgaggtgata gatatcctaa ataccctgtc 112740 gaacattata cattctatat atgtaacaaa atatcacacg tatcccataa atatgtacaa 112800 atataatgta tcagtaaaga gagggctggg cacggtggct cacatctgta atcccagcaa 112860 tttggcaggc cagggtggga ggatagcttg aggccaggag ttcaagatca gcctgggcaa 112920 catagcgaga ctctgtctcc acaaaaaata aaaataaaaa cgaattagcc aggcgtggtg 112980 atgcatgctt atagtcccag ctacttggga ggctgatgca ggaggattgc ttgagcccag 113040 gagtttgagg ctgcagtgag cctacgactg caccactgca ctctccagcc taggcaacag 113100 aggaagacca tgtttctaaa agaaataaat taaataaaat aaataaaat aaaaagactg 113160 aaaagcagag tggtaagaga aaggactttg gggctcaaca gtactagcct tgaaccctgg 113220 ctgttactta cccatcgtgt gataagcaaa tgccttaacc cctgtgtgcc tcactttctt 113280 aacatataaa atagaagtaa aaatcatacc cacttcaagg gtcattataa aaagccaata 113340 gagataatgt atataaagct totggaataa tgootggoac acagtaggag tttaataact 113400 ggaaattcat tgttgtagtg ggcagccttc tgaatctgtg tcctctttgt ccactaatgg 113460 ctttgatctg gatttggctc aggcaagacc tggggaaggg cagaqactga gggcaactgg 113520 aggtataggg tggtctgagc ttccccagca gagtgaggct gggaaaqgtc tgggagacag 113580 accaggcagg tgctgataag accggaatgg gaggctggag cataaggcag ttcagttttt 113640 cccaaagggg ggtgtacaaa acgatctcgt atgactcctt tatactgtta atgttttcat 113700 tttatcgcgc actgaaaaac aaaaccaaca tatttaatga atgattccaa ggggattctt 113760 gcttttacaa aaaatgctaa agtaggcatt cacatgttta aaaattgagt tgatttaaat 113820 tttaaaatta ctaagtcata gtacataatg tgtgagccac agctatcccc aaaatcatga 113880 tagogataca ttaatgactg aagttettta aacatcaaca tacaatgeca attecagaat 113940 tcagctcaaa ttctgcaatt acacaggctg gggttgaaac ccagcttttt tgctaactgt 114000 gtaaaattag gcaggagggc taacctcgct gaatctcaga tgtctagtct gtaaattgaa 114060 gataatgtti gtttttatct cacagagttg ttgtgaagat tcaataaat cacaacatgt gaggatgatc tggctgtgac acctgtcacc ccactgatct ccagagttga ttcggctgat 114120 114180 114240 caggetgget gggcaggtgt cocetttete ceteaceact cegeatgeat tecteecgaa actgcacact tggtcaaaga ggaagacctt tcctgataga ggaggaccat tcttcaqtca 114300 agggtatatg agcacctgtt ctgtcctgcc agaatctccg aaggagctct cagtaaaatc 114360 acaagatttt attgtgcatg gtagcatgag cctgtaatcc cagctactca ggaggccgag 114420 ctaggaggac tgcttgagcc caggagtttg agaccagcct gcgcaacata gtgagaccct 114480 gtctcaaaaa aaagaaagaa agaaagaaaa gaataataat agtaataaat cacctgtgca 114540 acqtqctcac ttctctcttt qqaatqtaqt aaqtqtacct aataaatqtq atcattqtaa 114600 tcatcacagt gagcacaggc taaagcatct tgactttatt ctataagcaa taaaagagga 114660 tttgttttta cagaactcat tatgttgtga aaataatttt ccaacattaa caaagaacat 114720 tetteaagta aaaggaaaac cacccatcat teteccaace tteaataatt tteaattttg 114780 catattctcc agactttgtc aacatgaata cttactttac atggtcgcaa tcagtgttca 114840 tgcaaattct tttatcctga cttttataaa caaatatgat gttataaacc ggtctccatg 114900 titctgcata ttctttataa ttatcatttt gtggctgcat aatattgcat tgactatgtt 114960 aactgcagtt ttettaacca ttteactgte tggggaaatg gaggataatg ccagggteat 115020 gcctggagct tttttttgtc tattgcatta tattcttaag atcaaatccc agcagtgaga 115080 ttagtcagtc aaaaagtaat aatattttca aggctcttgt tatattttac tagattgttt 115140 tecagagttt tgcacactge teccagagat gtaggaacae agaegteate caacettgee 115200 agtgctgggt gatggtgttt ataaacttct gctaatttaa taagtatgaa atgctatcct cacacggctt tcatttctat ctctttgatc attaacaggt tgaactattt tccaagtatt 115260 115320 tgtttactct ctgcataccc tcttgggtga agtagtcatc cacttccttc acctgtttat 115380 ctgttgaagt cttgaggctt gttttataaa tgtgagcgag cacttcagag tcaatagaca 115440 ttaattgctt ccagccagat ttggccactg aggctcctga gcaggggaat gcatgatcaa 115500 aactacaccc tggacagatt aaattaattg gagaaaatgg gctgagaggc agagatatgt gtcactggcc tactgtgttt gatcctatag tgggggcctg aactggggca acggcctgag 115560 115620 tececcacta ccagtageag gaggeteeat gtgteeceea tattagaget tgeggeaett 115680 ccatttgccc cacctcctac aataccccac atacatgtac tcactctccc ttgcaaatct 115740 agtggcttca acccacagaa tttaagggga aaggaattgt tctgtcctgt tcacttactg 115800 cagaaatgag aaaagcgttg ttcacatggg atcacctaat gaagggatgc catccccaac 115860 ggtgcctata aggaaatggg ggagggttgg agagttgtgc aaaatgcaac agggaatcat 115920 Cagagtetet tgccccatga tagagggtte teaaattaag agagtetaca gcaactaate 115980 teaeggecae tetaggeagg getteecaat getteeceaa ecceaectee ateetagaet 116040 ttacccactc tgctgaacac agatgttacc catagcacct tgcaccatga ttgtttgatt 116100 WO 02/029059

PCT/US01/31488

agcacctccc acagtagact gtgtttctga taggtcagca acatttgctg agcacctact ctgcaggget gtgccaggtg cacaaaataa acaaagccaa agacaacatg gaccetgaac 116220 tcagcaagtt cagagtcaag tgggataggg aggctctctt cactggaagg taactccaag 116280 aaacaatggg actcaacttt ctaaccaaga gaactccagg gagctaaaat tctgacttct 116340 ggttaagact ggtgtggagc ttcattaaag aagaaaagat tcacccagac ttgagttcat agectggett tgcagetttt aagteatgta acetttgatg aagttatgtg acetetecae 116460 ccagctgccc ctaacacett gcagggcag ggctggagtg caaagggagg cactggtacc 116520 acagcctggg aggcaccacc ccactagtgc aagccgggca acctctgccc ccaaggcatc 116580 cctagcctcc caactgcaag catcaatctt gcacttggaa aggaacctca cctttgaaat 116640 ctaggttcaa atttagaatg atccagctcc ttgaagttct atacagaaat acagccagca 116700 gecaggeceg gtggeteacg cetgtaatec cageactttg ggaggetgag gtgggtggat 116760 cacttgagga cagaagttcg agaccagcct gaccaacatg gtgaaacccc gtttctacta 116820 aaaatacaaa attagccagg catggtggta cacgcctgta atcccagcta cttgggaggc 116880 tgaggcagga gaattgcttg aacccaggag gcagaggttg aagtgagcca agatcgtgcc 116940 attgcactcc agectgggca acaagagcga aactccatct caaaaaaaaa caaaacacac 117000 geagettece tecacttece aaceacaget ceateteaga caacaagggg ceteatgtee 117060 atgcacatga atatccaacc aacatgtcta aggcccaacc acacctctc caaacatctg 117120 ccccttggcc accctttggc catgggttca tgcactggca gaaaggtagt tcagagaaga 117180 agcccacaaa gggccgggaa gtccacttgg gctttttgag attccagggt ccaggataac 117240 ctaagtgtgg tctagaagag agatgcagct tctgggaggc acattccttg gtcttaggga 117300 cttcttgccc ccatggaggg aaactggcta gatgagggcc aaagcagagc cctctaaagc 117360 acagggetea gggaaggaet etttttgace agatetaaga geageactae etetetgage 117420 ctgtttctcc atctgtaaga aggggacatt aatagactct ccccgctaga gttactctac 117480 atcagccage acacgtaagt tcatgacatg aagcaaggge ttaatatata cccgttgtac 117540 tataaataat aggccaggcg tggtggctca cacttgtaac cccagcactt tgggaggccg 117600 aggaggatgg atcacaaggt caggagtttg agatcagcct ggtgaaacct catctctacc 117660 aaaaatacaa aaattggccg ggtgtggtgg cgtgcacctg tagtcccagc tacttgggag gctgaggcag gagaattgct tgaacccggg aggcagagtt tgcagtgagc caagatctca 117720 117780 ccattgcatt ccagcctggg tgacagagca agactgcatc tcaaaataaa taaatacaca 117840 117900 accctaaaaa tgagacaggg aaagagaaaa acatgttctg acaaccttgc cctttatact 117960 aatttaggtt ttcttgcctg ttttagaaag ggcctggaca ggagccctgt tcccctcagg ccaggcagaa caaggtgtgg aactcactgt ggaagggttc tgggtgacaa gtgcagccc 118020 118080 gtecetecae eteceageae agtaggeage aegtgtetee attgactgge teaggageag 118140 geetggtgae cagtgggaga getgaggage ceagggtggg gtetgaagga atceetagaa 118200 aatctgattt teeeccaggg cecacateae gtgeeccagag etgggaaagt ggaggeagea 118260 tgggatctag ctgagaggct ccatttttgg tagcttctag tttgggagtc acagagacac 118320 ctggatgata cgaagatgta gctttgcagg actctctaga acatggagtc caagatattc cetteaatga tgggacactg aageccacag aggagaggte tgteccagtt acteagecat 118440 teggaggeag agaccagget agaactcagg acttttaatt tggaccagga ttectttac 118500 cacagtgggc agccctagca agtgccaggt agggtggaac tgtgaaggtc atccgagggg 118560 tagtacacgt gggtaggaag toatatotaa gaactgacco coagacotgg ctotgcoact 118620 cactccttat gagaccacag gtgctgggtg cagtggttca cacctgcaat cccagcactt 118680 tgggaggcca aggcaggcag attgcttgat tccaggagtt cgagaccagc ctgggaaaca 118740 tagtgagace cecaceteta ccaaaattag ccaggegtgg tggtgtetge etgtagtece agetaettgg gaggetgagg tgggaggact gettgageet gggaggegga ggttgeggtg 118800 118860 agccaggate atgecactge acaccageet ggatgacaga gtgagacaga atgacacact 118920 gtetcaaaat aaataaataa atgacagcag atcatcattt ttettetge etetagactg 118980 caatgootat ttotocaggt agtoactagg ataaaagtaa aaataatatt atcagcattt 119040 accaaataca gggtcagcta ctctgttatg ttctttcatg ctttgtttct tttaagcctc 119100 aaacaactct atgagctggg aacaagtatc gtccttcttc ctcccatctt atttattat 119160 ttatctatgt atttatctat ctattcattt atttatttat tttgagacaa ggtccttcta 119220 agtcaccagg gatggcctca aacttgagct aggaactagt gtcaccaccc cccaatttct 119280 titattgatt gattgattga ttgattgact ggttaattit gaggcagggg tctcgctaag 119340 tegacaggge tggtettgaa etectagtet taagcaatee geeegeetea geeteccaaa 119400 ttgctgggat taccaacacg agccaccatg cccagccct cccatcttct gaataggaaa 119460 actggggttt gaaaaggtaa gcgacttgcc caaggtcccc tccctagcta gagagcttca 119520 gagccagggc acaaacccat caaagcctgt gctctcgccc attgagccac cggacctcgt 119580 acactaaccg ccaagtgttc tacacagtga aggtgacaaa gaggtgaagg gaagagccag 119640 ggaggttctg tggactcact cggtgggtat gcccagaggg aagggggatc ttgggtggca 119700 cattgagagt agetgegetg ttagtaagtg agaactegga agtecagaet catecagtet 119760 gtgccaataa accectectt ctacetggte teetttecaa agecagetgt tetecagaca 119820 atggggtggg cgggggggg tgtcctcctc cttctcaggg aaaatccgac gctgagccca 119880 tctccagaga tcttggcttc ccgtggggct gcagatccac ctagagccac cagagggcgg 119940

angangta	cggccaaggc	ttgaagaccc	agcacaccaa	agcccggcca		120000
		Cadaddccda	m.cccccacc	CCaaaaagaa		120060
L _		argargroup C	Luallelace	uqquo		120120
						120180
						120240
		COTACAGALU	auuaaaccua	99000		120300
						120360
						120420
		ctacacacaa	Uaccadatut	accacaaa		120480
	~~~~~~~~~	acccaccauc	Caucuacua	aaagooo	9-22	120540 120600
						120660
		Carcarataa	LLaLuuuaaa	CCGCGGGGG	<b>490</b>	120720
						120780
						120760
						120900
		-ccaccaccca		ugcgcccgcc		120960
						121020
						121080
						121140
						121200
	~~~~~~~~~~	$-\alpha ccccadada$		Cqccccac		121260
						121320
ccgaaaatgg	aaccagcagg	gggcacccga	gageegagge	agacaccgag	acacacagag	121380
ggaatgaaac	tggggaagag	ggggagaga	adadadada	gagagacgaa	gacacagaga	121440
acgagagaca	gagacgcagg	gageeeegeg	, daaacadacd	agtagagaca	gaaaaggtcc	121500
gacagtgaga	aagacgcagg aagacagaag gagggaggga	accoggcage	, adacadadac	cacgaaatat	gagtaagagt	121560
gagagagagt	aaccagagaa	gygaacagag	, agadagagaga , aacdcgagaa	gaacgagaga	ccgtggaggg	121620
cgggggagaa	aaccagagaa	accyaacyay	acatttatca	agagecgaet	gtatgccagg	121680
						121740
						121800
						121860
						121920
						121980
						122040
	- +++>>>>A	i noranaaaa	a ulluacycyc			122100 122160
	- ctctcctac:	- cccccacaa	u auataayy-	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, , , , , , , , , , , , , , , , , , , ,	122220
						122280
	~ catacacac	a ccoordcaca	L dillibrit	, acceated		122340
						122400
*- *		~ cacactcac	0 1.00000000	_ cccqccco		122460
						122520
						122580
		r aaaaaaraaa	a uuaaaaucu	y uuccccgg-	9 9	122640
						122700
	~ ~~~~~~~~~	c reciccion	a aauttuuuu	9 99999	9 9 -	122760
cggcgttcc	t ctaaactac	e geatteece	t cacttaage	a aaaaaaaaaa	a gagtggcgcc g gggcgggtg	
gcgaggacg	a togaacaca	g teeteeggg	t agtootoge	g gaaagggtta	g gggcggggtg a gtcggcaagc g ggaagagctt	
gagggggtt	a gaaagccgc	c acceptate	ra ageggeege	a agagtagtt	g ggaagagett	122940
cagcaaacg	a gggaggagc	c etcaactac	sc adoctadac	a cacqqacag	a cggactgacg	123000
	~ ~~~~~~~~	c acctadede	m acacaaaca	c caageegeeg	~ ~	
gactetega	ig eggacageg	c agecages	c cateccate	g gggccgatg	g ctcctcccga	123120
~~~~~~~		'a cadddiada	ia caccacac	.c cgg-c-c	- 99999	
	ia taccadado	יר ככמכממממו	C CCCUCLUCG	c accegges	9	
	+	'e eaetaeee	TO LECCULURA	C accyagas		
t-0000	e acctactac	a addtaada	ac accadegge	q qqagageg:	,	
~~~~~~~	A COMMONTO	'C CCECEELC	iu uuattuayy	19 -99999-7		
~~+~~~~ ~	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ia aadctcad	ca ceuuuuuce	ic goodeage.	-5555	
+-+	YA SAAACSCTI	a actaggaa	cc cacaaaca	,q cgcgcggc;	,	
	to sammanca(ia tagaceeg	oc ccadaququ	id dagaamaa,	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
+~+~~~~~	-t <u>~~~~~</u> t~~1	e cooodaac	oc Luaguaci	.q qgccggcc;	,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	·
a ot carca:	ac tectector	rc caaracci	ca ucacillic	g gccacce,	,,	
atgtgggt	ag ggggctgt	ct ggggaggt	ag gaggcgcag	ga gggaaatc	ca agtggcccto	, 123,00

tataataaaa	gagatggagg	gcgctagaaa	gaggatagtt	ctactgattg a	agtgacagat	123840
	accadadact	aaaaataaaa	taaaaaaqaa	LCagggggag '	agggacagga	123900
annate	aaadatddad	aaagtggtga	gggaagetea	aayyayyayy	gagarggaga	123960
	Jeenneanen	aaaggttaga	tgggaaaagc	grggagggaa	g cgggacco	124020
	DDSDSSDDSS	aaaaaaaaa	aaaqaccaqa	Leagygyagg	gacgggaaga	124080
ggtgaagact	cagggaccca	gaatectaga	atggaggtag	cgggaaagag	aatcaggact	124140
agactatgga	ggactggaat	dusassuusu	aatogaaaga	tcagaaacca	gagaaggatg	124200
gggaccctgg	ctagagaagg	gguuuuggug	ассоосовая	agggttggag	acagggaacc	124260
gggatggtga	gaggggctgg	adadaadaa	adaddaddad	gaagagaaag	gctgagagag	124320
atggatggga	gaggggccgg gattgggggt	agaggaggga	gatgagagaa	agaggettet	ggtaaccact	124380
agggactggg	aagccctcca	ttaccasage	acctacctac	cacatttctt	ctctcaggga	124440
tccacgtggg	aagcccccca		gaccgaaga	ccctagagat	ggctgtgagg	124500
gtggctggtg	ggccagatgg	ggggggcccc	gageceaggg	asaaataaac	aaacaggctg	124560
gacagagggt	gaggactttg	gaaggggagc	gacagootoo	attetgeage	cactaccacc	124620
gctcctgtgc	tgccatttat	tracecygee	cattetage	nagtgagaag	ctatttacaa	124680
accacggtgg	ctgcttattt	tggggtgtta	acctaccaa	accetacat	cactggcatc	124740
cagctctaaa	cctccgtcac	eegegteagt	cacctcctca	acceptace	cctcagcatc	124800
accaccacct	ccatcccact	cercageree	accepted	atatagagee	cttacttctc	124860
tgcccgcagg	cccagccct	tccctgaage	agecegeegg	ctactacett	tccagggagc	124920
gtctgggacc	ctgtgcccct	ccttccayay	cgagaggeet	ataaataaat	agectggate	124980
atcctttcct	gggaccactc	tgcaccagcg	tactoractt	ccttcttcta	caddddcctc	125040
ctgcccccta	ctttgggtcc	agttttcttc	atttattat	gageettagt	acticcaaggt	125100
	20t00CCt0t	пппстрараа	CLUEGULUUL	qaqccccggc	40000	125160
	andtectaga.	CACTGGCCC	Luduluaala	qacaccccg	90000	125220
		taccarditc	Enacettete	Lygoucece	~~~~	125280
	atatteteea	caddddcat	CECLUCITA	Ctcccacacg	Caaocaca	125340
+ ~ + ~ ~ ~ ~ ~ ~ ~ ~ ~	ccacaactaa	aadcctadda	ggtgaaagtt	gcagagagag		125400
++~~++~~~	traccctraa	тапссаваса	gactcagcat	cgcggccggc	oouger	125460
~~~~~	- acaatttctc	tectatett	acctcaaqqq	caytyttta	cacaccagg	125520
aataatttat	acadaadata	taaccacctc	ttaaaqaaag	accagagege	CECECEGACA	125580
* <del> +</del>		tecaatetaa	arrecacett	quadtagety	Catgateega	125640
aaaaaaatata	, tratotttct	aaaactccct	tccttcatct	gcaaaccggg	ggccacaaca	125700
+++-a	. aaaaattata	rararia.	Luadiulala	aagaagcoaa		125760
+	- addacaaaat	addtacttct	tagtttcclc	Clacific	gcacccccc	125820
~+ ~ ~ ~ ~ ~ ~ + ~ +	- agecatecee	toctoactit	agaggaggg	gryagragag	agggegggg	125880
aggctgctad	aaagggcttt	cctctgtcca	tgaagtagtg	gagggacgaa	actactcaga	125940
ctgagaaaga	caatgaaggc	gagctgtaga	gacciggica	ggaggeeegg	ggegeeege	126000
	. + <i>cccc</i> tccc	- addcctcaat	agtatiacci	, atyatytyay	9990099000	126060
+ + ·	. cccanctatc	: cccctttcca	gctctgalac	, icigiquate	ccgccccage	126120
-+	, aatteacaaa	atoaaoocca	l quaquqqaq	, cycygecee	JJJ-J-J	126180
ggaggcctg	g gcctggaggg	, aaggagtggt	ggtgctgagg	aggagtgaga	actgaggggg	126240
gggaaggga	g gttggcaagaa	agaaaaggg	acacactggg	, cayggcaggg	accacctctc	126300
ggggagaga	g ggaaaggcac	agctctctag	tececcaaco	tanageeee	accecctce	126360
acctacact	a ctcactccac	, ccccagcag	1 cctqqqqcaq	gligaagicciag	ageceeee	126420
	- +++~+	· cagtgagag	cactacata	i accacygacy	agecees	126480
gttacagct	g ctttgcacgo	g cagtggcaaq	ggccagaaa	gycaacayay cattaagagag	cctacaaaaa	126540
~~~~~~~~~	~ ttstaaaaa	a occeecaaca	a ccaaaccac			126600
	+ ~~~~	Y AGGEGAUCC	Laallaaaa	, agacacggg		126660
	~ ~~===~~	a mamaagtag	E CLAALULUU	4 Cayyryyyy	. 9~~55~5~5	126720
+ ~~~~	a seerannani	- addcaccct	E occadelle	t yeayayeete	CCCCCCCC	
		• ~~~~~~~~~~	T CCLLGGGGG	L uagactgout	, 4,00000	
ctgtctctc	c tggggcagc	g gtcagtccg	g aggctgggg	y adayeeeey	aatcctccag	126900
~~~~+~~~	a ccatcaddd	r reacactet	a aluadetty	. ggacaaggg;	,	
ggatcagag	a aggatttgg	c ttcttttgg	t greaagtee	- cagggaagt	g gagatcagag	
~~+ ~~ at at	a acaddaadd	n aadtdccct	a actaddcar	c aayayaccc	. cccggccce.	
tecetacea	a cactttggt	a tataacctt	g ggtaagicg	c clyclcic.	. igagereag	
testesect	c agtagaact	σ atgcttgaa	c cagaggaar	c gayyyacc	c ccgcggccc	
<pre></pre>	a ottetaage	c ccaaacctc	a acceteaty	a aacccaccc	a gggccccca	
+~+~~++~	a cactccacc	t ctacctaat	t cagatgagg	g glaagagac	a cogetteete	
3666626at	a aatctaada	a actcdddad	g agaaagtaa	L cgcgaaacg	c cgcacggggg	
aggagt gag	a addiccoad	a aacgcggag	d toototoaa	c gaalygaal	a gcagcegeeg	
tataactas	α tattacatc	a cacccadco	t acacacqca	e ggggcccgg	c geceacaeae	
200000000	ta cadecadea	r dcaccdaco	c accaccoac	g cagegeeay	g aggggccggg	
as cact cac	a ataaaacca	a aaagcgagg	a gcagcacac	c gggagtgtg	g accercan	
ccgcacctg	jt gtgctcccc	c ctctggagg	_l a ggaacacca	ig ggcagcigg	g atgccagcgc	

	gcctgtcagt	cccatacata	cacacctggc	tgagcagcac	tgcatttggt	127680
cacactcggg	ctcacgccac	tacccaaaat	cacagataca	tacacacatt	cacgcacacg	127740
gagcacccgg	gagcgtgaca	caacacacac	aaaaccacca	ctaagcaagt	gcaatttgca	127800
gcaaccicag	cccacactc	aaaatcacca	accctcagt	ctctcccagg	gtctctgaac	127860
gccttggaga	cccaggatgt	cadactacaa	aaacaagtct	tectececte	tgccttcaaa	127920
cccaaggagc	gttgcttgaa	cagagegeag	ttcartract	atatacccaa	ggaatgactg	127980
agcctaggac	ggggtgcagg	gcagaaggcg	cccagccac	aactgccaga	agaaaatccc	128040
cctggctttg	ggggtgcagg	CLCCCLLLL	ccccaggcaa	ctanttccnn	cctagaactt	128100
aggagtcacc	tggaaatcat	aagaaagtgt	agaggccaag	accetacec	cctattaaaa	128160
tatcagctat	agtgacgyca	aaggccaggg	tagacgggag	actetetaaa	cctacttttc	128220
tatgagtaca	gacacctgca	eccactete	caycocccay	aaagttactt	taggggaaaa	128280
catcagtatc	ataataagga	tggattatat	attataceta	aaatcccaac	actttgggag	128340
aaaaaaaaa	gctttggctg	gatgcggtag	octatyccty	caractrarc	aacatagcaa	128400
gccaaggtgg	gaggattgtt	tgaggccagg	the tettet	tttgatagag	agtotogoto	128460
gaccccatgc	ctacaatttt	tttttttt	tetagasts	ctacaaactc	cacctcccaa	128520
tgtcacccag	gctggagtgc	agtggtgcga	Lectoggetea	aschacadac	acccaccacc	128580
gttcacacca	ttatcgtgtc	teagecteee	aagtagetgg	gactacagge	catattaacc	128640
atgcccggct	aaatttttt	tttgtatttt	tagtagagac	ggggttttat	aaatactaaa	128700
aggatggtct	cgatctcctg	acctcgtgat	ccacccgcci	cagactecca	tagatacaat	128760
attacaggcg	tgagccaccg	cgcccggcca	aaaattttta	addactage	cttgagcage	128820
~~~~~~~~~	+ataatacca	detecteadd	aadctuaqqc	ayyayyarty	cccgagoove	128880
	actacaataa	actatastca	taccactgca	CLCCagcccg	ggcgacggag	128940
	tctccaaaaa	aaaaaaaaaaa	agaagtttt	aagtaattyt	gaacgaggag	129000
taaaa+	ataaaataca	dattcccadd	CEGELLCCCC	ayyaaccccy	cacagores	129060
	antancetea	cttadadacc	coacccitaa	qquuuuu	ggcacaaaga	129120
	- ataannaaaa	assautaca	nnaaagtaau	qqcactqqqc	accagegge	129180
+~~~~~~~~	2426666848	argagreear	LLCacacquq	CCCCagaccc		129240
	+ + < < > < < < < < < < < < < < < < < <	CECCAAEGGG	uldactitude	ccccagggg	uou	129300
atatataaaa	. acattttogt	totcacaacu	. qqaqqcaqqq	Lycrycryyc	44444	129360
+	, amatmetmet	aaatoootta	tatadddcid	Coccacac	gaggaactac	129300
	. + ~+ ~~ ~+ ~ ~+	a a da da da da da	aaccctgacg	Etadicitie	yacaccaucc	129420
+-+	, atassacsta	caataqtqaa	ı aacaddaalu	aayayatyat	Caccecaa	129540
		-c	TTOOCALLAL	LLLLLaura	u tyuyu-j	129540
+	· assataacca	agecaettga	goctataacq	Lightering	ageceeaga	129660
	. aaaaaaaaa	addcctttai	. I.L.LLattitu			129720
	- + <i>~</i> ++ <i>~~~~~~~</i>	r actagagtag	. aadddtatua	Lugurgura	Cluckgood	129780
	, attendament	L CCECCEGG	Cadectice	aaycayccyy	gaccacagg	129700
+	- stacataact	· aattittiti	. TEEECCCCQ	. aaayacayyy	40000000	129900
+-++	, astsatetes	aactcctqq	ctcaagcaau	. Coloclycol	. Lygcececa	129960
	- attacaddto	: toadccacca	a tattcaqccq	ggiclaygc	, cccaccaag	130020
++~~~~~~	t www.ccccau	- tagcactcc1	t accetadaac	Cocacciage	. aageceegee	130020
t a a a a t a a c	a sesactece	r ceteggeet(a cerecraere	augulucuy	Coccedence	130140
~~~~~~~	a sactacece	+ factctaca	c ctactactic	Lucutugues	ccgcgageeg	130140
	c sacttetect	- ctataccaci	t atccctacca	i cccagcacc	, agegaeeee	130260
	c sacctdated	r acacactac	a accadacaco	; cccgggccc	accegaces	130320
+-+	a ttatacaaca	acctctcca	c catctaccc	ggcaccccc	, gccaccege	130320
		- traataaca:	a coddcaccu	, cquucuquuq	, agecegaea	130300
	a atamamond	- tacaatcac	r acatttuta	; cqccqccag	. ccagcageor	130500
	a atattaca	a acctaatca	n cctacautau	- CLCCaccc	- 4994944	130560
	a attacements:	a acctaccct	a cccccaccc	Lague	c ccggcccc-	130500
	a accepteta	c faccadado	c taacataca		c ccccaggee	130680
1 - 1 A-	a-a	o +ccs+++c+	c tetatetate	T CCCCLLLC	L CLULLACALE	130740
	~ +++~~++++	t coottotac	c tototacct	g tttaggtcc	c lightigetee	130740
	a totocotot	a actecacaa	c ceecaccic	LULYCULULY	c cuguesgues	
	+ ++~~~+~~~	t cactgeete	t ctcactaac	E Lacerace	c acceptance	
	+ ~+~+~+~+	c etteacaca	c ccactcccc	a tacaccccc	a tyttigetty	10000
	- +a+a+a+a+	+ tctataatc	t cacdtdttt	g ccttcaqqq	c acceptance	130300
	+ coastaces	a aaddccttt	a cadciditi	t Lucuatura	c ccccaageee	2021-
~~~~~	ı, caataəəat	a dadadadaa	a acadadcca	c addicactgg	c accecacaga	
	+ +<+<+<<>>+ </td <td>t teactogge</td> <td>a atoooacoo</td> <td>q aqaaqccca</td> <td>c accecee</td> <td></td>	t teactogge	a atoooacoo	q aqaaqccca	c accecee	
	+ ++~~~~~~	t otcatotca	ia tocadodia	a yaaayacaa	g ggcaaacooo	
+-++-+	a ctampast	a datactete	ra aaatggaag	g aataccagt	a accepted	
-++~++-+1	-a ttattmatm	r aattattot	t tattottot	t atgcigaci	g cccgacacge	101010
++-	a actocattt	c cccaddaac	rc aataacaca	C CCCCCaaa	e accergages	101.00
aaaatctto	cc cttggctac	a gageeteeg	gg ctggaaggg	g gtgaaaa t a	t ccaaattctg	131400

asstateset	acttgaacct	ggaacgtgct	tectetgeet	catccagggc	tagtgcctaa	131520
-++-+-	atctactagt	togaaaatca	aatcaatact	gatgatguta	atyatautuu	131580
+	aacaacctaa	caaacatact	gagcacccac	Lacyayetay	atgettatgat	131640
++-a+a	226262630	accaaacccc	ctaccttcac	agagatacca	LLCCCacgag	131700
cacagrageg	agtaaaatgc	acogtatatt	ggaaaaatat	gtcttatatt	attcttattg	131760
	~~+~~~~~t=	atagragtag	ccaccaccac	tlagigggia	cacagggccu	131820
ttgcctaaac	caagcacttt	ataggtatcc	actctgccat	ttacaagcgt	gtgacatttt	131880
gccacagtgc	ctcctcagac	ctcagttttc	tcatctgtac	aatggggtag	caagagcacc	131940
		accattaaat	ocatoaataa	LLLULadayc	accuagaaca	132000
catctcctag	tacggtaagt	agcaccaaa	tocttottaa	aatactattt	taaaaaaaga	132060
gtgcttggca	atttaacatt	gatttcagta	aagtggccca	acttggactc	catcctgaag	132120
aacgagcctt	acttcaagga	ttatactaag	gtcatgagtg	agtcccagaa	attgcacctc	132180
atgtgggtca	aagtgcactc	aggracetca	tctcatttct	acageceagt	tgggagatta	132240
acagtttatg	cttgttaaca	atroacaacc	taaaactaaa	ggccctgaag	accctataga	132300
ttttcacctc	cctccaatca	tasatettt	caaccattot	caatataacc	ggaggcttat	132360
gatatagtca	catcatgttg	acctcacaa	caacctggtg	atagggacag	ttaggggcac	132420
gtcttctcac	gaatgaatgt	tectaagace	acacacccad	gaagagetgg	cgcttgaacc	132480
tagggacatg	gctacaaggg	ancagtactc	tagagtagaa	ttgagcaggc	tcatttttga	132540
tcatggtctg	tttggactca	gacageacte	ggttcaaatc	ctggctccta	tatatatgac	132600
aagcacacag	ttacttaacc	teteteagte	tccatttcct	catctctaaa	atggcaatca	132660
tttggacaaa	taataataat	arttttt	taagacgacg	tcccactcta	tcgcccaggc	132720
ggatagtact	tagtgcgatc	taggeteset	gagacgacg	cctcccaggc	tcaagtgatt	132780
tggagtgcag	agcctcctga	#taagtaaga	ttacaggcat	gtgtcactac	acccagctat	132840
ttcctgcctc	tttagtagag	gcaactaaga	ccatattaac	caggetggte	ttgaactcct	132900
tttttgtatt	tttagtagag	aayggccca	ccaegeegge	gggattacag	gtgtgagcca	132960
gacctcaggt	gatccactca ccaataataa	- eeleggeele	. ccaaagcgcc	taaggattaa	aatotaaggc	133020
ccatgcccag	, ccaataataa a aggattaaaa	teettattta	ttaggeceta	tooocactat	aataataatt	133080
atttagcaca	aggattaaaa	tgtaaggcac	. claycacaca	acaaattgat	catgcattta	133140
actactacta	ctactactaa	tactgagate	ttagttatt	aggaggaatt	tggagtcaga	133200
atgctttcaa	a atctcctta	tcaatatata	tttctcactt	atttaactt	aagcaggttg	133260
gggcctgag	ttgaatcccc	gatetactac	. ctccegacto	ggaataatga	aagcaggttg aaataatacc	133320
ctaaccctct	ctgaacctca	notoggaaa	. cegedadeeg	: atagaaagc	catagttcag	133380
ttccaccaa	g aatggelgla	aacayyaaac	, addacttcd	gaggccaagg	tgggtggatc	133440
gctggtgtg	g tggcccatgi	. cigcaaccc	, agcaetetgg	r tgaaaccctc	tctctactaa	133500
acttgaagt	c aggagttege	gaccayecce	getatetata	atcccagcca	ctagggaggc	133560
aaatacaaa	a attaggcage	, cadadacadac	r gragaaatt	cagtgagete	agatcgtgct	133620
taaggcagg	a gaatcactt	aacctggga	g geggagget	. aaaaaaggaa	aaaaaaaaaa tooattgact	133680
actatacto	c agectgggu	tessesses	atattattat	gacccatc	tccattgact	133740
aaaagccca	t agttcagtg	t caggagaact	acycoacea.	agacttagaca	a gaggggacct	133800
ctcaggcca	a caacagcaa	t caygacteg	r aantotttoi	tctctacgc	cctggcatga	133860
caggtggac	a ttggggtct	- paggaagg	e cttcacacci	ggccttta	agaggagatg	133920
atggtacca	g gcatcatgg	g aaggaagca	t datagaact	g ggctgggaga	a tgccacaggc	133980
gaaaacaca	g cetetgeet	g cyaaccycc	c cacagagta	c aggtgtgac	c caagatggag	134040
aggtgagga	a acatgggct	g gggtgagat	c cgcagggcg	c cagaggacc	a cagettttea	134100
ccaggcctg	c cccaaaggg	g agettegga	g tgagttcat	t catcaacag	a tatttactga	134160
gaatgggga	a gggccaggc	a cigigicas	a ataccada	a ttcaggaga	g aacagaaaca a taaagacact	134220
gtatctacc	a catgodayy	c aatgiteed	t actcaagtg	t agccagatg	a taaagacact	134280
gtggccctg	t totoccaga	t tttmamacm	a agtotoget	c tcttgctca	g gctggagtgc	134340
tgtttctt	t cttttttt	n ctacaacct	c treeters	g gttcaagcg	a ttctcctgcc	134400
agtggcacg	a teleggete	a cigiaacci	c atotoctac	c atgcctggc	t aatttttgta	134460
tcagcctcc	c aagtagety	t teaccatet	c aggragact	g gtcttgaac	t cctgaccaca	2020-0
tttttagta	ig agacggggc	c ctaccatge	t offogatta	c aggtgtgag	c caccgcaccc	
ggtgatctg	c ccaccily	t toagtcatt	a cantonect	g catggtttt	t gtttgttttg	101010
gccgacact	t gttttetet	t tragecart	c teactatet	c acccadeta	g agtgcagtgg	134700
+	otagaacta	c agacatgto	rc caccatqic	c agglaatti	e conditioned	
	-~ +++///	'A TTACCCAGO	ic toolicicae	a cccccgaac	,c ouage	
		a atactada	it tacaddcat	a addcadcqu	a cacayeryye	
	.b +	** *******	'C AAGCAUALL	a uacccuage		
	+++	** >+ ~~~~	it ocaaullai	, L Laatcucc	,, 949	
	+	to vataacct(it accttduct	ia ucayyyyci	.g cgaggarra-	
		'a Carcccaal	'n tetogtace	id aytyayta	.c caacgaacg	,
1		. ~ ~~~~~~~~~	re aactoaaou	i. Caucaaau		
tagctatc	ca ttaacacca	ng gyagyacat	ra cotagaati	g gcccaggt	et gtctgactco	135300
ccaaggtc	ac ccagctag	La ayyaacac	y occupance			
	•					

agagtgcagt tgttcagagg tctctggagt tggaagccac gttccactgc atattagctg 135360 ttggacccta ggcgagtcac ttcacttctc tgaggctcca tctcgtaatc tctgaaatgg 135420 agataataat agtatocaco toatagggtt gtgacaatta agttactata taggatotgt 135480 135540 gtagcacaga gcttggcaca tggtaagagc tcaatcagtt acctgcttga caatgctgac geogatgatg acgatgatae ceatectaga etgatgaget etgtaagegg gggtgeetgg 135600 cacagagtag acacteggta cagetetgtg gaatgaatga ggcacatece agaacteace 135660 aattcataaa aatcagatgc agatgggatc ttaaagatca cctatcctaa gtcccttgtt 135720 tcacagatga aaagacccag gcccagagag gtgcttggag ctgcgcaagg tcacacagcc 135780 aagcagctca tttgattagt jtcagagcca agagctggga gtttggaggg aggcaaggtt 135840 aagaacagga tgctgtcagg gaagcaggca gggatgctgt gttaagattc caaatggatg 135900 135960 cagagagetg tgaaceggee agtggggagg caagggaaat gtggtttttg aaatggaaga 136020 ggatgacttt agcagaggct ctcagcccag agggaggga gatagggagg ggagataggg aggggcgggg ggagggctag ggctgtgaaa gtcaagagct tattaatgca tagagaacgg 136080 ttttaacagt ggagagagga aggaccggat ttgaaagcta cattcaagga agtggcaacg 136140 136200 ggatttggca acagcttgga tggggggagg aggcaatgga ccccaaggca gaggctcaga 136260 agaaattctg tgggccaaaa cctggggctg tgggtcaaag gcacctgaat tccctaggat 136320 136380 ctctggaact ttggtctact cttctgacct cccgaggtcc cccaaaatgt ggattacccc tgctcactct cccccaaccc ccggcccctt atcgatcctc tgaccataca tctctgggtg 136440 tgtcctactc ttgctgacac ttcataaaaa gaggaacccc atttaggtgt tttgagtggc 136500 agggattcca agcctacccc ctggatgggc ctggaagaga acaagagcac caggccatgg 136560 136620 tgagtcaggc tgaggccagg gaggtgcaag gagccagctg gaggcctgag ccaggatttg gggtggtggc agcagggggc ggagaatggt ggtgtcagag gcagccgaga aggttgaggg 136680 136740 ggacggatct caatgtggcc aagaggaggg ctcttggcac gctcagttcc tgtagcgaag 136800 agggcggaag ccagatggga gggggcgaga acaggcagga gcacaggaag gtggaggctg tgggtgtagg ctgggagtca atgccctccc ccaacctgag gcctccgacc aggctcctgg 136860 gtggcaggca tggggaggaa agcgtctccc caggcagtga gggagggaga gccacagtca 136920 gggaacagge eccetgggtg aactggeetg ageagagtgg atgeteetgt tetgagacee agaceteetg gaacetgetg accaeagtga tgeeetgeac aagaggggag gaceteaagg 136980 137040 cagtgaggtc agggagctga agtcctgctt ccctctctgg caagccctta tctctttgag 137100 ccccagtgct ctcctctaaa aaagtgagct gggctgatgg gtgccaaggc attagctccc 137160 aagtcagctg atcatcagaa tcccctggtg agctggttat aatgcagagt ccaggaatcc 137220 137280 ccactggccg tgggccacac acaccegccg cccccgctg ttaattctga accatagttc caaggteett tetgeactaa tgtggeetga ttaggtgaet eectageace aggeaggtgg 137340 gacagcgcct ctaaggggag tagtaatgca atgtggcttc cttcctctcc tcccctgccg 137400 cctctggggg tggagctgat gcccctcacc ccaataccca gcctagtagc agtactttgg 137460 ttcccccagg gagctcctct tttaaagaaa agggacagga cccaattgtt actgagcccc 137520 tattgtcata gtagccacca tttattgatg gttgactatg cacctgccag atactgtacc cttaacagca tttatcatcc aaccetectt tagcetgetg agggggttat acataataag 137580 137640 137700 gaatattgta catactgagg aacctgagac tccatgaggt taaaacttgc ctaaaataac 137760 acagctaggg aaaaggcaag ctggattttg aactagggct ctaagtgctg agcctgtggg cttcataatt ggaccaaatc cctgtgtgct gggcacgtgt ccagcacttc cctcatatga 137820 tetttatgtg aaccatecte tggaateete agaacaaace caggaagtag gtatacteat 137880 137940 ccccatttta cagatgagga aacaggcaca gagagatgac tggcttggcc aagttaagaa taatggctaa caaacaaaa caaaaacaaa aattaaaaaa aaaaaaagaa taatggctaa 138000 ctcatggaac tcatagaact ccacaaggaa aggtgttcta agcaccttca tacatgctgc 138060 ttcatttaat ctctacatta tacagatgag gaaactgagt cacagatatc ctgagtgact 138120 tgcccacggt ggcatcagtt aatgacagat ccaagatttg aaatcagaaa ggctggctcc 138180 138240 ccagtotoca tacttoacca aaccagaagt totgaaacto aaactgtggt cotgocaatg gccacactgg cttccctggg gaacctgtag acatggggat tcccaggctc caccccaaac 138300 ctcctgaatt agaaactctg cccccgccc caccccgctc agagatccgc aggggatcct 138360 aatacacccg aaagtttagg aaccactgac ctcaccaata ccactttttc cacagcaaat 138420 aggttagagg aggcagaatc caaatccagg atgctatgaa tcaaaaggtc aaccctttct 138480 cttctgccac ggtgcacccc cttccctccc ccggccaagg ccccagcggg gtctgcaccc 138540 tgcctcaggc ccattctctt cttctgtgcc ccactccacc ccacccagga tgacttgttc 138600 geggacetgg ccaacetgag ccacetette etceaeggga acegeetgeg getgeteaca 138660 gagcacgtgt ttcgcggcct gggcagcctg gaccggctgc tgctgcacgg gaaccggctg 138720 cagggcgtgc accgcgcgc cttccgcggc ctcagccgcc tcaccatcct ctacctgttc 138780 138840 aacaacagee tggeeteget geeeggegag gegetegeeg acetgeeete getegagtte ctgcggctca acgctaaccc ctgggcgtgc gactgccgcg cgcggccgct ctgggcctgg 138900 ttccagcgcg cgcgcgtgtc cagctccgac gtgacctgcg ccacccccc ggagcgccag 138960 139020 ggccgagacc tgcgcgcgct ccgcgaggcc gacttccagg cgtgtccgcc cgcggcaccc acgcggccgg gcagccgcgc ccgcggcaac agctcctcca accacctgta cggggtggcc 139080 gaggeegggg egeececage egateetee accetetace gagatetgee tgeegaagae 139140

tegeggggge gecagggegg ggaegegeet actgaggaeg actaetgggg gggetaeggg 139200 qqtqaqqacc aqcqaqqqqa qcaqatqtqc cccqqcqctq cctqccaqqc qcccccqqac 139260 tecegaggee etgegetete ggeegggete eccagecete tgetttgeet ectgeteetg 139320 gtgccccacc acctetgact geggtgctga gategaagag gccagtgtcc gatecceget 139380 tecegteeae eeggggetge ggeteeggee eeagtegeee eacetteeet ggeettgetg 139440 cctccctttc ccctcccage tcctctcctc cccggggage aggccgcctc tccttgcctg 139500 ccccctgggc tgtcctgact tgtggcagcc ccaagagggc gtgtgtggtg gctcagccct 139560 gccctcccca gttctggcca ttaactcttc cccatcccaa ggctggggtg gggcccccca 139620 qqcaqccqct qacccqcact cctaagggcc cacagcqqac accaqaqqqq ctittqtctq 139680 cagagegtet tecaccagea gageetttgg aageteeece agggageeec acccaggace 139740 ctttggggga tgcctcagtc agggccaggc tgaccctgac ccctgcttac cctagtcccc 139800 tcaacctcct gacactggag gaatactttt ctcctaagtc taccctggac actttttagg 139860 gcacctggag agaactticc tetecactgt ggcccctgcg tggtgaagat caaaagaagt tgtttgggaa aaaaaattta ttaaaaaatt etattattt atetactgta agatttgttg 139920 139980 140040 acttgggacc ccgaaagcgg gatgaggtct cagaatgtaa ggattgcagg gccaggaggg ttggagaagg ggagccgtcc cccgccatca aagagcttcc tggtggctgg aggtggtgtg 140100 140160 cqctccccg ccatgaggag gagctgaagc cctgcattct aggtgaggcg cagtgtggca gccaagagtg ggtgctggtg gcacctcttc tcttcatttg tccaggggaa gagctgcagc 140220 caaccetgag tggtetggeg cetgaggaac taageetggg gaagacetge tgtetggtta 140280 acagecetet tecagaceet gtteetteag gaaacaagag cagtteteet geaaggagga 140340 gtcacataca cactcctggt cacagacagc cccaacatgg ctttgggtaa atgtgaacaa 140400 ggcactgctc cctcagggaa acacagccc atgccagagc aaacacctta gcaaacagag 140460 accaaggetg ggtttccgcg tacacttgcc tccttggcta agtgcccttg tgcagtgcac 140520 agegtacaca cetgcacaca gcaaccetgt gggtatgtgg tetetetete ageteetgtg 140580 140640 aggtagaagc catcagggat gaaccaggtc agagaagcag gtttccaaac aggctagaag agggaccgag gaactcgggt gatcagaggg acaggaatcc caaattggga tgcattactg 140700 qcttqaqqta caatcagaac cttcatcttt ctggtgtgtg gaagagaggc tggggactgg 140760 gaagagetea ggetaagaag gaettgggtt gggatttagg ggtgagtete atcagaetga 140820 gcacttggag agaagtttgg tagtttgaat ttggagctaa gaatctagct tgggcagggt 140880 gtggtcgctt gcacctgtaa tcccagctaa ttgggaggct gacgtgggag gatcacttga 140940 ggccaagaat ttgagactag cctggacaac atatcgagac tgagtctctt aaaaatgttt 141000 tittaagaat ctagtttgga gtggggtgtg atgtctcaac gtctgtaatc ccagcactct 141060 qqqaqqctqa qqtqqacaqa tcacttqaqq tcaqqaqttc aaqaccaqcc tqqccaacat 141120 141180 ggcagaaacc ccgtctctac taaaaattca aaaaaattag ccaggcgtga cggcgggtgc ctatagtccc aggtactcag gaggctgagg cacaagaatc actccagcct gggtgacaga 141240 qactctqtct aaaaaaaaa aaaatctagc ttqqqaqqtq ggaatagaaa gatagagggg 141300 141360 gcctagatgc tagggcttga ggaagcaggc tgaggttctg tgattctggc tagggaggtc aaatgatett gagaagaaga gaagaaagga gaagaaatca geatetaage etgaggeagg 141420 tagactccgg ttaagggtgt ggggtgggct gggggagagt gagagcagct ggtcagaaac 141480 ccagggagct cggagtctgg ggtcttgcag gggcttgtgt caggctggct gtgaggaggt 141540 taatgggttg gattggaggg acagccagac aagagetetg gtggaggagg ggetgetggg 141600 gcctgggcag ggggaggga gctgctggta aattagaggc aggctgtcca ggtcatagaa 141660 ttatcattgt gaaatattca tgggccatcg gtccagatgc tatttcagaa cagtgaaagc 141720 aagaggagtg tgtgagcete aggaagaage etgaagcaaa gecaetetee accaacceee 141780 accetecca ceaceageee agacagaeee aeggaegeee ateaegtgea cacecacaet 141840 cccgagctct cacacacact cgcaccaagc agagccatgt agcacgtgca agcacaccaa 141900 ccaccacgg gtcccacaaa caggcaggtg tcccctaaat tctgacatgc acactgacat 141960 qcacacccac tcaatcagga cccagcagag atcacctcca gcgatctcac atgcgcagac 142020 ccccaaactc tccaaacaac ccagattcac caccttgacc cacacaccct gagataggag 142080 ggatgttcaa ggccatccag cccaacccc accaatgctc tgatggggaa actgaggcca 142140 tagaaaqqaa qqqatttqtc tqaqattcct ctatcccctq aaaaaaqcaa aattcattca 142200 ceteceacat tetgagtgta eccecattet geattttegt etgecagaca eccageetag 142260 ttgtaattaa ctcctcctt tctctaattt cctgcatcta ttcagttacc cagtccccca 142320 cccaqccaca qtctatccct tccttcccat tctccccacc acctccctgc tccaqctact 142380 cattacctca tgcctggaat ataaaagaaa actgcgataa cctcctcgct ggtttcctac 142440 atggaatete teeteete ceaccagee atacegtggt gaccagatte atetgateaa 142500 aatttgcata tgttatgatg tcactcagga gcctgtaatg gcttcctaat gcctataggg 142560 taaaggtaaa acaccttagc agagcatcaa agatccctca gagtctggta ccaactgctt 142620 ttctagcctt ttctctcaca atctcatccc aaaccttcac tccagctaga acgtttgtat 142680 catactqqcc accagttatc atqtatqtqa aacccaccaa ccqactttqa qtqccccct 142740 142800 aaaatttete agteteteet gaagtaggaa acetetteee eeteeteaga teteagaete cagagecett teccaaggee aagactgeae etetetgace atatacaggg gttetteaaa 142860 gcagcagaca gaggetcagg etetggetce etecaagcag aeggetgeec eegactggee 142920 accttgggaa gcacagccag gtttcagtcg tctagaacag agaatgagca tctaaccgcc 142980

```
tggggagagg actaggacac Cagatgataa ggtttataag cccttaagcc tctaaggttc
ttacacccag agtaggggg ggacggttct cagccctgtt tccctagctg cgggctccca
attttcgatc cctaatccga gaggaactcc tctccaatga aatacagact tgggactctc 143160
aggacactgt ggaagggaaa tttcccaaca gactctgaga gtccaggagg ccagggatag
                                                                    143220
accaggtggc aggcccaagg tccagctggg gtcaggtttc tatatgaatt tttaatgctt
ccagatagac ttgtcagatg ttctgaaaac tgagcatctc ctttcacctc tgtacatgat
                                                                    143340
geoettetee aaccecattg cecetgeagg agggeaggee tgggacagat atteagtgge
                                                                    143400
ctctqqaqaa acqqttttqq qacaqtaqaa qqqtaaatqa cctaqttatq ttcccactaq
                                                                    143460
taagctgtgt gaccttgggc aagttactta acctctctga acattagagt tctgtgggtt
tgtttttgtt ttgtaagctg gggacaatag tgccagccta aatcaatttg ttgtgggac
                                                                    143580
teagtgeaat ageceatgge aaagtgacet acatgettge tgttattatt etettteete
                                                                    143640
aagttetgee teeetettee agettttett eeaaceeeaa agatgtetet ggetattget
togaaggtag gaactttggt tggttctccc ctttctcttc aggcccaaac tccccacctc
                                                                    143760
aagateettt ggeetttgta gaaaetteag gtgaggaggt ggeagagaaa taagaaagtg
                                                                    143820
tgcaaggctg gtggagtgag agaggaggat agatggcgaa gccctagcag aggggaggga 143880
agtgggcagt ggagagagg
                                                                    143899
<210> 16
<211> 215980
<212> DNA
<213> Mus sp.
<220>
<221> modified base
<222> (1001)..(1100)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (2123)..(2222)
<223> a, t, c, g, other or unknown
<221> modified base
<222> (3728)..(3827)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (5168)..(5267)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
\langle 222 \rangle (7481)...(7580)
<223> a, t, c, q, other or unknown
<220>
<221> modified base
<222> (8849)..(8948)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (10375)..(10474)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (12270)...(12369)
<223> a, t, c, g, other or unknown
```

<220>

```
<221> modified_base
<222> (13438)..(13537)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
<222> (15902)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (15939)..(16038)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
<222> (18223)..(18322)
<223> a, t, c, g, other or unknown
<221> modified_base
<222> (20974)..(21073)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
<222> (24403)..(24502)
<223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (27574)..(27673)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified_base
 <222> (30892)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (30901)..(31000)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (34443)..(34542)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified_base
 <222> (38205)..(38304)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified_base
 <222> (42373)
  <223> a, t, c, g, other or unknown
  <220>
  <221> modified_base
  <222> (42386)
  <223> a, t, c, g, other or unknown
```

```
<220>
<221> modified_base
<222> (42393)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (42461)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
<222> (44809)..(44908)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (51380). (51479)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (56740)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
<222> (56765)...(56864)
<223> a, t, c, g, other or unknown
 <220>
 <221> modified_base
 <222> (62818)..(62917)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (68518)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (68534)...(68633)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified_base
 <222> (74552)..(74651)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (81446)..(81545)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (88519)..(88618)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified_base
 <222> (93791)
 <223> a, t, c, g, other or unknown
```

```
<220>
<221> modified base
<222> (93794)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (96565)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
<222> (96570)..(96573)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (96579)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (96590)
<223> a, t, c, g, other or unknown
 <220>
 <221> modified_base
 <222> (96596)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (96602)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified_base
 <222> (96616)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (96629)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (96633)
 <223> a, t, c, g, other or unknown
  <220>
  <221> modified_base
  <222> (96668)
  <223> a, t, c, g, other or unknown
  <220>
  <221> modified base
  <222> (96715)...(96814)
  <223> a, t, c, g, other or unknown
  <220>
  <221> modified base
  <222> (104447)...(104546)
  <223> a, t, c, g, other or unknown
```

```
<220>
<221> modified_base
<222> (114521)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (114527).. (114626)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (127063)...(127162)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
<222> (139133)..(139232)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (151051)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (153242)..(153341)
<223> a, t, c, g, other or unknown
<220>
<221> modified_base
<222> (164706)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (164708)
<223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (164710)..(164809)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (182242)...(182341)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (192158)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified_base
 <222> (192192)
 <223> a, t, c, g, other or unknown
 <220>
 <221> modified base
 <222> (198842)..(198941)
 <223> a, t, c, g, other or unknown
```

```
<221> modified base
<222> (199437)..(199438)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (208276)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (215974)
<223> a, t, c, g, other or unknown
<221> modified base
<222> (215976)..(215977)
<223> a, t, c, g, other or unknown
<220>
<221> modified base
<222> (215979)
<223> a, t, c, g, other or unknown
<400> 16
ttgggggtat aaacccagaa gtgggattac tgcaccatac aataatcctc taacttcaag
                                                                     60
                                                                    120
caatttttcc acaatggttg tatcatttta cattcccact ggctacgaga agggttccca
                                                                    180
cttctacaca tcttcaccac catttctgtt tttgtttttg agtaacagct gcctaatgac
tgtgaagtgg tatcttatct cagtgttgat ttgcatttct ctgatcatta atgtgggaag
                                                                    240
gcatcgtttc atatgtttat tggctgtttg tgtatcatct tctttggcga tgttgattca
                                                                    300
agttatttgc ttgttttttt aattggagtt ttaaaaaatt gttgttgagt tgtgggagtt
                                                                    360
cttcattagc tctgcatatt aataccctga tgaaaatgat taacaagtat ttgcttccat
                                                                    420
tttggggget tecattetgg getgtttta ttettttgat actettttga ttetcaacag
                                                                    480
                                                                    540
tttaatctga ctaaaattca gtttatttct tcttttaatg gccatgctat tgacacatcc
cgtaatcact gccaaatcca gtcatgaaga gtttctttca agagatttat agttttagct
                                                                     600
ctttaagttt gtcatgtctg tttcacttaa ttttgtatag tgtacaaaag tctaacttca
                                                                     660
ttetttteta tatggettge tactagtata egaagageta aatttetett teettgagte
                                                                     720
 tcaacctctg atgtgtagca atttcttcag aggaaaacat ggtgggaagt tccttaaaca
                                                                     780
                                                                     840
 taggatgete catggaggtg aaatagttea teetacaggg aagettgtta aacacaggaa
                                                                     900
 gtacatactc agcageteta gtaagtgagt gaaactgact ggaggcacta ggteceteet
 tecetaegea tatagaaget gtaaggattg ggaagagata etgteaggte ageteagetg etgeeeggaa gaageteaga eccaetggee tggeteeaag nnnnnnnnn nnnnnnnn
                                                                     960
                                                                    1020
 1080
                                                                    1140
 nnnnnnnnn nnnnnnnnn atcactcttt actcaggcca cctacacgct gtttatagcc
 tgcctttgtc tctttggcta tacttcctgt ttatgtctat gcctcccctc tttcttttc
                                                                    1200
                                                                    1260
 tttctcttct cttctcatct catctcatct ttcttcaggg gggagcctgg tctagaactc
 acaaagattt gactgtctct gtctccttgc actaattaaa aaatctttta caagcatctt
                                                                    1320
                                                                    1380
 ttagcaattc ttacagggaa attttggaat gttaaactct gattgttagc gggctgaaga
 taacaatage tetgatgata aattgettge caggeaagtg tgaaaatetg agtttgatee
                                                                    1440
 aaaaagccgg gtacagaggc caaagagtcc ataatcctag taggggcagg aatcagggat
                                                                    1500
 gggtgggtcc ctggggtttc ctggtttgtc agcgtagccc aattgggaat agccaggttt
                                                                    1560
 cagtgaacga tgctttctgc aagctgagag aggtccttgt tcaatctctg tgacccaact
                                                                    1620
 ggagggagaa gagagccagc tctccagaag tggtcctctc aactttgtgc atgcatgtcc
                                                                    1680
                                                                    1740
 atgttcacac agggaatgga taatgcttaa aaggaagacc ggcagggggt tggtaatgca
 ceteetttgg tgacatgett teetettgtt catgetgete caggtgtggt cggcageace
                                                                    1800
 aaaaaccagg tgtatgtttg taatcccagt attctctggt cgtcagtagg aaatgaaaag
                                                                    1860
 cgaggtcate ttegtataga gttagcaaac tetaagccag ceteggetae atgagaettt
                                                                    1920
 gtotoaaaac aaaggaaaaa toaaggagga oggotoocga gcactgtoac otgaagotga
                                                                    1980
 cetetggeet ceacatgeat gtgegeaaac acatgteetg cacaaacaca cagacacecg
                                                                    2040
 catctgctcc ccgacaaaag aacctgaaac cagtatactt tgagaatttc ccattcatag
                                                                    2100
 2160
 2220
 nnggtggtgc ctttctctta cccagtctag aagggctgga ggcagggtgg atggggcact
                                                                    2280
```

<220>

2340

ttgaactccc acctaggcaa aaaacccagt gatctctggg ccagtgtgtt gtttgcaagg gaataaggta gagagccgcg gaggaagaca ttgggggttc tatgagtatg tgaaggggtg 2400 cacacacac acacacat tttttttgtt ttaaatttac aaacattaaa ataggetgta 2460 atgtggctca gtgggtagaa aaacctgctg tctaagcctg gtacgagttc aatccctgac 2520 aagetggaag gagacaacca accacaactg ctagcagcca gaagcactge ttgctaacac 2580 tcaagagagc ctggagtgga agacactgga tccccagcag gcaagcctgc aagaagatgt 2640 geettgeeta gacaacggea gaacaaacat caaggetgge agagetgtee aggaetgtee 2700 atattaatca tgtatagata agagggaatg gcacagacag aacaattcaa cacacggggt 2760 atgaaaggaa aggaacaagg cacacaaagg acaaagaacc tagcatacaa gaaagcctaa 2820 gcagagagtg gcacttecca gaagggagtc ataaaataga etgaatteat taaaacaaga 2880 gccaaagata aacggctcaa aaaactcacg gaaaacaggt caaaataacg tcacccatct 2940 gacagttgat actgtcaact taaccgtatc tagaactcca gcaggcacat ctccaggcat 3000 gcccctgaag gggtctttgg actaggttaa ctgacgtggg agtgacacca tctatggacc 3060 gaagcetcag acagaataaa aaggagecag tgagetgage gtcagtgete attgettetg 3120 getteetgte tgtggetgea gegagacaeg gtgetteetg etttagetge catgacagae cacacectea aacegtgaae caaaataaec teetetetae attgettta ecaggeattt 3180 3240 ggtcacacca atgagaaagg ttaactaata cagcactcaa tacttaaaaa cataaacacc 3300 aaccttgttt gcatgtgtga gactttgaag ctcacgggcc agttatgccc aatgccaggt 3360 ctgctggcta agggtgagag tgcacaccta taatcccagc tgctgtggaa tcagcaaaag 3420 cgctacagat ggaaggcagc cagggcagct gagactgact caaactgata gaggtgggag 3480 gcatagagaa aaccagatta atagagtgtt ccccactatg caagaagccc tgggtttcag 3540 3600 gacgagagaa ctaagaatac agaagtctac tgtgtagaag cactgctagg tcacacagaa acatcactca agtgtctctg gatgctacac ggagggcgtg tgaagtattg cttcctgatg 3660 3720 atetgtatet actacageae tgctgtttta gtatgcgcte etecactaca getectcace 3780 3840 aaacacacac caccagttag agaaagttaa tcaggccgaa tggcggcttt cccctgtatc 3900 caggetaceg teaggacge teactgecae tggcaactet geetgaacaa ageeegeage caacgtggge tteagggget etaaacactg caatcaaagg ttgtgtgtgg gggtgggggt 3960 4020 getgetgeta tteaaggatt eccaaagett agatgtatte ateatactea caggaaageg 4080 tgttcaaccc atcactcatg agcagtcggt accggggtga cctattccct gtagaaatgg gacggatgtt ctggaaaagt tgacagaaaa gttgattcat taggcaggct ctttgcccaa 4140 4200 gccctgaggg taagcaaagc taactggcag gagactaggt ttgccattaa tctgagacaa 4260 4320 gatgaaccac ttgcccatcc tcctgacacc taaatactaa tgaaagaaca atggattgag ctggcattat taaaaacgat agaaacagaa gtatcaatag tcatgtgttc tttctcccat 4380 atgtcaaaac aatgtgtaag atggcatcga acacatgcag aaactgtta gggaacatgc 4440 tgaaaatatg aagtaaaatt aaaattggaa agaaagacaa tttgcctaaa gcagctcaga 4500 gctggagaag ggaccgaggc agagataaca gcaacgtgtg gacatacgga tctggggcag 4560 agcagtcacg gactcagccg gaaagggtgg ggcagcctct gaaggaagtt aaggtaaata 4620 gagccacaag gtgattggcc caggagtggt gccaccttca cctcctgcct caaagtctga 4680 aggaatgate etggagtete ceatetattg atatatgaaa tteacagtat gttttagaae 4740 ccactgaatg atgggtagat taactaaaag aaatttaagc ggggtggtgc aggtcttta 4800 atcccagcac ttgggaggca gaggcaggtg gatctctgtg agttcgaggc cagcctggtt 4860 4920 ccaggacage cagagataca tagagaaace etgaetegaa aaaacaaaat taaaagetea 4980 5040 tagtacctgt tggtgagttt gagtgagtga gtgagtgtgt gttagagaga ggggcgggga aagtgtgttc tggaaatggg agaaagagaa tgtgcatgtg tgtttctggg atgtagacaa 5100 aactacatgt cttccatcaa atgcaatgtt taattatcta tgagttgaac catcttcatt 5160 5220 5280 caaaccagta aacaaaatcc tgtaagataa agcctaagac aagacacttc ctggggctgg 5340 ggagttgctt agaccataag gagttcataa tccaggcgtg agagcccgag ttcaggtccc 5400 tgggcttcca agtcaggagg agaccaagga atcaacaagt ctcgactttg gtctctagtc 5460 ccatgcacac acacgcgtgt aaatacgtag atgttcactc acacacagaa gactgcacct 5520 ggctctctca catctcagcc aacatataaa gcctgcatta tcagaacatt ctaggttcta 5580 gtttcagtca actcttacac agaatggcca tcatactccg tctacaactt ctcctgatct 5640 acccacgtgt cattgcttca gtattaacaa aacccagaat aaccagctgc gtagatcctc 5700 cetgatgece cagteattgt ettactgaga ctactaagte acaaggtage actetggate 5760 caaaaagcaa tatccaattg agagttacaa cctataagga ggagtttacc ttcattatag 5820 ggcactggat teccaatett taatecaaeg tetteageag attteataae ttecaagtee 5880 5940 atcaaaacaa ctactttcct acaaagacag acacaagtta gaattaagaa ctctgcagcc tttcagatga gttactaaga agcttacttt agtagttgtc tggctaaaac tgtatccttt 6000 accaacettt teteattetg gactaaettg agaagtatta atteetaagt aaataettea 6060 6120 cttattcttt ccccacatct ccaatgtttt tgtctttaat ttattatagg gcaattcatt

tcctatctag ttccctgatt	aaaacagtag	accttgctgc	atgccattat	cctcatggag	6180
gcactgatac aatttagatt	attaaataca	aaaccctaaa	acacaaaaag	atgattttt	6240
+++==aacaa gattttaaaa	aaagcatgtg	ctacgcttcc	ttctgccact	aageetacae	6300
atagteetet gaetgaattt	ttcccctcat	tctqcttcat	ctaatatgtg	CTTTTCaaac	6360
ctggaattga accagggact	tattcatqct	aggcaaatgc	tctaccatag	agctataccc	6420
ctccaactcc catctcaaat	atcatttcca	aagacatttt	cttggtctct	tatttagatc	6480
aggtttcttt gtcctcctgc	agctatgact	tcattccttc	agaacactcg	tcttagcttt	6540
aagttctgta ttaattagtg	attattttca	ttctctctac	tagaatgcac	tttcaataaa	6600
ggcaggtagc cagccacagt	acttaattaa	acaacaaccc	aacgatgtca	ttcactacat	6660
actgggacaa gatgcctaac	atcatctcca	gataaagacg	aactactoot	gtcaggagac	6720
agctaagggg tccagggctt	accaecegea	agtgtgagga	ctggagtccg	ggtgcccaga	6780
agctaagggg tecagggett aacgcacata aatgcaatat	gggcacgccg	atctacctct	aattccttct	ttaagacagt	6840
ggctctccag agcaagctgg	ggatgtggta	aaccatatc	agtgaggtct	gggcttgacc	6900
aagaccctgc ctccaggtgt	ccaycaagac	caaaaaaata	atggctcaca	aatctcaggc	6960
tatcatgttc atgtacaaaa	tatanagaa	catacacaca	tocacacaca	tgaaaactgg	7020
gagaaaataa gaagaattgo	cyccaaccyy	tataatttaa	ggacacataa	ttgcagggg	7080
gagaaaataa gaagaattgc ggagtggggg gatgacagaa	aaccaaaaaa	ataaaccaaa	ggaaaactgt	getageggea	7140
ggagtggggg gatgacagaa atgagaagaa gggtggggca	ggcgaaccga	gradacegag	atcaccacgo	tttactgtct	7200
atgagaagaa gggtggggca	gcccgagcaa	atazazaa	attattcagt	atotoctato	7260
gcacagcctg gctgtagaat	getgggettt	attactacaga	accaccoage	taaaaaaata	7320
tttacagtaa agttattcta	teaggetatg	ctatttcaar	tatataccaa	atataaaatt	7380
gtctgctgct gagaacctga	caaagatgac	Cigitagaac	gaggagtta	gegeggaate	7440
ccagcactgg ggaccaggag	ctcgagggtc	accccagaty	nnnnnnnn	nnnnnnnnn	7500
ttggcaacat aacatcatgo	ttcagaaatt	aaaaacaaaa	Illiminimini	nnnnnnnnnn	7560
nnnnnnnnn nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	24223222	7620 .
nnnnnnnnn nnnnnnnn	catgagatag	ttaataaact	gaagaaagcc	ttttatcata	7680
taaagtagat agttgcaago	: atgaagaaag	acaaaccacL	tgagetttte.	gastgetett	7740
aggaggaaac cagacaggto	cagagagatg	gctcagagat	Laagageace	tatatacasa	7800
ccgaaggtcc tgagttcaa	tcccagtaac	cacatggtgg	ctcacaacca	notettossa	7860
tacggtgtac tcatatacat	: taaataaata	aataaataaa	taaataaata	tttaataaa	7920
gaaaaaaaa aaaaacctaa	ccaatcagco	aggcgatggt	gacacacgco	tattananat	7980
gcacttggga ggcagagaca	ggtggatttc	tgagttcgag	gecagectgt	22 CCCCagage	8040
gagttccagg acagccagg	, tgatacagag	aaaccctgtc	tcaaaaaaca	tanataanat	8100
caaacaaaca aacaaaaaa	g gaggaagcca	gacaggatgc	actttatacg	tgaatggaat	8160
tgacaaaaga caagttcta	: aagtgttagg	gaaaggggga	ggacaacggg	ggttcatgtc	8220
tgtggtggaa cacgtatta	g aaggetetgg	gtatectgtt	teegacaaac	aggeactece	8280
aatcacacag gccactgga	gtctcaggca	gagaaagatg	tgatagattg	accicicaac	8340
aatcacagac tgtgtggaa	a atatttgtaa	ggttgtcatt	gtcacccagg	acagagetya	8400
tggttattca aacgaggat	g ggacaacaga	aatgggagag	agggatgtga	tatatagaga	8460
gaaccagggt gatttactg	e gcacgtgtat	. agggtctaca	gggagrggga	catglagagg	8520
aggcctatgt tcctaactt	t ggtaatgagd	ttattacagu	tactatgcac	ageerggaag	8580
atactggaaa aggtgcagg	c taggctagaa	aggtactaac	: tgagggtttg	acageceeee	8640
ggatgtcagg atgcagcaa	g cctacctct	, tatgtagtca	atcccttctc	aggetatggg	8700
tcctgcagat catccgtct	c tgtatccatt	: attcccagtc	catcctctga	geggeteet	8760
cttatccagt ttaacaaaa	t gctgactgca	a ageteceaag	cccagggcc	ttataaaaat	8820
actccttgtt attgtactt	t accetgiti	g cttgggatag	agtgtgeeet	. ctataaacat	8880
ttgtgaaagg gggaatgaa	g aagaataan	ı nnnnnnnnr	nnnnnnnniiii	1 1111111111111111111111111111111111111	8940
nnnnnnnnn nnnnnnnn	n nnnnnnnn	n nnnnnnnnr	nnnnnnnnn	nnnnnnnnnn	9000
nnnnnnnag agagctcaa	t ggttaggag	c actggatgc	cttccaaagg		9060
aattcccagc atcaccatg	g cagctcaca	a ctgtctgcaa	ttccagttc	aggggattea	9120
acactcagaa acataagtg	t aggcaatct	a cgtaacataa	a aaataaata	a argayergya	9180
aaagaaaaca tgtttcaaa	a tatacaagt	a atggggctg	g aggagatgt	c ccaacgygca	9240
agatcattgg ctgctcttt	t ggaggttct	g ggttcaatt	ccaccaccca	a cargacager	9300
cacaactgtc tgtaacttt	g gtcctgtgg	g agctgatgc	ctcttctgg	gigcagacai	9360
acatgtagac aaaacacct	g catacataa	a ataagtttti	aaaaaagtt	a cacacacacc	9420
cgtgtgtaat ataacacac	a ctggcttaa	c ttcctcagc	a ctgactgtt	t accatacgga	9420
ttcccatgag gttttggtt	g cattctatc	a ccgaaaaaa	a aaaaaaaaa	a clayaayada	9540
gtatatacat ataaacctc	t ccctaaaat	a aagttttct	ttctaaaag	acaccccide	9600
tttttattt ttttttt	t ttaagaaat	g ggaacaaca	g tictgctca	a acceptation	9660
tagcatgtaa catcttgca	a gtacttaac	c grattctat	a ccageteaa	t acactideta	9720
ccgaagactc aagatcaca	a aaaaaaaa	a aggacccag	a ctggataat	. adacgilici	9780
tttgttgtag taagcgaco	t cttccttag	a agatactac	a graargerg	a ayaaatyaca	9840
catctactgt aatctgtt	t ctgggattc	c aacttgttt	c ctctgctac	a tacttactar	9900
cggcaatgtt cgtctgcat	c cggctgagc	t cctcgctgc	t cugitaaac	a dedestreet	9960
acttccgacc tgtagttcc	c gctctacag	τ gcaagcgag	c ggataagga	a guguacaccu	2200

geogtettte agggtgttga egatgaactt gtggaeetgg cagacacagt tgetggeeag	10020
ctgccctcc tcgaccaggg tgttcagctg cgtggccagc atgaacgctg caaaagcaga	10080
The state of a secretific traaccoda adeluated adducted	10140
gagagagggg ctcagtctct aagtctteee teddoosgaa agaaagcagc atcaatcegc attaaataca getgtttaaa actcctcege cctgcagagag ggaaagcagc atcaatcege	10200
	10260
ttttactgt aattctagtt tctggggaaa gacetttctc ggtctttagc cccgtgacta	10320
gagacaacag gcaaatattc cagaaaggcc ccattttct ttttaaagct tctannnnnn	10380
	10440
nnnnnnnnn hnnndcacat cleutuadut uttoutust	10500
	10560
	10620
-bbanga agagaactt foottocago attaatqaab tagaagaact coologoot	10680
	10740
Libbon wast gammaga cama macticator cagactacca ctcadcodet gagetacace	10800
attract water tetterage ratacaded decaded acgregation	10860
	10920 10980
the second design to the second secon	
the state of the sect actification and clotter than the section of	11040 11100
	11160
	11220
	11220
	11340
LEADER AND	11400
	11460
	11520
	11580
atttaatcca aagtaattcc agcaccagag geografica agagatgcat agcaggeggg geoccacteg gttaggttaa tatcatcact gacttcagga agagatgcat agcaggeggg gtcatctta	11640
	11700
gaaadtagt aagtattyyg gattadagg cyctytygga ccctytttt aaaccagaaa ggaacttagc agacttyagg ccaycttygg cyctytygga ccctytttt aaaccagaaa	11760
acaaattgaa aggaaaaaaa aaaaaagctg gaggaagtga atgtgagtgt tcacatagtc ctgtttccac aagaaaacag ggttactttt ggcaacaaat aggtgctttc tttgaaggct	11820
ggcattttg tgacttgtca ttggagaaat gatttaatta agacttttct actgagtgcc	11880
ggcattitig tgactigica tiggagaaat gattaatta aggeotetta totgaagag ctctttaaa tttagttaa ttttatotoa tigtagtgt ggtgtcttg	11940
tctgaagagg ctctttaaa tttagttaa ttcactctct cctccacagc tcctggagtc tgcacacaga aggcagcttt ctagagtctt tractctct cctccacagc tcctggagtc	12000
	12060
the market that a agree of other trop to the trop additional and a care agreement	12120
-tt cocatactac anatcattat aadtaccode acycycyce ayoucusys	12180
	12240
	12300
The same and the s	12360
* L - * C - * C - * C - * C - C - C - C - C	12420
	12480 12540
	12600
anotate carttratac aggaggccct togulcalle calleryy acting	12660
	12720
	12780
THE THE PART AND	12840
	12900
acacatggtg cacatacata catgcaaccc aaacaaccca tatacataaa atattttttt	12960
ttcaaaaaga cattcaaatt cttcctcggc tatatagtgt ttaccaaacc tcaaaaacaa	13020
aacaaaacaa aacaaacaa agaatcatta atgttttgcc ttcatgtatg tctgcccacc	13080
accadadada adtadadada aguntedada dogadagacat tageteecet ggaatggaga acggacatga etageteecet ggaatggaga taggtatgat etacacettg ggtgetggga acetgggtee eetgcaaaag cagtaaatet	13140
taggtatgat ctaccacttg ggtggtggga acceggges obstation in the same staget access taggetgat ttttaacaca taggetgatgag ttttaacaca gcatgatgag ttttaacaca gcatgatgag	13200
cactggcaag catagcatgg taatctgact tcagggcgcc agattttgag cttaatgctt	13260
gattattaga agtaacgtac tagatttaat gcctggagct tcaagcaaca aaattaactg	13320
and the second of the second o	13380
	13440
mann manna nannan nannan nannan illi lillillillillillillillillillillill	13500
annungan nunnnnnn nunnnncda ataaattat atatytaaa	13560
	13620
there are a saggetting atout and the atout atout atout the total total total total the total tot	13680
	13740
cttgatagca ctcttataat tcacatagaa gaaaaaaaac catgaaaact gccaaacatt	13800

attagaatac	tccacagatg	gtattttggc	agcacataca	tcgaagggct	gtgaaagatg	13860
tatagateat	ccacgccttg	ctagggagag	aacaaatata	tatagagagt	atagctgttt	13920
ggagactae	cctggtaatt	cctcattagt	taaatcatag	tcagaacctg	gactagcaac	13980
ttctctctaa	aatacattca	ccctcagcat	ctgcattgcc	aggaaaccac	tcctagcagg	14040
atctatacat	ggatcaaggt	agtagcatct	gcatttaatt	gacattetee	taaatgcttt	14100
acctycacyc	tagattactt	atagtagcca	agatgatgca	aattatgtta	cactgtatta	14160
totagagag	aacaagaaaa	tatetetact	caggttcatt	caggtgcagt	acttcccctq	14220
cetggggege	aatacacgga	traaraarcr	acagaaagag	nactaaccat	atacaagcat	14280
aatacttctg	aataaccatg	tacaaccata	tagtacacta	atattcagtg	cattactcaa	14340
atagtacact	gatggaaaca	atccaacacc	ctataaacta	aaaaacaaga	taagcaaaat	14400
aatgcaaaca	tagaggccca	actctataat	tccaactaag	gt.cgaggcag	gaggatetea	14460
gracegagee	cagcctagac	aacttaccaa	gaccttgtct	caaaacaaaa	agtaaagagg	14520
agtteaagge	agctcagtat	agectageaa	cttagcatgt	gcactgacag	ccotatcaca	14580
ctgaggatat	aaaaataagc	agageaceeg	ctatctacac	aacaggatat	cacageeeee	14640
gaggaaaaaa	gaacgacaca	ataacacaac	aaaaacttag	ccctgaaaat	actatootaa	14700
Laccacaggg	gtcactgagg	atcaggaaat	acataactcc	atttacatta	tatagaaatg	14760
ataaagaagt	tgagcctcta	accaggaaac	gatttgggat	tagcagetaa	agggtactgg	14820
agaagattay	gggggtaaga	asacattota	aacttaactg	tgagaatgac	tactcaacaa	14880
getteettat	tcaaaaatca	tactttttt	ttttttaat	ttttcaagac	agggtttctc	14940
tgtcaagtgt	tggaactcac	tetetetete	aggetageet	cgaattcaga	gattcacctg	15000
igigagica	ccaagtgctg	agattacaga	catococcac	cattotccgg	ctcaaaatca	15060
tectetgeete	aattgcccag	tgactacagg	atacaatcan	addcadaaga	ggacagtggc	15120
tacttttaaa	taccagtgtc	ttttatatat	actaccasc	tatcaatttc	ccatagttac	15180
aaactcagga	tttggtttgt	ttcatcttat	ttattacttt	tootagaatc	tcaatatagt	15240
cagagaactt	gctggcctca	tagtatatag	ctgaggagg	ctttgaactt	ctaatcctcc	15300
aagatacaag	tcccaagtgg	taccatataca	aggatatacc	actataccca	gcaagcacaa	15360
tgettecate	accacacccc	aggettttca	ggggggcacc	tacaageett	agtgccttag	15420
agccatttga	caacaaaaga	cataatacat	gagaaacetg	gagtgtttgc	ctaccatgtg	15480
catattaagg	ggctaaatgt	cataatgtgt	tasasaaaa	ttaaaaacac	tcatgactca	15540
tgaggeteta	tgcagtcttg	tatacaaaac	cccccattca	atocccagoa	ccgtgcacat	15600
aggatgatta	ctgtagagga	cccaccttaa	aatcatcctt	aggtaagtta	gaggccttag	15660
caggeagget	tagatgagac	cctageteat	aaacacaata	aataatttaa	agctcctgat	15720
atggetacat	gccttcccat	cacactcaca	ataaagcact	ctactggccc	tttaaggact	15780
caaacactat	aagagaaacc	taanttanat	teetteette	totcatatot	gataacaaac	15840
tasataasa	tacgaaaata	cadyctacac	cttagtcaga	aagcttcccc	agcaacatga	15900
trtcaccygaaa	cataatgcag	azantnnaca	aatgcaaann	nnnnnnnnn	nnnnnnnnn	15960
nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnnn	nnnnnnnnn	nnnnnnnnn	16020
nnnnnnnnnn	nnnnnnnaa	tcagaggaca	tettteagga	gttagttctt	tectecetet	16080
atagettea	gggatcaaac	tcaagtgtgt	actgagcgct	tatgcccagt	gcgccatcgc	16140
acageceeca	cttctttgtt	ttttatgggt	ctgaatcaat	tagcaccatt	acaacaatgt	16200
tracaatcar	caagtacctt	tctctacctq	gctagtaaga	gaagtaagtg	cctttggtgt	16260
ataaacacaa	tttctcttgt	gaagtgcatg	gacttgatct	ttgctcacaa	cgttttttag	16320
gtgddtgddg	tgcttgggtt	ttatgggaaa	aactcttaaa	ttttttgaaa	agattttact	16380
acaacttgat	ataatcatta	tttttaatco	tttaaatagt	atgacttatt	ttaacagatt	16440
aatattgaac	tgttctttca	ttcttacata	ataaatcctg	ccttaaaaaa	taatcctctt	16500
agetteett	ctctattttc	aaatttgttt	tatatttttg	catgattttg	aacatttata	16560
aaagtaggca	gacaacacag	tagaaccaag	, tccccatata	gctgtgcaca	tagcttcaga	16620
ttattgcctg	ataataggtc	ctattttata	: tctgttttct	. cacagggatg	, tgttattgtg	16680
tatatataca	catacataca	tatatqtatq	, tatgtatgta	tgtatgtatg	, taatgaactc	16740
cctttaacaa	aacaagtact	gggctgggaa	gacagcacag	, ttagttatgt	: gtttaaccgc	16800
acaagcatga	caaccagagt	tgagatcccc	: accaaccgca	. taaaaagctg	, ggcatagtgg	16860
cattgacctg	tageetagt	gctggatgaa	aqctqqggag	, gcaggtagat	: cggcagagct	16920
tactggcaac	aaatctgccc	agtaggtaac	ctctagacto	: agacatecta	ı tataggaaaa	16980
agatgaagg	cgaggcgcag	cqqcacacac	: ctttcgtggt	: agtgcttgag	g aggcaggggc	17040
aggccagtct	ctgtgaccag	cagectgge	: tacatgtcaa	a gttgcaggad	c agccagagcc	17100
accacctact	gagactgtct	cagaaataag	, ttttttaaaa	a aattgagatg	g aaggagctgg	17160
taagatggct	tagaaggtaa	aggcacttat	: cactaagcct	: gaagccccga	a gtttgaccct	17220
ggacccaca	a ctgtagaacc	aactcctcca	a agttcttctc	c agacctccag	g cagagcacaa	17280
gtgtatgcag	r acacacacac	: taagtaagt	ı aatgtaaaa	a acatgacgta	a gtggcactgg	17340
cctttaaacc	cagcattgg	aggaagaag	c gggtggatct	: cttgagtttg	g agaccagctt	17400
agoctacata	a aggaatttca	aggcagccag	g ggctacctag	g aaagtagctg	g tttatgaatg	17460
aatgaataga	a aggaaggaag	aaaqaqaqaq	c agacttaaaa	a aatatatgc	t ggagagtaac	17520
agaagagga	e accorditac	: tagtatette	acctctggct	t tgtacacata	a cacatgtgta	17580
gtgcatacad	c ccacatacaa	ttgtactcaq	g acacacaça	a acatgtacte	c attcatatac	17640

tgcacacete aacacteaga aaatgaaaaa acaggtacea tttacacete egtgtteggt 17700 ttccaaccac tcatatgtat gggttgtaaa tgcttatatc tgtatgtgtc tgtatatttg 17760 tgtatacatt caaagttgag tcaggatcca acgtaaactt ggatagtagt gggttgatgg 17820 tetggaagee tgetegeage tgtetttte teetegtace tttteccetg tttgttteta 17880 cgacagcagg tcattigtet ctaagtgtta gtttcccatc ctctctctt tgctgatggt 17940 18000 agcettgtag tagtcacetg tgttctctgt aaaatggett tgccgtgtta tttcaatatg ctatcatcct catcttgcta tatttcattc aatatatgta tatattacaa gatagattaa 18060 aattatttta attttatgct tatgaatgtt ttgcctaagt atattgcacc ttgtgtgtct 18120 agtgtccaca gaactcagaa gaaagtgtca catattctgg aactggaatt gcaggtggtt 18180 gtaagccacc atgtgggacc tggaaaccaa atccaggcgc cannnnnnn nnnnnnnn 18240 18300 nnnnnnnnn nnnnnnnnn nncctttggt caaagatcct cagtttcgac tttgattacc 18360 cagactteet gtttetetea tggaacagtt teeceetgag atttactagt ggaagaaagg 18420 cactcaaaaa gcagggagcc ctcgtacaaa tgagacttcc tagctatata attaggccga 18480 18540 gcccatgtga actttagaac tggcttgttg tgtttcataa aaagtgtagt tgggctcttg 18600 attgggattg tgttaaattt atagattcat ttagggagag ctgacaactt tacagtatta 18660 aatgitttea teegeggaaa aggitgtett gecaettaet tgggetttet tttatgeeet 18720 taagtaaagg tttatagttt tctttatatc agtcttgcac atttcctgtt agatttattt 18780 18840 ttgcttgtaa ggtttccttg gttggtattg tgtataaaca ttttctccca attacatacc ataattgatg gttaggagta taaataaaag gtagaatttt aaaattgctg tatgaatgac 18900 tgctttgcta taattcaaca tcttttcatt tttatgccaa tctacttgac atgtttaggt 18960 taaatgatga tatctgtaca gagtaatcct ctgatccagt atttgcacat cttactttet 19020 19080 aacgtccata gcatagatac acatcttata ctgttgagta catatatt taaggtattt accatagict tataatatgc agcgtgcttt ggttcaagac agttgccctg tgttcctcaa 19140 19200 cattaacatt tttttcatca caaatacaca ttgaccttta tcaaattttt aaaactatct tgagagaaat gaccattttt cttaatctgt taatgtaaaa tttttataaa aatagttata 19260 aataatatta gootacatat ttottotgtt ototttttoa actottagaa toagagtatg 19320 gtagteteag actaaaceag gagetteeta tetgtttete tgttettaag teaettatat aatgtaagga tgetgtgtat atetgeeage taggeettat atacaaaagg cacceateae 19380 19440 19500 aaccttctaa aacagtctta ccacttagag accatgttca aacatatggg cctttgaggt aattgccaca ttcaagctat aatattgtta tctaagggaa tatcttcact tctagcagat 19560 gcctaaaaat atctaaaggt aaacactggt aattgctgtg tttgttgatg ctgctcttcc 19620 tectectect ectectette etectettet tectectet ettettecte etectgette 19680 tecttttett catectectt tettttetta tttttgagge atgattteac catgtagece 19740 19800 taggtaaccc gtaacttact atgtatgtag accaggetag cetetgtete etgagtgete atattaaagg tgtgtatcac catatccagc aacacttgct ttgagatggt tagaggaaaa 19860 aaaaatatac gtaaataaag atggatgcca attactaaat tgttacttcc agtcaaactt 19920 tgtacctagt ctaaggccaa aatagggatt tttttctac tttgcaagtt ggctccatta 19980 agaggetttt ettetettgg teteactaga taggaaggag agagaggagg gaaggagaga 20040 aageggttga ggagtgggag gtagtgtgae egagaatace cagtaggete atatatttaa 20100 atatttggtc cctagttgat agaactgttt agaaagatta ggaagcatgt cttaggggct 20160 20220 ttgaggtttc aaaatttaat gctagaccca gtctttcaag ggagggggcg gtctgtctct ctetgeetge tgeatgeaga geteteaget actaetetag tgteaageet gtgtgettee 20280 tgcctcaatg atcataaatt aactgtaagc aagcctccaa ttaaatgctt tcttttatag 20340 ttaccgtgat catggtgtct cttcacagaa atagtaacct gtggtgattt taatatgcct 20400 ggaccaggga gtggcacttt taggaggaat ggccttgtta agaggaagtg tgtctctgtg 20460 ggggtgggca atgagaccet cgtcctaacc atgtgagaac cactettete ctattggcet 20520 20580 tcagatgaag atgtagaact ctcagatcca cctgcaccat gtctgcctgg aagctgcctt tgttcccacc ttgctgcccc aattaaatgt tgtacttata agaattgttt ttggggggct 20640 ggagagatgg ctcagcagtt aagagtactg actgctcttc cagaggtcct gagttcaatt 20700 cccagcaacc acatggtggc tcacaaccat ctgtaatggg atctgatgcc accttctggt 20760 20820 aattottttt aaaaaagaat tgotttggto atggtgtotg ttcacagcag taaaaccota 20880 acataaccet gactaagaca acaagtgagg aaaggtgttg tgtgacacte tggatetetg 20940 21000 gaagctcacc tcagcatgaa gcttgtcgaa gcgnnnnnn nnnnnnnnn nnnnnnnn 21060 nnnnnnnnn nnnatctaag tacactgtac tgtcttcaga cacaccagaa gagggtgtca 21120 gatotoatga cagaggttgt gaactoagac ctttggaaga gcaatcagtg ctcttaactg 21180 ctgagcatct ctccagccca aaataattct tactagtaac atggaacaat caagttttat 21240 21300 tatatgatac atattaatca acttataagt acatgattat gcacatttat catatcgtgc aaccatcact gctgtcgttt tgttttgttt tgttcttttg aggcccggtt tctgtgttgt 21360 tetggaacte actetgtaga ceaggetggt cttgaactea atgatetgee tgeetetgee 21420 teccaagtge tgaaaacaaa tgtgtgeace accaectetg getateactg etgtetttt 21480

ttttttttta acagttattt atttcgtgca tgcatgtgtg tataagcatg taacgtatgc 21540 catggtatgc atgtggaggt cagaggacaa ctttcaggag ttagttcttt cctcccactg 21600 tgggttctag gaaccaagct caggttgtta gacttgcatg gcaagtgcct ttaccacaga 21660 gccatcctgc tggccctact ataggtcctt atataaaaag atcatatgcc gggcaaaaac 21720 caaacaaaa ataaacctca aaaaacaaaa ggaccatata atattgtggg ggagtggatg 21780 aagtootgaa cgaatgtgtt otgttgacat gtotgtactt cagacccatg ggaattggca 21840 21900 aagcetteet etggteetgt gaggatgetg atagtetgte taaaaactag agateacage tttctcctct ggatgactgt aaccccagat tgttcctctt cagagactgt ccaccaagct 21960 accetgecta ettaagetgt acacaatgaa tgagetgagt ttecaggtta cageacagta 22020 gacactgtcc atcagtgaga gcacagccta gcctaacagt acacatgtct gctttcttca 22080 cgtttccaga accaagcctt gctggataga gcatatttgt ctgtttggct tatttcactt 22140 gataaaaagt tttcaaggag ggccaggtgt ggtggcacac gcctttagtc ccagcactcg ggaggcagag gcaggcaaat ttctgagttc gatgccagcc tggtctacaa agtgagttcc 22200 22260 aggacagcca gggctataca gagaaaccct gtctcaaaaa accaaaaaa accaaaacaa 22320 aacaaacaaa caaacaaaca aaaagccaaa aatccaaccc cccccaaaaa aaaaaccaaa 22380 22440 ccaaaaacca aaaaacaaca acaacaaaaa gtttttgagg tttaatttat tgcatgtcac agaatttcac tgtttaaaaa aatggctgaa taatatttca ctatccattc acgtatttgt 22500 aggcattcat gtgtgtagtg gtttaaataa aaatagcccc cataggcttc tacagttgaa 22560 tgcttagtca ttgagtagca gtactagaga gggaattgaa ggtgtggcct tattggagta 22620 22680 ggagtggcct tgttgcagga attgtgtcac tttgaggtcc cagcaacaag gttgctctga 22740 tcacatccaa agacattcta ggtctatgtg atctggctgg aattcagaca tgcccttaat 22800 acacaccttt aatcccaaac aatgaaggta aagttagttt ataaaaagaa gcacccatgt ttgaaagtga cgtttaatta agagtgatga attagagaaa gatctgctgt cacagagcag 22860 agaggaaaga gaggcagcat aagagggagc atggcagagg gagagggagg aggggttttc 22920 22980 accagggcat ttgtacagag acaggttgca gagctagaac aggtgaagac agaacaagcc agagaatgag aaggagccag gagattagga cagattgcca atgttaatag gctaagcaga 23040 gcattttagt cagaaactga gagaagtcaa attgaatcag ttagcttgga aaggagtttg 23100 agcagcaaca gctgagttaa actagccaac agaatccaga aagaactaga aaagatgagc 23160 ttactcagca gcaaatctca gaggctaaaa acatcttaga cctagattag actgcatgga 23220 ggctagacgc ttccagggct aggcctaggt tagcagacgg agagagtaat aagccttgga 23280 gacaacagtt aatacagaag actatgtaca gacatggata tgaacctete agccacttet 23340 23400 ccagcgtcat gcctgtctgc attgttagga gtcatctagg aaaggctaag ggcaggcaag 23460 caacttttcc agagatggtc cactgttttt tgcatggctt ttgagaggcg agctctgaga gggaaggttc caagagactt catcccagga ttgctgctta attacgacat gccttttctt 23520 gtcactgtta tttagtataa tgactcctga gctttagccc atcctattgg gcatatttcc 23580 tgcagatcaa cataaagatg aactttcaca aattaatgct gtttagatga ataaatgatt 23640 ttataaaatt cctgatttga tttaaataat tttaggaaga aagctttagg agatagttta 23700 23760 gttggtttgc cagaaagatg taataacgtc agaatcaaga atagaatgtg gctgggcagt ggtggcagat gcctttaatc ctagcacttc ggaggcagag ataggcggat ttctgagttc 23820 gaggacagee tggtetacag agtgagttee aggacageea gggetacaca gagaaaceet 23880 23940 gtcttgaaaa acaaaacaaa aagaaaagta agtaaaggct gcataataaa gaatacaatg 24000 agettteaca actacaccaa aaagagacat gettgggaca aatttgtgat caaggaaaaa tattcattct agatcaggtc caaggatgaa gccacaagtg tgtgatatga tgaacaagac 24060 catggataaa ctgttgtttt gagcttaaag aataaaacac tgctttgaaa ttaactatca 24120 acattetact gtaactttee titttataaa tittatetat gagataatti tetaaagaac 24180 ttgtgtctat aaaggtatag aaggacagag agaaagaaat aaggtgtggc atctgggctc 24240 tgctccatcc acccaaataa atatgtgtgt gtgtgtatgt atgtatgtat gtttatctat 24300 atgtatgtat atacatacat gtgtaggtag gtatatgtgt atgtatataa gtatgcatga 24360 acacttggga agttgatgag acaagtgaga ggttgggccc ccnnnnnnn nnnnnnnn 24420 24480 nnnnnnnnn nnnnnnnnn nngaattcac tetgtaaace atgetggeet tgaactcaga 24540 gaaccgtgtg cctctgcctc taaagtgctg ggattaaagc atgtaccacc acaacccagc 24600 tagtttaaat gtttcttatt tttttgttta tgggtctttt acctgtatgt atgtgtgtgc 24660 accatgtgga tgcatggtgc ccttagagtc cagaagaggg tatcagatcc cctggaactg 24720 gagtgacaga gggttgtgag ctgggacttg aacctaggac ttctaaaaga gcagcaggtg 24780 ctcttaatag ctgagcctta tctccaggcc gtcccatgga tttggggggc tttgttcat tttattttgt tttgagacag ggtgtgtagc tcatgcttga atttactatg aagccctgac 24840 24900 24960 tececteaaa gtaaagatee teetgeetet gtetacaget getaggatte gaggtettgt 25020 accacatgct cagcacagcc atgattcata acaataaaaa aagaaagaga gacctaaatg 25080 aatgcacact gtagctgtct tcagaccccc cagaagaggg agtcagatct cattacagat 25140 ggttgtgagc caccatgtgg ttgctgggat ttgaacttcg gaccttcgga agagcagtcg 25200 ggtgctctta cccactgagc catctcacca gccccgagat aaataaatta taatgtatgc 25260 25320 gtaaggtggg atcatctcag tctccgggaa tcttgcctgt tactccttcg ctctccttc

+attcatact	tagataacta	gccctggctg	attgatgaga	gctgatttcc	ccactgccct	25380
	anact acacc	cacagggctc	cctcaddatc	Cicagiacay	ageegeadag	25440
		acatararaa.	cacdatetea	acceute		25500
	++++ -+ -	CACCECTATA	caaacdaadd	aactattgaa	990000	25560
		adddtaatdd	coatutadio	accelecte	000000	25620
		STESCCCAC	AACH.OOCaau	Lattatta		25680
		waammaaaa T	EdaatCoola	aaaayaaayc	cgagagaeee	25740
		**TATESTOTO	OLCADUCELE.	CCaggeegg	990000	25800
		ataaccctct.	Luduccauca	qqqacggga	99494-55	25860
		CTCTGGGGTC	caadddcctu	Cacagagaee	909099	25920
	~~~~~+~~ <i>~</i> ~	actoadocct	dacdadccca	qccaccacce.	90000	25980
	-at-0033434	tecaaccaad	addcaduaau	CCCCgggacc	-9-9	26040 26100
	annegata.	tttacaaata	Cttttaaatt	Lacyacycae	400040555	26160
	~+~~~+~+ cc	CTTCCCTGCC	LCLLUCCACA	CCCaacagec	gaoao-arry	26220
		ctaactaaaa	crccroatau	ULLUCACCE.	cccgcagagg	26280
	actacettee	tracceacac	caccadatat	Cigigiciti	Cloccocc	26340
	+ ~~+ ~+ ~+ ~+ ~	CTCCAACCTC	adicadadda	CCCCCGCCCC		26400
	anatactcac	tataatatca	tccctataqq	Lythatyyth	CCCCCCCCCC	26460
	-tacctcaca	teteccteta	ttcactaccc	LLLLaggereg	cccagacaa	26520
	++actctcct	cctdaatcct	acttattage	acqcyaacay	geceaucaea	26580
	2222222	actamaaaaa	LOLLUAUAUA	Cayagagcac	999	26640
	+~~~+~~~~	aaaataactt	acaatuctc	accyccuage	49994-55	26700
	++++#+==	atttcaaaat	auctautaua	yayyattttu	gaugutti	26760
atcccaacac	aaagaaatga	taaacattca	aggcgatggg	tatacccat	aaatatgtac	26820
gatcaccgca	. cattgtatac	atgtttttga	aatgicagge	aaaaactaaa	aaatatgtac	26880
aattaccgtg	cagtgattca	agataaaaa	: cataattta	ctatttatca	aacagaagga agccacttaa	26940
aatagctgcc	cttgaccccc	ccacccccac	adycecee	gacacteett	agccacttaa cctccctcct	27000
tgtcagagct	: tcctgtggga	gggtggttt	, ggtgtaeuea - gatgccatgo	agggcacat	gcgtgatatt	27060
tccccataag	aggagtcacc	eccyceccae	totetettat	aacaaacgga	aaaaaaacca ctgtccctgt	27120
aaccagtaag	atgtgagcag	ggatgatat	caaacaaaaa	cagggttggt	ttatecete	27180
caccaaacca	aaaacaaaca	. aacaaacaa	antagccacc	atttattat	ttgtcccctc	27240
		> *************	. OLALAGCAUC	, cccuqccgc	,	27300
	- asaactaaca	· tagaactca(	a adadacacac	agatteuce	, goodaa,	27360
						27420
	、 + ~ ~ ~ t a t c a z	aadatdacc	t auttuutta	, caccyguuus	, ~	27480
	. ~~~+~+ <u>&gt;</u> t <u>&gt;</u> 1	- ACCTCAGLAG	: auduuaacu	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,	27540
	- aaassataa	r adadaadat.	a Eddunniiiiiiii	1 11111111111111111111	1 11111111111	27600
						27660 27720
	n nnnaacaaa	a tectatatt	c atotocaac	a cicyatyca	a googegees	27780
						27780
	a tacccactc	r cacceteta	d catececar	a acyaacacy	g ccacagass.	27900
		o amaterach	n acceatauu	u ccccaqae		27960
	_ +	t cacctccct	c aaddttcct	L LUCLUGUE	g ageageages	28020
	~ +~=~=~=~+	c ardiccaci	o daddalatt	y cagecueu	u uvvvv _v v _v v	28080
<del></del>	+ ~~~~~~~	r orcaatcac	L acacticica	q ccccggacc		28140
						28200
	~ +~~~~~~~~	t ctacaacaa	c tdaaccctc	t ququecee	c agecous	28260
gacaggtgt	g accccagta	c ctagtgcca	g grgagagag	c assesses	a cactaagggg	28320
tgacaggac	a aggttggag	c tggtagatg	ra actotocto	t acagttaga	a ggtcagtagt	28380
aaaagccat	c atggcctga	g ccageerge	g atcaccasa	a tectacaag	a cactettgca g acagateaga	28440
gtgtcctgg	g gacctcttg	a gggragear	g gccaccada	t ccctcacqq	a ccttttttt	28500
agtcagtga	ig gccaayyya	+ ++++++a+t	t attatatot	a agtacacto	t agctgtcttc	28560
ttttttt	t tttttaaga	c atcaceatt	c gttacggat	a attataaq	c accatgtggt	28620
testessat	+ + daactcac	ra accttcada	aa gagcagtcg	g tgetettaa	ic cacegagooa	28680
+ + + + + + + + + + + + + + + + + + + +	ic cocctetes	o tectoato	o acadddcad	c adaggeet	g ceceagaeee	28740
	-c stactasso	rt cettectae	c ccaccctt	c cgaacccc	y aacattugee	28800
	a tasatacca	re acceccati	te cettaette	c actgatety	g cccccccc	28860
	oc coaccett	c ttccccag	ec ccacctgat	t quacciggi	e geceauces	28920
2242444	a acadaaaca	ia ettetaete	aa acctacree	ic ccaccyge	.g cagaaaaa	28980
22244242	DDESERBEE N	ic cottocca:	ta agtececai	c ctyccaay	ac acaggegage	29040
++-	-++	ta aacctctc	ac ttttdaqta	ac clyclygu	se gggagaeee.	29100 29160
caacactc	ac cggagaga	ac tgttgaga	aa agggagaa	ca gagaactc	ag cgttcctccc	5910U
JJ - J		= -				

	tctggcctct	cccagatttg	ccccacccc	ccagcatctc	cttcagcctg	29220
tctccaccet	tcccactcag	acctcadete	tacctcacca	tgaaacaggg	accttgcagg	29280
actgaccact	tgagtacgag	asaccccaa	agcagtgcca	tattcctqta	tccagaacag	29340
caggacaagc	ttcctacctc	acactcasaa	accaaacaat	agactgctat	ccatgggttc	29400
	arataca	daacctddac	tcaaaacata	qcaqctqtyy	accedeced	29460
cttgaccgca	tgggatttcc	ataacctttt	tttttcacct	gtacatttag	tcttcattct	29520
ctctgagagg	cactgtggat	canticcton	ttcaaattta	aagccctcat	cttgcaagag	29580
	~+~+~~~++~	atacctttaa	ctttacctta	Lucyguaar	ccacggcaga	29640
	actoccatot	agatgttgag	gacccaaata	agaatettig	Ladacactyu	29700
	+~~~~~~~~	cctagcaaag	ccacctgacc	Lychychar	CCCaccago	29760
	atacataat	cctacccaaa	gactctgaga	gctaatctyg	gccggcaggg	29820
	~++~+++a++	gaccaatgaa.	Edactudecc	ayacaccccc	ggacccc	29880
	++	CETCECCCC	aadLLCLGat	CCayyycycc		29940
	an nagadada	aactctcage	ctagagagcc	ttccttcca	ccccagecc	30000
		~~~~~~~~	CLLCLaaaau	u L C C C C C C C C		30060
	+-+~++~	a a cott t caco	cadddcccca	Luludatu	qgacacacga	30120
+++++-+-	Caarartann	CCTCCAGGLL	LLUUAULLLL	agaggeeee	~~~~	30180
	+ act cct cac	cacccadda	Cuctulaay	Ctycaggee	0009==	30240
+++	ccccttacca	addtdccadc	tatctacttc	Claracter	caagcagcag	30300
~-t~~~~~	ccctccatcc	tacctcttca	ggcttcttag	egeageacac	gcagcacacg	30360
~tattatat	ggaccagett	actccccaca	ctcccccagi	gcagccagca	gggcccagcc	30420
~+ ~+ ~~+ ~~~	acaddacctt	tactctcage	caacccccqu	Leagerryry	cccagegeeg	30480
~+ ~ ~ ~ + ~ + + ~	acctotacat	ccaattaaac	attgatatgg	gggccagaag	actitititi	30540
-+aaaa	CCCAGAACCC	tacctaaacc	tagagaaggg	gilladayya	gcagacaage	30600
	aacctaacaa	accttctaat	gatccctcaa	Cataggggat	Caccacage	30660
+	asasasaart.	atataaccta	tataaddaca	cagageggge	cccagageca	30720
anacca a art	cccaccacca	ccaccaccac	caccaccacc	accaccacca	Claccaccac	30780
	2002002002	ccaccaccac	caccaccact	accaccacca	CCaccaccac	30840 30900
	2002002002	ccaccaccac	cacctcatct	acccatacta	ancegaggee	30960
	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnmmmm	1711111111111111111111	31020
	กทุกกุกกุกกุก	nnnnnnnnn	nnnnnnnnn	tctatgaggg	LLacallica	31020
		tttttgagag	aatcttacta	tatttaggci	, Coccertyaac	31140
	+ ctacctcta	cctcccaagt	gctgaggtta	caggcatgca	Cayttatatt	31200
+ ~ ~ ~ + ~ ~ ~ ~ ~ ~	atatettage	agcccttagg	: agcaccaggg	gicaggaagi	. CCCCaacege	31260
accett accet	gacttetett	gtgaagggct	: atdtcttctt	CCCCLLCCL	gcacygagae	31320
	cocadadect	tecttectte	. addttaaaca	qualitagett	. Liggigggaa	31380
ctcccatttc	cctctatctc	cctaagcaac	gaccttttct	gerergaere	tcatctggca	31440
-++	araraaaa	racaaccta	, actatatat	, citycacus	, accordages	31500
cccctggag	tcaggtctag	gggaggaaga	cagggillac	gactcagaac	a agaccactgg	31560
ctgtcctagt	gtgccctcac	ccatcctata	teesteese	. geeggegege	cccctccgct tcactaactt	31620
ccatcaccat	. cctctcatgt	acacgtgcc	- nanaattaa	gacacacge:	tcactaactt	31680
ttctgacttc	ccagaaaaat	atetgatet	agaagttage	, agceegeea.	catcagctat	31740
ggtccttaaa	attaagtcag	acaatccat	g gyacacgaag	ggeageaac	agaagactcc tggctctccc	31800
togttoctto	ttcactctg	- eteteggeage	t gggaatttt	ggaacctct	g tgttctcatc	31860
taatccctca	tctatagcag	tactcecada	a gagaccccti	t agaacaaca	a agaaatcaat	31920
caggggcact	gecacicay	tecettees	a gagacticos	tcacaggca	a cagceteect	31980
gcagatttag	g gettettgtt	gatttatca	n agaggtgct	cagagaggca	c ctctggtccc	32040
tggctgagc	taggagget	a daceddadd	a gatggtcac	c ctgggcatc	c tctaccagga	32100
tetgggtagg	ataccetta	- adatoddac	c cctgaagtt	c ctcccgggg	g cgggggtggt	32160
agtaaatgag	ataccetty	cagatettt	g ttaccacgt	g gttagactg	a ggactgaatc	32220
tanaataaa:	a aatctdatdi	- acataggga	a acacagagg	L Chaalycly	g ccaagagaaa	32280
022002000	- canatactae	r adadatatc	t daatdttcc	a coccaayou	a caggaacaac	32340
aannataan	a actotaaan	r acadaaadt	a addatatac	a gcaggggcc	g cacaggacae	32400
2+46224666	c ctaactaca:	a taactooot	t addaaqqca	g ccaccyycu	a gecaggggea	32460
003003030	+ matmccatc	c totocaaad	a acadiatec	a ayucayacı	c ccaggesee	32520
aaaaaaaaaa	a autecaaaa	a mammantca	a dattctcc	c ccccgage	a aggeeggee	32580
teccetata	c cocaaatca	a aaaacacaa	a aactgggat	g tigiggici	.c acacccaage	32640
tasassasa	a anthomograph	c aqtacatqt	d tttcagatt	a aacccagic	g gagacaaaca	32700
tattactcc	t cotootooo	a dadccaadc	t qccttcaag	c cacalyyca	ig cyaacacgeg	32760
as ceat ace	a addaddaca	c ctctctctc	c actogetea	a ggacageet	.c aaggggccca	32820
aactaacta	a ctcataact	a coccoctca	ic cccctagac	a greegggg	,	32880
annat ctta	~ aatctgaat	c adoctdada	it accccataa	it tgtaccicc	c aacaccccca	32940
gaaaggtca	g ccctgcaga	a cagaactct	t tggtcccca	c ccatcccc	t cagccctgga	33000
5 55						

33060

ggctgaactg atgggcagct aaggtccaga cagtggctgg ctcttggaaa gcctgtctct tteetttgae teagaceact ecetgeegtg gettacatea ggaggtgeaa gggetgeagg 33120 agggcagcca gaccccacaa accagctagg ctaaatggtg cttattgttc gcaagaggcc 33180 atgacctcat ttgtctccca gctcttttgg taagagagaa tgagaggaag ctggacagag 33240 aacctagcag gcctcaggca gcccactgct ccttgctgta agggaaccag caccgatggt 33300 tetgaaaage agegateega atggagteag getgagetge aggaagetea eetteettge 33360 tcactgctgg tggaagcaac ttcaggaaga gcccagccta tgggactata gctcctccgg 33420 ggtactgctg agtccagccc cagagcttag ctccctgctt cccaccaccc accaccacat 33480 cettteccaa caccatteaa aaccecagte cagcetetee tactggteta cagtgagegg 33540 ctaatagagt cctgggcctc tgtccccca attctctctc ccctctcatc tgttcacctt 33600 ggttcctaaa ctgcagggc tactataacc ctacctccac ttccttgcac ccctcttttc 33660 tgetetetgg ggtgeeeetg ceacteceag teeetetage cagggageet ettecatate 33720 tgtettecce aggetagace aggegetgee ttacetgtgg ttgeggeage tteteteaca 33780 geetgeaete tgaggggete caggaageag tgaggggagt agetgeetet caaccagegt 33840 ccagcagget teagattaca getactettt tettaaagtg acetgaetee atttggaate 33900 tgtgattgca tcattgtctg gtgttaactt taacccactg ctgcccttcc gccatgtggc 33960 tocaagacea cacgtigged accetectet eccaceacat etécettgga tetttatete 34020 tetteattgg gacetteatt gggacatgat ggctaactte aggggcaett gggccageet 34080 34140 ggggtaggtc atgagtctga acttgaacat ctgaaaggat tggctgagag gcaggctgca tggagagact gtgagccagc cggtatggag atgctgggtt cttccaggcg cttggctctg 34200 getcaetgca ggtgggagca aggtgattet teteceetee teacetggaa aatgaaggaa 34260 34320 tggcccagtg cttatgagca ctggctgctc tcgcagagga cctgagttct gttcccagct 34380 cacatagcaa ggactogaaa ctgcttggaa ctccagctcc agagaatctg acgctatctg 34440 34500 nnnnnnnnn nnnnnnnnn nnnnnnnnn nnatgtcagg catggtggtg catgccttta atcctagaac tcaggaggca aagcagatgg acatctgaat ttgaggcccg 34560 34620 cattgtctac atagcaagtt ctaggctagc caggtacatc ataagaacct ttctcaaaaa 34680 ataaataggg ccagttggca aaatttagct tgccctccta acacaagaac ccaaagtcaa 34740 ccccagcaac catgtaaaaa gaagcaaggt gtggtggcac ttgcttgtga tccagcattg 34800 tcaaggtgga gacagacgga tccatggggc tcactggcca gccagctagc tggtctactt 34860 agtatgetee cagecagtga gagactgaaa aataaataaa taaataaggg gttaggaaga 34920 ggtaacatgg tggctcagtg agaaaagata cttgtcatac aagcctagca accctcaatt 34980 ttcagtggcc actaaaggtg gaaggagaga accaactcca aagaattgtc tcctgacagt 35040 tttatgetgt ggtacacaca cacgcacaca cacacttgtt acatgcatat gcatacaatt 35100 aataatttaa aatgttatgt gtatgggtgt tttgcctaca tgcatatctt tctgtgcacc 35160 acatgtgtgc aatgcctgtg aaggctagaa gaggacatca gatcccctcg gagttacaca 35220 gggttgttag ctaccatgtg gattctggga acaaaaccat gggttttcca aaagaggctc 35280 ttaatcactg agccatctct ccatcccctc aatagtatat atttctgggg ctggagagat 35340 ggctcagagg ttaagagtat tgactgctct tccagaggtt ctgagttcaa ttcccagcaa 35400 ccacatggtg gctcacaacc atctgtaatg gaatctgatg ccctcttctg ctgtgtctga 35460 agacagctgc agtgtactca tatacataaa gtaaataaat aaaccttttt ttttttgtt 35520 tigttittit tgtitttcga gacagggaga cagggtttct ctgtatagcc ctggctgicc 35580 35640 tgaaactcgc tctgtagacc aggctggcct tgaactcaga aatccgcctg cctctgcctc ccaagtgetg ggatteaggg tttgegeeac egecaceace tecaaggetg etgetgegge 35700 caccaccac ccaccaccac actacctgac tatttaactt ttaaaggcag ccatctcatg 35760 gaaaatgaca cctagcattg tcctctggtc cctacatgac cccatgtgca aacacatacc 35820 tgcataaaca cacataaata cataagtaaa cttagtctgg ttgttttgga aatgtgctat 35880 ggtttggatt gtgtccccc aagggaaaaa ttgggtccca gagtagtact attggaagag 35940 agtagaactg ttagggttta ggcctggtgg gaagtggcca tggctagaga gacatgccaa 36000 ccaaggggaa tetetgett catetttec etttgettte aggteetaag acagteacaa 36060 ggctgcttca ccacatgccc agaagcaagg ggagcagtca tggctgggac cgctaatgca 36120 getgitgatt tececagata titgiagtag taagagacag gigaggaace ecacagcaag 36180 tgttagtaat tgtgtgtgga ggtgccctcc ggggacgggg gccctcctgg ggcaggacgt 36240 tectettect catecacetg cactecgaga acaggaaatg gtgaetttgg cagagettaa 36300 gcagagcccg ttcatgttac aagtatgtaa attcataagg accagtttct ctccatatga 36360 aacagcttca aacaggagaa ggaagaagca aacattaagg aaaagctctt ttattgcaga 36420 ggetacactg aagetacegg cegeetteet ggaatgtata ateagettee etetgggggt 36480 tetgtagage actgagacat taagtactae tggggteeag gattetgeet atgaagagga 36540 gggcccccgt gtccgtgtcc ctcagaacaa agaggaaagg ttggttaagg tgatagtcta 36600 gegggaaggt gaggeggacg ggetggagge etgggetggg getgetteet geeceetett 36660 36720 cattccactc gaaagcagcc ctgtgttcca cttgggtgag cttcacgggt ttgccagtaa tettgetgaa gtegggtgat teaaacaacg actgtagete tgtggagatt cagagattee 36780 36840

36900 tgattttcaa gaaagcaagc tagaagtgga gtacctcaca gtgacttgtg agctatgagg 36960 cactctgtga caggetcagt gacctacetg agaacttata gecaagatgg etgaagecag acctggcctg agagaatgtt ttgggctgtt ataggacaca tagagataca cacacacaca 37020 acacacaca acaccaagga ctgagtctaa tgggaggtgg ttcttcattc ccctcccctg 37080 taatggtgtc acatgttccc tgagccaccc tacaaagaaa gccacaggac tcagttctgt 37140 37200 cagcaaggtg gcaggctcca agactcagcc ccgagcgcaa agtggccttg caaacatact catgtcctgc agagacttgg taagttcgcc ttcgaagctc agcttcagct tggggacagt 37260 37320 cagcacagct tggatagtct tcagttctcg gtcgatgtca tgaatgaact cagaggtgag gctctcttct atcatggtca agttctgggt cacggtcagg ggcaggaaga agatgatgct 37380 catacttect gteaagggea getgggeaat etaacceaac agagatgege acaggttagt 37440 tgtgagccag aaaaaacaaa acaaacaaac aaaaaaacac caacagctgc cttcccctct 37500 37560 gctgtaacgg ggccccagcc ttgtgctccc cagcctcagc ctgggctgta ggctactggt 37620 tactggcagt ccttccatga gtagggagtt ttcttctcag cctaaaaccc acagaagttt aatgaacaca cgtttgtttg tggttccgct acggtttcta ttgtgataaa acatgactga 37680 aagcaacttg gagaggaaag ggtttatttc atctgacaat tcgcagggtg tcttctcatc 37740 actaagggga ctcagggcag gaactgaagc ggaagccgtg gaggaacget gctttctggc ttgctcccg tggcttctta gcctgctttt ttatgctatc cagaaccact tgcccaggag 37800 37860 tgacactgcc cattgtgggc tgggcccccc cacatcaatc actaatctag aaaatgaccc 37920 acgggtttgc ccagaggcca gtctggtggg ggcattttat caattgagtt tcacccttcc 37980 38040 aaatgactct aacttgtgtc aagttgacca cacgaatcag ggcctggttc ttaggagctg aagtggaatg tececeagag actgeetgee ageactgetg accatttget ttgtatagag 38100 cattgaacca gaaatgaaca ataaaatgga tcctttgaac agatgtgttg atcctagggc 38160 ctgtggacac agcgactggg cttcccagag cccccatgga atcannnnn nnnnnnnn 38220 38280 nnnnnnnnn nnnnnnnnn nnnntggcct catcaggtat cagagagaga gagagagaga 38340 gagagagaga gagagaga ggataaaagg ttagcccagt ggtggtggca cataccttta 38400 attccaacac ttgagaggca gaggcagggg gagctctgtg ggccagtttg gtttacagag 38460 taagtttcag aatagccagg gctacacaga gaaaccctgt cttgaagaga aacacacaca 38520 cacacaca cacacaca cacacacaa taagatcttt aagaagaaaa gaaaggatag 38580 tggggaaaca tctgagcaga ggaagaaatg gggtgcgcag gacacccacc ctcagaggag 38640 gccctcactg gaggtgtctg cacaggagaa cacttgcact cagcttgccc tagggcgtca 38700 gaactcagaa ttcagtttca aagcactgac aggagcagtg actggggacc ccaggttgaa 38760 38820 tcccccttt atctaaaatq aqtaaqaacc aaaaaaacaa aagtgtttgg gatttggaat ctgggttatt tgcatctaca aaagaggtct tggggaggaa acccagttct acccctggaa 38880 ttcatcagtt tcctataccg ctgactacac aggggctgaa ggtaatctca atgttttcat 38940 39000 aactggtgtg gtgctacttg ctcatgatcc caacacttgg aaggtaggtc agaagttcaa gagcagtett gactacteag tgaatttgag getageetgg getacatgaa aacteataaa 39060 acaataaaag aaaagaaaag gtggcgagtg aggtggccca tcaggtaaaa gtgccaacca 39120 cctcqcctqa aaqcctccac acggaagggg aaagccagct tctacatgtg gtcctctgcc 39180 ctccgcatgc accatggctc gtgcaccccc acacccaccc acccacccac ccacatgaca 39240 39300 taaatacttg taatgattag tttctgaaga acaatatttt cgttgatctt gtttagggaa caaagttcgt gcacattgac ctgtcgaccg tgtagtacgg gatccgctcc aggaagctaa 39360 agattttggg atgetteatg ttgeagetae tetgatgaae agtgttgett tetgggeeag 39420 39480 gtaatggtgg catatacctt tgatcccagc acttgggagg cagaagcatg tagatctctg 39540 tgagttcgag atcagectgg tctacagagt gagttccagg atatccaagg ctatacagaa 39600 aaacccctgt ctctaaaaat cactaattta aaaaaaaatt cctttctaaa cctatataac 39660 aaatgttttg taggctgcct taacaaagcc caatggccat tcagagaagg ctcaaaagag aaagtttagg ggactctaca agcatcctca ggaaggccac agaaagcaga gcctgggcca 39720 gtgagacttt gcagtgggca aggttcagct ctttatgtag gaagaagaga gtcaacagtc 39780 agagtccagc tttccataaa acctgtgcag ggcctctagg caaagccctg tgttaggggc 39840 aaaggcattt gcagtctaag cccggtgaca tgagctcaat ccttggaacc caggtggaag 39900 gagtgtgctg actccacaaa tttgtcctct gatctataca tgtatgcacg tgcacgcaca 39960 ctcacataca tgtccacatg cacacatgca tatacatgcg catgcgtgca cccacacaca 40020 gggtcaaaag cagcaagaga tgccctgtga aaaacgtctc attcagtctc ccatcatcca 40080 40140 gtgccacact ctgagcacag gtggtactga tatcgttcct gattgatcga tcagttgatt 40200 tgagaccccg cctcactatg tagcccaggc tggcctggaa ctcacagtga tcctcttgct 40260 totgoaagat gagoocatca tgoccaccat gttattgaag caataccatg ctotataaag caaacctagg caggcaggat ggtggactcc tgtaatctca ggacttgaaa agtagaaggg 40320 40380 agatgaggag ttcacatcaa tctcccgtat gcgttggagg ctggagtggc tgttccctgg gegettetge cageacetga ceaatgeaga tgeagatget caeageeaac cateagaetg 40440 agctcgggac cccagtgagg gtgctggggg gaggactgga ggagctgaga cgggattgca 40500 40560 agcccatagg aagaacaatg tcagctggcc aaaccaccca gagctcccag ggactagacc 40620 acquaccqaq qactqcacat gaagggatcc atggctccag atgcatatgc agcagaggac 40680 agccttgtct gacagcatgg gaggggaggc cattggtcct gtggaggttt gatgccccag

+attacacca :	tactagaaca	ataaaacaaa	agtgggtggg	taggtgggga	gcaccttcat	40740
egeeggagga	aaastaaaa	agaaggcaga	tgggatgggg	gagttataga	ggggtaagaa	40800
agaggeaaaa	totototoaa	agtaaaaagt	acttgtcact	aagcatgagg	atatgagtca	40860
agaaaaaaga	cccacagggt	ggaaggagag	aaatgagtcc	cacaagttat	tttctgatct	40920
atacatacaa	tccatgggg	acocagaaac	gcaaagacag	acaatgagtt	agatatagta	40980
atacacatat	aattccatca	ttcaggagac	agaagcagca	gagttgttgg	aaatctaagg	41040
gracacacac	aaccccaeca aacctacacc	caaadaadda	caaactataa	ggaaaaaggt	ggtcgaccaa	41100
tataacatta	aacttacaaa	tctctcttca	cactgtgtag	atactotaca	aggaagagaa	41160
19taacacta	catcaaaaca	gtgtaaatca	acgagaaaac	cagaaacaac	tcaagagaag	41220
aaggcagcca	catcaattct	gttctcagaa	cctgcatcaa	occaadadaa	tcaaaactqt	41280
geegeagggg	actcctaa	gatccaacac	ccatttctgg	cctccatcag	catcactcac	41340
aggtatacac	ageteceegg	caataaaaat	caaaaccagg	gatgaaggg	tagggaggtg	41400
aggegegeae	taggaggag	tgagaggcac	tgggtgaata	caataaaaaa	tttggtgcat	41460
catgeggate	acctttaatc	ccagcacttg	ggaggcagag	gcaggcgaat	ttctgagttc	41520
agragegeae	taatctacaa	agttagttcc	aggacagcca	ggtctacaca	gagaaaccct	41580
atctcaaaaa	aacaaaacag	ccaaacaata	gtggcacacg	cctttaatcc	cagcacttgg	41640
gececaaaaa	caddtddatt	tetgagtteg	aggccagcct	ggtctacaaa	gtgagttcca	41700
dagacaaccaa	aactacacaa	agaaaccctg	tcttgaaata	aataagcatt	tgttgctgtt	41760
acadaaaact	ccadcccadt	ttccagcaca	cacagggtga	ctcacaacat	cataactcca	41820
cttccaggg	atccaatgc	ttcttctgac	ctctgtgggc	accaggattg	catacagtgc	41880
acadacatdo	acataggcaa	aacactcaca	aaataaaata	aatctagcaa	aaaaaatttt	41940
aactaataat	ttaaagaaaa	aaataaggaa	gccgggggtg	gtgtcgcacg	cctttaatcc	42000
tagcacttgg	dadacadadd	caggeggatt	tctgagttcg	aggccagcct	ggtctacaaa	42060
agtgagttcc	addacadcca	gggctacaca	gagaaaccct	gtcttgaaat	aaataaataa	42120
ataaaaata	aggccaagta	attettegaa	gaatcccaag	gggacactaa	gtgtatataa	42180
addadadada	taggeetage	aatgaggctt	agcgagagca	acttcqctqq	tgtatgaaag	42240
teceteaget	gcatgtggta	cctttaatct	aggctctccc	gaagcagagg	cagaaggatt	42300
tctgtgagtt	caaggccagc	ctggtgtaca	tagctagttc	caggacagaa	agggcgatat	42360
aatagaaaca	tentacetag	agcccngcca	aanaaagggg	agacctgaga	ccagagagat	42420
gactcagtgg	ctaagagcat	tgactgctct	tccagaagtc	ntgagttcaa	ttcccagcta	42480
aaaatttatt	taaatgttta	ttacttgtat	tattatttaa	atttaaataa	ataagtaaat	42540
gggagcctag	gtttgagtcc	ccaaatcacc	aagaaaaaat	gttatcattg	ctaataatca	42600
aattaagagc	ataagaactt	ctttttaaag	aattcttatt	tattttatgt	atgtaagaac	42660
actgtagetg	tcttcagaca	caccagaaga	gggcattgga	tcccattaca	gatggttgtg	42720
agccaccatg	tagttgctgg	gaattgacct	caggacctct	agaagagcag	tetgtgetet	42780
taagtactga	gccatctcta	cagctcttat	caggttgata	aaatttaatc	tcgtggagcg	42840
ctgagaccaa	gaactaaagc	tgggagattg	aaaaatgcag	accaccaagg	ccctgctcat	42900
ttctccagtt	ctgatcagct	cccgtaccag	gggtctaacc	aggcctgtgt	ctgcttccct	42960
gagtagacca	gaggccccat	ctaaacagcc	tgcctgcagc	agctcctctc	tctaggtgga	43020
cagatgggaa	tttcagacca	atgtcatttc	ccaggacatc	aacacagcag	ccaaatttat	43080
tggtgctgtg	gctgccacag	ttggtgtggc	aggatcaggg	gctggcattg	gcacagtgct	43140
tgattattgg	ctatgccagg	aaccagtctc	tcaagcagca	getettetee	tatgccatgc	43200 43260
tggggtttgc	cctgtctgag	gccatgggac	tcttctgttt	gatggtcgcc	ttcctcatcc	
tcttcgccat	gtgaggctcc	ctggggtcac	ccagccgtcc	ctgctgcctt	gactccatgc	43320
cagtcctggt	gctggagtct	actgagattt	accattaaac	agcaacgttt	ctctaaaata	43380 43440
ctattaatta	attaattaat	cacgtgacaa	cccagcgtc	catatgggtg	cygaaaacya	43500
ggaactctac	ccatcataca	tggcgactat	gaagaacaat	grgacagaaa	acyclaacac	43560
catgtgtgac	cgcatgcatc	agccctgact	gctaaaagtg	gacaagcccg	aagugaaagu	43620
ccaatgttct	acttctaaat	gcatgcacca	aacgcctccc	acaggaccag	ttagassass	43680
ctgatagggt	ccttgcctgg	catgcatgaa	gctgtggaca	cgaggcacca	acaccagtac	43740
cattctagct	gtctggaggg	ccctcaatcc	actgtgttcg	agtagtaga	agestactes	43800
ctcctggggc	tgcacctgaa	aaaggggact	gcttaagagg	taccasaaaa	totage	43860
cacagatgca	tgatgggaaa	geettetgga	agcaactggc	tataaaatta	caccagacaag	43920
agatcaccct	ctactggaaa	ggtggtttca	gtctaggttc	caegggacec	ctaggaaacta	43980
gacaacactg	geagreeaac	agacagacga	tctaaacttc	acaacataca	aaaaagcaga	44040
ctgctgcgga	accagacaac	cacacacaca	gagacagaga	gagagtetaa	agagagteag	44100
gagagagtca	gayacayaga	actotactagaga	agagacayaya agagcatttc	cccaccatat	acaadaccet	44160
ggteteagga	tasacsasas	agectactgt	. agagcattic	tcgattatct	caaattctcc	44220
tttttata	acacccctas	actectec	tacttccctc	accoccatos	agtaaagagc	44280
tatttaaaat	tatototace	cagtctcgcc	toccacttcc	tectecete	tgcttctgtg	44340
ctcatctcct	ctgaaaccac	tacaacaaat	gacttgtgtt	gactgccaca	cggaaactct	44400
cctcactacc	addcadcada	gcagagctct	atcttctcaa	agcttcttct	ctcttgtcgc	44460
cattttctcc	caccettaag	taccctatct	tctctctctc	tgcttqttqa	tccttggacc	44520
	- 9		J			

cttttccttt	ctatgaacaa	aatatctcct	taaaggatct	cttctagttc	agggtccccc	44580
agaggagat	gtggagaaaa	cccaggggcct	tocacatoct	cagcaggagc	tccatccagt	44640
egececcace	atgacttaaa		agtatassat	atacacttcc	accettace	44700
ctctagctcc	atgacttaaa	geatererge	getyteaaat	atacacttcc	agececeaee	
aaaatattca	gtcaactcct	tgccattcaa	aatggatgac	ctcaaagcca	gagtcagcgg	44760
tgctatgact	cccagatcca	tccacttggt	agcccaggaa	tgaactcann	nnnnnnnnn	44820
nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	44880
	nnnnnnnnn	nnnnnnaa	ttactcccat	ttgaactcag	gacctttgga	44940
nnnnnnnnn	пининин	maniningg	-t-t-t-	cegaaccaa	9000000990	45000
agagcagcca	gtgttcttaa	ctgctgagcc	attitutedag	Ccaccaccac	Caccaccacc	-
accaccacca	ccaccaccac	caccccacca	ccaccccgcc	ccacctgctc	attcctgatt	45060
ggttggttag	tttagtctgt	gagacaggag	ctgtcccttt	tctatagtgg	aaggtgaata	45120
agaaactcct	gaaagtgaag	occtacaaaa	carccacact	tatttgttgg	aaaatactgt	45180
2224444	tgtaaataca	tactasasta	attenttaan	tcagtgaaca	accttaaaac	45240
aaatgtgata	gcctgaatta		accogccatg	acadagacta	aaataamaco	45300
acagtctgta	gcctgaatta	cagacacgac	acgagecatg	acagaggeeg	theresent	45360
cctttgcaag	gagaagggca	gaagcttcca	tecttgetag	caaatctttg	LLCCaagett	
tatcagattt	tattgctttc	tctttctgtt	tttctttatc	atatttgttt	atttgttggg	45420
ggaaagccta	atctťcatag	cccatgtatg	tgagcacttc	agcatatgtg	tgtgaacacc	45480
aacaccacac	gtgtatgagc	accacagcat	aggtgtgtga	gtaccacage	acatgtgtgt	45540
aacagcacac	gcacgtgtat	accattgee	adadaactda	gagagtccgt	cttttcctcc	45600
gagtacgata	geacgigiat	agageccaga	ggagaaccga	gagageooge	tactttatac	45660
tactgtgtag	gtctcagggg	tggaacttgg	geteageett	ggrggcaage	ECCELCACCE	
acagagtcat	cctgccagcc	cagctttctc	tttttctctc	tgttatgtct	atccactctg	45720
ttcaaggcta	actcactgac	tctgagttat	cagaactgct	tgtgagagca	ggagtaactt	45780
togacatcto	tgctggtagg	aacaccatcc	ccactcaact	tggatgacga	aggggaaaaa	45840
226224	aaggagttcc	accacctcaa	ccaccaaata	tttacctcct	atacatggat	45900
aagcaccacc	ggtgagcctt		attagaatat	cataggagta	attacaceto	45960
aggrggggrg	ggtgageett	grgarriare	griaggatet	catgggagtg	t	46020
gtctactcca	tgaccaaaat	ggtgacggtg	gctgaccaaa	aagaaacagc	tacacctggc	
tctagttttc	tttctttctt	ttttctttt	cttttacccc	acggtactaa	ggattgaacc	46080
caggaatgca	agagctctgc	caagtgagct	acattcccag.	atctgttttt	ccatttcttt	46140
ctttcctttt	agattttatt	tcgatttatt	totctatott	tgtgtgtatg	tgtgtatgct	46200
tatatataca	tatcagtatg	ccatagatat	acadaaacct	dadaaddcca	gaagagagtg	46260
tatgtgtatg	aggagtttcg	ccatgggtat	teaguates	22tacaacaa	22-2-2-2	46320
tetgggttae	aggagtttcg	agergreers	Lyggittetta	aatgtagtag	caccaccacc	46380
aatcaccccc	acccccaccc	agccttcgag	ttcaattctc	atcatcacaa	aaacacacac	
acagacaagg	gcctgcaaga	tggctcagca	ggtaacgaag	ctcgtgtcat	aagcctgaga	46440
acctgagttc	actgtctgga	acccgcgtaa	agggggaagg	gaagaatcaa	ctctatgatg	46500
ttatecteta	ctctccccat	atataccata	gaatgaacag	ccctcccaaa	cacacatcaa	46560
gastaaataa	aactaaaatt	ancttantaa	cttttatgtt	gaaagtggtt	tttacatgcg	46620
yaaraaaraa 	taacaccgag	ageceageaa	caacatata	tatcactaaa	carcattraa	46680
tgggcaacaa	taacaccgag	aytayaaayy	taagcacgca	terettere	tttatatatat	46740
gaaaaaacaa	acacatttcc	tgtacatcgt	tetgggagte	tgagttaggg	Leccatge	
gggataaaaa	caccctgaca	aaaattaacc	tggggaggaa	gctgtttatt	tcagctttta	46800
tgtctacaac	atgacctgtc	acccagggaa	gtcagggcag	aaattcaaac	aggtcagaag	46860
cctggaggta	gaagctgata	cagaagccat	ggagctgctt	ctggcttgct	ctagcacaca	46920
agagagaga	cctaggggct	gtactgccca	cagtgggcta	ggctctccca	cagcaatcat	46980
ggagtattag	aatgcactac	agetttaga.	acacaccaat	ctaataaaac	cattttctca	47040
aaatttagaa	aatgcactac	agguilgeac	acayyccaac	+	aaaactaggg	47100
attgaggttc	cttcttccaa	aaggacttta	gettgeatta	igityacata	aaaaccagcc	
agcatattgg	gattatagat	attctcataa	aaaaaagaca	tttagattcc	cacataacac	47160
catattcaga	ăattaactca	atgtgaacca	gaagctctga	aagtaagagt	taaaactatg	47220
aaaaattctt	acaaccatcc	ataacaaaaa	tctgatgccc	tcttctggag	tgtctgaaga	47280
carctacart	gtacacacat	ataaataaat	aaataaatat	ttaaaaaaat	atatgaaaaa	47340
teaggetagt	gagatggctc	agtgggtaag	ancaccedae	tactettea	aaagtccaga	47400
	cagcaaccac	agegggeaug	ageaccogae	ataataaaat	ctaactccct	47460
gttcaaatcc	cagcaaccac	arggragere	agaactattt	gtaataagat	-tt-	47520
cttctggagt	gtctgaagac	agctacagtg	tacttacata	taataaataa	ataaatctta	
aaaaaaaaa	aaactatgaa	gaactatgaa	ctacaagaag	tcaggaatag	ggctggggt	47580
gtaacccaac	agaaaaacac	ttgcctggcc	tgcgtttggt	ctctagcacc	accaacgtag	47640
aaadadaaca	gcagaggatg	agggcaticct	gacttgagtc	aagtgacaag	tgataatcct	47700
canagagaaca	32252525	astassagag	atcaacaagt	tagactttat	ctgaataaag	47760
cyayacacca	ttat	gacaaaagag	accareange	+424+4+44	aacacaggcc	47820
agctgtgtcg	LLaaatacca	cycaggaagt	yaayayyayc	- Lyaycotyyt	aacacaggee	47880
tgaaatccaa	gctactgggt	ggactgaggg	aggacaacag	ctagctcaag	gcccacctgg	
acgccagagt	taactcagag	agcagcttgg	gtagctttaa	tgagactctg	cccaggccag	47940
tocacaggag	agatggctca	gtggttaaga	gcattactcc	: tcttgcaaag	gacctgagtt	48000
caattcccag	cacccacata	ggcacttaca	atcatccata	actttagttt	caggggatcc	48060
aatocccttt	tracartace	addcatdtac	acagtgcaat	tacatacata	catgcatgca	48120
+44-4	on on order	2000000000		anataaatot	taaaagaagc	48180
Lycatacata	cacayycada	actiacataa	aatattaayt	. agutadatti	aatatatat	48240
cgggcgtggt	ggcgcatgct	tttaatccca	gcacttggga	ggcagaggca	ggtgtatttc	
tgagttcgag	gtcagcatgg	tctacagagt	gagttccagg	acagccagga	ctacacagag	48300
aaaccctgtc	ttgaagaaaa	taaaaaaaa	aaagaaaaaa	atcttaaaag	aaaaggagag	48360
-	- -					

gactggagag atggctccac agttaagaac acttgttctg aggtctacag agtgagttcc 48420 aggacagoca ggactataca gagaaacoct gtttcgaaaa accaaaacca aaacaacaac 48480 aacaacaaca acaaaaccac ttgttcttac agaggacttt ggtttgattc tcagaatcca 48540 catgatggtt cacaaccatc agttgcaggg atccaaggtc ctgtcttctg tgggcaccag 48600 48660 aggaggctgg gtttgtagcg cagaggtaga ggtaaaaaga ctctagcttg tttaatgttg 48720 acatgaaaaa aaaaagacat ttagatteet geateacace atateeaaaa attaacteaa 48780 tgtgaatcat aagctctgaa agtaagaata agcctagtat gcactgtaag gctctgggtt 48840 cactececag caetgeaaa gateatgaaa ecagaaatge agateetetg aaccaeagea 48900 tgggaatgta actcagccga tgcagtgctc acctgtcgta tacagagcac aggataaatt 48960 gattgtggtg gtgcatacct ataagctcac tacgtggaaa gtagaggcag gacgaccaaa 49020 ggttcagtga catcettggt cacatagaga atttgaggee agtetggtet getggtetat 49080 ttggaatgct gtctcaataa ataaaagaaa gaaagaaaa gaaaagaaga agtcctatga 49140 ttgtcttaac ctctgacctc tgtgttcatc aagtctcctc ctcaggaact cactggtcat 49200 cttgtgaaaa cctaccccag agtctctgtt cagaggaccc aggctccagc tgtggttacc 49260 acataggatt tttatactag aaaaataaaa tgaataagta tgtattttt aaaaaggtgc 49320 agagctggat atggtggtgt ctagttatag catccagaac tgagacagga tagccatgag 49380 gttgagaaca gctagactat acggtctcaa caaacaaaag taagggatct gagtagatga 49440 49500 ggttttaatt tttttctttg tgtttgttac ctaacgtgta tggttgtttt gaatacatgc atgtctgtgt atcacttgtg tgcctgaaac ccaaggaagc cagaggaggg catcgggtcc 49560 cccggaagta ttattacaga aggttgtgag cagccatgtg ggtgctggga atcaaatctg 49620 aaagagccac ctcgggctgg agagatggct cagtggttaa gagcactcaa tggctgctct 49680 tecagaggtt tggagatcaa ateccagcaa ctacatggtg geteacaace atatgtaatg 49740 ggatccgatg ccctcttctg gtgtgtctga agacagctaa agtgtactca aataaataga 49800 tcaaaaaaga aaaaagaaac agccacctct ccactctccc tttttaaaat cctcttgcct 49860 ctgtccctta atgttaataa cacaggtata tgatactatg ccttgtttat gaatagaaaa 49920 tacacgtgct aaagcaagtg tgaaccttaa atacattatg ctgagtaaaa ggagtgagtt 49980 gcacacaaga cttttctgct caagagtatc tgtatgaagt attgaacatg tgaactctga 50040 aatcgggagc tgaggaagat atggggagtt ctaatggcta caacatttct ttttggaatg 50100 50160 atgaggatgt tctagaactc aaaaatggtg ataactcagc atatatacta aaactcattg 50220 aattgtacac tttaaatgaa tgcaataaaa cttgtctcag taatgtggtt tagaagatgt 50280 acagacatgt gtgtgtgtgt gttaaaacat ttcttggcat ggcaataaaa atacagtttt agccaggtgg ttgtggctca aaaaataatg ataataacaa taataaaaat aatgaaaaca 50340 gaggctggag agatggctca gcggttaaga acactgactg ctcttccaga ggtcctgagt 50400 teagttecea gtaaceacat ggtggtteae agacatetgt aatgggatet gatgeeetet 50460 tetgatgtgt gtetggaaac agetacagtg aaagtcattg caaggacttt acaatagtga 50520 50580 ccatgataac attgaagcta gacttgctac tactgctgag tgtgtctgct ggctctttct aaggagtaat gttagctttt tgtcctaaat ttgtttcctt cctttcctct ctcctctgc 50640 50700 tgttttttct tacccctctt ttactttgct ttcccctctc atctcctctc ttaacagagt tgtcctatgc agcccaaatg ccatcttcct gcctcagcct ccccagtgtt gaaaaatact 50760 ctttccacag gttatgttag gagactggag tctgctcagt cggggaggga gcctgggtca agttctgagc tcaattcctt ttctttcttt ctttctct ttcttctct 50820 50880 50940 tttctttgta taccctggct gtcctggaac tcactttgta gctggcctgg aattcagaaa 51000 tetgeetgee tetgeeteec aagtgetggg attaaaggtg tgeaccacca etgeecagee 51060 ctgggctcaa ttcttaacat tgtggagaga aaagtattgt agctgttctg gccacctgga 51120 attactttgt ttctgatctt ttgctgcagt caaatccttc tcatccatct ttcctcgtca 51180 ggctataata tagactetee ttgcaatact tggaaatget ctacagteag ctacateete 51240 agtcctgctc ctatattttt tcctaagctt ccttctaagg tctttattgg tttatgattt 51300 acacagaaca ttttttttc ttgtctatag catgcgttag agtgatcgtt gccagataga 51360 51420 51480 cagctactga ttcctcctcc tccctcctcc ttcctcctcc ctccccagcc tcatgctctg 51540 cteatettgg acttetgege atgteeteag eccagacett etgetetige tteteetete 51600 cccagcagcc ccccagttct cttcctgaaa cttctgaggt actctccatc acctcctttg 51660 getectgete tgattggtgt cacetgetgg ataggettge teetgaetee aetgttegtg 51720 teteaattag ggacceteae cetetgatat accacacatt tecetagtgt etecacetee 51780 51840 cacccccacc ctatacgcac atacacactt agctgcatca ggatcctaca ccagggactt cttaccette taatecteec caeeggacae tgeecaggga caetgggget ecagaggget 51900 attgccacac ggacacacag gagatctcat caaggagatg tgcctacccc agagggtagc 51960 teteaceatt cacaageaca ceaettetge etceagette tacteteteg caggaagtag 52020 ccagcccggt gccaagtate cccaactaca tecccaaaat teteagacae tgccagcete 52080 cagctgtcag cctggccccg gctggcgggc gcctgctcct ggcatagcga ctagggtgta 52140 52200 attagaaacc cgctagctcc ctaattgcca gttctgagct gtccttgtta ccggctgccc

nanncacaca	tagaggaaaa	ggctgagagc	tgagccaggc	tggcatggag	gtagccctag	52260
tagacctaga	gaggactggc	atgtggccag	ggaccaaacg	tggcacagag	agggctcagi	52320
gcaatctgcc	ccatagatac	ctcccagcca	catccatttg	cccagaactg	tgacgtcaaa	52380
CCAGCCCGGC	ccattcattc	tttattcagg	tggcataaaa	atcactacaa	aaactttaca	52440
aaagagtett	gggagctaaa	gggtcccttc	cttgcctcag	tccccaagat	tectggeagg	52500
ggaggagag	agagagaaga	aggaggaaga	ctcctggcag	tgttggcatc	tecaaatace	52560
adadddatda	cttgggtgac	aggacacagg	ttggggacct	gaatgtcttc	agcaagggac	52620
actittatag	gotaggtcag	cctccaacca	tgaagtataa	caccaaggcc	agtetaaget	52680
taggagacca	acacttotct	ctccttttcc	cacccagggt	gtctggaata	Lycciaaaya	52740
tagcetetee	agcetetget	tacaaatgtg	gagggaccct	aagttaggga	cttgcctaac	52800
ctacctctag	ccaaaactgt	gtccacaagt	gccagcccac	aaaagatcac	cccctgagcc	52860
ccttgggaag	aaatgaagat	tccccatqcc	tgccttcctc	caggccccac	cccacctgct	52920
gcaagagaac	agcttctaca	ctaataataa	tectteeggt	cccaccctat	cccacaaagc	52980 53040
taattaaaaa	gagtcacagg	agctgagagg	ctgatccagg	tggggactca	ggatgctgct	53100
accesagace	cctcctcact	tagagaaact	gaactggggg	tagtcttcct	ccatgcgggg	53160
tocaaotttc	aagtcaggac	caaaggtctt	gcctccatgg	aagtcagctt	egicaticig	53220
gcctatgagc	ctgttgtcag	gggaatctcg	ctgttcctgg	agetggggea	gegegetggg	53280
gttagggttc	ctcacactgc	ccacaaagag	gggcacgcct	atggtgtttt	taactacact	53340
gaagaggaag	ggtcggttca	cagtgaagga	ggagaggac	attegatica	antattage	53400
ggtagctgcg	gctgcctcca	caccagcctc	getgagetee	atggtagact	gatgttgtat	53460
gctagacacc	accagattct	gctcagagat	cccacgaagg	cetgggeeee	tatatagata	53520
ctgcaggcct	gcccagaaca	gcagatgact	ggtcagtgct	gccccaaggc	atctattaga	53580
tgtctagcat	cctggctaaa	gggaacactt	gaacccagcg	++++++++	ttttaaatca	53640
cctcagtcta	gacaacactt	ctagaaacct	tagagagaga	tatcaaatgc	toccatecag	53700
ggatctgcgc	taggtacagg	tangaaagte	tagaggagca	catactctac	ccagaccacc	53760
gaagcagggc	cacctctggc ctatccccaa	actacttace	cagttggctg	aggatagcca	ccaggtccag	53820
taggggcacc	agatggagtt	taggeages	caccttggtg	aacctctcct	gcagcgaggg	53880
etgetgttgt	gtatcccagg	tcaggcagcca	tagtacctcg	gacacgttcc	actcaaaata	53940
acggracaya	acgaccacaa	ageteatgtt	gttcttaaag	gggaaatgag	ccacctacag	54000
agigggcate	gagagaacat	gaggaccaga	cagcacctgg	acctatctag	agtctgggcc	54060
acaayaaaay	ctgtactttt	gagacaagag	ccagaaattc	agggttagca	tgctttcact	54120
taactootoa	agtggaataa	taccacttac	ccctttqcaa	ggtgacatgg	gaccaaatga	54180
gataatgett	ttacacctct	ctgtgtgcac	acataagcat	atatgtttgt	atcggtgtga	54240
atatattac	tcatgggtat	atggagtcag	aagtaggtaa	acatcagtcg	tetteetaca	54300
ttactctcca	ctttttttt	ttttttttg	gtgttgccat	ctttttgttg	ttgttattte	54360
aagacaggct	ttctctatat	agecetgget	gtcctggaac	tcactctgta	aatcaggctg	54420
gcctcgaact	tocagagacc	cacctgcctc	tgcctcctga	gtgctgggat	ctaagatgtg	54480
totaactaca	catagetece	tctttttgg	acacagggtc	tcatggatcc	caagetgget	54540
ttgaaatgac	tatttagage	tggagagatg	gctcagcggc	taagaacact	gactgctctt	54600
ccaaaggtcc	tgagttcaaa	tcccaqcaac	cacatggtgg	ctcacaacca	tccgtaacaa	54660
gatctgactc	cctcttctqq	agtgtctgaa	gacagctaga	gtgtacttac	atgtaataaa	54720 54780
taaattaatc	ttttttaaaa	agagaaagaa	atgatggcta	catacttctc	tetegtetet	54840
ctgccccaag	tgctgggatt	acagagetgt	acaacaagco	caagtttgtt	gtgttttaga	54900
catgctaatg	tatcccaggc	tgtcctcaga	ctctctatgt	aattcagaac	gaccccgaac	54960
ttcttttaag	gtttatttt	atcttatgtg	tatgggtatt	cogectyage	cotgeetge	55020
gtaccgtgtc	cttgcagtac gcatggtggg	cctcacagtc	cagaggaggg	tecteteca	gagaagcag	55080
gttgtgagct	taactgctga	rgccgggaac	. caaaccccgg	ttttcttcct	cctatctcga	55140
taagtactct	ctagggatgg	gecaetteec	ttcatdtacc	tagtttatgt	gttgctaagg	55200
tctaaaagta	gggctttgtg	cataccaga	, aadcactcaa	caactgagct	acacateced	55260
gttgaacaaa	gggccccgcg	tactccagge	tccactacac	cctgagttct	ctatctgctg	55320
tangactity	attentionag	actatagac	ttcctgtcct	tocctctcac	ttctctccgc	55380
ceageaaget	gtacaaacaa	aaaatgacco	atagaggag	cacagcaaac	agtaggaagc	55440
ttaccectca	tctttcaccc	teteccagae	agtcagctat	aattcgagtt	ttttttcct	55500
ctctctctcg	ttaaacagga	tctggttate	tggccctaac	tatcttcaac	ttcagtcttc	55560
ctccttcaac	: cttctgagtg	ctgggattat	ggtgtaagco	: accacactca	gctcacacaa	55620
cettttttt	tttttttt	tttaaagaat	ccatgcagtt	: aggacagcat	: ggaaatgacc	55680
aggeteagge	ctccctaggt	accagcataa	a tqcctgcagg	, cgggtcctct	gccagtgggg	55740
ggatggaaac	atogagecag	aggatctttc	: ctctctgaac	ctcaatgtco	c cacagtgaga	55800
cactcatate	: cactgggaga	tactqtaqta	ttcaaggaag	g aagcaacag	g aaggtgagag	55860
ctaagtggag	ctgagcaggc	tcgtatcct	tcaccacqqq	g ctacagagaa	a gtctggctgc	55920
ccctccaca	taactcctcc	ctgcagaact	t ggcaatgctg	g ggcccggct1	gcccagtcaa	55980
actaaccaac	agaatggatg	agcatgtgt	g gtgccacaca	a cctgggacco	c cagcactcag	56040

acagctgggg cagaagggtc atgagtccaa agcgaacttg tgtaacattg tcagaccctc 56100 gaacaaacaa aactagcccg tcctgttatc tcagccacag atgatgggcc caaggatcag 56160 tactctagcc aaggagtcac ggttaggcta gaagcaaggg aagccttagc tgagacagct 56220 tggcacggag cttcatccaa tcagaatgtt cagagcaata agctttgaaa cccgacttcc 56280 atctatgaag cactgtgtgg gaactcctct cttcccttac gagcagggcc ctggtcctct 56340 tgggctccgc taaaacccca gcacagagaa cagttacctg gcacgtgaca aaaactcaat 56400 atattttett tgaggagatg aacctcaaag aagctgtgte etggatagae acagcataat 56460 aaaccettca ggagetacet acceagggae cagaetttae eteccagtae caggeetegt 56520 ttgccagcca aaggcaaagt ccagactgac ctgtatctca ggttgctcca gcaggaacca 56580 tegaagagga tatgacaceg egtgeateat gtecacegae actgtgaace geteatecag 56640 gtggaagaaa tetttetggg tgaggetegg gtcaaacttg gteeteeaga aacetgeage 56700 caggcagagg gcaggagcca tgtaacataa aatcagcctn ctgcctgtct tgcctagaac 56760 56820 56880 ggaaaaagga atcttaaatt agaagatgcc ttgataagat tggcatgtag gtatgtctca 56940 ctaatgattg atgtggaaag tcacgaggga tggtgtcacc ctgggcagat ggcctggggt 57000 57060 atataaaaac acaggctgaa caaaccacaa agcagtagtc ctcaatggct tctgctttag tttctgtctc aggttcctac cttgacttcc ctcagtgaag gcatgtcaca tgagagttgt 57120 aagaggaaat aaaccctttc ctccccacat agtttttggt tatgatgtta tatgtcaaca 57180 57240 acagggtttc tctgtatggc cctggctgtc ctggaactca ctttgtagac caggctggcc 57300 togaactcag aaatccacct gootctgoot ctgcctccca agtggtggga ttaaaggcat 57360 gcgccaccat tgcctggctg gttttctttt ttttttaata catttataat gcattttaga 57420 57480 tttaaaaaaa aaaatggcca tggcatataa tataaaaaga agtgcttaca aatcaccatg tgcccttgcc ataaattatg taaaaatttc catatggaca tcagtctcaa gcttacaatc 57540 tcagcactca tgagcctgag gcagaggcag gaggatggtg agctcaaggc cagcttagtc 57600 tacataacaa gatcctgtcc aaataataac aacagtaata atttcataca tagaactaga 57660 aggggccact gcaaagacag tatgacaaaa ccactggccc tgcctaattg tattttaaat 57720 aactgtcctc ctctctgtaa ttttcagttt ctaattttta cataactacc atgtattctt 57780 tttgtaattt taattagttt tttaataata gaaacaagct aagtgctaag aatattttca 57840 tatgaacatt ttcaaggcac ttgatacata cctcagattt gccctccagg tgagcagtac 57900 caattacgtg ccaccagcaa tgttagcttc cttttttccc taccatctga ttctgtttca 57960 58020 gtctattcgt agttctgatc ttgttatatc cctttttatt gtttccctgg gttccaacac 58080 ctcccagttg agtgttctca ttgaatttca ttagcagctg tttcattaat ggcacagaag aaggattaca gtgttaacta ggatagactt tgacaaagaa ctatgagaac atatcttatt 58140 atctttgcat aaattctttt taatcaaagt tcctcaaaag cctctctctg ttcccatctc 58200 agggagtagg totggccact gatgagtgtc caggccacag tacaggtgtg cgtggttctg 58260 tecetgtggg aagggeacat etgtgttgta acaggattee tgtettaaca ageettgete 58320 aggetetaag tggteetgag etagetaaet geeettgget tteeettgat taecagataa 58380 ctattcactc ttctcatttt gcagagcact taccaggtag ctatgtcctg gaagtacgaa 58440 58500 tgagtccttc tattgttttt cttttactta aatcccattt gaaatgcgcc agggacactt caatccaagg tacacttttg ctaaagaatc actcattttt atatgcaaaa tgtcacctat 58560 taactgcagc tgatatggta catacatatt ctctcttcct attatccact aataggtgac 58620 taatgcgaaa tattgagtaa tttttaaaaa tcaatactca attttttaga aataattaga 58680 gagacattca actotgacac cagcaccota ctcagttcct gagcettcct ctgccggagg 58740 58800 agaatctata aataactcac gaagctgaca ttactcactg tgttgcagtc attttttct 58860 gagaaaattt tagcaactgt tctaatagag cctgccagtt atcagtagtt gagaatgcaa gtcaactttt aattatgcag acgctgatta ttcagacgac aaattgttgg tgcctgcacg 58920 getectteet getgeetace tttaacegtt etcagtgete attageacat gttecagaag 58980 gtaggetttg gaggggegga caggeactca aaccagetaa geacttagag aagetetgat 59040 gaaagatgtt aatgcagttt gtagaattat tgactaaaat tgagtcattt ggattccctg 59100 tgaattgtat ttacatgccc tgtccctgtc ccccatagca acagataata ggattgtctg 59160 cagagagaca acatagttct tatatttaat tttttccttt gtcgaacatt ttcacatgat 59220 ggttcgtggt gtttcctttg ttcattacat ttgtatccag actagttact tctgataagc 59280 ggttagttag gattcctggc acgcggacag tgacaccaca gttgtctgat cgtttcccac 59340 ttttttacaa aaccgtttgc ctttaagagt cagtgttttg cacatttcac ccagattatt 59400 ggaaatatta tttccctcct gcttaaaccg aagctgtgat cataatttaa gcctttctag 59460 59520 gtagccgatc ttacatgtat catacctatt tctggcatat gtttgtctat tacaaagacc 59580 gagtggggat ggccttttgt gtgccccaag gctgttgtgt ttcacacagt tgttttctgc 59640 59700 ctcctctggt ctatcactat cctgccactg ccagaaaacc ctgctgtgtg ttccccgcgt ggaggatete tgettetgaa ettetttgge etgagaaact ceataaceaa ateagttage 59760 attttgttta aagagcaggt aggctgttag agcttgggtc ttacatgtct cccaggtcca 59820 cttgccagcg ccttgaccac tgttaacttt tgttaaccaa ctcatctttt gctgcctgtt 59880

ttttgggggg tttttttggt tttgtttaag ccaagatcag ttatatggcc caggctgagc 59940 ctctcttccc agcctctcaa atgttagaat tacaagcatg catccctcag catacctttc 60000 60060 ctttgctttt tttaaaatag agttttgcca tagcaacaga aatctaacct aactaagcat agccgtgcac atggtatgag gaactcacat atgtgtgaat ggaagttcat agagaccggc 60120 atcactgoot agaggooot ttottoctto cttgcagttg togtgctage tgactgtact 60180 acaaaagagg ttgtctgagg cataagacta ccttcaataa aacatgcaca gacagtttgc 60240 ttctctgaga tttcagagca gtgactacct tcaataaaac atggacagac ggtttgctta 60300 cctgagactg cagagcagtt tccaaaaatt ttagacaaag ggtaggatga agaaggctgc 60360 ggggttttgc acacattaa ggtgcgtaag taaataaact gagctacact gacaggatgc 60420 tegttetagt agccaaccaa agagcagttg aaccaaagca cetagaette aaacategtg 60480 gggagataat cttaggagtg ctatgcttct gcgtcctaca agtattatga aactgtctag 60540 aaagcacccc actggtaatc cctttttgat tattttttt ataaattcta gtcttggggt 60600 tttgagtggc acacagacat aatggttagg cttcggtgtg tgctcattca ctttgcttcc tggggaccag agtttgcgat gagtcatgtt ccatctgatt tctgtcggat ccggctgcag 60660 60720 agccatgact cagatgggct tcaggcccag ctgctcagtt catcttctgg ggaatagatg 60780 acaaggacgg gacaaatgtc ctgacgcaca tttccttctg ttcttgcact tccagggtct 60840 aacgagagca tcattaccaa cagcaggcag atacgccttg ccacaggcat cttccctgtt 60900 gtcagcctcc tgaaccactc ctgcaggccc aacaccagtg tgtccttcac tggcactgtc 60960 61020 gecaccetec gggcagcaca gaggategca aaaggacagg agattetgca etgetatggt gagecageet ttettteeae taccetgetg tgeetcaeae etcaeatgaa aaggataagg 61080 ggacaggaat cagcagatat gggcccagtg cetetactca teetetgagt ettteetgga 61140 61200 aagggcaatg catcettggg ccaataaaaa aggtettetg getgtaataa aaaagecegt 61260 tgagggcagt gagccatatc cctccatgcc ttgtagacag cctatcctga aaatgagcga ggagcacttt cttggcttct ttcttcctgc cccagcagct tggaaacgta tccactttca 61320 cccgtgtttt gttgtttttt ctgagatgat agggcagagt acccaacctc atataggcta 61380 61440 ggctagtgtc tatcactgag ccaggacccc aacccagcac caccatgcca gtcacgtgat gactaggcca gcccctcggt agagtaggca ttgactctct tggtgtgact aggaactgtg 61500 ggtaatetet etecagggee teaegagage eggatgggeg tigetgagag geageagagg 61560 ctgagttctc agtacttctt tgactgccgc tgtggggcct gtcacgctga gacactgaga 61620 gcagetgcag ctcccagatg ggaagccttc tgttgtaaga cttgcagagc gctcatgcag 61680 gtaaatctct gctgttccca ggggcagggc tccagctaaa ggttgtcagt cgccaggaga 61740 accattcctg cttcccttct tgtaactcct ccctacatgt cgcccggtcc tgcagaaaac 61800 acaggitgia titcctaata tittccctat aagigacaca aaatcitaaa tiacacaaag 61860 ggaccaaaaa aaaaaaaaaa aaaaaagccc tagaaattta cttgctcaaa taagtcatca 61920 61980 aaagttgtgc atcaggccta gcacttgggt actggtaacc ctagcactca ggaggctgag 62040 gaagaaggat ctcaagtcgg aggccagtct caagtgacac cccatctaag agatcaccat tecaaggage tatttcagag atggtttaat etggggacec agattgtgga tittetgtet 62100 gttcaattcc atctctctgt gctggcctca tcagacacac tctgtagtaa ctgtgggaaa 62160 62220 atccgaccca catagttttc cctcagcctt tgacccagag ggaagagcca cagtggagag catgagagca gaccettggg tgctactgcc aggtaatggt gtagacactg gagtettcaa 62280 cattcatgcc ccaatgcaaa atggtctcca caccagagca tggcattctc attagaaata 62340 agtaaatgga attggctgtg ttgaaaattg taaagccaag ggtcaagaat gaagccttcc 62400 ccagcatgtt ttgttttgtt ttgtgtttta ggcagcgtct ctctgtgtag ccttggctcc 62460 tgccctctgc tacctctccc aggtgtgcca ccatgctggg cctaagcgcc ctgtgcatta 62520 gtgctccctc gatcctgctc actcttgaga cagtcttcct tctactctgt atccccagat 62580 aacctagagt teactteaga geceaggetg geeteaaact tgagateete gtgteecage 62640 ttctcaaatg cagtgatatt tacaggccta cacctggctt tccctgatag attcctagta 62700 62760 agatgattat cctttgagcc atatctctct tctgcttctt cctctctcc tgcagggttg 62820 atctagaatt tattctaaag ctgactggcc tcagaattgc catccttctg cctttagnnn 62880 nnnnnnnnn nnnnnnnnn nnnnnnnnn nnnnnnnaca tagtgtcaac tttcaaattc 62940 tgccttaaga gttctttgtt tatgggaatt tatgggaatg ttccacagaa cccatccagc 63000 ggagttctgg ctgttgtttt ttaatcttta ttcatcttgc gtgtgtgtgt gtgtgtgtt 63060 gtgtgtatgc gcgcgtgctc aacttgcaaa attgcaaaat tcagtctcct ctttccaccc 63120 tgtaggtcct ggggatcaga ctctgttagg cttggtggta ggtgctttac tgagccatct 63180 tacaggcccc ccatggacaa cttttcttt gaaaacctgt ttctggcttg ggtgtgatag 63240 ctcacacctg tgaccctacc accactcatg aggaagaggt aggaggacta acagaattgg 63300 aagccagcct ggactacaca gtgagtaaag gctatctata tactcaccac atggcaagac cccgttttaa aacactgggc aaggtgaaac aaaagtcaat taatttcaca taaagtcaat 63360 63420 63480 agcttcatta acggcctagt tatctttaaa actgtatgca ggttagtact tggtttcaat 63540 tttattactt tttctctgga acatttaaaa gtactttagg ggctggagag tcagttaaga acaqtqqctq ctgccaaagg actggagttc actcccaagc acccaggtgg caatcacaac 63600 tgtctgtcat ctaattctag gggatctgac accetcacag actcacagge agtggaacac caatgtacat aaaataataa ttaaaaaaat gaaataaaat accaggcaag gtggcacacg 63660 63720

	cagcactcag	паппсапапп	caggcagatt	tctgaattcg	aaggcagcct	63780
CCEETAACCC	gtgagttcca	daadaaccaa	ggctatacag	agaaaccctg	tctcaaaaaa	63840
		aattaaaacta	σασασατοσα	LLaaaaycat	Lyguageace	63900
		>ttcccadca	crcaaatdut	ggctcacaac	Lycolacaco	63960
tcccagaggt	aacaccctct	tcaggga	aggitacato	tagacaaaac	atccatatgc	64020
aacgcaatct	taagtaaatg	actetttaa	totatactag	aagctgggtg	gtggtgcatg	64080
ataaaataca	cagcacttgg	agtetttaa	cadatagatc	tctgagttgg	aggccagcct	64140
cctttaatcc	aatagagcct	gaggcagagg	cttatcacta	cagttacatt	ttataacttt	64200
ggtctgagta	aatagagcct	tgtacticia	gettaaccac	tagaacctaa	agcttttgtg	64260
gggccctagt	gcttccattt	tccactgttt	gerrateate	tctacactcc	atcaccatca	64320
ctgacacttt	tgttcgctaa	tcatcaggca	atcaatgget	aatagaacat	ctttagcccc	64380
acacaaacaa	aacaaaacac	aacactacgg	accordacata	ggaggaact	ggatagtagg	64440
agtacgtggg	cttgagttca	aggeeggeet	ttatgaagaa	aacatotaaa	gaaagaaaaa	64500
gatagtcttt	aaaacaaaac	actattttat	at-at-act	traatattoo	aaatagcttt	64560
aaactgcaaa	tttatctatg	aatgaagtet	aagtaatatt	==acaacctt	ataaacottc	64620
ctaaaatatt	tttatttaaa	gaaaactcag	cadattattt	adacaacccc	agcetettaa	64680
gttataaaag	taaagaatta	tttgcaattg	ccttaagggt	tetaggegge	taacotatto	64740
		tracattcca	gttcaacatt	LCLacagece	caacgaact	64800
aaatacctcc	attctgacaa	ctgtttcccc	tettettte	Ticlaagety	totagacgec	64860
tgtcccaggc	ttttcatgat	tttagtcatt	cacacaacta	gcaaacacca	taragagaee	64920
	t-ct-ccc	atateaccc	aaaaaaaaaaa	Lyaaaytayt	cgcaggeene	64980
	a+c+cc+daa	traaatacaa	agtagctaat	attlactaca	Laaacacgca	65040
+ -+ -++	asttactsac	totactacca	gaagctaaac	actadattia	gaaacccage	65100
	acceptact	caacttcaac	ctcattttta	Caaacaayyy	aaagagcccg	65160
	. daaaaccata	cataaqtqaa	caaaaaggag	Etggagicic	caaacycacy	65220
+++ ~~~~+	- aattacttta	ccaaccaact	cagtaacaac	Lyayctyaac	aggaacacag	65280
	. agasagtgga	actatcaato	ncciciavav	Caaaaacucu		65340
	- caadacetaa	caaggagact	gtgagaagag	tgtgctgact	gaaattgatt	65400
		attecadada	Lagradadatu	quicaginggg	caagagoaoo	65460
	· tacassaata	aggagttcaa	atcccaqcaa	ccacatygry	gcccacaacc	65520
_ 4	. sastataact		gagtgtatga	agacagetac	agigiacia	65580
+_	, stasstaaat	ctttaaaaaa	aaaaaaqact	attccagugg	ggatggaaaa	65640
	, gagttaaaat	atacttcaac	: taataataaa	claggigic	agageeggge	65700
	- + ~+ ~+ ~~t > ^	radatacctac	: tatataaacc	cadctactty	ageceaacee	65760
-	. asacaasata	r ggaagagaa	. caacgtccca	gagiligicul	. Clygcalleg	65820
	- accetecece	. adatotcata	i catatotota	Catactatat	. acceggegence	65880
	~ ><+<++++++	: aaaattcada	a cttagaggga	Cataaayyat	. ccgccccgas	65940
	. ++assastas	ctttgaagat	agagggcaga	Cogaayyaay	Cccagcagga	66000
222224422	- aacatacaaa	ı taaadaacta	a taaactagto	: Lgcagaggg	, caaggaaaga	66060
	c tataaaatti	- accaataaaa	a taaggaaaaa	quigueaace	cyaaacacag	66120
	a anamammami	- ottagcagaa	a agaagccaac	: aagcicaaa	aattaggteg	66180
	+ +++ + M	- cttctdatti	r aactactuuu	aayccaccy	gegeeeegge	66240
	a tatataata	e ccadadadai	t atctagtage	: aacaacyay	Laggaggacg	66300
	+ ~~~~ <i>~~~~~</i>	t aaaacaagt	c caaaaautti	. qqqqcgacgy	,	66360
		- tamacamem	n carotttati	Lacerder	t tettagatge	66420
	a aaaaaactc	T TOAGTECEE	c toccaviaci	, gggccgccc	c ougoures.	66480
+~~+~~+~+	+ ><2/id>	n nnathctcc	e ecacaacca	_ acaacccco		66540
at accest a	a acadeddet	a catacacaa	d feetering	3 acceptation	u ggoogogo	66600
-+	+ casacccac	t cadddtcdt	c tecttaccu	y gatygetee	c cogocoagge	66660
at cocacca	t aactacacc	σ ctaactccc	a cactedede	Licitycaccy	c cegagooso	66720
ot ~~~~~	+ cccacaaac	t acteaacda	t tooctagage	c aactytyty	c gaagaaaaga	66780
	a sacacaata	c asaaaacaa	d cctadacqc	c gatagetat	c gcaccaggeca	66840
	- aacaaaca	c ataactctt	c cdaddccyy	y tityayytt	c agaggagga	66900
+	a tasaaacaa	a acactaaat	c dcadtdcdc	c tytyttagt	g cggcgccac	66960
	A CCCCCCSCC	t atcagaact	t tacccacca	a quucuuugg	c ggacagacag	67020
	c cadddaaca	a teggagete	t cccciqqia	a cigcigcia	a acacagoon	67080
~~~~~+~~	o taaataatt	c rrcacdcad	E acatacica	g cgccggcgc	o uggooongag	67140
a++aaaaact	a taggataaa	c aaddtaaat	c agactcayt	c cccyccccc	c cgageteen	67200
+	-a taaccacaa	σ σaacccaσc	c tcaaqqalq	y cayacycya	c acgggccaca	67260
astataas	to tocadadto	n aaatcaaaa	ia tcaatcayy	c ccccgagag	ig cgucgegge	
tanactasa	rt taaaqtqtq	rt otadaaatt	t greaggigg	a ccccagege	g garagegars	67380
++cc+222	ad cocaaatgo	rc ctatqcaaa	ia gtattggag	a geerggege	g ccggccggcc	
atastatat	tt totaatccc	a acctttaa	ia totagaago	a ycaaaayc	.c aaggccacce	
++	at toagttega	id dtcaacctd	ra actaaatqa	g accergaac	a accadacee	• • • • • • • • • • • • • • • • • • • •
gggaccca	gg cgtggtggd	ca ttcgaggta	aa aagcaggca	g atctctgag	jt tcgaagccag	5,500
- <del>-</del> -						

ccaggctaac ataagatccg gtctcaaaaa aaaaaagtaa taaaaataaa aagggagaga 67620 ggctatatga actgaaagaa agacctggag atcaaaacag aaaactgagc cgtctaagaa 67680 atgaaaatat ttaacttcat agttgctgga gtaagaagtc tggaaaactt tgggcaacta 67740 aggtaaacag gtctagaaag actggaatag tagccatcta ctggtatttt gatctctgtt 67800 tgtacaacca caacctacta tagtttctca aacagttcca aagaatatgt ctgggtgaat 67860 tggtaccaca ccacagatta actotoctto agcatatoaa cagotataga aaaccoccaga 67920 agaaatgatt ttggttgcgt gtcacttggt aggatgaaat ctcgattttc tagaactatg 67980 cattaataga aagctgaatc ttcatgttct gactttacag agctgcggca gcatggatct 68040 accggtggat gaatggaagt cctacctact taagaagtgg gcttcactcc cgaagtctgt 68100 gcaggacaca atttetacag cagagacttt gagegacate tteetteett ettetteeet 68160 tetteagtaa gtgaatggaa actteaggga aattttggte tggaaaatgt tetgeettgt 68220 catttggtct gaatatctct tttttatagg agagagtagc tttatattct ttatagtatg 68280 gggcatttag cagttactgt tggttttcac gtttctccct agtctgtgat tactagaatg 68340 ggtaggcact aactgettte etettttgge atgtgttata ettaaggaat gtagtatett 68400 getgtegtee cagtgetgte acteatagga tetggtgeag gttgtgtage tgeeectaga 68460 agctcattca gtcctaatgg ggagaaagaa ccctggcact tggttagttg agacccanaa 68520 68580 68640 tecaagtgee actttactge aatgtgteac cacatecaga gttetgtgtt tgtttatttg 68700 tetgtttttg agacagggtt tetetgtgta geeetggetg teetggaact caetetgtag 68760 accaggetac cetcaaatte actgagatet geetgeetet geetecagag tgetgetgta 68820 cactaccacc acccatccag ctttctatat tggttttcct atggcgtttt aaaatagcca 68880 ttatacgtgt gtttatcatc taaagtcctg gtcccaaaag gagatgagag gggctgctaa 68940 ggtgaaaagg attacaaacg cttatcaatt ctgttcaaaa attaaacctc agagtgggat 69000 tagetgette ttteattaga attgetatea gaatteacte aggeettgtt tgegtgtgtt 69060 attgaagaag tetetteete atcaggteag tgaeteetta geteaagtae atgeaatatg 69120 cagtattgat aactgttctc gcttaggaat aaaaatagaa ctgacttcca cagggaaatg 69180 atgtgctgag ctgtagcaac gaatcttgca caaactctgt cagcagggac cagctagtct 69240 ctcgcctgca ggaccttcag caacaggtct gcatggccca gaagcttctc cgaaccggta 69300 aaccaggiga gattggctcc ctcgccctag gcctcagccc ttcccttgtt tattttggta 69360 tcaccttgcc ttactgagca gtcctcaata aatgactgag gacttgaatt taattatccc 69420 agcaccagec acaagatgge tatgtaggec agtgagacca gactgtgace agetgttact 69480 ctggtgccct tgaaagtctt cctgatggtt taagctgtgt ctgctgcgcc agatagttct 69540 agcagctcga gcaccagaaa ggctgtctga cttccatggg ctttgtgtgg ctccagaggt 69600 ccaatgccat catctgattc ccagcttaag gacctaaget ccgagaaggt tgctctgccc 69660 teageageag cageaagtee tgagtgetge etgggetegt ggtgtgaete aggagtagag 69720 ctcggtagct agcctgagct gagagctgag agaaagaaag gactcctctc ttttcagaaa 69780 gggatttgca gaactcgatg ttagaccctg acatggtagg aatctgtttt gactattcta 69840 gcctagattc tgaagttgac ctttagccta gagtcaagaa aactaatgat tacaggagga 69900 atgtagagtt ggttgttaaa tgttggttgg aaaatggatg ttagaagccc agggtaaatg 69960 tgaggaagee teatetaaca cetetttae tgaaagagaa aacataagea accaacaget 70020 tecetggaat geeeggetgt tgacteegtg agataaagag geatttteae tttgacetaa 70080 ccgatagaga ccttgcaacg tggtctctcg tgtccaggac tagatctgta tctgttgtga 70140 ggcattitte etttgaatee atagageaag ecatteagea gttgttgegg tgeegggagg 70200 ctgctgagag cttcttgtca gcagagcaca ccgtactggg ggaaattgaa gatggcctgg 70260 cecaggecca tgctacetta ggtatgctae ettaggtata geeggagtte teetteeetg 70320 cegtgtgtte agtgeggeec ttgecttgte tgtttggtte tetettgeea tetgaattga 70380 cgctcttctc cctcccattc tgcattcctt gcccccagag ccttaggcta atggtgtttc 70440 tittccggaa tgagacattt cicttctcac agggaacigg ctaaagictg ctgcccatgt 70500 acagaagagt ctccaggtgg ttgaaactcg ccatgggcca tccagtgttg aaattggcca 70560 tgagctette aaactggeee aagteetatt caatgggtag geetttett tteetagtgt 70620 ttggccaggg cacacagtgc tctgtgtttt cctaggtgct tctgtgtatg gctttttgct 70680 acagtgettt aaagcatgtt gaaactettt tattteetet ttaggacaga tatttgeeet 70740 ctgcttcact gatagacttt aagctttgaa ttccttcctg aggatgtgga gaaagccatt 70800 aggtetgeat ggagettece agggaggatt tggaggeage etcaceegee tetageatte 70860 ctgtctgctt aatcacacet cccttggctg cctcagtccc tgctctctca actccagggc 70920 teggeeettt ceetggtttg cetettatte ettttaaage agtggtttte aactagaagg 70980 71040 gattgcaaat ggcatttggc agtgtttaga gacagttttg attgttatgg ctgccagcat ctagtaaagg ctaaacctac agtgcacagg accgcctcca cagtggagag acccaagtta 71100 gctatgtgaa ggctgagaat ccctgctttg gagattaaaa aaggaagctg agggaaccac 71160 tcagttggaa gcaccettgg tggcatgcac aaggcectgg ttetgteeet agetetgcac 71220 aaaaaataga atacaaggaa gagtaaccct aatgagctgg tecetcacec agtgtgccac 71280 tgaggtcact tgaagggaag tctagcccca atttagtatt ttttgtggct gccatacctc 71340 cagcettgat caaateteat ggtatacatt ggtaagaaaa agggtttgaa acatagacet 71400

gatactcooa	catggaaaca	gtatgtttgg	tcagagagag	cgaaggacct	gatagacgag	71460
gacactegga	gagagagggc	atcagtcggg	ttagacacga	gcattccaca	gtgagcagct	71520
ctacataaac	tttataaat	gctggttaag	gttttgaatt	tgcccaattt	tgtcaggatc	71580
ccggacaage	tcacaaacat	acacagtttt	ctcaaatctg	ctttgcagta	tgcccgtgaa	71640
tetetetat	ctatactttc	agatogtaag	accetgaggg	cagaggaact	cagacccttt	71700
tgtctcttat	taagaccctg	agacggcaag	tagacccgac	tttatattct	ctgcacagaa	71760
gtgccccctg	tttcgttgag	ggggacgcag	ggaccegae	agetteeett	tetagettea	71820
aggagtccac	tttcgttgag	accaaygaag	tetagaage	agaaaggatc	ctattaatac	71880
ggttggcagt	gcctgaagct	cigagigeea	agetocagge	agtaaggaco	tocttactoo	71940
actgtggccc	tgagagtgag	gaggeeeggg	tatagagaa	tcatcctcac	cctcaagaag	72000
actcgtcatt	cgtccctgtg	gggcccccgg	aacttaaaac	tctcatcada	daddacddda	72060
gagetetggt	gatgactgag	atguedge	ggcccggagc	cacttgaaaa	cadattdada	72120
ccttcccacc	tgacctgagc	clagigicity	gcacagagag	taccetetaa	tagasageee	72180
cactcacctg	ccatgctggc	tgctgcttgc	aagagccaac	taaaaaatta	tractorace	72240
atgcccagaa	aagactaaat	ccagtateta	aaggeegeee	aacaaacaaa	tttctgagtt	72300
cgggcttggt	ggcacacgcc	tttaateeca	geacteggga	ggcaggcgga	agaaaccctg	72360
caaggccagc	ctggtctaca	aagtgagttc	taggacagec	agggccacag	ataataaat	72420
tcttgaaaaa	ccaaaaaaat	aaaaaataaa	aataagtaaa	aaataaataa	ataaatttc2	72480
aaagggttgt	cactgatctg	caggcagctc	atgetageet	aggettetgg	tagtaatgaa	72540
tctcactaaa	cgatgaatct	gtttccctgg	aacattccta	Liggilicag	attananat	72600
gtgctgtgtt	ccactccagt	gagaacttca	attettagte	ttgtattata	teanattaca	72660
aatatatagc	aagaaatcag	tatgactgct	tacctcaaga	gacatacaat	tecaettaca	72720
atatcctgct	tccttaaatt	tttcattaag	actggtgata	tataatttgt	gaatggagaa	72720
ataaatacgt	cttactgttg	gcagtttctt	cctgggatgg	caactctgta	teggttteet	72780
accagtgtcc	taattcttac	tcagtggctt	tcattgagtg	ttcttggcac	tcactgucca	72990
agcactgatg	caaggcaacc	ctgtagcatg	acttcatage	acaggeetee	ttgttagcac	72960
acctdaaadc	agaccactet	aactatttca	cttqcaqaca	gaatettaet	ctgtaageta	73020
gtctagcctc	aaacaacatc	ctcctgcctc	agccttccaa	gttctaggtt	tataggaaaa	73020
agccaccttg	cccagcttga	gactgcttct	tactgccatg	tctcttcagg	ctcacacatg	73000
aagtccaggg	cactccagga	ggagccgtga	gtctgtctgc	agggcactcc	agggggagcc	
atmantctot	ctgcagggca	ctccaggagg	agccgtgagt	ctgtctgcag	ggcactccag	73200
aaaaaaccat	gagtetgtet	gcagggcact	ccagggggag	ccatgagtct	gcccgcaygy	73260
cactccaggg	ggagccatga	atctatctac	aaggcattcc	aagagcagcc	argggregrea	73320
ctcattaata	gactotoago	ctacatctcc	agatgccccg	agtgctgtgg	cigigageae	73380
tactactcat	ggtttccaac	tgagacagag	ggaaggactt	tgcccctttc	cctaaygaty	73440
ggtagtaata	gtccagacca	caagggacag	atagctatgg	ggttttctga	ctcatcctta	73500
gtacattatt	gctgatgacc	agtttgtttg	gatgagttag	tgggaaagaa	gacccaagic	73560
catacactct	: gctttttaga	acttoctcat	cctagccatg	cccaaggagc	agccgttgac	73620
tatcatage	ttacagtgag	gaaataaaca	gtcctgaagg	tgcctggcag	cagettttca	73680
agaagetggt	gttaaaagac	agtattcaaa	. catctgcgga	ctgggaactg	ggcagcattt	73740
gagteteete	r ctatctatta	atttaccctq	acaaggaggt	gacttgaaag	gtttgtttg	73800
tttggggtag	, agctttttca	ggaaaaaagt	: ttagtcctac	agacaactct	atagication	73860
tagtccaaac	teatgeettg	tattttattc	: ctaaaagccc	tgtcacactt	tgtaaaatag	73920
atactette	: tcaaaggata	tatttaacgt	: tttatatatc	aggccttatt	ctgtgcatgg	73980
aagettttt	- tagatgcttt	gtaagatggc	: tcagtggtta	. agagcatgta	ctgetettet	74040
agazatect	, aatttaatta	tcagcageta	acaccagcto	ttattccaqt	tectgggate	74100
tastaccct	- thetaaceta	tataaacact	: acatatacqu	. agtgcacaga	Laaatytagg	74160
casarcacto	- atacataaaa	ctaaattcaa	aaaactcttt	: cattgtctca	tgtgacctag	74220
cttgagaat:	<ul> <li>cctdtdctta</li> </ul>	tattataato	: tagtatgagg	: cagccacggt	agcaacacac	74280
ctattatcte	r addactcada	agattgagag	: tagatggtca	ı agagctagaç	, tetgggttae	74340
assacacet	r totoaaaagt	: aaaagggctc	, aaaaaqtqtq	: tcagcagcta	a agagcacaca	74400
ctacttctc	c agagggctt	: atttcagttc	c ctaataccca	a caccgagtga	ctcaaccacc	74460
totaactcc	a gotccatgac	, atccaacaco	tctqqtcgtc	tgcataagci	cetacactca	74520
attatacac	SDEDEDEDED &	gagagagag	a gnnnnnnnn	nnnnnnnnn	nnnnnnnnnn	74580
nnnnnnnn	n nnnnnnnnn	ומממחחחחחחם	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	74640
nnnnnnnn	n ntctagagte	r tttcaggtti	t tttttattt	ttttttttt	: gagacaaggt	74700
ctctctatt	+actacctac	r aactttctai	t gtagaccago	g ctggactcaa	a acttatagtg	74760
atccactac	t tetacetete	: agtactggta	a ttgaaggcat	t gtgtcacca	e accccactac	74820
ttcaagatc	t tagatttcca	a aagaagccgi	t agcctagaaa	a aggttaataa	a gtactgattt	74880
aaaacacaa	a gaaatcaggi	. acacttaga	g ctgtagaatg	g tcagcatgt	g acatttgtga	74940
caagttgtc	a aaactttgc1	cttaattct:	a aagagagaa	g ctgtcaaaa	g acttgaactg	75000
gaactataa	c caacttggte	c gagcccttg	c atgaagctgi	t gtgtttact	c cccagcactg	75060
tagaattta	a attgatttga	a acccagtag	a ttcgtatati	t tgaatgttt:	a cctcatgggg	75120
aatdacata	t tacaaggtgi	t aaccttatt	g gaggaattg	t caatttggg	g grgagering	75180
aggictete	t gctcaagct	c tgcccaggg	t agaaaggga	g cctcctcct	g gctgtctaca	75240

gaggagatan	tctcctggct	gccttcagat	caagatgtag	aactcttggc	tcctccagca	75300
gaggacatag	ctgcacaatg	ccatocttcc	taccatgatg	ataatgaact	gaacctctga	75360
actataaac	cagececaat	taaatgtttg	tctttataag	agttgccttg	gtcatggtgt	75420
stattataa	caataaaagc	ctaactaaaa	cacattcctq	ctgggcagtg	gtggtgcacg	75480
cctttaatcc	cagcacttgg	gaggcagagg	caggaggatt	tctgagttcg	aggccagcct	75540
cctttaatcc	gtgagttcca	gaacagccag	ggctacacag	agaaaccctg	tctcaaaaaa	75600
ggtctacaga	caaacaagca	aacaaatocc	agcatttggg	aggtagagtt	aagaagattg	75660
aaaacaaaaa	gtcgtctcag	ctagtatgtt	tgaggccagc	atggaccaca	tgagacgttc	75720
tannaacaaa	agaaacgaat	gaatagataa	acatttgagt	gtccagtttt	ttectttctt	75780
tettaettta	tttttggcgg	tactgaggat	taaacccagg	accttgttca	tactaggcaa	75840
acattataca	ctgaggaaca	ccctggcgag	tocctaotct	atctatctac	ctgcctgcct	75900
gcattcccca	ctgcttgtta	tatatataaa	tootaaccto	catgictgic	tgtataccac	75960
geetgeetge	ggtatctgca	gaggccagaa	gaggatgttg	gatcgcctgg	aactgggatt	76020
agacatycct	gtaagctgcc	atotacotat	tcagaattga	acctggtgct	ctgaaagagc	76080
acaaacggct	cttgttgttg	attttattaa	aaacaaaaa	tagttatttg	gttggttggt	76140
agecagegee	gttggttggt	tttcttgaga	cagggtttct	ctatotagec	ttggctgtcc	76200
tagaragetag	tctgtaggct	caaactcaga	gatetgeetg	ccctacctc	ccgagtgctg	76260
restances	atgtgccacc	aactccaga	aagcagccag	tactcttaac	cactgageca	76320
ggataaagte	ccttctttgt	attttaagat	ggtcacaaag	tacaactcag	actgagetet	76380
teatterage	ccctcagcct	cctgactgat	ggggggttaca	ggtgtgtcac	totcctcaat	76440
totaccec	agatcttgaa	aacccattct	cataacetta	atccttaaaa	caaaccctgg	76500
cougagigic	tctgataact	atttctcact	cctcttcaag	aaaaggaaag	ccagagaaag	76560
gagaatgagt	aagccccaga	aacattgata	acttocccaa	agttacacag	caaaattcag	76620
ggggggggc	catctcagtg	accategata	ccatatccac	cctaccette	totgacotco	76680
acageergea	ccctacagac	cttaceatta	agat cagagt.	ccaagccgta	togtaagatg	76740
ecacciccai	ctgacatcat	agagactete	accontectot	cctcgtccaa	atgaaaatcc	76800
geerraggar	tctttctcga	gtcaaacttg	gttaccact	accetagaag	gaaacagatg	76860
tggagggtcg	agccactgtc	cccadaactcg	ccacaggtcc	acactataca	tccactggcc	76920
gageateetg	gagetgtcag	caccagaaagg	acaddagccd	ctoootccca	gcatgtgtgg	76980
aaagcaacct	aggetecatg	cagcaagaac	tctggctatc	ctcctgtagt	aaactcagaa	77040
cacagaccat	gttctctctc	taacttaaat	caccacactc	cttctcttta	aagtggcctt	77100
taagugggu	gtgtgtggta	catacctact	ctcctatece	ctggggactt	ggagtaggaa	77160
raccarage	tttcctctaa	attaggates	actcttgcta	ctactccata	agatggtcac	77220
geeecaggge	aaaatggaaa	ttaatcaaac	catteetgee	acaagaataa	aacagatctc	77280
aaaycaacyc	tgtggaaggg	tctcctgagg	ccttaccact	gtctagaagg	aagttgacag	77340
aggggaggcc	gcaggggtgc	gactccagga	attaggaget	gctctgagag	caggacagca	77400
tatattataa	agtgtctggg	agggagctgt	gttatcctta	ccgtgaagat	gaggacacgg	77460
actcataga	gcagagccag	gattaaacct	ggtctgattc	aaaaagccag	agatctgtgc	77520
ccadccccad	gcagccattt	cactootcaa	ctaattcaga	aacacttggt	ctgatatgct	77580
catatoctac	aagcactgtg	gccttcagat	ctccctctgg	cctggtacct	gcattcaggt	77640
traccaccat	caccacacac	acacacacac	acacacacac	acactcggcc	agagacaagt	77700
ggggaaggg	tcacccttga	agtaagccac	gccaaggaga	aggatgctga	gggcactggg	77760
catttccctc	: gt.ggaccggg	caatcttccc	: tttcatctgg	gcctgcacco	agttgttaat	77820
ctcctgaage	tctactcgag	aattacccat	. qaqqatccgg	, ggcctggtcc	: cataggactt	77880
ctccagaggg	gcaacaaagc	: tqqatttgac	: tcgaagttct	: tgagaggaaa	cagattaaag	77940
atgagagete	aatcagcacc	ctcactttga	aagcatgcca	gaccccagct	tectgeteag	78000
catcttcctt	: taacttacta	gggcatctgc	: cggcttgccc	: agaccctggc	: tagggaacag	78060
tagattccac	cotttocatt	. ccccatccca	gqccctcctg	, ctgtctccca	gagcccactt	78120
cctctttctc	r tteetetata	gtctcactgo	ctctttcctg	, cccaccagt	g ccaggcctcg	78180
cctgaggaga	a cacagootat	tatttaaaca	ı tcatggaago	: atacagacaa	cccaggccaa	78240
traarcaact	tcacgccago	cataatggg	, catacctaca	cttcagaago	: agaggcagct	78300
ttatgagtto	a agagaccago	: tgagactcta	ı tagactttga	ı gaggtggggı	: gggggrgggg	78360
ctactgacte	- ctctcaaaca	caattctgga	aqcactcttc	g aggttettei	: caggggcagt	78420
aacagaggc	a addadctcct	: tataaatact	, gtggatgtca	i gggttggtg	i teaggregia	78480
gtagagage	c cootoaatoa	ı cagactctgt	: tcgatgttca	a getectgee	a gagagaaaag	78540
gatgccaag	c ttcataacto	cccqtqaqqq	: ccgcatcagg	g atagggacg	t tagacatcaa	78600
teettttat	c ctctgagagg	ccgaggagg	c cgatattgca	a gatgttttag	g ctggacaaga	78660
tcttcaggg	c gtggaaagaa	ataatgacco	g ccttgctage	g aagagctct:	a agacagggca	78720 78780
aggttatca	g agctacagag	, agaagagtgo	g gatgtggtco	c tgaagttct	c ccatcgtaac	
ctaccctqt	t ctgaggagga	a gccagctctc	r ctcacggcag	g ctgtacccc	t agaacctggt	78840 78900
taaatgact	a aaacacqata	a ggaggccact	t taaggaacca	a aggtcgagt	g ccacttacaa	78960
agtggtagg	o attototot	tggcccca	c cgccccttt	c ctgttcctc	c gacggcggca	78960
gcatggaaa	c tctgagtgg	g qqaaattcaq	g gtccacctg	c agcettett	c agttgacact	79020
cacccagag	a aagggcagag	g agggccgtg	g ccacgctga	g tggagacag	c aggacgttgc	19000

	ggcactggat	ctcaggcggt	acagatcgta	gccgaagttg	gagacagetg	79140
cegetggget	gttcacaggg	accttgaaga	agggatecte	ctcctccacg	aactcaccca	79200
ctgccagctt	grrcacaggg	accetgaaga	~~~*~~~~~	accautanna	addcacagtd	79260
tgctgtccgg	gactggggag	cccigggila	yaacacaayy	accageaggg	tatasaatas	79320
agtacatcac	ctcctggttg	ggttggtcct	ctagtccctg	gggccargag		79380
do atractet	atacteteta	actccacaac	ctatatacta	ggaggtgggg	agtgggaagg	_
gcaacacaaa	agggettgee	agacctgaac	tgtggtctga	gaacctgaag	cccggcccac	79440
+++aaaataa	aacttgtagg	gctggggaga	tagcacagta	gataaagtac	cagcatgcaa	79500
attessage	ctgggttcag	tececagage	tgggcacggg	ggtgcatgct	tataatccca	79560
gercaaggae	ggcagagatg	ggraggtest	agaactcatt	ggccaatcag	cctgaactaa	79620
acaccyggga	ccatctcagt	gagggggggg	gtttcagagg	acctgaggaa	tgactctggg	79680
Cagogiaii	gcctactctg	tatatatta	tatctatcta	totatetate	tatctatctc	79740
ttgactacta	geetactety	-statassaa	gazetteete	accaccacca	acccccaaag	79800
cacccctctc	tgtcccttc	cetetgeagg	gaacttcctc	actactacta	atctacctaa	79860
aaacccaccc	tcagaccagt	CTTCCCTall	cagettgetg	tacastatas	ctagaccaa	79920
gttctgctgt	gacgccctcc	ctgtctttcc	Lgacaagcca	tetteettga	ananatttat	79980
gaggaatttg	tcgttttctg	acctgttttc	agtgtcagcc	LCLLCCLLAL	gagaccccc	80040
gcttttttgt	tttgttccca	gggctttgga	tcaaagctgg	gctcttacat	acgulaggea	
aatgettgge	cacccagetg	tacctcccqt	ccctqttqct	tttcggtttg	gaggactttt	80100
+++++aa+++	tetatttaat	ttttaatttt	gattttttgt	tgtttgtttg	tttgttttga	80160
cacaccattt	cactatataa	ctctagctgt	cctqqqactc	actatgtaga	ccaggctggc	80220
cttagattca	gagatccacc	tacctctacc	tcctaagtgc	tgggattttt	agattttaat	80280
ctatacctac	caacctcaaa	ggaagtgtcc	atggatagag	ttcagtacta	catcatgtgt	80340
ctgcacccac	tgagggcctg	ggcttcaccc	ccaacagaga	aggggagtt	agtaggtgag	80400
graduactic	ctggctagtg	ggeorgagat	attotctaag	gtcactaagc	cttaagccac	80460
gaataagtya	cacaatccag	gtatgatage	cccatctacc	ttatecttat	gtgacatgac	80520
acttaaagcc	cacaatccag	giccaacacg	ctcatctgcc	tectassaga	anagggaaga	80580
cccaccccta	cttcctccgt	acaguggeag	-cetteringa	atazzaace	agagggaaga	80640
tattcttgtc	tcgatgttaa	agtaaccaag	geetagaaga	grgaaggeea	aagcccaccc	80700
tggatccagg	gctgcctccc	tgcactgtct	cttctgctgt		taccctactg	80760
acctcagagc	tgctggggac	gttctggctg	ctgccgtgcc	egageaggge	cccagcccag	80820
aggagtagca	ccagggcctg	catcccggaa	ctacaagaga	aacaagagag	caaacgactc	80880
ccctcaccca	caccetecee	tgccactgca	cattgcacac	tgcacaggga	caagagtcag	
gcagagtgag	cccttcccct	ccctccaqct	ctcagcccca	agtggaccct	tgacttgagg	80940
tettecates	ctgacctgcc	cctgcacttc	tccttgagct	gtgcccccat	gttggtteet	81000
atcaggagac	ccaccttccc	atctaagctc	cagcacaggg	aagacccagc	agcaggctct	81060
transcerea	agacaatgct	ctagcacaaa	cacacaccaa	ggcttttccg	tggaggcaca	81120
caaccaacta	ctttggtagg	atttggaacc	ctgtctcagg	atgggagcag	agcccaggtc	81180
atacacttac	agaacatctg	atctaatcct	gctatccacc	aatagttctc	tgaccaaagc	81240
atayattaaa	gacacacaca	cactttcttc	taggtaggtt	cttgtgtatg	tagcccaggc	81300
taggettaaa	gttgcagcta	ccctacttca	tttgcctcct	gagtactaca	atgccaggtg	81360
tageeetgaa	tgcctgactt	gactcccttc	ttctatttca	agagcaatto	ttagttaaga	81420
cgagecatea	cyccigacci	gaccccccc	חחחחחחחחחחח	nnnnnnnnn	nnnnnnnn	81480
gggtatgaac	cayggccaca	nnnnnnnnn	חתתתתתתתתת	חחחחחחחחחחח	nnnnnnnn	81540
nnnnnnnnn	nnnnnnnnnn			acctadass	addadatata	81600
nnnntctta	tttttagctt	geeegeeee	. Citatitgay	acceggggag	gggaggtgta	81660
tgtgtcttcc	atttgcttct	tctacctaat	aaagtttctt	tacatttaca	ggggggggg	81720
gagggggtag	gactcaagaa	gggattctcc	cataagerge	. teegetegg	tagtactatg	81780
taaggaagtt	. acaggtgggc	agagetegge	tergeergae	: Lggcglgclc	tgaggtaaag	81840
gtgagatggt	: gcaagatttg	ggccctcagg	agttggctct	gttggccctg	taccttctgg	81900
tetataaata	aggatgacca	gtaggtgaga	ı gatgagggaa	ccagaacaga	i aygiyaaayi	81960
tagtggggc	gagcccaga	ctagtcaggt	: gggggtaaac	: tagatgacti	terggaacee	
caaggggct	: ggagactagt	gqtqttggag	, aagacctcta	. atgtgttgta	aggeetetga	82020
actcagtage	c cgaacttgat	gccagaaag	cccaaactgo	: taaacccaag	g caggageggg	82080
accccatccc	ttccatggct	tcacccgago	, tggccccatg	, gctgcgccaa	tcaatgagca	82140
gccgagagat	aggacatac	acaagccag	g aaaagttaca	a gcacgctgga	aagataatac	82200
addccadda	a decesadaes	cagcagggt	gaaaagctac	atcccgatto	tgccggaggg	82260
aggoodgga	r daddtcccdc	r acaccaaat	ccaggatca	agaaactga	tgaaacctag	82320
gggcccccc	- gaggeceegg	, catectaga	actecttoto	actaacacti	ccttcacggc	82380
atttace	cagaccacge	, cactacaga	actacces:	ccgaaatct	ttcgggaccg	82440
gtttegggg	a cigcacigg	ggctgtage	r gotgoodau.	ctactctct	gagtagggc	82500
ctggatgtg	g cggaacatti	- Logicity	c gatacacage	addacadaa	g gagtagggc	82560
gctggtcgg	g tgcggaactt	ggggactga	- aaaycactgo	- 9999~9999	g tggaaaagag	82620
ggcctggaa	g actgaagtto	gaacctttt	y gaatggaac		t gtggatgggt	82680
gggagtacc	c agtgggagaa	a tggatctag	g tctgggagaa	a accyacott	a gctctttgtc	82740
ttctccagg	c tgtggcagti	t tcctcaaat	g greacegae	c caattaatg	a tcacccaccg	82800
tagacacaa	g tectagtage	c agtgtcagt	g ggtgagtgta	a cagaaaagg	c tgaatcygga	82860
aaggccttg	t tggaccggga	a attctaggt	t cctccccca	c ctttggaat	g gagcagatgt	
tgctggagg	t ttgctgtgag	g gaattaagg:	a cctgagaaa	a gtgggactt	g agatatctag	82920

actatacata	agctctgagc	gaggagcctc	atagtettet	ccggtgcctt	caggttattt	82980
gergegeare	ggagttgata	tactatagaa	ccagacatto	gcccaggcct	gggaccttct	83040
cyclycagac	ttggcggtaa ·	gactctgaag	ggagaggca	ggtagtaagg	gagcatgtcc	83100
cigicaccat	cccaacctct	ctcttcagtg	ttctatcctc	tgacttttcc	acaaagcccc	83160
aactcaaggg	atcctctcag	acttagatta	agttggaggg	aggttttgac	tggctagcca	83220
ctgaaaacct	ctgcccaagg	acceggaceg	tecceacaaa	cctccagctg	atcataaaaa	83280
ctcctgggca	ctgcccaagg	agiciggice	gggtatggta	tacaaataat	ataacttaaa	83340
aaaaaaaaa	aaagccagga	acgaaagcca	taccectaa	ataannotca	gcagaaaggt	83400
gtaagagaac	ctctggtcca	gggctgctca	cycccccay	acaagggcca	ataaaaaata	83460
caggattgga	ggcagtccta	aaaaatgctt	gggtaatata	aagegaacaa	atagaaaaa	83520
aataaatact	aattttaaa	aagetgatae	ciggaaygac	gaggcagaga	catacaaaac	83580
catgcgtggg	tgtccctagg	ataaggagct	gggacttgtt	gggcacaggt	tatatataaa	83640
ctgaaccttg	aaccttgcct	gcaggtagtg	agetgeetea	tasactacat	ctatttacat	83700
cactatgtgg	gcttctctat	ggtatccctg	cttctggage	teresttere	agtaageat	83760
ctacggaagc	tactgctgct	ctcccataag	geceateet	ctgtcccag	agtaagtage	83820
tgggccagcc	tggccaccct	ggtcctcttc	cgccttctgc	thetastta	tataactaaa	83880
tggttgtccc	ggcagcacta	ccagctgtct	cttgctctgg	ttetgetttg	cgcggccggg	83940
ctggtcaccg	tgggcagcat	aagcatctcc	acagggatcc	gaattetgae	caayyacacc	84000
ttgcagtctc	agccctaccc	gtttatcctc	atgcacaagg	aaaccaagac	acgigageet	84060
gttgccagga	acacttccac	tctcagtctg	aaaggtgtgg	aagttttctc	ttetgteage	84120
ccccaddad	ataaaactaa	gaagaggaga	tggtagccca	ctgcatagtc	tactatgtag	84120
caaddactad	actotatoat	cagagagaga	gagagagaga	gagagagaga	gagagagaga	
anananana	gaacattgta	tgagatctcc	attacagtca	ggaaatcagg	agatclaaat	84240 84300
aactttaaaa	gtcccacagt	ctttacatat	tcttaaaatt	tcaatctctt	tadaatatee	
atctcttta	aaattcaaag	tctttttaca	attaaaaqtc	tcaactgtgg	gctccaccaa	84360
aacaatttct	teetteaaga	gggaaaatat	cagggcacag	tcacaatcaa	aagcaaaagt	84420
contatacaa	ccatccaata	totoggatac	aactcacqat	cttctgggct	ccccaaggg	84480
attaggtese	ttctccagcc	aggecetttg	tagcacacgc	gtcatcctct	aggetecaga	84540
tacctotact	ccactgctgc	tactactctt	ggtggtcatc	tcatggtaci	ggcatettea	84600
anagget gen	taaccccttc	agtectggge	cttcaagaga	gaagactaga	gcccggcaaa	84660
ataacacata	ctdataatdc	tagcacttgg	gaatgacaag	cagaaggatc	agaaguuda	84720
aaccaaccta	ggctacaaga	gactctgttt	caacaaacaa	acaaacaaac	aaaccaaaga	84780
2424222422	aaaactggac	atgacageeg	gaacattatc	tgacattcat	aaggteetga	84840
attastaca	aagttggcag	tacctaattt	gataagggtc	tagccactct	ggtaatacca	84900
taactaacta	aacaccttac	ccagcaactt	gctgatagac	tctgccttcc	agcaaaaggg	84960
aggagetteg	ctgaggagag	aacattgaac	cctattqtat	atgaataaat	Egelglgcaa	85020
atratttcat	cagtetettq	tgaatgtgat	tgctttgagt	catttttttt	ggccccagcg	85080
ttatcctcct	ctacaatata	atataaaatt	gtggaagctt	tgagttggga	gggttteetg	85140
ttaaggtttc	-tetaactett	ttettteete	ccaattttta	ttttgtttgc	ciggigggi	85200
tetetaatat	atatatatat	atatatatat	atatatatat	gtgtgtgtgt	tagaagttgg	85260
caaaaaataa	addadactaa	agagatggct	cagcggttaa	gagcgccaac	gererreda	85320
aaggtoctga	attcaaatcc	caacaaccac	atggtggctc	acaaccatcc	gtaacaaaa	85380
aatctgatgc	cetettetaa	agtgtctgaa	aacaqctaca	gtgtgcttac	alalaalaaa	85440
taaataaata	ttaaaaaaaa	aagaagttgg	catqgatgat	gtagtgaaga	ctggcattag	85500
atatetetee	atcccctac	ctctacctct	tagacactgt	gagtatggaa	gtgtaccacc	85560
acaccadacc	aggetagaac	attctctgat	: ctacaaatac	: ctagagtatt	attectetat	85620
ratcaraaaa	cadacccadd	gggccacaga	. aatgtcttag	taggtaaaaa	Caccingcitt	85680
cadacctdat	aacctgcggt	tttttattta	ı ttctaaaqqq	cgggagaggc	; tggctggctg	85740
actaacctaa	r aatteacaga	gatccacctc	cctctqcctc	: ctgagtgtca	i ggtaccayya	85800
teacadatat	· didecaceae	acttggccta	ı actqcctqag	tttgagcatc	agracicaca	85860
taatactaac	, gatagaatag	actctcacca	ı qctcttctga	cttccacato	rgecergeag	85920
catggggtct	: ccttccccaa	aggaaaaata	ı aatqtaagaa	i ttaaaaaaaa	aaaaaaaaay	85980
Caaacccado	r tettatata	taactcaaca	tcaaagctac	: ctcccgccac	c agctgaccac	86040
ctaataataa	cttatagect	tattatacta	tcctttgacc	: tccacgggca	a tgetgtacac	86100
atatatata	ccacacaaac	: acacaatcaa	ı gaaataaatg	, cagccaggc	g aggtggcaca	86160
cccctttaat	- cccadcactt	gggaggcaga	a gacagataga	a attctgagti	cgaggccaac	86220
ctaatctaca	a aagtgagtto	caggacagc	agagetacac	c agagaaacco	c tgtttcgaaa	86280
taaccaaaaa	a aaaaccactt	: taaatattat	ttttatttt	; ttttgttta:	cerggaacu	86340
aatctacaa	- ccaggetggg	cttgaactca	a cagagatcca	a actgcttct	g cttcccaage	86400
acattaaagg	atoteccaco	actocctoo	: taaaqattta	a ttttttctt	t ctttttgttt	86460
+~+++	tattttt	: aaaaaattti	t tttaaaaaga	a accatccct	c ctagcactca	86520
77277	r aanteanne	cagccaggt	c tactgagtga	a gctctaggg	c agccagggct	86580
ggagactet	g adyllayyyl	, cagocaggu	a caaaadada	a cagacccaa	c cagacetgag	86640
ccacaaagaa	+ +4+==+4+=	, accettese	a dactasass	ttcaaggct	a gccacaagtg	86700
gacacacacı	t tannanaan	. goodcogay	r chacadasa	a agaaagagg	g agagagagaa	86760
cgtggtgca	L LCaayageag	, cccgggrgg	y coacagaaa		J J J J J J J J	

PCT/US01/31488 WO 02/029059

86820

tggttaatga agatgactct ggaaaagtga aactcaagag aaagcccctc agatttgctt aagacgagtt gagggtggag aaccgccaaa gcggacgagc cagacagaga ctgccaacaa 86880 agttcaatcg gttcaggtac attacttcca aaacgccatt gccacatcag gatgcttcaa 86940 tcagccaaac caacgcagcg actattgact tctgcatttc agagacttcc gtctctgtcc agggcaatgt cactttagct ttcctttgca gaaaggaaaa gtccctgcct ctgatgtggt 87000 87060 agatecteae acacettetg ecagatecag acactggtat gaeteageet eggggagete 87120 tatctacaga gataagggta caaggcgtgt gtgtttaaag tatgtgttta aaagtacaaa 87180 gtgagagtcc ctggaaaggg ctccctgccc tcaccatcac cgaaagcaca aaccttaggg 87240 taatatetga catteetgga aatgtatyta tgtatteatt atgtageeet gaetgteetg 87300 gaatggggta taaaccagga tggcttcaca tctcagagac ccatttgcct ctgcctccca 87360 agaactaaga ttagaggcat gcactaccat acttggctca tgatttactt aactttattt 87420 tatgttcacg aatgttagcc tgcatgtatg tgtgtgcacc atgtgcatgc ctggtgcccc 87480 agaggccaga agaaggtgtt ggttggattt cctggagatg aagtcccaaa caactgtaag 87540 cagticeatg tgtgtgetgg agatgaaact tggttcatcc acaagagcag tatgtgetet taactgtgga ggcatatete cagectcaga ttteccagtt aatgtttget ttegeaceca 87600 87660 ggcccatctg cgcatgcgct ggagacctcc tttaccgcct tgagcctcat tggccaattg 87720 tggctgggag acttgcagat cccaagtggt acaagagaag aataaactgg tgtgctatga 87780 actcacctet tetetgtage cattggetga geatactttg ceteaaccta cegeeettee 87840 ttcccctaat cctaaatctt tgccctctcc aaatgtgctc ctcccccgca gtaatccagt 87900 ggtcgctggg gctctagaga gatggggggg gggggagcaa cgggtacagc ttaaggcagc 87960 tgcagcagaa cttttttgct gtatattgag tcttaaaaat tcatataaac tttgtgttct 88020 gtttctaaat ataaccccat ctgtttcaac acaaaatgca acaacaaaat gtttcaaatt 88080 gctatttgga ataattaaaa aatttcaata cttgatttaa aaatgcttta actttttaaa 88140 taaattttaa atgttattat ttttaaaaag ttacaagttt aaaaaaaaga aagatagaaa 88200 tcacataatg aaattaacca tacgcaagtg aggctcggtg cactggtaca cagttacagt 88260 agccatttgg agtggaggcc atggcgcttc acattgaatt ttatactttc tttatagaat 88320 attttttatg cacctatcta ctactgataa caaaacaccc atgagagagt tagaattaga 88380 catcaattag ctttgatcct ctgtcataac tcgtgtccac tccctgcctt agtcctacct 88440 catccctgtc ctctttcta catcttatac tgaatccaca cactcagttg tttacacaaa 88500 88560 88620 tgcctggctc tgttttgctg ttgttgtttt tgtttgtgtg tgtgtttaga tttggtttgg 88680 tttggtttga ttttgttttt ttttagagaa tcttactatg tagctcaggc tgtccttgaa 88740 ctcacagaga tetettgtet etgeetteca agtgetgaga ttaaaggtat acaccacett 88800 88860 tatctatcta tctaaaattt atctgtgtgt gtctgtgtgt acattcccca gagcctgtgt 88920 ggtagtcaat aagtaaccct cagaagttgg ctttctctaa tccttggatc aaacttgaat 88980 tgttaggett ggtageaage atgtttacce actgagecat ttatgacece atggeecage 89040 atettecatg ggttetgggg acacaaatgt gtaetttgat gtttacagga caagegetta 89100 accaaccaag tcattttccc agccccatcc tgactcccat taagtgttct ttcccccaac 89160 ccaggaccaa atctagagga gtgtccatgc ccaacaaaca ctctgccaag cctctcccct 89220 tactgetett etecetteee tteetteatt tettegttee ttetttett tettttgaa 89280 acaggictit tetetgeate ccaagetage ettgaactig tgatgtaget caggetgget 89340 ttgaactcac agctgtcctc ctacttcagc ttcccaaaca ctgggattat agacctatgc 89400 taccacact ggctcatttt tcaaataaat aaaaagaaaa tcaaaaagtt cctagaacag 89460 tcacaggatt cacaaaaact ttggaaggag actaaaaatg gatttttaaa aaatgcttga agcacaaaga gttgttgaaa gaagagagaa gaggaaaagt tagcttagta ggtagaagtc 89520 89580 aatcaagcot cacaccotga gttcaattco tgaccotatg gtagaaggag aagagcaatg 89640 ceggaaacat tateetetga eetecagace egetgtggea egtgeatgea cacacacaag 89700 caggageeet tggagggaag tectagaaat gaatettaet gaageaggte tgecaggeee 89760 tgtgctcagc cattttattt ttcctttgtg tacccgacac gcttccattc tcaaagttgt 89820 gagtetgaga ggaagtacte actgtgteec cagtgagett etgtettace etgggteact 89880 tagatggggt cacttagtgg tagccttggt gtggagaaag agaacacagg teegagtage 89940 cagtagacet gagtetttat atetgeaaag ggtgttgggg cataateaaa tetececee 90000 tecceggggt cetgatacea ggttgtatta agtgtatgtg catggteett ceaagtettg 90060 acacatcatc caactccaag tggctttctc atttttcctt gccagtagcc tcttggtgag 90120 gaaatggctg aggaaaacag agttgcagaa agacagggcc atggcctggc tgcaggcttt 90180 ctctgagtct gaagagggtc agcgactctg agaaatgaag ctatttctga gtgagagggg 90240 ccaaagaagg aacacggcag agggagagcc cccgaggaga tggagacaga agccggagag 90300 ggaccetgtg cgaggetgga ggggaggaag aggggggagg agtgagacec actgtcatet 90360 gttgggcaga gaggggctac attcatctgc agtatggtgt agaggggaca gagagtgatg 90420 gtaacaggaa aaatttgggg ttgagggggg cagcctgtag ggctgggccc cagcagtgta 90480 cagctaggta gagtacacag taactcccag aattctctgg ctccactaaa tccctgttcc 90540 90600 getecgtgca gagtaaaacc cacacagggt ggatttcagt etectttgca ececettca

ccccctcc	aggeraget (	ctaatcacaa	ccagtcagag	ttaggggtgg	ggcagatctt	90660
gtaaaagagg	ataataagaa (	catcodaaag	tctgtaccct	ccactagcaa	agtgccagac	90720
gctccgtgac	actttaaatu (	cctcagataa	aacagtgaga	gactctcctg	gtggcaggca	90780
agatgatggg	tcaddacct	cagcgcctct	gaggeteaga	caccaggata	aagaataaaa	90840
	aacccctata .	acccctcqt	acadaddad	aatgccaaty	Lggcccagcc	90900
agetactaca	acacaaacct.	caaggcctgt	gctagttatg	agretactige	Lycigating	90960
+44433+333	cccctttccc	cccaggatta	gtggacacgc	Citycicaay	ccgagcecee	91020
matataccac	cttatcacac	acatacaaaa	atcccttgag	gatggttacc	accergygae	91080
a a a g g g g g g g g g	tetetaetta	acccaaotoa	cacctatatg	gcagatecet	gracecte	91140
cetastasts	acaaccetto	caatccaata	gaggggaact	cgggriicig	Cagetteet	91200
ttatactast	agaaatgtac	tctgcatgtg	gggagcctgc	cttgctcacc	Cigagacccc	91260
-+aaa+aa	ctagaacttt	dcacatcatt.	gggactcaga	gatgttgact	acacyaacyc	91320
an atta	attacacaaa	acadaatdac	aggatgttat	gcctggtgtg	Lyaylylyly	91380
+~+~+~+~+~	tatatataaa	acccctctct	Ctddadccct	Couguetagee	Lyceceege	91440
tanataaata	cacaattotc	ctttctcttt	ccaaggacci	Cigialygy	gracecea	91500
++ as at acct	ttcctctata	aatttatcct	gctagccccc	tgtcactgag	aaagttttt	91560
at at at act +	agattatata	actagaacac	agacatcatt	gtctttttt		91620 91680
+++++++==	agatttattt	atatotaaot	acactgtage	Egiculaga	Cacccagaa	91740
asaaaaatca	gatetegtta	agatagttat	gagccaccat	gradriacia	gyatttgaat	91740
teenenectt	CGGSSGSGCS	atcaggtact	cttactcact	gagecatete	accaycecey	91860
agat gattgt	cttacccaca	actoctctcc	agaatqqtqq	qcaggaggac	gigattett	91920
200000020000	acconggacac	aacatcttct	acacgtgtag	gictigiqua	Ctggccccgc	91980
tttcttcttc	caagcaggtc	tcccaggaaa	tggcacttac	agagattgaa	agectaata	92040
catgtctcgc	tgcctctctt	ttcgggaacc	ccccagaggg	agcagcagaa	ttaggggetg	92100
gcaggggctc	taagctgcct	gggcaaagga	gcagggggta	gcatggagcc	accattcaga	92160
tggaaagcac	tgtgacccaa	gcacattttg	cagcagcaac	gicaaacce.	cagcettete	92220
catgccattg	atgtgcacgc	tgccacacag	atastasas	atgagaggta	aaaggagaga	92280
caccctcctg	gtgcttagga	actaacggcu	ccaacgagaa	ttaaaaaaaa	ctgacccact	92340
gacgggggcg	ggccacagca	gegeaggery	teacttaaat	taggaggagg	tcccaacact	92400
tctcgtagag	gtaaggggcc	cactgaaatg	acacttett	cttttttt	tctttttctt	92460
agateteett	tgtccccata	ect cagette	cactttttag	agctgtaaac	caccctggtc	92520
ctcctctggg	gcagccccaa	gcccagcace	ggaggtagag	atcaggaagg	agggaggag	92580
ctagaageee	CCCCacgcca	daddadaga	agggaaagag	atcgagagag	catgcattca	92640
+	-ccctcttttc	taactttta	actgcactgt	gagitatica	gccaacaaca	92700
astatttsta		gaacccgtat	ttattaacag	CCLyaaayya	. gagagacgga	92760
watttatata	agaagtgcag	tgagttaagg	ggggcaatta	agagagcaga	aayayacacg	92820
422C2C2G2C	ttataaaaaa	ttttgtaaca	tccaatcaaa	ggtgcttcau	glatitica	92880
24422442	acctabasa	aaaaaaaaat	tgtcccatta	gaagetgaca	Ciggarygag	92940
anataaccea	ancongaactc	ctacttaaaa	gaaqqtqaqa	agggagggac	acayaccayy	93000
atacastasa	ccadagtgtg	accatageto	r ggtcatgagg	cccagggttg	gaaggacccc	93060
20+2220+0+	acactaacct	thoottqaca	aaggatgcac	; ctatagetag	gegeggegge	93120 93180
a a get graft traft	tattctagta	cttaggagg	: tgaggcagga	i ggatcacca:	. gagtgtatgt	
aasaaataa=	ctacataaca	acacccadtt	: tcaaaataat	: aacaaaayy	ageggggeg	93240 93300
~~~~~~~~~~	catttqqaat	otaaataaat	: aaaacattti	, illiaaaaa	a ayaaayyyy	93360
tantnantta	attcaacaat	taadadcdct	gactgctct	. Cogaayycc	, egageeeaa	93420
+	. cacatootoo	ctcacaacca	i tccataaqq	a galclacge	Cucucugge	93480
gtgtttaaag	tcagctacaa	tgtacttaca	tataataata	aataaatto	ggagtgaggg	93540
ggccagagca	agtagaggto	ctgagtttaa	ttcccagcaa	a ccacacgac	g gctcacaacc	93600
atctgtacaa	ı ttacagtgca	ctcatataca	taaaataaa	taadaadt	t ttaaaaaaag	93660
aagaaagagg	, gtggggcagg	ggagggaag	agaagaaag	taagaagee	a aataaaaggc	93720
acagagatga	gcttcatgtg	gaaacacag	g colglaged	t tagataaga	g gtggggttgg	93780
ggggggctad	agtgagagta	tcatgagtt	aayyttaat	r acataataa	c cttgtctcaa t atacatttat	93840
aaaatacata	ngchaaaaa	t aaadadaaa	r cadaaadaa	a annaattca	t atacatttat a gatcaggctg	93900
agtcccagca	a cccagagyac	. cyayycayy	c cacacacaca	c ccadadaca	g acagacagac	93960
agctgtatgo	agreerigate	, anagrange	g gccttcaga	t ggctcagca	a ttaaaggcgc	94020
agacagacag	, ayayaaacac	. cctgagete	a aagcctggg	a cccaaggta	g aaggcaagag	94080
ccaactccac	- agagetotto	: tatgatctc	t atatqaatg	c tggggcaty	t yeeracacta	94140
tattataca	- acatocacac	r attagaaaa	a gaggaggaa	g aaaaacata	a gallyllla	94200
202222022	a aactaactta	: ttccacctc	a gtgtgagag	g agggtctyy	e decidence	94260
ccadatecti	t cecagtecae	r taaaaacta	a actgaggca	g cggaggagg	c aacaacygag	94320
ctttcccaa	c acadtatec:	a ocaaactca	a ctctacadc	c igiccigai	c cacagagaag	94380
ccttcctaa	c tecetcace	a átgcggggg	c attggctcc	c aggctcctg	g gcccccccc	94440
5 5						

94500

acacctgtgg agtgctaggt gatttgctaa tgttgggcaa catttgccca cgtggggttc ttggctcttt ggtaatagac atgcctagca ggagggcgga gcttggaggg gggagtcctg 94560 94620 gggttgcccg tggctccctg cagctggggt gtctggccag ctgaagaagg agccatggca cgcaaatggg agagcatgga acagaggctg tggatgctaa gcaatatggg aggcagtcta 94680 agettggaag cagcaggtgt ctgggaacgg gcctgtggcc caggcagatt tccagtgagc 94740 actecagtti ttiggcacaa ggaacaagci ggctgagcec aagaggcaag tggtgataat 94800 gaaacccgca gttgaggaac agcgggtaag ggtgccatgg gagcccatgt gctcatgaag 94860 aggetggggt gtgaagaaga geecatgeag ggaageeaca cateceeteg agttecagge 94920 agaggcagag tecetgagtg gggetecetg ggteteceet tacetaacea gtetecegge 94980 accccagcaa acaaaatccc atccataatt tgaggtttat agagacctca aaggctgagc 95040 tactgtgtgc cactaaccat cagcctaacc ctcccccact gtcttctcta gctgcccctc 95100 tttcttctga gactgtgata gtggcgggga cgggttggga gtgtgtgtga agccctctcc 95160 gactetecaa ecceagetga geceettgtt etgeagetea gtaacaeagt aacaeagget 95220 cagttetaca etggttgaga acaeteaegg eteteteage teettagaga geetgttte teattteet gteeceaaag ectagacaat ggetggteea tttgtaaget tatetgagga 95280 95340 95400 tgccaggggc caccccatgt ctccactagg ctggcaatgt tctctgtcac tgtagtacag aagactgeet ggtgggaggt gagataagga aagggatggt eteeeetggg gtteecacae 95460 agtgctgagc ggaaaatggc agaatgggct gggaggtaac tctgttgcta gagtacttgc 95520 ctagcatgtg caaggaaggg cctgggttcc atccccagca ctacagaacc caggcgtggt 95580 ggttcatgct ggtattctca acattcagga ggtacagtca ggaagagcag aagttcaagg 95640 ccatcetcag ctacataget agettgagac cageetggge tatgtgagac tttgteteca 95700 acaaacaaca acaaagcagc agaaggccaa ctggcaagag gagtattacg taaagtaaat 95760 ccatctcaaa aagcaagtag catgtatctt ctitcatttt tttttacatt ctataaaggc 95820 ctatcaagtc atgtatatat gcatgtatgt ttgtatgata tgaaagtagg gggctggata 95880 gatggctcag cagttgagag cacttggatg ctctttcaaa gaacctgggt tcaattccta 95940 gcacccacat ggcagctcac aactgtctgt aattccagtc tcaggggatc tggcaccctc 96000 acacagatat ccacgcacat aaacaccaat gcacataaaa taaataattt ttaaaaaaag 96060 aaattggaag taaaactctc taaggagaca aaagggactg aggggaagtg ggaggggcat 96120 gaagggggag ggcataggtg tgtggtgtt ttaacatgca gaatacactt ctataaaagc 96180 tttggggttc attatgcaat gtatacatgt gtgggtgcaa gatgtaagct gtgcatatgt 96240 gtgggggcca aaggtctcct cctcaatccc tctctgcctt attttcattt aaattataat 96300 tattactatt agtgtgtggt gtgatgtgtg tgggtgtgtt aagccctcac ggcaatcaga 96360 ggatgtetgt ggtetgagga tgetetetta ccatgttegt gtgggttetg tggatggaac 96420 tetggtagte aggtttgeaa agetagtgte tttatetgee gagecacett getggeette 96480 aaccttattt titgcattga acatggaact teetgagttg cetggacage aagteeccaa 96540 gaccctcctg ttcctgcctc ccccntgtcn nnntcacang aggacacacn gcttantggg 96600 thtccggatt gctgchcacc tccccgccnc ccnagcctcc tgcctccccg ccctcgccc 96660 96720 cegetggnee etceccece ecceccece etteccece eccennnnn 96780 nnnnnnnnn nnnnnnnnn nnnnnnnnn nnnncagaca cacacactca aattaaatat 96840 agetetaact getgttaaat teacacteet teacateece aegetaggae tetaaggagg 96900 caccagcaag geecaggtee agettgaett agagcaaage ateeteeee etecacacaa 96960 tggaaacgga cggaaagggg catggaagca gaaccagaca acagcagcct agccaagccc 97020 aggactetge teetteeece catgeetgee gtgcaactgg ggaggcaaag ceecageegg 97080 tgctttctga ccgcttagcg gaagacaagg ggagcctgtg attatgattt ctgctgattt 97140 gcaatgaaac actaatgcag tgggcttttc attaagccag atttattcaa tctaaagatt 97200 ttatttcctt tatgtagaaa gtgcatcttt atatgttgtt ggaggagcag agatgtgata 97260 97320 aaaagaaatt totottatga actaatagca ctgatacata gtggtagcta tgoctaggcc 97380 tetetetete tetetete tgteteetgt geatgtgtgt gtgtgtgtg gtgtgtgtgt atgaatgcac acaaagtagc cccccccat attatttett ctgtgggatc tccagactca 97440 gcaaatggtg gtgactggga agtctggcca tgcaattctt gccttttctc ttgccagccc 97500 aatccctttg cattcaaacc cgggctgctt gctgtggcca gccctttcac ctggagtcct 97560 tectectet tacetgtett eccateettt geagacaatt atecteaata actagecaat 97620 taccettaag gacaattata etettecate agcaaacaeg ggtgttettt cettgagtet 97680 tttgatgaag tcgatattaa agagatgctt tatttacata aagtcaaata gctccctttt 97740 agaagggttt gggttcgatg tcaaagtttt aaaatcttaa ctagaggatg ggtgtagagg 97800 gettttgget agggtagaaa agagatggag atacttatte tgatgttget ttaaaaggta 97860 ggatgcccag agaaggtgga aggatggggg agggagggtc cctcctcaag ctaatgaatc 97920 taaaagcagg gatgagctgg gcgctaggag tggaaccagt cagaagtgtc tgcctttgac 97980 98040 tgaccacage teetgeeete eceteceeca gtetetetgt gaaccgeeag cattaggage taatcgcttc agaaagccag attggaatgt gttgctcacc ctccactgct cagaaaacct 98100 ttattccagg caaggactga cccaaaccga tcatggcatc tgccaatcag gaggccaaag 98160 gtgccggcag ggcgggacct agctgtgcag aaacagctcc gttatggcgc gcagaaaaag 98220 ctggggggaa aggctaccgt tttatctctt ggcagatggc ttctctcttt gatgctttgg 98280

qccttacctg ttactgcctg cacttgactt gacctaggca aaaatagcag cgagatacag 98340 gttctcgaag ttagaaggaa aaaaaaaaag ccccaaacca caacacaacc cggaagtgtg 98400 ccccgctgt gtttctaaag agctgttttc ttcccaagct ctacagcgtg gtggctctaa 98460 teggaaattt etttttaate atageaggag teceaattag egtgttgggt aatetteaa 98520 gtagagtggg agttccgtgg ccacagagag cagaggcaat attcagcata aagccctaga 98580 gaaagaggtg ttgtgggcct gtgcacacat gtgtgtcaac gcacatgtgg cttgtggagg 98640 ctggcttccc actctcaaga tgaggtgtgt gcaccccagg ccttttgatt ctcaaagctt 98700 tattaggacc agagggactg tgtgtgtgga ggggtgttgc tcacagtgca gaaacccaaa 98760 cetggettet ceaggagece acatgecaae aaacaggetg cacactettg etagtacate 98820 ccctaaaggt atggggatga gggaccaagt gctttgcaag acagcaggca cagagttctg 98880 ggacgeteet gtaccecaga etcageegee acceagggee agetetgate tggettgace 98940 tactttcttc tgttgttgtt tttggaagtg ctgatgtcaa tgcagaattc agcagagtgg 99000 99060 aacaggaaag ggcaggcaac aagacaatga ccacaaggtc cctgtaacta cactaactgc 99120 ttacctttcc tgaccccag ggcttagcca atatagctga gacccagtct tggtgctgtg gcttcaggct aagtaaacag ggaagagttg gacatgggtc tccattctct ctcctcatcc 99180 99240 aacaagggga ggaggcagtg gccaggcagc catgcccacc gatgccatcc ttctgggagg 99300 agccagacat ttcaggcacc tctccttccc tgggtgccta gaggtgctgt gtctgcatcc 99360 atetgecatg cetgecatet gagagaggee actgggaett ggtagagagg ttetecacae 99420 atgctggcct ggaggaaatt ggtctttagg gacactgaag gcagtttcct ctgttcagtg 99480 gctccttgga aacccacgtg acagageteg catgacaact tgccggetet caactcccat 99540 tettagetge etcaageact gtaaggttta ggagageece agatgtaagt atggatggga 99600 agacceteca gggagteatt geetaceett etgaacteta acatggteca gettttecat 99660 tecacaattg aggagacgee agacetggea ggggageaag cettigttte tgacecattt 99720 gcaaacccca gccactgagg aacttgcata caagaaactg cctctgggcc tctcctggac 99780 tgagccctgc ctcccagggg acaactgggc aacagatect tccaggtggc tgcagtgaca 99840 gatccatgct tttatgacat agaaaggcct cagtctcagg atttcacaca ctgtatttcc 99900 ctcatcctgg ggaccaggga aggcgagcat cttctgctcc ccccaaacaa gtgtgggaat gattaaaatc attttttt tctgctccat gaactcatac agttttcaga taccgaggag 99960 100020 acaaagccet cetgtgetga aattagacce egaaaaatag gttagetgae aattacttgt 100080 ttetaagtgg agtgtgatgt agtggcagga gcgcaggatg ggctgccagg gctgcagtct 100140 cccccccc aaacttactg tctcttaacc tctcgagtcc ctgggtttct tgccgggatg 100200 ataattetee ceateteet eetetggtgg getggtggaa agegtaatga ateaacgett 100260 gaagcacget gaagaggeca gactegggat gecatgtaag tacacagcat egecagecac 100320 100380 ctctcaagtc tacacggagc tgatttattt acctcccgtg aaagagacaa caatcatcat atttacactt catgeegeag etteetgegt ggeaeggeag caceceetee eteteegetg 100440 100500 ctgaggactc catcaagcac gctgccttgc caggatgaca gcagcccact ctcagcctct cectggeete ettacagate atgacetect geccegtgag gtetgteace egaaaaceae 100560 ggtacaccgg gggctgcagc ctctctatgg gggaggctga ggaaatgaat tccgtaggta 100620 aaaggettee taggaaatea gacgetgeta gtaattaagg agegaageat aggtgegtga 100680 aaggtaaatg gatgttattt aaatgttgcg tcatttaaag agtgtcctgg tgcttcagtt 100740 cettgttace atgeagget gtggaegggt ggeaattagg etggeaeggg tagageteae etgetgaget gagggagggt ggggaeaeae etteeggtaa ttgetgetgg geagetetgg 100800 100860 gtetececae eccegecece geeteacte eccaecece acttettec tgacagetet 100920 ttcatttgca gcagcttaca gggcttgttg cccttaccca gaaaatcacg ttggaagaaa 100980 tataagaaaa agaggaatga aagagaaagc cagaaaagtt catattaggt teggatetge 101040 ggccaaacct ggccgagaga atccatgacg gtccgcgcgc atataaccct gtggcaacag 101100 101160 ggcccggcac aacagggccc gccacaagag cttcttgagt tgccacctgc caggagacag gatgaatgaa tggatcatct gtccttagag cacaagccag gcctgattct ccaatattga 101220 tgtgtgaggg agatgtcaac agaggttccc taaagaatga tgcttctatt tccatgctaa 101280 tectggggeg teagetteag teggaacage eggacegtta eettagetet getgttetee 101340 tgtctgtaac ccgcagaggg aagggcgggg tcacccagca ttgccactcc ccccaccctc 101400 acgtggtcca gacccctctt gggttgatct gctcctgaaa aacagtgttg gctcaagttt 101460 geetetgaag gtatgteace getggeteag ecagettate teeceggtge ttteaagate 101520 aaaacaccca aacgaaagaa aaactttgtt tcaagagcag agtgtggtgc caactctgat 101580 caaagtgttt ttcagcatga caactcactg cccgtgacaa ccagtacttg gctgttgtgg 101640 ctcagagtga gatgcggagg gaagtggatg acaacagctg tatccaggtc caaacagagt 101700 agattcacgg ctggcagaaa atggctgaga gccttgggct gcatccctcc tcccctcctg 101760 101820 cetetetete ttiteaaggt ggtttttgga aatgteette etgtgggttg tgtgeetttt ccatgtagga cctggggcct gtgcagatgg ccctgtgttc ctggtgctgc tgttgagatg 101880 tgaacgagtg ataggaaccc aggcactaaa cacacaatgt ggttgtatct gactagaagc 101940 aaggcaagag caggaggcat tigagggtaa aggagtgtaa ggactgtgta aagagatgag 102000 ggttctatct gggaggcagg agtcccaatg ccagcaaata caatggactc tcctggtcga 102060 cccaaccaga gagaattcaa gatggcagag ggacaggctg tetgagttte etatggetge 102120

accgataaat ggtcataagc agagtagagg aaaaccacag acagaaattc atgccattga 102180 gactagaaat ctagetcaag gttgtgtgtg geagggttgg tteetgggtg tteaacettt 102240 teacactgtg acatgatget gtggtetgea gatgtgttgg getgeateea tagetaccet 102300 gggacacatt catggaccgc aggttacaca tgctatttaa aaactccaag ggaagggcta 102360 gagaaatggc ctggtagtta agtatgcttg ctgatcttcc agaagacctg agctctgttc 102420 ctagcagcca tgttgggcag cttacaacta actatgactt ctgagctcca aagctctctt 102480 102540 102600 ggctcagcaa ttaagagcac tgactgctct tacagaggtg ctgagttcaa ctctcaacca 102660 catggtggct cacaaccatc tgtaatggga tctgatgccc tcttctggtg tgcgctgaag 102720 102780 gaaagaaaga aagaaagtgt aaacgaggaa aattcctaat taaaaaagaa agaaagaaag 102840 aaagaaagaa agaaagaaag aaggaaagga attctgaggg agaatctgcc ccttttccta 102900 acticcaggg ctataggcaa cctgtggcct ggggaagctg tagacaacct gtggcctggg 102960 gaagetgtag acaacetgtg geetggggaa getgtagaca acetgtggee tggggaaget 103020 gtagacaacc tgtggcctgg ggaagctgta gacaacctgt ggcctgtggc agcatcatgt 103080 caacgcetca ccetetgtge ccaattteet gttetetaag gacacatgee atcaaatgca 103140 taggacactc tacatcaaga tgatcttgtc tcaagatgtt taacaaaatt acatctgcaa 103200 103260 agacctatct ttacatgtga ggtcactcca caggttctag acatattttt gaggagccac catccaactc actatgigac agagtcatct agagatttgi gtccaggaca gaciggctgt 103320 atotgototg agagtococt gootgooogt gggaactooc cagtggtoot taagggooot 103380 gaggactttg gatctgcaaa gccacatctt ccaaaaccat tttcctcttt tggagagcta 103440 ctctaccctg aaaccctttt ctctgaggtg gcttttagag aggcaggtct cagcagggca 103500 103560 ctgtgcccac aagaagtccc ggggagaagg gacccaaggg ccagtgctga actatcgctg agactgagaa cattgtgtct cacctaaaat cggtggtcgc aaggaccaag caggctctat 103620 aaatgictta cigcctitat teetitteet eegeteeate tiacteetea tittigittg 103680 tttgtgtgtt tgtttgtttt cttctgagat gtagcccagg ctggccttca gctcactatg taactaagga tgactttaaa cttctgatcc tttcttccct ccacttccag agtcctgggg caggtgtgtg ccaccgtacc ccagctttat ttgagactat gattcaggct ccatacttca 103740 103800 103860 tgcatattag gtaagcatgc taccaacttg gctatattcc cagcctttct ttctttcttc 103920 tttgagacaa tgtcttttt tttttaatta tatgagtaca ctgtatctgt tttcagacac 103980 accagaagaa ggcattggat cctattagag atggttgtga gccaccatgt ggttgttggg 104040 atttgaactc aggacctctg gaagagcagt cagtgctttt aaccgctgag ccatctcgcc 104100 agtecttgag acaatgtett getatatgge acatattgge etcaaactea gaateettee 104160 getteageet cetaaatact gggattacat gtgageeatg gtgtttgget tetageettt etteettee ttteeettee ettteettee 104220 104280 104340 cttecettee ettecettee ettecettee ettecettee ettecettee cttcctttcc ctctctct ctctcccct ctttcttttc tttcagagag tttctctgtg 104400 taatcctggc tgtcttggaa cttgctctgt agaccaggct ggcttgnnnn nnnnnnnnn 104460 104520 nnnnnnnnn nnnnnnnnn nnnnnnaaga agaagaagaa gaagaagaag acaacaacga 104580 cgacaacacc ggcgccgctg cctccactgc catccacctg agacaggact caaatccaga 104640 ccaattttta aaaccagtgt ttcaagccgg tacactgaag tagtagtccc acttgggatt 104700 atageteett actttgtttt getttgaegt tttgtgaeat ggtgtgatgt agtettgget 104760 gtcctagaac tcaatgtgta aattaggctg gccttgaact tgcttctgcc tcctgctggg 104820 104880 atgatagact gatggtgtaa aactccactt aggaggcaga ggtgggagga tcagaaattc aaagtcatcc ttggctatgt tgtgagtttg aggaccaacc ttggctacat gatatcctat 104940 ctcaaaaaga aataaatgta ttgccgggca tggtggcaca cgcctttaat cccagcactt 105000 gggaggcaga ggcaggcaga ttttctgagt tcgaagccag cctggtctac agagtgagtt 105060 ccaggacage cagggetaca cagagaaace etgtetecaa aaacaaaaa caaacaaaaa 105120 agtgaaccc aacagtactg coggacagtc tggtgtcttt cctaagtctc ctttcaactc 105180 tgtttaccca ggtgtaccca caaggtgtgt gagcagctct atacccagag gtgatacggt 105240 tgtttgaatg agagaaaagt ttcccatcag ctcgggtgtg tgaatactcg gtccccagtt ggcagtattg gctggagagg tgatggggag gtgtagcctt ccggtggaga tgggctttgg 105300 105360 gagtttaaag cttcctccac gaagaccact gggctgatct tgttaccaac agaattggat tggcctgctc ttggctccgg cctcagttta tctaaaattt acatgttacc tgatcaaaaa ctgtttcctc ccccaccct ctccctgtct gtattcctg ccctctagtg gtgctggctg 105420 105480 105540 tatactacac tggtgatctt gactgtattt cagtttacct cttgttctct ctctgctgac 105600 105660 tctagagatg tcctttcatg gctgggacct ggctcagaaa tttctaaggc actgagcctt cetecatetg aactttagga aacttettgg ettaaaggtg tatttetgae ttagtatgea 105720 atgagacett ggageetgea etttgttaag caccetgggt ggtggtggtg gtggtggtgg 105780 105840 tggtggtggc agtagtagaa ctctgatgaa cagttagtta ttcaaggccc atctagaaaa agaaaggett tgggtgcaca tggctataac tcagtggcga gagacgtgct tcccatgaat 105900 aataatgatg acgatgaaaa taattototg tgactgttot coccacttoc ctctctca 105960

ccctagctct	tataccas s	tecetacae	aagcacccat	ggggtttaca	gaatctgggg	106020
cggaacgtta	etcacttccc t	tegeetact	tcagtattgt	gtttccagaa	gtacccattt	106080
tggctagtca	atasaassa (raacaactac	ctgtgggcca	ccaqcccatg	ccaagtgagg	106140
tcagcaagaa	ecgaggaaaa (agcaaatgtg	ccaactgtgg	gtctgctgga	tttctactgt	106200
gctaagtggt	ttcaacaact 1	ttettettaa	cccctacaa	gaaaccacaa	attttattat	106260
ctacactgtt	ttcaagaage (acasascacc	attccgaage	tcactgccag	tcagcactgg	106320
aactggaatt	tiglagalya (att cant out	tctcaaccag	ggtggatttg	gactccccag	106380
gggatatttg		taatcatcat	aattgggatc	atotoctact	ggcacctagg	106440
gggatatttg gtagaggcca	gggacacccc	caccttccta	ctatgaacag	ggcagccatg	tacataaatt	106500
gtagaggcca ctctcgatca	gggtggtact (actactaada	ttgagaaatc	tcaggctgaa	accctgtcat	106560
ttggccttga	aaacaccaac o	agegeedagg	anantogaat	aaaatcagaa	gggccaccac	106620
ttggccttga	agtgaggagg (aggaggccag	cctatoctao	ggataatgga	qaatagggca	106680
agaggeeteg	acttttcttt	cttccaagget	taactagaac	cctgctcaat	ttcccccaac	106740
gcttgttgaa	cagtcccggg	acttcacact	aagtttgtcc	tagagtgacc	ctgactccag	106800
tetgeeaage	gggcaacaca	tttacctaaa	tetteccagg	agtgggttaa	aagtcaaaga	106860
cttggagetg	ctgagaagtt	a a a a a t a a a a	tgagtgggta	aaggcaggag	gaccccatca	106920
taagtggcat	ctaggaagga	adadgegggg	tgaagcagca	aagagctggt	ccaggagact	106980
atcagctgac	ccactaggct	tatcttccac	ageetttett	gtttaggctt	gggctcagtt	107040
ggattetgae	atccgcagga	accetagaa	cacccacatt	cadccddccd	ccaggacagg	107100
tccctgcatc	gtggcctccc	cactaactga	cantontoac	aggaaatatc	tcccattcca	107160
crecedagea	aagtctgaat	aadtaadda	cagatgttgg	ggagaggcgt	cactcttggg	107220
atctcctcag	aaagatcatg	angenngggn	attttacccq	ctatagttag	ggttccatta	107280
ttgatgaaga	cggggttgag	adaddaacac	agaaaaaagg	agatggagaa	qqacagacac	107340
ccacccatgg	ggatgtggtt	agggaaggg	catecectaa	ggtcgaacaa	tcagctgtta	107400
gtaagaagga	aggcaggaag	tctccttaaa	gacacaatat	tctgaacgtt	gaactcagga	107460
ctggggcgga	gcccagcagt	caccttagtg	gagcccatac	ttaatttaac	acagaagcgg	107520
tttgaagcaa	cttccctctc	atttctttat	ctcagatgct	ctcacttaga	aagcttagat	107580
ctatctcagg	atgactcaaa	actcaacaac	cccaggccac	aagtttctct	ttgggggtgg	107640
getettagaa	aagaggtggt	cccantetto	tccctttaaa	taagcaatto	agcagctttt	107700
	+~~~++~>++	tegattttta	CCCATCCCCC	gcctttcaya	Cicigating	107760
L		tetteattaa	fctccacctt	Luddallall	Lucutaagua	107820
cccctaggga	aggageegee	ttcagagag	gggactgaat	qqqtqttaat	cttagaaccg	107880
ggcctgagtc	tastactact	ttaataaaa	tcttccccta	atttttaaaa	agacgettee	107940
+-+-+	+aaaaacaaa	teetttatta	agaacgtqcc	ccctgagaag	ccgcgggccc	108000
	22424444	attcactaga	aaagatttca	Cladacticat	, gagggataga	108060
at a ga a cet ce	antraaratt	agacctatac	gggtgacatt	Lighteeccale	ccccgaagac	108120
at aga agt ag	ctctccaata	aagactgggg	rccatacaaqu	gacaguygu	CCCacacaccc	108180
422222222	aagtectatt.	totogaaaaa	ı aaaaaaqact	tegggigii	: Lyclycatcy	108240
~+~~~+~~~+	+ccatctta	ghtctactca	ctcctqttqc	Licgogradu	, coacceege	108300
++-~~+	cctcctataa	atcadttttc	r aggctaaaaq	aagttccaag	aaggagggg	108360
tataaccett	taaqqacttc	cccacaacca	, agtcagagau	. Cagillaaa	atyccaacce	108420
202020000	ctocattcto	ggaagetgag	, totcaccgua	agaacttta	, cyaccygaac	108480
	+	tatacttcct	- totactctt	. aaactqtaq	Ligacycaaa	108540
	acasattcacc	taddccdadd	r ottaoccaca	ccttttcage	, calleggerag	108600
++~~++~~++	aataaacata	acttagaga	a defectedad	, ycaaggggg	. ggcccccc	108660
acaatcacac	cccadacdcc	Laallaada	, ugagtaaget	. 9499-37	, -,	108720
taaatataat	cacattaccc	agcaatggg	c ggtgattgg	. ccrgggrgg	c ccaccegeag	108780
ctcatacata	acdacdccdc	cagctgatcg	g gagactggag	, coggracyc	y cryygagagaag	108840 108900
aassasas ca	_ dadcddt.cdd	ccatacaaa	c addredead	. yaccciycc	c ccccgcccac	108960
2002200000	* ***********************************	tcaggtggg	t gratterqq	a gadddyguu	a ccccgggggg	1099020
a a concont a	accodotoat	gaagaaaat	a qqqtcctga	ggccacacc	c egeceteery	109020
addasadda.	usaaaaacaa	caaaaacaa	g ggcgctctt	j ggagaggag	c ceggaecee	109140
ccasatsata	, tototogaco	r tttaaagag	a gagtcccgg	a caggageey	c ggcagaagge	
ttaaaaaaat	. aactddddad	gaatatgag	a qqccaqaqq	g ccgggggcg	c ccaaccccga	
caccetttac	, tttgaggatg	rcccaacta	a ccatttage	c cagggagga	c coggacgage	
as against acc	, gaggtgcatt	: occtctacc	g gegetgaeu	g ggrcayyyc	c ageceauges	
cetaacaaa	, aaggggt.cgc	: taaacaatc	c ddccccrcc	t cacquation	c cccggggacg	
++-+~+~		. aaggagtag	a aaacaacaa	t geggaggee	t tatgeauce	
aaaaattaa	, atttcacco	: aaattaaac	a daddriigg	g ggggcggac	a ggaggagege	
ctacaaacto	- tacccocaco	: ccccctccc	a gcctaacty	g clyttigg	a cagagass	
at cacettte	r cacctcccc	: ctagtatgt	c cootagaga	g geeectage	c cgggcccggc	
ctaactacci	t aaaaaaccaa	ı ctaactaaa	t gagacaccc	g ggilagica	c cgccgggcc	
cctctctcc	c cacctcctg	g ccaactctt	g gcccctccc	t acggeered	g gttaggctaa	
cgttcccac	c tecetetgge	c cctagtttc	a grececaac	. cacceggee	t gtcaccctgg	

ctgttagagt aggctagaag ctgtcatggt gccagagagt tgatggagca gctggtcaga 109860 gggtcagtgc cctgggccca ccccgccccg cagccaaggg cacctgcttg gcacaaactc 109920 tcagcagcca gtgaaccctg tggcctgaac agagctatcc tgggcagaga gaagtggaca 109980 gagactgate acctaggaga aggaagatee gacaaagttt atactteeca agaggetttt 110040 ggaatttgaa agttgcccac cctagtgtaa tctttccact ctctgaaaat agaaatccca 110100 aggcaaagte teetiggeee ttetatetgg cagtggeeat gteettggae tgaetgtgea 110160 gaaccaccet ctegggetec cageceteta geetgecacg ceeceagee ceteectgag 110220 ccatgctgta gggccccggc ttttactgct gattcatgcg ttggaactgt gggggcgggg 110280 ettggaactt ggaacaaagt tcagacgtgg aggggccggc agacagcctg gaattcatac 110340 cagatgtacc cggaatgtgc aagcggaatg cctggcatct ctagtcctga ggaagctgcc 110400 cagecacect acceatacet cectecete etgeetttgg teagetgtee teecteagae 110460 tectgagage ecetgetgae ettecaacte tagtgeeeet eceatteeta accetacaca 110520 aaccctcctt gctgctgaat tccctaagaa caagtcattt gagttgatca cagagctcat 110580 atttctgaag tacattttt tttttaactt gggacttggg ttctacaccc tgccctttga 110640 atgccgaaga tgctgggctc cttagcaggt tgccaagagt tgccagctcc tagtctgtaa 110700 aggggcacaa agcaagtgca tttagaagcc tcttgcttct tattcaagaa cccctcatta 110760 gaaggtactg aaagtcagct agagccaggt ttggatggcc tctgggtcgc tggccctgtc 110820 acccagettt cetgttttt tttttcctcc cettcctttt aggaacetgt geeteccaca 110880 ccctcacctg gctgagccgc agtagttctt cagtggcaag ctttatgtcc tgacccagct 110940 aaagetgeca gttgaagaac tgttgeecte tgeecetgge ttegtggagg aagaggagaa 111000 gcagcagctt tgcctatcat ccggaaggtg acagaactgg ggtgggaagg tctggacagc 111060 tggggtgatg gctttatggg agggaaaccc tggtcctctg gggagccctt acccccactg 111120 gcccagtgaa agatttaggt taaaggcact gtctataaat tgggggaatag gtgactccac 111180 ctccccaaga ttagttgatg tctgtgtggc agtgggaaga aatagaagga aaagtctgtc 111240 tgtttactga gacttccttg taggcctgcc tttcttatct tcatcatcac catgccaaca 111300 111360 cacacacttt cotttocatg aggtocaaaa gtaaatgtac toaggaaggg ggacattgaa actoogttot aagtagtoat ttgtgtattt actttttttg tttatttgtt tgattgactt 111420 111480 tegagacagg gtttetetgt atagecetgg etgteetgga acteaetttg tagaetagge tggeetegaa eteagaaate tgeetgeete tgeeteecaa gtgetgggat taaaggegtg 111540 111600 tgccaccacc gcccggctgt atttacattt ctttatttat ttttagtctg gcccagattt 111660 tgggtttagg ggtacttacc cttacacctg tggatttttc cacctgtata atggggaatc 111720 ccatagataa gtaggcagga gggcattaaa agtccaccag tggtgactca gagcctgggc 111780 tettettett etegtggatg gaaacgaaac agetetteac atgaactgtt gteetteece 111840 cacccctga ctactcaccc agctcagggg gattaggatg gaaggaaagg ctatggttaa gtcccaggca agctcgtggg aggctagtcc tctactggct tctcaccatg catgggtggt 111900 111960 ccaaggettt ecetecaeet aaagcaaaac tgtagetett ggttgggtte tagcaaccae 112020 tgccatttat tttctgcctt tgctttccag gatagtgaga ctctgctcaa tactgtgcag 112080 gcaagaaatt gtcaggggag atgggttgta tgatatgagt cccttctgct gcctctagct 112140 cetgatteat teteaegtat gggetteggte tetgattgtg gtteaeettt ggeceagtet 112200 tcctaacaga agatgggttc agggggtaca ggaggctgtt tgttgtattt gacaggagga 112260 ggagttctag cctgttcccc atttgtgaga aactgaaagt cataggggag actagatcat 112320 ctaatccagc cccactgcag tctaagctga gggataggat gtgtaaggga ctgtagcaga 112380 cgggctgggg aggctgagtc ggctcacaca ttgcgacaaa gattgccctt ccctcgacct 112440 112500 cgcttgcttt ctttcctcct cccttccctg gccacagtgt gtccctccag cactgggtac atggetetge tgteeteate caacatggag ceteagaggt gagaaaggge ageetggaag 112560 caacagagge aggcacaaga cagtggagga cctggcctgg aaccacaagg gcctatccgg 112620 acattggtca gagaggcacg tagaagcctg gagaacacca ggaaagagag cagccagcca 112680 112740 gcctcagtga aagacacgtg cttccagcca tctcctctca ggacctgcct tcctgggaga tgaagggeet ccaggaagta tggtcccatc tctaccetge agtttctata aacageetca 112800 aggagcatga gccacctctg aaaggaaata cacagcaaat tcaaaaagag attcaaatgt 112860 gtaacactgt gggaaaacat atctatgact ggggttgtag ctcagttggt aggtttgctt 112920 aacatgcacc aagccctggt tctgtcttct gcattgcata aaactgaaca ggttggccca 112980 ggtctgcaat cccggcactc tggaggtggt ggcaaaggag cctacattca aggtaatcct 113040 ctgctataca atgagttetg agccagectg ggetatatga gaetgtetea aaaaataaaa 113100 caaaataaaa taaagcattg gttagtaatt caaagaaagc agatgtggct gaaaccgttt 113160 tccctgatca taatacaaca agcaaatgaa agccagaaga aggctcctgt gccttgtgtg 113220 tggcagtacc aaccattgtg agagatgcct ttggacctgg tagtttgctg tcttagaaat 113280 gtatcctaaa ataaggattt ggttataaaa tgttcatctc agggttgtaa tagagaaaaa 113340 tggaacgcag ctgtttgttt ggaagtccat tccttttctg ctgtcatgaa aatgtatagc 113400 tagggettge ctaagtaaat tatatteate tgatggtggt gttetgtgea gecatecaaa 113460 gtcttacaga agaaaaattg agtggaaata taaatattga atactaaaaa gattataaaa 113520 gtatgagttt gtgactgttt ttaaaatatg aacacatact tgtaatatat ttttttaaaa 113580 accatccaat tgagtggaaa tataaatact gaatactaaa aagattatga aaagtatgag 113640

tttataacta	tttttaaaat	atgaatgcat	acttgtaata	tatttttaa	aaaaacactg	113700
agagtggatt	caaaatotta	agaatggttg	tttttgtatg	gtgggatagt	acaattgtga	113760
attttcccct	tattttttt	gtctttctaa	tttttaaata	ttgtgcattg	ctttcatatg	113820
ttaaataaaa	tacaaaagac	aaataaatgt	tttaaaattt	ttactcttt	atgagtgttt	113880
tacctatasa	toocappaat	ccaacattqt	cttctqaaag	cagctagcgc	taacttctga	113940
accatctctt	cactecetet	gtaattttta	aaaaatatat	ttgtatgtta	tattatgtgt	114000
ctttatacac	cadadtatad	gtgcacattc	tgcagaggcc	agaagagggc	atcagattcc	114060
ctagaactac	acactattta	gatcttctga	tgtggatgct	cagaatcgca	ctcaggtcct	114120
ctagagagc	agcaaatgct	cctagccact	aaaqccatct	ctccctctag	tecteatige	114180
catotttaga	ttttggagaa	tttgcttgta	ggaggatggg	ctacaccaag	tgccaggtga	114240
aagaaatgt	ttacttagga	tacctattgc	ttcttgagtg	tgtgtgtgca	tgcttgtgtg	114300
tgtgtgtgta	tgtgtgtgtg	tacactggag	ctaggaatca	tatccagggg	ccttttcaag	114360
ctccaccaca	ctaaaqtcaa	ttctatgaac	ttcattaatt	gtctgaatcc	acctactete	114420
tacacacagg	aagcattcct	ctgactttct	gactgtcagc	cagctaagga	ggtgtggctt	114480 114540
agaataagaa	agaagggaaa	tgctcaaaac	ctgtcactct	ntggggnnnn	nnnnnnnnn	114540
מתמתתתתתת	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnnn	114660
nnnnnnnnn	nnnnnnnnn	nnnnncccc	tattttacca	ageattgeag	gataaataag	114720
aacatagctt	aaagaattct	agagaaaaa	aaaaaagccc	atcharges	tattaatata	114780
ttaattttta	atgggaaaaa	gtaatatcaa	agaaatecat	gcccacygca	cattttaacc	114840
gttaatgcaa	acaggacaga	ttatcttggc	caaattaac	atacacacac	aggtgcacac	114900
taaaagtcat	ctatttatac	gagatgaaat	gtgaattage	ccasataact	ctttaagcag	114960
atgcacacat	acaaacagag taagctctaa	tettttatt	otogtgaaag	ccatacaacc	tatgacagaa	115020
taaataattt	gccattcttt	adillaadaa	tecessagg	totcataato	totatectte	115080
tgctgctttt	aaggagcaca	tagtataaag	taataaccta	agttttacac	ccaagtcaca	115140
ttagaaaagt	cagcaatgtc	atagaccatt	tataaaaaa	cccacactaa	tectgageaa	115200
cgtcagcaca	ggactggtac	gaggtgagg	taacaataaa	· caccacttto	gactgtgtcc	115260
caactcactt	ctgcagcagg	ccaattccaa	cagggggggg	aaatggcttt	gaggcaccat	115320
caccigaagg	tgcagtggaa	cctatgcaaa	cacacaggaa	aagggcagtc	attcccgttt	115380
tatttctcge	agtgaatgta	cangcaccat	ggcacgcatc	tggaggtcag	atgataatct	115440
caaaaaaatc	caacttttgt	gagacaggct	cccttcattg	tcttcccacc	acacttgcca	115500
auttagggg	acaageteee	aaggagtatc	tgctctccta	agggcactgc	catcagagac	115560
actotoacta	ctacacctgg	cttttaggtg	ggttctgagg	atttgaacgc	agatcatcat	115620
aattatataa	caaattttta	ttcaccaage	cagacaaccg	ttttttaact	tttttlaaaa	115680
aaadatttat	ttttatgagt	acagtgtggc	tatcttcaqa	cacaccagaa	gaagacacca	115740
gatoccatta	cadatootto	taaaccacca	tataattact	. gggaattgaa	ctcaggacci	115800
ttagaagagg	agtcagtgct	cttaaccoct	gagecatete	: tccagccctt	atttaactt	115860
taaaaqttta	aaattaattc	tcattatqca	cqtgccacag	ggaagtgtaa	cataagcaca	115920
tatatttaaa	gtatatatgg	ggatgtagtt	atqtqacqqc	: cagaggacaa	ctctgtgaag	115980
ttgattcttt	cctttcactg	tgggtcctcg	gagcgtcaat	. agggtcagca	ggcattttac	116040 116100
cagctgagct	: atcttgtggg	ccaccaaact	. tatttttaaa	aagctagaag	ttggttaaag	116160
agaaggaatt	: catgtaattg	aaatagaaaa	gcagagttga	agagggagga	gaggaggtga	116220
gtatgatato	, gtaagaaaaa	ccaagaaaaa	acctctacaa	gtaaatetag	tegtgtteca	116280
cagatcacta	ı tgttcaagga	tggtgtccca	gaaaagggc	. ccaaacaac	gcccaggaag	116340
taatcaaaat	gatcccatcc	agacctgcta	. cagagaage	, ggggggaagg	agggagaggc tccgtgatac	116400
cctgtaacct	caagtccccg	ggcagcacag	e agageege	tagcagaag	cagaggeete	116460
aggacaacag	g gatatetgag	ccatcatcae	. catcatdaac	atatataga	aaaagggtgc	116520
gaacaaaac	aacaacttta	: acactacado	ttccacctq	gacaaaaagt	cacacactac	116580
acticigggad	taagegeeac	tatcacacac	tacagette	acagtcagat	tatttttctt	116640
ctacccac	e aactacaaa	atagagaca	ggtacaagg	aacaggggt	g agtgggatcg	116700
gagtacata	a totoaaactt	acaaagaac	: aataaqttaq	g gaaagagaga	a tgaagacata	116760
gaagecatge	r ccaacaacco	: cagcactctc	gaggcaggca	a ggagggtct	c catgccaaag	116820
gtaatgaatg	r ctatotctaa	agagatgata	a aagtcccat	g agagttacaa	a agtcagagga	116880
gaaacttgg	a cagaaaagc	: aaatgtaaca	a aatqcatqg	t aggtgggga	a aggrggggar	116940
ttaaaadaa	a titcacaaaa	aggcacagaa	a totaaqqtq	a aagcgagcga	a ctaccagata	117000
aagcatcaa	r taagaggagt	: caggaacagt	t gtattttaa	c tacctttat	a aaaaaaatac	117060
teagactag	t gagatggcto	: agcggttaac	g agcaccgac	t gctcttcca	a tggtcctgag	117120
++<===++cc	c aacaaccaca	a taataacte	a caaccatcc	a taacaaaat	c tgatacggic	117180
ttctccctt	a tetgaaggea	a octacaaoto	g tacttacat:	a taataagta	a ataaataaal	117240
324424433	a aaatatoca:	a taattogaat	t tattcttq	c aattetaet	a cgaacggagc	117300
++++~++	+ attatttati	ttccgagcci	t otttcatot	a atccaaact	g gcctggaacc	117360
tactasata	a tamaamata:	a cottoaact	t ctgattccc	c tgtctccac	c teceaagige	117420 117480
tggcctagg	c tactctgcc	t gactcagge	t cagtgaatt	t tcaaacact	g cttcaacctt	11/400

gacccctaac ttccatctct tgggtcccat cttacccatt cccagactcc cattctgtgg etggggettg etggetggtg gtgtegetge agaggetggg gaagggaetg ettgetgetg etgetgetge tgetgetget getgetgee atateetgga gateaaaaca ggecaattea 117660 gtgcaaaccc agtcaagaga tttcaacacc agcagtaaat accttaggaa aacccacctt 117720 tggctcttag aggagcagac tgcaccacgc tgcacaccct gtgtctgcaa agggctcact 117780 tttttgtctg cgcatagtaa agactggttc catttccctt tcaactgttt agaattgaca 117840 gctttcagtt ttaatgaggt tctccctgaa gccttgccca tttctccttc aagaacctgc 117900 agtaaagtca ctgggctcaa tctgtgatac taccactatt tccatagcaa caaatcgatg 117960 tcatcaacag gacggtgtgt tcgtggcagg atccattaga agagaaagca gggtggtaag 118020 gaaaacctaa aagcagttca attgtctctc aagtgctttg gcttcaaagg aaaaggagac gtttacaaag ggttctaccc tttcccccaa acaaagcaac cttattttgc aactgacagc 118140 tggtggaaaa tatgagttga aagagtctca ggtaccgtga agtgctagtg aactgtcaca 118200 gcagggagag atgagaacag agttcagaag cagccgtgtc aaggcaacag ggagataaaa 118260 aggagggga ccgagcacgc ttctaaagca gcaaataaga cgcgccaccc tgtcggagtg 118320 tgtatttgcc cttcaccctt tatacaaatg tttaccaagt tgaagaatgt taacattgta 118380 aattgcctac cactatttct aaaataacga gtttatgggg titgattta cttctgtgat 118440 tggctctgaa ggctgaagcc agcctcgttt aggctgctca cctggagtgc ttgtagatga 118500 caaaggcage taaaaaaaa aaaatgteee agageteetg aaacactaaa actggtgege 118560 acaggcagga agtotocott gocactgagg ctotocotto tocaactgta agttotaact 118620 cctgctgggc ctcctgaggt cccaactcac cgggcatget acatgcccat ggaattcatt 118680 tttggcaaaa ttactcttaa gtagctcaag gaatgagacg taattgtgtt gctggagaca 118740 aatacattca gcacaaagtt gagaagatta aatagaattg attatgcttt agttcatcct 118800 118860 acagagagaa aaagtgagac acctatttac ataggagagg ggcccaggct actgacaatg agecetteet ttacagetea geetteecat tateacteaa eteagacaee cageceagtt 118920 cagtctatgt gaagcatttt taaaatcagc aagagaaagg tgagttgctc agtagtacac 118980 tgaaggaaag tagaaatgag cacacagtga cetgetgeat aagacacagt ttaaaaggtg 119040 acctatette cagegaagtt ettgeettet ttaaaaagaa tgtggtattt getggtatgt 119100 gcacctcacg aaggtgcttg cagctatgtg gagggcagag accatcctga gggaatcggg 119160 tctccttcca ccagagtcct agggatggca caaaggcacc gggcttgaca gatgccttta 119220 cetgetgage cettteccca geeteteett ttetacagte tecaaattae etgaggtagg 119280 agecteatte teagaaceat ttetgetgeg catgtetgae tgaactggat atggteacte 119340 gactcaattt ctataaaaag ataactgagg agccggcttg gttggtagag aaaacataaa 119400 gacccgagtt ttgttcccac atggggcgtg cgtgctagag aggtgaggac ggactaggca 119460 gggagcagag gtaggcagat cccaggcctc aatagccagg cagcccaacc tgagctctaa 119520 119580 gttcagtaag ggagcctgta accacagaag acactgtgcc gtgtaaccac ggcaagcggc ccgctgcagt ggcatctgct catagccaca gctacccagg aggctgagcc acaagactca 119640 ttgaagetgg aggtcaaggc cagcataggt accataggta gacccccatc tcaaagttga 119700 acagtaaaca tatattttac tacaattaaa aaaacaaggc cgggtgtggt ggcgcatacc 119760 tttaatccca gcactcggga ggcagaggca ggcggatttc tgagttcgag gccagcctgg 119820 tctacaaagt gagttccagg acagccaggg ctacacagag aaaccctgtc tcgaaaaacc 119880 119940 aaattttcat tttttataaa aattacagtt ataattttta gttgaacata atacaatgat 120000 aagtetecaa ettgataate tgaggetggg ggtgtagete atttagtaga gtacetgeet agcagteget aagteeggt agteeettge etgtateeea gtgettgggg aacaggeaga 120060 120120 aagaggacca gaagttcaag gtgctcctcc tcttcaggta atgaggagtc tgagccagcc 120180 tgggatgegt gagacacacc agtaacagca actactgect ggagtgetea etetggacca 120240 ggaacaagag ttaagtgcgt tactcccgta actgtctgca caatgatgga gacagtacgt 120300 catctttaac atctttggct gagaagagaa aacctggtat tcctcagctc gttctggcta 120360 agttcatgta cttcatcatc atgcagttaa tttgtaaaca accaatcctg gcagcaataa 120420 ctctaattat atagaacata agatgtggta attaggaaaa gctactaatc cacttaatag 120480 agtaacettt atetettgca aatetggtac aagagacagt cecaaateaa atgatggcaa 120540 gaattccaga gcattgtaaa tagcagcaat tgcccttcaa ttaacgcatt gtaacgcagc 120600 agetgeceae aagaceteaa ateaateagt etatagetaa ggaaaaatet ttetaaagee 120660 aaaaccattc tacaaagcag taacgtaggc tccgtttata ataacctgtt ttgggccacc 120720 120780 tgcaaatcaa gctatcccag gaagccagat cgtaattctt aggctctgct ggctacacac tggtcccaag ccatgaggga actagattac agcaggctcc gccctcggtg acctgctcat agctatcatt cttacagtct attatggcaa gtgagctctg ggcagagaaa aattcacaaa 120840 120900 caaacccacc aacttcccaa gcaagcattt tcttaacaaa cacaaagaat aaataaatag 120960 agcctgccat ggtagtgcac acctgtaatc tcagcatgtg ggaggcagag gcaggcagat 121020 ctetgecagg agttecatge cageetggte tagacagttg caagateaac aacgetatat 121080 ggtgaggccc tgtctcaact cccaaaccac tgaaaacaag taagacgata tggatcaatg 121140 caatatttet cagtteetae tgacagaaaa tggacacaat taggetgggt ataatteeaa 121200 tatgaataat aagtatatta tacagtacct agtttaagtc tgagcaagat attatcgcca 121260 acagcacaga tacaggacac acacacaget gcaagegtga aggatttaaa ggcacccate 121320

	atgcagcatt	asctatet sa	ttttatttcq	cacactttga	atcatccatc	121380
cctacagtat	caatatggca	gactytttag	aatgtatatt	tacattttaa	tacataataa	121440
catttttgct	agcctgggct	gtagtaataa	actaactcca	atagacttct	gacgtaagag	121500
aattcttact	agcttccaga	grates	ctaactttcc	ttctcaacct	ccctgaage	121560
gcgctggact	gtgaaaggtg	ggatgtaaat	24445CCCGG	atcccatagt	ggtttgagta	121620
ctttgctgtg	gtgaaaggtg	ctgtttttga	agecacgaca	aaaaaccaaa	accaaaacca	121680
acaatactcc	tggcttggta	acaatgccaa	addacaccaa	actccctatt	ttttgaagaa	121740
aaaaaagcac	agageteaca	tctgagccaa	aaaaaccyac	anthancage	taacaacaac	121800
ctcacagaaa	tcaagaagaa	aaacaagcaa	acaaacagca	cataatagge	catttacaac	121860
aacaagtcca	cttcagaggc	caaaaaccaa	aaggcaaagg	ggcccccaaa	catcaattct	121920
gacagacctc	actcagaaca	caagctatag	ccatgatact	gererreate	caccaacccc	121980
		+ ACTAACATA	aci occasua	uaccaucucu	CCCGCCGGG	122040
	actataacaa	acagaggaga	atotctaact	gtgtctgcca	accacaggea	122100
	taacccadca	arcacticto	acaaaaaaa	CCCaccccgc	ccgcacacag	122160
atatacccaa	gaggtaattc	actocooctt	ctggtggatc	TETETECCE	Citycagige	122220
++~~~++~~	attaggatca	adcacacttt	tatagtcaga	qcacqqaqac	aaaayyaccc	122280
	ttaattaaat	aaacaacaga	acadccacac	cagaactgct	ggggggcggg	
	AUS AUGUS SUU	dagagaaget	agaatcccag	CattCaygat	gcagaggccg	122340
atassassat	ttcaggctca	atcagaatat	aaggtaagac	tttatttcac	adadatadat	122400
~~++++++	aadaddacad	aaaaaaaaca	gcgtagagaa	Clagdialici	cccacycaaa	122460
ccatataaaa	tacaddadca	gcatttgcat	ttggttactt	ggcgaatagt	cccggcagga	122520
+	ttaaactdtd	ttatctataa	agggcagcag	tgggtgcaca	argeageggg	122580
taggagggga	cccattgcac	accataattt	tgattacaaa	gtcacgcagc	LULAULLAAA	122640
++	aacattaato	cttattaaaa	aaacagggct	gcagagatga	Lygottagty	122700
~++ ~ ~ ~ ~ ~ ~ ~ ~ ~	cadedeceat	atogaggete	tcagccatct	gcttctccaa	ttccayyyya	122760
tcacc	ctcttttaac	cttcaagagc	actocatoca	catggtacgc	Liacciacac	122820
agetaacyce	: attcaaagaa	aaatacaaac	toctataaaa	cccatatatg	accatcttaa	122880
	. +++++++	acadddtttc	tetatataac	cctqqctqtt	ccagaactty	122940
gattettea	caggctggcc	tccaacccag	agatetgeet	acctictacct	ccacagtgct	123000
ctctgcayac	gtatttaaca	cacacattat	acatatette	cttcttcttc	ttctttttt	123060
ggaattaaag	gtacttagea gttgttttt	gttaagtttc	aattaaaaaa	ctacatagtt	ttataggcaa	123120
aaagcgttt	aaatgccaat	gtcaagteee	taatatatac	: atatataaca	ttctgtaata	123180
acataatta	cacaacttat	atacttaaat	acaattttca	caataatgaa	aagctttgaa	123240
gattcactca	ctggatacat	tagaaacgta	cctgaaaat	cocaaatgac	ggttttcatt	123300
atgaagacti	c agacattagt	. cagaaacgca	aaacttocat	aaaggctctc	ttctctatca	123360
tcttgtgt	agacattagt attgcagtgg	. grgagrgree	. acctoraacc	· taaaactcct	attecttage	123420
cttcctacct	a ggcagcaagt	cacacacaaata	ctcctgtatct	acctttctto	gaaccaatgt	123480
tggactaca	g tgtgggcact	. cccaycaacc	catagetact	gggactagaa	ctctaatctt	123540
tataagtgt	g tgtgggcact	ageeregera	taaggeeget	ttctaccctc	attagaattt	123600
caatattag	g catcaagago	: ccccaacty	, caagecace.	acacacacac	acacacacac	123660
cttgaagcaa	a aagaaactca	t cagalggica	gagettaca	accactoto	acacacacac	123720
acatacaca	c acacacacac	tcacacacca	aggerrage	- accaecaeat	aaagggaagt	123780
gcggtgagg	a actgtaaaa	taaggtgtc	gyaaageee	t staattacct	gtgtcctctg	123840
gacaagcca	g ggcctctgc	ctcatcagct		acggeegeet	acagcaaacc	123900
atgccaggg	a ccactctaa	atggagctgg	gatgggete	g agaggeeee	ttattaaagg	123960
agaagctgt	a gagagttga	t ttgatggati	ccaaagtag	g gggaategat	ttcctttatc	124020
gatatgggt	c agccatgct	c tagtgagtg	g ccccacacc	n accounting	atgtgtggac	124080
agcacacac	c ggacctggc	a agrcaataa	a acadadaca	a aaacaaacaa	a ataaacgttc	124140
taataasaa	a taxtxxxctx	r rearaatta	a daddididid	c quacturery	, caggaagaa	
gtggctgca	a agaggacaa	a agtctctgg	a actgatcaa	a aggtgatgat	t gcttgttatg	124260
agaactggg	a agtacccgc	t gggacagaa	g cagacicity	a aggregation	g gacagagatc	
acagaagga	g agactggtt	a toggaggaa	a totgaaaca	- aactegacg	atactggtcc	124380
aaactggtg	c ccatcacta	c aacagcagt	a attgaattg	g gcacaacac	t cagaaaacag	
aaaaaaact	a cadadtacd	c accetooct	a tcatcaacc	c aggogatic	t gycactatty	
~~~~~~~~	c acactocac	a aaaggaaac	a aaaagttat	t taacaaaac	L CCCCayayca	124000
+~++=====	nsssssss c	a aagccagac	a tagagatac	a cotttttaa	e eccaycacce	124500
20020020	a aacaaataa	r ccaddadda	t ccatgagtt	c gaggccagc	c eggeoligiac	124020
ant agatte	c addaaadcc	a ddcaacaaa	α aaaccctqt	c ccaaaaacc	a ccyaccygyy	124000
242424423	a tamatecaa	a aacaaaaa	o agagagcag	a qaqaqıyyy	y yuuuyyauyu	124.10
caccattat	t aaatgacag	c agaaaagat	g ggcccgacc	a atgacated	c agaaatggca	124000
aanatnaaa	a aataaacac	a agttctaaa	t atcattica	a taatygety	e graceracea	
acteattet	t attatecaa	a caaactaaa	a cadadarqq	c cgggailla	c gyccayccay	121520
as at sasat	a agacactor	t ttaaaaaa	ic aatagatgo	a coctaacca	t LaatCayCyc	124300
+	+ +~~~~~~	a anthomocco	a adaadcctc	rt dectataaa	c ccaacttycy	123040
aggact cas	a cccasaaat	t maactmama	a catctcaac	ra caaagcaca	g gcacaacce	120100
ttacaaaca	ag tttaaacac	a ataccagca	a taaattgto	a gctttatga	c agataggctg	123100

acaggcatac cacaaagatc gggaagaaga aacgggattc ttgcacaaca ttttacaaat cgacacaget gageetagtg acaggeegtg ataageteaa aacatgeaca etgeaaacae 125280 cacagcatgg ccagagtgac agggtcacag caatacagca acagagacag taagaaacat 125340 tggaaaaggg aagaaggcaa agagcaccac gagagaaaag ttaacccgcg attccatatg 125400 agggcccage atecetetee cacetgacag agaaaaccag gaggacgcag etgaaacact 125460 gtacaactat aaatactcct tcctagtgta gacagagttt accaaagggt atcgtaatct 125520 gaagcacaaa cataacactg taagttacca gaagtttaga cacgttgaga atttaataga 125580 agttgagaca tcaaacacac gtttgatcct aggggaatta aattattggt aacagaaaag 125640 ctetttacaa agtetecaca tttataaace aaatacaett gtateagaat tgttgtetga 125700 gccagaggcg gcggcacaat ggtggctgag gcagcaggat caagtctgga gaagcccctg 125760 125820 ggtccaggga gcactagtga attcaagtaa acattaaaca ttaaataaga aagacggatt ctacaggage ctagacacce tgtaaggtca gtactactaa gataccaaaa ccaaactgac 125880 tcagggggct gatgagatgg ctcagtggct aagggcatgc actgctcttg cagaggacct 125940 gagttcagtt cccagaaccc gtatcaggca gttcgcccac ctgtaatgta ccagagaccc 126000 taaacatttc tatcctccaa gcacagacac acataaacat aattaaaaat aaatcttaaa 126060 aaaaaatctc tcgtggacag acagcaaaaa atactgaacg aaatctaatc aggtagactc 126120 agcaaagcaa atccaaatat gcgaaaagga taatacaatg caaatccaga cttatcccag 126180 aaaccccagg tegetttage atccaaaaaa ttcaatcate ataattcace gtattageta 126240 accgaaacag aaaaggcatt tgattattaa taaatacagg gaaagcattt gacaacattg 126300 126360 accattcact cttaataaaa atgttaccaa acaggagaaa gaagtaaaat ctcctcaacc cgatgaacag gaacacaaac tggctgggca cagtggcaca tcctgaaacc ccagcaccca 126420 gatagetgee agactggget ggeatgagaa ccaagggtaa gaggeaccea aacaettaat 126480 gatccaaggt gctgcctccc ccccccct gtgtcactta aatccgtaat taaatttctg 126540 ggaggagggg tttgacacag ggtctcactc tgtggcacag gctagcctga atggagtcaa 126600 tgctggcctc aaaactcttc tgcctcagtt ccagagtgag gggaaacaat catgagccac 126660 ctcacccagt tttaatgcca tttaacagta caaggttaaa cgctgcctga aaagaacaag 126720 acaaagaaag atcacacaga caaacatcac acaggtgctg titgagacta ggtctctagt gatgtaggct ggtctcaaac ttgcacaaga aaagaatact tttgccatca agatcaaggt 126780 126840 tgctatcacc catggtggca tttcggaagc agaggcagga agatcagtag tacaaggtca 126900 tecteageta ccatgggtgt gaggecagec aaggeageac gtgagecage tgtggaagea 126960 cacatotgta accocaccac toaggaggct gaagcaggaa gttcaagcca cacaagagcc 127020 127080 acttaaaaat aaataaaaac ataaataagg ttggagagag ggnnnnnnnn nnnnnnnnn 127140 nnnnnnnnn nnnnnnnnn nnggaaaaca cccattagac tgctgaagag actgagaaat 127200 tgtcatcttg aagggttgaa atcactgagg aatggctaat gacaaaactg cttaaggaga 127260 127320 attttattaa aaaacaaaac toottotgga ggagtactgt gotcoottoa gcattaacta ctgtgccagg gaacccactg ccagcagaca cccaacttca aggataatca agcttgctac 127380 gtaacatggc tgcttacgca gacaccacac acacttcctg tatgctgggc atcacctcta gcttacttat aatatcaaac ataagtacca tgtgagcgct acagggcctg gccaatgaac 127440 127500 agcgatggga aaaataacct gcacatggtc agtaatgggc aatccactcc ccagacactt 127560 ctaacctcag ctgcagactt gtgggtactg agaacggacg tgactaagtc aattcacaga 127620 agcagagece tgtgeetgtg ecagggaacg gaggaegetg etcaatggge agagetteag 127680 ggcgggaaga gatggaaagt ggagctaggg cccgatgacg tgaatatggc taatgccata 127740 ttgtgtgtgt gtgtgtgt gtgtgtgtat gtatgtgtat gtggtgtgta tgtatgtgtg 127800 tgcatgtgtg tgtgtgta tgtatgtatg tgtgtgtatc caaaatggtt ataaaaatcc catacaatgg ctatgcttat gtgtctttta ccacaagtaa aaaattttaa gtaatcttag 127860 127920 gaacacattt ctaaaatttg gaatacttgt tggggaagct atctgagccc cagcatgaat 127980 caggaaatgg gtaggagagg caggagagat ggcttagtgg ttaacacaca catggtggcc 128040 ctttcctggc accaactagg tcactcacaa ccaggatctg acagcctctc ctggcctcct 128100 caggcaccag gcaggaaagc ggcccacat ccctgcaggt aaaacatttg tactgaaact 128160 aaataaaaac ggagcagaag ctgggcctgg aagtccttta cctccagcac cgggaagcag gtggatattt tgtgagttcc gggtctacat agtaaaaact tgtcgccaag taaaacaaaa 128220 128280 caaaaactgg gggctggtga gatggctcag tgggtaagag cacccgactg ctcttccaaa 128340 ggtccaaagt tcaaatccca gcaaccacat ggtggctcac aaccatccgc aacaagatcc 128400 tettetggag tgtetgaaga cagcaacagt gtacttacat atattaataa ataaatettt 128460 aaaaaaaata cctttaaaaa aacaaaacaa aaactcccac taaaataatt ggaaaagtcc agggaaagcc acactcgatg gcgcaagcgt gtgatcacag tattctgtag gtaaggcaag 128580 aggatcacag cgggacggag gccagcctca gctacacagg ccggtctggg ctacagtgtg 128640 agaccccggt ctcaaaacaa aacaaaacaa aaaaagcgtt cacattatca tatactcaag 128700 gccacaaaac accttcttct tcccaatcct tgaatgctat cgaatttggt tactttttt 128760 tggtaatttt ttgtttgctt ttcaaggcag ggtttctctg tgtagccctg gctatcctgg 128820 aactcactct gtagaccagg ctggcctcta actcacagag atgtaattct ttttcaaagc 128880 128940 129000 ccaaagaaaa aacaccccc ccccaaagta tgaacatcaa ctgtatataa aactaacagt

tcatataagc taagtagcct gcaggtacat ggttatggaa acagctttat catacagact 129060 tctttcagta gatgccattt gagaaaaaaa aaaaaacaaa acattctttg gattttcaac atgtaaacga aaatatgtta aatcttaaaa aaccttaaag cagacgccac tgctctttgg 129120 129180 ggtcagggaa gcacggctgc aggcccccag agcagcacat tccctgaggg aagccttgtg 129240 cgtcctcacc agcaccaaga acagccaact ataataagct cataaaaaat cctgaaaggc 129300 tgcccaagcc tgaaaatctg atatgaaaac agagggcaag acagataaaa ggcaaactat 129360 actttaaaag tcaattccag ctatctgtgt ggaaggactt ctcgggacgg actatctgct 129420 aagaccttgt gggtgattta aacagcgtgg agggcagaaa aagaaaggaa agtgcaggaa 129480 acaatggcaa aagctcctcc tccgtggcct ctacacgcat ccaagcgata tggagggagg 129540 agggaaggac actatacaca ggtaccaatc cccacgaact agaaaacaca gcttttacta 129600 actagtetat ttttttttt accttageta gtgtetttet tatgtttgge ataatttetg 129660 ctctgcatta aataaaccta gtgtataaga aggcaaatga gtaaaggtaa agtcagttaa 129720 tgttcatttg ttttgactgt gtggtgtgca tgccaggcgc attcgtggag gtcagaggac 129780 aaccqcatqq aqcaqqtctt ctccttccac cacccaggg gtcgcagggg tcccagggat 129840 ggaactcggg tggtcagatt tgcttggcaa gggcttcact cactgaggcc ccccaagggt 129900 cccaattcac ctgtttactc taatgtatat atttttgaga cagggtcttg ctatgtagtc 129960 caggctagct ttgaactcac tgtggacact agctggcctg gaggtctgag tgaacctcct 130020 gtttccaccc aagtgctggg acaacagaca gcaaccatca aggcaaaatg aagtcttccc 130080 ttcacaccaa agtggcttcc tatgaccttc tcctgacaac cccaaacagc aagtgcccgg 130140 130200 atatgcactt gcgtttctct ttttttactt caagctttga ctccactttc ctaaaaggtg tttactaggc tgaagcacac ttcaggagac accctgtagc tctggagtga ccggaaacac 130260 accagetetg atgeaaaaac aaaaaacage gatggggatg gggcaaaggt ggettgtget 130320 130380 totgtgcaat ggcattocot gacgcattac otcacaccag atacatacag aaaagacaaa 130440 ggtaagtcct cactcagtgc gcgcatccac cacacccaaa gcaagcattc aacagctcag tggcataagg ccagcattat cacagcgcgg acaaacacaa agccaacctt ctctttgagt 130500 130560 tecceaaggt acatagtgtt etgtecaagg atggeetetg cagacteetg gaaacaegte acccactggt totottgaaa atotgcaata tttgcctaaa aaacacaact ctattattte 130620 agcgaataaa taacaaaagg aagacacccc aaggacgagg gaagattatc ttttcctact taaagtaact tccaagggag aaatgacatt gccgccacac acagcccccg actctttggt 130680 130740 taacggttcc cccttatgag gaagtattca cttctggtca ccccgtgttt cacttttagt 130800 acagtatcta atgaattaca ggagccactc aataccttta tcataaagtg ggctttgtgt 130860 taggtgattc tgaccaagcg taggctatgc aaatgctctg agcacactta ggggaggctg 130920 ggccgtgcta gccctgctac atgcaggtaa tgctacgcca gtcttacgcc acaggaagaa 130980 gcttaaaatg tggtcgaact caatctgcta gaggtgtgag tttagacctc gggagacggg ccaagtaaac ttccgcagat gtcggagcat cagacagagc tgtcccctcc tgatgcaaaa 131040 131100 ggcttcgcac ggcaagtttt taatgagcct ccatggtaat agtgggttcc tctctctct 131160 cctcccttat caatatgctt gacatctttt agttttttga gacagcaaat aacgtagccc 131220 131280 aatctgcccg catacttact gggcagccac agctggccct gaactcctcc tgcgtctcct 131340 ttaccccgta acaagtgctg gggttacaga catatgccgc catgttcagt gtaagtgacc gctgcccage agggcaaagt cttccttatt tacaaagcag cagccaagcc ctgcagccca ggcctatctg atttcctcag cacaccccca agggtctcac cgatggcagt cagtccatga 131400 131460 131520 acaccgtagg cttctcacaa tccacactac tcaccgataa gatcatgcgg tatttgaaat tgggaaattc ccggtcacac ttctcacagc ggtacaaccc attctgctgg tcaatcactt 131580 131640 tcttattgca gtcctgggtt gggcaggcct ggtacataca gttctctttg cggagaaaca ccaccgctgc cacagtgctg aaatagtccg cctgcaggcg aaaggaagac cgccatcagc aagcaacaca ggtctggaac aggcaactca aagctgctct tccttgcaag tggtgagcgc 131700 131760 gtgtacatcc tagctcccac gctcacgagc gatatgcaga atcactaact ctggtttcag 131820 aaatcacacg tgctacacgc agaacccaaa gaagtaacaa accggcactc acgcacctca 131880 ctttttccat tttggagacg gcggctcact agctagcctt gaactcagag tttggtctgc 131940 ctctgtctct atagagtgcc tggctaccac acctgggcac tttgttttcg agacagggtt 132000 teteeggaac teactetgta gaccaggetg geeteaaact cagaaateca cetgeetetg 132060 cctcccaagc gctaggatta aaggcatgtg ccatcagcgc ctgacccaat tcttttatt 132120 tatagttatt attigttaca tatgtgtatc agtgtgtatg acgtccatat gtatatgact 132180 gtgtgcagtg tgcacatgtg tgcaggtcag aggacaactc tcaggagtca gttctctcct 132240 cctactgtgg cgtttgggga actcaggttc caagatagca ggaaaagtgc ctttaacagc 132300 132360 tgagttatct cgacactgac atgtaatgat tcagtgtgca cacagtggtt ttgcatgtag 132420 tcatataaac cacaqcqtgc atqtqcaqgc taggaaacaa cctgtgggag ttggtgatct cccctcacca tgtgagtgag ggagaggaac tcaggctgtc aggctcggtg gcagtgcctt 132480 tactcactga gttcccttgc tggccaagca ttatttataa gatggtgatg tctaccctta 132540 tctttaggga tcagtaagtt tttccccaag acaagccaga aaaacctttt aggcccaatg 132600 132660 agccattcag tcagtctcta ctgccactcc tcaacctgtc tgtggggcag gacaagccac agacaacctg aagacggaag gtgagccaat aaaatcttac tgacagtaac agccagccag 132720 ctcacaggct tgacaggcaa ttcttggact gaatgcgttt aagagaatgc agaattaccc 132780 atgactaaga tcttctaaat ggaaaaatgt ctggttaagt aacccagcaa ggagctaagt 132840

cacqcaagcg gtggatacct gctttgcctc tgaaccctgc acaggttttg gtttatgttc 132900 aatcatgtca agtacctaca aaatccagat ctagcctgaa ttcaaagata ggctacctac 132960 cetgeeceg gacececace eggggtetea etgtgtagte etggetgteg tagegetete 133020 tatacagacc agctgttatc aaattcagag acccacttgc ctcccaagtg ttgggattaa 133080 aggeattige cactatgeet ggeteteact ggttgtacca gaggageaaa acaatgtgge 133140 catttaaaga gacgaagcta gaaaccagtt tagacagctt tggggctgtg ggtgtagctc 133200 agtggaagag cttgcttagc atgcacaagc tgttggtttt aaccctcagc gtgacagaac 133260 133320 cqaatacata agaaggctta gaggaggggg tggtggtagga gagatgggtt agaggttaag 133380 agetggttgc ttaatttccc agtccccaca tggtggctca caacatccat aactgcagtt ccaggggate tgatgteete ttetgacete ettggggaca tgegaeteat ttggeteaca 133440 tgcaggatgc ctcgggccac tatgctggct caggggtgaa ggtgcttgct gccaagctgg 133500 gtggatttga gtttggtccc tgggacccac aaggaagagt ttgacttcta tacactgagg 133560 tggaacatgc atgctctacc cgcaaattaa aaacttaaaa tttaaagagg aagctgtaga 133620 gaaatagctt ttaggaggat gcctaaggaa cttctctgcg ttttcaggtg agattcagac 133680 tcaaagccca atttaaaagt ttgagtgctg tcacgtgttc tgtatgccca gttctggctg 133740 tecqttqtct gtctttagtt taagagagca actgggtgag aagtaactga gagtctagcc 133800 gatgtttaat totcaagatg tootgtgata goattataag ttgctgtgga tgacagtgat 133860 ggatcgagca cacagtgaaa tgagacagtg aggaagaaaa cctatattgt atacgaggac 133920 aataatggag cagtggcgag cgatattttg ggaatacaat agaaataaat gattcaaata 133980 tccaagagaa cgcaggttag accaaggtag gaagaggatc actgggctgg agagatggct 134040 cagtggttaa gagcactgac tgctcttctg aaggtcatga gttcaaatcc cagcaaccac 134100 gtggtggctc acaaccatcc gtaataatat ctgatgccct cttctggagt gtctgaagac 134160 134220 aggaagagga ccactgagca cacattgaaa tggaagatgc aactgaaatg caataccaga 134280 gccagtctgt ggcatggcag caggaattac agtctgttca aaacccagca cggacctgag 134340 gctacattat gtccctctac actggccgtg actgaaaagc agcaacgtgg taccctggag 134400 caggcctgag gtcccaggta aggacacagc cctgacctgg cactaggaaa caggtgtaaa 134460 aactcaagcc cctgccgttc tctgggtgtc tggagcgagg ggtgcgaggt accttgtctc cctggcccag gttctcagat ttagcctcat gcaaagtttt ccagttggtg ttgcccctc 134520 134580 cggcccctcc actcctgtgg tcagagatgg aaacaccatc taaggcttgt ccttctgagt 134640 caaacctagg ggagaaagaa acaaacgtac tgctgacagg aacttcacat ccttctcaaa 134700 tgtgctgtga atgcaccagc cccgagctgc gccccctcgg ctctcaccta ggtctcagca 134760 134820 cacctagtcc actcaagaaa tgcaatgccg ttgctccttc catctcgtgt ccttcaatgc ccctcctcct ccacccgcaa ggtcagacaa actgccaaag taccacagac cctttcccta 134880 aactgggctc acattgacag cagccatgaa caaaggcagc aacagcaagc cacactggca 134940 cccctcccc caccctcggc ctcaagcctt caccccaatc accaaaatga accagatgaa 135000 aagggacatt tttgtttcat gagtctgcca aaaatgtttt catgggagaa aatcttttaa 135060 135120 gcccaatcag ttatagaact caatcagaag gcattatctg ctgtgttaga gatttgcatt ctcagtgaga atttgtttat ggaaatatca aggttaaatt catttatatg aaattattat 135180 taaaattgac tatacttctt gaccatctat tggctaatct gaaggaaaag aggccaggga 135240 gaaggtagca aggacaggct agtggcagag gacagtgagc ctgagatgaa aacacctcaa 135300 ctacacgatt ggtggtaact aaagctgccc ccacacagga ctgactccct aaggagactc 135360 ccaacagagt agcggtggcc caaggcaagc agtcacatcc gtcagaggac aaggtccata 135420 aatccgtctc accactacta gccgctcaag tttaacttca cacaggcatc ggcaaccaaa 135480 gacggctcat caggagtgaa cagagccagg agacaggcag cctctcttat agtaaaaggt 135540 ccactcttag agccaagatc taaagatcgc taatccttgc ctgggtaggg ggggtatact 135600 gaacttgtag atcaatgaca gtattttgtt cgggggacag acatgcctgt ttgtgatttc 135660 tgtgatcaca gttactgaca gtgaaatatg aacaccttaa tgtagacaca caattaacct 135720 ggggttgtgc tcagagtctg ggagaaaaac caaccaacaa accagaccaa tgccatggct 135780 135840 gtctctggtc agacttctgt cctacaatgc aacgctagct atcagcacag ttacacagcc agacccacac cactgaggat gccttaagtg acagacaccc cagatggatg ctctaagtag 135900 taaatattgt tattggttta catcagactc aaaacaaaaa tgaggagcgt gaaatatgag 135960 ctgtttttct tgagtctctt aaattctacg acacagetgg aaaccacaca tgcccaccet ggtactacag ctattcaatt tccttaagct tgggctaggt aaagtatttt ctttgaccac 136020 136080 ctcaatcett ctacacaaca ccctcaggat gaagtgetet tecaaggeag agtttaatge 136140 cttaaaaagc tagatatggt gtggaggttc taacaagctc tcctcatctc ctgagtgctt 136200 tgggaatgac aatgtacagg caacaaagag tccattgttc tcactgtact ttaccgagtc 136260 cagtgacaac acaacagaag atgtgaccag ctccagagac tcagcagagt aagaaagtac attctaccc cacatcagct gcccacagtg caaactgaag atgctctcag cactgttctt 136320 136380 cagegogeag etgttaaage ettgeegtae etggegggat caaggteage acttagatte 136440 taattgcttt ctctggctct ctatgttcat caggggatcg tgggtttgtt ggtttaagag 136500 ggctttcagg ccaccatctc agaagacata atgcctcgaa gaagtatagg aaccactcca 136560 ctcaatagca aaggettgge aaaacagett ggcagcagte cacatgetga cagtgtecag 136620 ctctggttta ccagagcccg agcacagata acccctgagc tgagttgcac aaaacctacc 136680

agccacgaag cttataggcc tctgggatgt caggattcac aatgacagtg ctggatgaga ggaccgagag gctccgtcca ccgaagtcag agactcgggc tcctttgatg gccatcacgg 136800 gctgccgaga gccgtcaaac ttgtcagcct gcaaatcaaa cgcacgcaca catcactgac 136860 aagaagaatg tacaggatgg ttttatggag aagagtcagt caatgtctgt ggactctaag 136920 acagacetee cactegggaa ggageattge actacaagaa getgeaataa eegateatet 136980 cacacagega aggicticaa atacttacig gatageacaa eteecigage taaageecca 137040 ccctcaggac tcggctcagt gcaaggactc acatcttctc cccacagagt tgtggtcacc 137100 acctt.ccctg acatgtccat caaatagata tttctcttag caacttctct gttgttcgac 137160 ttcaccgtga ttttaatcga atcttcatag ctcttgcaga ttccaatgat gtctgaaaca 137220 aagaacactt tgtaagagct cccatcaagg ctcctcttta aaacacggca gggacgaaag 137280 gcaagcacgc tagtcacgca tcaccccaaa cactggagac aaaaatcacc actctttgcc 137340 ctcaaccetg gacgeaccta ctagtgegte tttageettg ctctctaggt cacegatece 137400 137460 tgtgaaatca aactgaactg tgggtaagtg atggccatct tcacagggaa ggacagaagt ctcattattg aaggtcatct catagtcatt tttaacagcg gagaactgtt tgttagcgat 137520 cttcagggcg ccctttgaga agtaatacac ctgcaaaaga ggccaagtca gggcaagcta 137580 ctcagtccat caaagcccgc cccacaatgc agccttccaa actgtgctca tggctctcac 137640 agttcagcct gtcagctctg actcaacacc gtcttcttac cttgttcact tcaataaggg 137700 gaaagaactt gtccacttgc tcattgaaag cagtagetet gatttcacce tgcagaagca 137760 agggagagca cattagaact gcgctgctag gccctcgctc tcaacagcga gagcaggcca 137820 137880 ttttgacagt tagacaccat cctcggagca acagtccaag tgtaaagaga ccctcacagg gctgcagaca ttgcagaatc ccacatatac agttacattt tcaagctatc agctctggta 137940 aaacaaaagc agctcagcca cccgagccta cagttgtaag ttaacacata aaacgaggga 138000 quetegagat gatetggaag acaaaggtgt tteetgtgee aacetggeea ceetagttta 138060 atcccggaac cctcgggatg gagaagacaa tcgccccacc aagttattct ccagcctttg 138120 138180 cacacgtgtg catgcataca cacgaaaata attcttacat cttatcaaaa catttttaga aggaataget taatatteeg ataatgaaac ctaatattet gggteeegag tgatgggetg 138240 gaagcccaca ggaaggcgtg ctgaactcca atgattcagc actcttcctc acgcccgcaa 138300 cctaagtgac ggcttacttc acagtcagga gctggtgcca aaaatgttcc aacaagtcat 138360 getttcaage tgactgcact gttactttte tgtcaggcaa tatgttacag atggataaga 138420 aacttaacta aatggctaaa accttaccca gacaagctgc aggaaattag tttctgatac 138480 tgaatctgcc atcacagtta agatatctgc tgtgctacac cgtgacaaga ggaagaagag 138540 ggggagagag ccccaaagct ttgcccttcc cggtatcatg gcttatttta cgtgtgtggg 138600 tgttttacca gcatgtatgt gtgagcatca ctgagtgtct gatgcctgag gtgaccagga 138660 gaggtactgg atcactgaca cgggagtcac agatggttat gtgctactct gttggtgctg 138720 agaattgage ccaagteete teaaagaaca gegagtgete ttaaatgetg ageagtetet 138780 ctggcccctg cattttgctt taagtaaagc ctagtgagta taaatgatca gaagccctcc 138840 138900 ccgcaqacta gttaaagctg agtagctgct gctccttctg ctggaggcaa acccgccctg ctcggcaggt atcaccccag ggcttcaact gtgcccctag caatgtaatt agagcgctgc 138960 agtototgca gacggagact atttacagto caccaatotg tattgctaca gacgcgtoco 139020 tttaggagca ctttatctca tgtctgaccc tgtgccccag atagcatcaa aggtctccaa 139080 cagaaggaaa gccacaatga ccgccatgtt cctcggagct gagccccacc cgnnnnnnn 139140 139200 nnnnnnnnn nnnnnnnnn nnnnnnnnn nntttttatt aattatgtat agatatagat 139260 atctctatat atgaatgagt atcctgtagt tatcttcaga cacaccagaa gagggcatca 139320 aatcccattt acaggtggtg gtgagccatc atgtaattgc tgggaattaa actcaggacc 139380 tctagaagag caatcagtgc tcttaacccc tgagccccct ccctttttt tttttttt 139440 139500 ggcagcttat ttttaattgt tttaaatcac gtatatgttt ctgtatgtag ctatgttcac ataagcgcag gcactcatag aggtcagaga tgtaagatgc ctttggagct ggacttaaac 139560 atggttgtga gccatctgat atgagcacca agtggacttg ggtcctctgg accgccttgc 139620 tgccttccac ctagaattac agtatatgca attagctgct cagccacccc ctcagtcctc 139680 cttagtactt tcaacatagt gtaaatcgga gagcactcct tggtgcaaag attctgtgtg ttctatcatt ctctacaccc aggcttcatt gggacgtgtg atgccagcga tgattcattg 139740 139800 gegtgaagta tgagttagag tcagacaatc agtgetetet getetgagtg ggtetecetg 139860 139920 cccctqtqtc tctgagacag gggaggattc tcctgttgga tcacatagtg catagagccc tgtgtgcaca gcgctctcaa ccatttgttg ccatttcaaa tacagtgact tcagagtctt 139980 140040 ccttgaaata acagatttct ccattttgtt tgttcccttc tttcgtcaca aagacctgag 140100 gatgagatgt ttttgaagga actttctagt agttactcgg tggaaaagga caatgatgct cccctcttct acagagaaga aggaaacagg aaattccaag aaaaggagta cacagatgct 140160 gcagtgctgt actctaaggt aacgtgcgtc caaccagcag ttgaacaagg cggaagatag 140220 140280 aggcaaagtg cagactcata accagtccat tgttttgctt tggttagttg ggttggttgg 140340 titgtttgtt tgtttgtttc ttcttcttta ttagtcggat tggatttggg aaaaatgtag tagaattcta ttgttgatta tattcacaaa caaaagactg tttatatgtc ctgaattttg 140400 gcaagattct tcccatattc cttcagaccc atagcagcag caagcttagt ggccctttgc 140460 caggiattct cactgagctg tacagcattt gtctgaagaa ctgatgaaca ttttagctta 140520

tqctcctatg ttagtaaata gctaggtttt tagctagcca ccttgctagc ttacaactag aatgcctctg gctgagtttg gtggcacttg cctttagttc cagcactcag gaggcagaag 140640 caggtgaatc tctgagttca aggcagcctg gtctacataa caagttccag cctggccagg 140700 gatatgtagt aagactctgt ctcaataaag taaacagcca gaatgactta aatattgcta 140760 aaaaagaaag aaagaaagaa agaaagaaag aaagaaagaa agaaagaaag aaagaaagaa 140820 agaaagaaga aaatgagtgg atttgccata gcctagtcaa actagatttt cttggttata 140880 tgttaacata ctactattaa caacaacaaa tactttacac taaccatgac aagctatatt 140940 titaaattat tattttatat gtatggtgtg ggaagctgtt gcagagtggc agitggctac 141000 tgctggccac cacacataca taggcagtga aggttctttt gccaagacaa gttaaccaat 141060 cagatgtgag acacgcctct cctaggccta tgtaagcagc accagttctg ggctcagggt 141120 ctcttcgcct ctacaatcaa gctctcccaa taaacgtgtg cagaaggatc ctgttgcagc 141180 gtcgttcttc ctggccagtt gagcgcgcac aagagtatgg gttttcacct acatttatgt 141240 gaactgcatg tgcacttggt acccagggag cccagaagag ggcatcatat cccctggaac 141300 tagagtcaca ggttatgtat gggttctagg aatcaaaccc atgtcctctg gaagaacagc 141360 cagtgttctg gatttaactg ctgagtcatc tctccagccc caccatgatg gatttaactg 141420 ctgagtcatc tctccagccc caccaagctg gatttaactg ctgagtcatc tctccagccc 141480 caccacgctg gatttaactg ctgagtcatc tctccagccc caccacgctg gatttaactg 141540 ctgagtcatc tetecagece caccaegetg gatttggaag cagaactgag getttgaaca etgtgttatt etaactettg etteettgga accetgagaa aatteettet attggetttt 141660 141720 cagagatetg tatgggetta aaacaagaat atgtecaact ettgatetet gattttatat 141780 attaaaagaa tagagtgagc ctaggagttt ggcacactcc tatgttccaa gcttcaggaa gggaagaagg tcaggagttg aaggctagtc agtcttagct ttgtgacaag tttgaggcta 141840 acgtgagctc tatgagaccc tgtctaggag aggagaaaga aaggggtaaa gtgaggtgtg 141900 getecaeget accaettgee taacaegeat gaegeceaag gttteegtte ecageeetgg 141960 ggttcagagt attgtgcaca ccctgtatct ttaaaagtca atagtcaacc cttggaatta 142020 actttccgaa aaatattaaa gctacatcat ccactctaca aacttgtaaa agcccttctt 142080 tgtaatggtg taagaaagta tttggcttca gttttatggc ctttgcatcc taaatgttac 142140 cccatggaaa gttgcttaat gaaaacaggt aaaaataaga caggagggac tgcaaagatg 142200 142260 ctcaggetca cgagtgetta ctgcccttgc agagaccatg gcaggcagtg ggtctcccta 142320 ctgcagggaa tccaaaaccc tcttttggcc tctgcaggca accacattaa cacatgcaca catacacata attttaaaaa taaaataaat cttttaaaat gagctctaga acgagtttga 142380 catcagtota ggotacacaa gaccttgtot caagaagaaa gaaatgaagg tttgctgtgg 142440 atggagaggg agatgcactt cctattccat gaagctgcta ttttggtgat tatggtactt 142500 tgcaatttta tagagagctg ctattttctt tcttttaaag taatgcttgt tgttttgact 142560 142620 tcataaccag tgaagtaccg ttaacatttc tgcttctatc cggccagcca gagttttcc 142680 tgtgagaatg tgtttttctt ttacaaaatt gggataatgc tgcacttact gttttgtagc 142740 ccactctttc ccttcacgat ttattgtacc cattttctca cagtattaaa ttttcagctc 142800 caagtaattt tecatageta aetetgtgtt etgttaeaga gaagaaatgt aettaattta 142860 agatctaata ttggcataat atttggcatt atgatgctat aataagcatc tttctgtata 142920 aatattttta tgtacagcca gtgttttgtt tgggatgaat tagcacaaga gtaaagtgtg 142980 gggtcaagcc tctgagtgac gctgaattgt tctcaggaaa ggactagtta acatccattc tgaaagaatg tgggaatgct cattcttaa gcaacactgg ttattattac atactattat 143040 143100 titgttagta ttatacattt atttaggggg ataggaaata tgctcatata gttcaatttc 143160 aagagttgca aaaatatatg gtgtggtttc ttttcctgtc ccctagttta gtctcacttc 143220 cagccccata atctaccttg ttaaatatac tgtatataag gcatatgtag gtgaataaaa 143280 aacagcctag tatggtggcg ttaacctcgg gttacttgag aactgctctt gcagagaaca tgactttggc tccgaaagcc ttcctggaat tccagctcca agggatgcag tgcctctggc 143340 143400 atcettgggt acgicacica tgtgcacaca tacacatttg gittttaate ttaggaacte 143460 caagtgggcc aatgagatgg ctccatgtat aaaggcagtt atgcaaaggt ctggatgaca 143520 tgagttcagt cttcagattc tgcaagataa caggagagga ccaacccctg cgagttgtcc 143580 143640 tetgacetea gtacacatgt catggtacgt gtgtagtatg cacatgcaca gaagteecag cactegggag geagaggeag gaggatetet gagttttagg ceageetggt etacaaaacg 143700 atttacagtt atataaagaa actctgtttt gaaaaacaaa acaggggttg gggatttagc 143760 tcagtggtag agcgcttgcc tagcaagcgc aaggccctgg gttcagtcct caactctgga 143820 agagagagag agagaggagag agaggagagag gaaaggaagg 143880 143940 aaggaaggaa ggaaggaagg aaggaaggaa gaaagaaaga aagaaagaaa gggaaagaaa gaaagaaaga aagagagaaa gaaagaaagg gaaagaaaga aaggggaagg aagaaagaaa 144000 gaaagacaaa gcaaagcaaa actaaataaa atacatacaa tatattaaat tttaagactt 144060 gagggcatag atcagtgtta taatgcttac ctagcatgcg taaaactctt ggcttctaaa 144120 cctagcaccc taccgcaaaa tatttgctct gtcttgctaa attatattgc tagttgtcag 144180 actactgtgt actttcacta gcaacataat gagaatgttc actatcccac tectetgtca 144240 144300 agtaatctgt tcttggtttt atttttcttt gccaaattga tgggtgaaca agtatttcag ctagcctaga acacacagag aactctcttt atgaactcaa gtttcttatc cttttatgat 144360

144420 tttggttggt tggttggttt tgctttactt tttcttattc attitttat ttctttatti 144480 ttttgttttt aatttaatgg actggttcca tgtggccaag gatagcctca actttgtagc 144540 agaaactggc tttgaacttc tggtcttcct tcatctacct cccaagtgat gggattaagg 144600 cacgtgccac cacatctaac aatatctggg tttctttatt ggagtttgaa agggattcct 144660 ccagcattac tttgactctt catagtttct tccagagtta ttacactttc atttgttaca 144720 ttaagagttt gatccagggc tggagagatg gctcagtggc taagagcacc aactgctctt 144780 ccagaggtrc tgagttcaat tcccagcaac cacatggtgg ctcacaatcg tctgtaatgg 144840 gatctgatgc cctcttctgg tgtgtctgaa gacagctaca gtgtaatcat ataaataaaa 144900 taaataattc tttaaaaaaa aagagtttga tccatttaca ctggacttct tgaggcagca 144960 ggatcataaa ttcaaggtga gcctgggtga actggcagaa gtggcagaag ctgtgtctca 145020 cactgctgta ttcatttcct cattgatctt cagaggtttg ctaacgggaa gtaagtggaa 145080 cagaaggttc agtattcttt ttttcccaat tctattcagt ctttagtagt agatccctca 145140 ttatctgaga tgcagagtcc cctttattcc tgtgaccatc tcgttgtttt tcagggagtg 145200 totcattcaa ggoctaacac tgaggacatt tcactgtgct atgccaatcg ctctgcagcg 145260 ctcttccatc tgggtcagta tgaagtgagt attgaagaac ctggtgtcct gcctgtggct 145320 gcagtggaaa atgagctcct ctctgttctt ctgcacacat tgaaatcaac tagcttgcaa 145380 acactgacat ccacccagac ccattctctc ttctgactca tgtcacctct cataggtgac 145440 cacaaacaat atgtagttga caagaagtag ctatgtcatt gtccacagtg catggatttg 145500 ttccaatagg ccagcacttc tgtgtccata tcagctagat gtgctgctga tagtatttta 145560 gattccaaaa tgtgtccaga tattacctcc ttcgtttgtt tcttctaaat aagccaggca 145620 caaagacttg aaagatggct tgatggctct tccagaggct gggtttgatt cccagcccca 145680 acatagcage teacaatagg etataacgte atttecaagg ggtetgaett cetgttetgg 145740 cctctacagg cagaaagcac agacatacat gcaggcaaaa cacataaaca taattgaaag aagatattaa ataatagccc acgcttgagc ttattcctct gatgatacag ctctcctgaa 145800 145860 gtcatcatgg gcagtgtaaa agtaaaggtg ccccgccctg cccaggggca tcagtgaggt 145920 agctgactgt gagtggcttt cttctcatcc cctaactgct gcaacatcat caactgtgga 145980 gcattatate cgtggatttt aagttaggaa atgacaaaga ttagatetat ggccaggcae 146040 tagtgcacgc ctttaatccc agcactcagg aagcagaagt aggtggatct ctgtcagttt 146100 gagtttacag agagtgtcta ggcagccagg gctatataga gaaattctat ctggaaagaa taaacaaatc agatctgtat ttcaggaaga tgcctatgag ctgtttgaca tgtgtgatag 146160 146220 146280 aggtccttaa ggacaggaaa gtattccaca tgtgtgcatt ttacagaaat tggttataca 146340 agaagaacaa gaatctatct gggcatggtg atgcacaact gtattcctaa catgtagaag 146400 actgaggcat gctatgtgtt tgtggctaac ctgggctaca tagtcaatat tggacagtca gagctgctac taaaacctaa aaaacaaaaa tctaataatc tgggatttta tattttcctt 146460 146520 tttttaaaaa aagagtgggc agaatgtctc tgattttgtt cagatggcca cagaacctag 146580 146640 aaaaactgct gctgctgctg ctgctgcata gcacacagct aatatttgac tatacgtata taaattttgt tgtatacttt agctgtgctg tcaactttgg aaaaaagta tcccagttta 146700 tcattttaaa ttggcactgt acagaaatta acagccatat tagtctagac acattaaact 146760 tcatttttcc atttatacag aagcaatgta ctgtattaaa tattcagtct tatctacagg 146820 ggtttgatta cagaaactat caaagtattc tctaaatgat gaaaaaagat tcaagaatct 146880 gactgtagat ccaaaggaca agtggagaaa aacttaggaa gaattttccc tttatcccct 146940 coctatattg atcatctctt ttacttctaa taatagtggc catttattga acatacccag 147000 qaqttccttt catcacttta gatatataat ttatctcatc ctaaaatgac ctgttgatga 147060 147120 gtcatctctc tttcagatga gaaacaaaga cattgaaaaa tctaacttgc ctgcataaga tcacacctag cctcttactc actccatgaa tattcctttt tttttttcc tttgagacag 147180 aatctcacta tgtagttctg gttgtcctag aactcaatat atagaccagg ctagcctcaa 147240 actcacagag atctgatage etctgeetge cgagtgetag ggttaaatgg atgtgtcace 147300 aagcccagca aaatttacct tcttaatttt ctaagacgtt tctcctctta aaaaatggaa 147360 ctattgagcc agtcatggtg agacaggctt aatctttaat ctcagcactt aggaggcaaa 147420 147480 gacaggeeta tgggtteggg geageetgat etatagagag agttetatgg gttaaagttt agggttaaag ttttgagaca aaactttgtg tcaaaaacaa acaaacaaag ccagactgct 147540 taataagaca aatcagacat aatattataa acaagtatta gtgtcactca attaaaaagt 147600 cactcaggag gtgagatcaa tccccagcat aatgagggga ggaggggaga gaaggaaatg 147660 aatgggaggg gaggaggaag gaagagagaa aaaggaaaga tctcaaagca gaacacagga 147720 tgtaatttaa ggcctaagct ctcgactgaa gttgtccact tttaatgacc cttttcatgc 147780 tcatggtttt ctgtcttcgg tacatagtga agagtggaaa ccaagggtca tcctggaatt 147840 tccttttgtt ttcaggcatg tcttaaagac atagtggaag caggtatgca tgggtatcct 147900 gaaagactgc agcccaagat gatggtgcgt aagacagaat gcctggtgaa cctggggaga 147960 ctccaggagg caagacagac catcagtgat ctcgaaagca gcctcactgc caagccaacc 148020 ctggtgcttt cctcttacca gattctgcaa aggaatgtcc agcatctgaa aataaagatc 148080 caagaaaagg agacteteee agaacecate cetgeagete teaceaatge ettegaggat 148140 atagccctgg gggaagagaa cacacagatt tctggggcct ccctctctgt cagcttatgc 148200

acacaccett tgaaaggeeg ceatetagtt gecacaaaag acatteteee aggagaactg 148260 148320 ctgqtgaagg aagatgcttt tgtaagtgtc cttatcccag gagaaatgcc acgacctcat 148380 cattgeettg agaacaagtg ggataccaga gttaccagtg gagaceteta etgteaccga tgtctgaagc acactttggc cacagtacct tgtggcagct gcagctatgc caagtattgc 148440 agccaggaat gtatgcagca ggcatgggac ctctaccata gcacagagtg ttctcttggg 148500 gggctgctcc tcacactcgg ggtcttctgc catgttgccc tgagaatgac tcttttagcc 148560 agatttgaag atgttgatag agttgtaagg atgctttgtg acgaggttgg tagcacagac 148620 148680 acctgtttac ctgaaagcaa gaatctggtc aaggcatttg attacacaag tcagggagag agtgaagaga agagcaagat aggtgaaccc ccaattcctg gatgcaatgt caatggaaag 148740 tatggaagta attataatgc tatcttcagc cttttgcccc atactgaaaa gcatagccca 148800 gaacacagat tcatctgtgc catcagtgtc tccgcactgt gcagacaact caaagctgac 148860 148920 agcqtqcagg cccaaacctt aaagtcccct aagctgaaag cagtgacccc agggctgtgt gcagatttga ctgtttgggg agcagccatg ctgcgacaca tgctacagct gcagtgtaat 148980 gcccaggcaa taacatccat atgtcacaca ggtaagtcag aaatggtttt tacttacatt 149040 attggtattt caagagctaa tgtttaagga gaaaaacact ataaaggaag cctggcatca 149100 aataaatcag tgacctaaaa ggaaaacaca gccgtcttat atatcattat gctattgaga 149160 agctttgagc acatttctgt gaacccagag cttgggaggt ggagatagga tgattaggag 149220 tetaagacag etttagetat acagcacgtt tgaggtcage etgaactaca tgagaacttg 149280 tctcttaaaa acttgagcca gagccaggtg gtggtggcac atgcatttaa ttctagtact 149340 caagaggcaa aggcaggcag atccctgaat ccagcctcgt ctatatagtg agatccccac 149400 149460 caggetacat agtaagatee tgttteaaat aaataaatat aacaaaaaca geaataataa 149520 gcttttttca gacacaccag aagagggcat tggatcccat tacagatggt tgtgagccac 149580 catgtatgtg gttgctggga attgaactca acacctctgg aagagcagtc ggtgctctta 149640 149700 gccactgagc catctctcca gtccattaat taaaaattta aaactagagt atttttaaac atttattcat tttgtgtgtg gtatacatac tataatacag gttcataagt caattctctt 149760 ctaccatgtg tgtcttggag atcaaactca ggttcttagg catgggagca agtatttact tcctgaacca tctccctagc catttctagt attctttct tttgtcttga aagatttatt 149820 149880 tattatatgt aagtacactg tagctgcctt caaataccgg aaaggggaat caggtcttgt 149940 tagagatgat tgtgagtcac catgtggttg ctgggatttg aactcaggcc ctccagaaga 150000 geagteagtg etettaactg etgagetate tecageceea tttttagtat tettattaag 150060 150120 tggtttccat tttatccaaa gatgccttta agggcctggg aagatggctc agtgggcatt gaacttggtg tgtgagcatg aagaccagag ttcagatccc tagcacccag gcagatgctg 150180 aatgatggtg geetgeetga gatteeagga caacggagae agacagggge ectagetaae 150240 catactacac actagctgag ctgtgtgctc aagagagcag ccctggctta ctgtgcagga 150300 tggagagtga tcatctccac aggcaagcac acacctgagc acacagacat gcacaaagga 150360 150420 aagaaaagtc cttttaaggt ggtggtggtg ttgttgtttg ggggtctttt gttttgtttt tttctccccc tccctcattg tgatggcaca ttcctttaat ctcacatctg ggacaaagag 150480 150540 geeggaggat etttgtgaae tggaggteag eetgttetae atageaagee eattteagee aggacgacat agatataccc tgtctcaaac agacaaaaat tatttatttt atatatttga 150600 atgttttgcc tgcatgtatg tctatgcaca ttatgtctgg tgcccatgaa agccagaaga 150660 gggcatcaga tetetcagaa etggaattte agacaettat caagtaetge etgagtgeta 150720 ggaatcaaac caaggtcttc tggaagagca gcaagtagtc ttttttttt ttaatatttt 150780 tttattacat attttcctca attacatttc caatgctatc ccaaaagtcc cccataccct 150840 150900 cccccccc cccgagcag caagtattct tcattgctgg gccatctccc catctccttt tctagttaat taagctgaaa gggagggagg tagatgttgc ccaaacttag gatttattga cagattaata ctctgttagc ctaactacac tatagaagct tattctttag actttcacat 150960 151020 tacactgtcc agattttgcc atcetttttg ngtgtatatg tctacagate ttaattcage 151080 tgccaattta tacagtgttt ataggtattc tttgtgacgt ggatctttta cccatcttaa 151140 agcagtagga tttgaaagct gacatttatg tggcctatgg tcctgttaaa tcacatttca 151200 agttagtete tgtggtacae attttggggt etatetgegg tteegeatet cacaetttte 151260 cctctcaggg tgtccagaag ctgctgcaca ctgggctgga aggatgaagt ggagtccaga 151320 gtgagtggaa ttctgcagca tcccggtcca gctgggagtg aatgctgggg tcaggaggag 151380 atgggtgaga gggccttctc caagggcctt cttagtgtta cagctctagg caaaggcctt 151440 ctctgacaat cttagcctgt gcatagtttt ttattcgaga tgagcttgta tgcatacact 151500 151560 ttattggcag taaatcagag gttatccact cttagggaag gagataggaa tacccaaggt ggacagaggt cattggctga aggataacgt actgagatgc tcattagcac ggggaggcat 151620 cccaggaatc tcaggtgctt gctgactggg tttcttaggg ggttgagagg gtagcagtga 151680 151740 tttcaccaag gttatgtatg gcagagggta taggggtttc aggctcccca gacaaagaag 151800 gagaaggaga agccctgctg ataagggaag tcccccattt tgagccactt cagaaggcta tcaagacact gatagacttt gtccttaatt agcagggccc aacaagtgtc tgttttcttt 151860 tctgccttca ttggctcttt gagccactgc tacaaaatat ccaaatctgg gccaggaagc 151920 tggctcggct agtaaaggtg tttgcctcta agcctgaagg cctgagtttt cacttgattt 151980 ggtttggttt ttgtttttt gagacaaggt ttctcagcat agccctgggt attctggaac 152040

tcactctgta	gatcaggctc	aacttgaatt	cagagatctg	cctgcttcta	catcccgagt	152100
gcttagatta	aagttgtgcg	ccaacactgc	ccacctaaaa	aaaatatgag	gggctggtga	152160
gatggctcag	tgggtaagag	cacccgactg	ctcttccgaa	ggtccgaagt	tcaaatccca	152220
gcaaccacat	aataactcac	aaccacctgt	gatgagatct	gatgccctct	tctggtgcat	152280
ctgaagacag	ctacgggtgt	acttacatat	aataataaat	aaatcttaaa	aaaaaaaaa	152340
aagaacacta	ttcacaaggt	acaacaacag	tgtactagga	aactttaaaa	tagcccatca	152400
ttcattctag	gggaaaaatc	tttttaaact	ttagtgtgta	agaaagagag	aggggctgta	152460
gaaaggccac	agcacqtqta	tccaggttag	gagtcaactt	ttcagaagcg	gagtctcccc	152520
ttctacctgt	ttutgaggca	gtctcttgtt	tctgccctac	actttgtaca	tgaacttcaa	152580
gatggttgtt	ctatttctgc	ctctcatgtt	gccctatgca	tgctgagctt	actgatgcca	152640
gccaccacat	aagcatggca	ccagcactga	gccaagggca	ggcatctggc	tcacatggag	152700
agttacccat	caagccatct	tgctagcccc	agaaaatgta	tttttgacag	gtgtggtggt	152760
gcacatattt	aatcccagca	ctcaggaggc	agaggcaggc	agatetetgt	gtctgaagec	152820
agcccagttt	acaaatcaag	tcccagaata	gccaaggcta	catagagaaa	ccctgttttg	152880 152940
aaaaacaaac	atccttctgt	gttccagtca	caatgactgc	tgtaacaata	atatgaggat	153000
ttgggcgtgt	caaaaatcac	aagtagcaag	grgtaarggg	caggeettta	gttttcagtat	153060
ttgggaggca	gaggcaggag	gatetetgtg	agillageae	agccagggcc	gccacacaga	153120
gaaaccctgt	ctcaaaaaaa	ccaagcaaaa	atagaattac	aagccaacca	atttataaa	153180
gttaatatga	aatagcagaa catactgaaa	tatatagarag	acctastact	tacctaccaa	ctgaactaca	153240
ggagacattc	nnnnnnnnn	nnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	153300
cnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnn	nacctagaca	agagtaagga	153360
nnnnnnnnu	ctcagaggca	agataggagt	gatgtgtttt	ngaacacaaa	acccctttc	153420
attagages	caaatcttgt	actaaaaaca	accetetact	ctcgatctgc	agagatacga	153480
accadageae	catagettee	aggagattac	cctctactct	cccaatcaat	tcctggactc	153540
ctagaggcaca	cttgaagctc	aagaactggc	cactattacc	tttatactaa	coccagaacc	153600
accacctatt	cagcagctgc	aactettaaa	caagettgga	agtagetegt	tecttetect	153660
tctacaaaaa	aaagacaagg	agatggcact	gagctgggta	gccaggatgt	gggaagtaaa	153720
ttgtgtctat	gtgggtgagg	gaagtgccgt	gtgtgtgt	gtgtgtgtgt	gtgtgtgtgt	153780
atatatatat	gtgtgacaga	gacagaaagg	gagagtgcat	gttcttgtgt	gttcctgtga	153840
atcagtactc	cctttaactc	ctcctgccaa	aaagcatgct	gtgttctcag	agtcaagctt	153900
ggccaggctc	gcccacccca	ccaaagccca	ggatctgcca	ccccattaag	aatgcggggt	153960
taggaaataa	aaaacagggt	tcttgtccaa	gagaattttt	attattattt	tttctctctt	154020
aattggattc	agcatttctt	actcctcagt	atcctctctg	gtagggaatt	caggtctgtc	154080
tatgcagage	acaagagact	gtgcttgcca	gaaacccttg	ggccaacagc	cctattccct	154140
gactgggctt	gcctgcaggc	tgccttctgg	gctgacccct	gagtctggcc	ctctgacctc	154200
tgcccgtcct	ggggtcatcc	aggaggagca	ggaccactgt	gatacagggt	tectgagatg	154260
gctactgaaa	caccctcatc	tgctaaggcc	actagatttt	tttcccactg	ccagactact	154320 154380
cagggccctc	agtaggtcac	tggccaaaga	gcctagatgt	taaaactgca	geraaageer	154440
ctcctgaggc	cagageteag	agectectg	geetgeacaa	tatacasact	tassasccc	154500
ccatccaacc	cattggacta	acactgtaga	cgctgccttg	cctgccagcc	cacttctctc	154560
agaaacctct	tccccagctc	cgectagett	geetecayea	tecagacatae	cagacaggcg	154620
gctaatgtct	: gcagcttcta : ataaaaacga	cagtaggggt	taadtatcta	agaatgttgg	tcccctgaag	154680
tarttatta	tgcttctctt	ccttcccgac	tetteceact	gacacctttg	ccccagcaa	154740
gactettge	: tattgttgct	aactaaaatt	ctgaacaaaa	ttgccgcagt	tttttattt	154800
tttttttt	gctagaagtt	accgatacag	tccttaattq	agcaaatata	ggttcccgta	154860
tagtttataa	acatgataag	acatacagtt	tggtaaggag	tgggttgggg	gacctgtgca	154920
tttatatatt	: tatatatata	tatatattat	gtgggtgtgt	. gggcagagtg	aggatatata	154980
taaqtqqaca	a taggtataaa	. actgcacctt	: ctgtgtgact	: ctcattgcga	gtacagttct	155040
aaatgtcatg	cactggcgat	ctctcctttg	gtgattggtt	: cttggacccc	agcaggtctg	155100
ccaaaaacto	r cctgagacgt	: caggaatgag	aggcattacc	: cccatggata	gggactgagg	155160
gtggcatagg	d ottogacago	gcaggttaac	: taagtgatct	: cagacaagag	ccaagagtgc	155220
tctgagattc	, ctaattacco	: cagctggctg	: tgggagagc	: ttgttctgag	tcctgctcct	155280
tecaaaacca	a gcagggtcct	: tcagcccttc	: tctccaaatg	, accaggette	: cgcagagccc	155340
agcttcttca	a aggggcgcat	: qtcccgacac	: cactaatgac	tcactttgcc	f tgcctttgac	155400
cactgtgctg	a gagtggatac	c ggtccagagg	, cactcaatca	ı ggacagccga	gtgagacgtg	155460
atacccttc	c cgtctacggc	tgtacatttt	gggcttataa	tccaccagga	agggtccaga	155520 155580
cggtggctga	a aggcttcago	agccttttc	tgaaaccca	g cagatette	acttaggaaa	155580
aaaaaaaga	a agaaagaaag	, aaaagaagaa	a aaaaattctq	g ttccttgctg	gacatgtggc	155700
agtgctggg	gacggagcc	tgggtcctc	gcggagagt	acceccaeco	cagtatcca	155760
ggccaggag	ggggcccaa	a gggccgtgc	: cgaggatgc	, cyclycacco	cactgggggc	155820
acggatggg	g greergegag	cacacttgc	. caceteata	, tacaattca	g tgggcatgat g taagctcttt	155880
greaaaget	y additigingci	- yarayreyyi	, yycacaycc		,	

cccagagete acettagaga tetggtteeg gtteetgtgg etggtgeagt tettgeetge 155940 cttcttgtaa cctgacctgg agccaggcgg atggccatgt gggtggcctt tgtccctgga 156000 ggccccatgg gacggatggt gctccttgcg ggcagccctg tcagaggtgg taagcgtgtg 156060 agacttgatc tggtgaggag acactggtcc tgtgcagttc cggaagtcct ccaccctcag 156120 cagettcaga tectggeett geegeagete gggggtegeg caggggaeag cagagetaga 156180 gccacggaac cttcgcagcc attcccacag ggaacgtgcc cggcagccac agtcccaagc 156240 attcccattg aggcgaagga actccaaggc caccaggggg gccagacagt caccctgcag 156300 156360 ctcagtgagg ctgttgttga agagaaagag ggtggttagc ctgtggaggt catggaaagc cttgtggtga acccactgta gctggttctc atgcagcagc aaccggtcca ggttcaccag 156420 gccccggaag atgccttggc ccaggctcca tagcttgtta ccatggagaa acaagtgact 156480 gagattgacc aggtccacaa agatgtcatc ttggaggtac tcgatatggt tgtcctgcaa 156540 gtagagatac tgcaggctgt gcaggccacc aaagatgcct gcgggcaggg cgctcagtcc 156600 acacttatag aggtagaggg cgtgaagctt caccaggcct tggaaggtct cgggtgccag 156660 cgttcgcage tgtcggttgt ctccaaggtc tagctcctcc agatgcacaa agccctcgaa 156720 ggtgttggga gcaatgaaag tgatgttgtt ggagtagatc cagagggtga ccatggcggg 156780 gctgaagtgg ccctgctgga ggaaggtgat gcgattgttc tgcaggaaga tgcgctcact 156840 gtectetggg atgeceteeg ggatggeage aaagttgtgt geetggeage tgacagteat 156900 gggcgcaggg tagcacacac agtctcgagg acaaccacca cccagaggta gctctccagc 156960 gagcagcaac agcagcaatt ccacacagca ccctggtggg gagagacaga acagcagtga 157020 157080 ggggctgccc agaggaggtg gagatagatg gggaacagag ggtggaatgg gggactggca 157140 aatgactctg ttggctcaca gaggttctgt cctctgtatt gtatgcaggg gtcccttgga cagggcattt ggggccaagg cccacattat ctcctcacct ctttagctct gtccctaaag 157200 tetetaatte cateegaaca ettetteaga etgteageee cacegeaggg tggaacacae 157260 ttgtgaacac aggcgagtcg gcctccggct ctgggtccgg ctctgccact cgctcactgt 157320 tagctgcctt agcaaggaat gactctaaca aagcaaatct ggagtcctga atgatcactt 157380 tatttaaata attootoaaa ataaagaaag cattgagtoo atggtaccaa agcatgooto 157440 aataagcgcc tctttcacac tgtggtacaa aaacttcaaa cctacaactc ctccatggct 157500 gtttcctcat gagttaaaca cagttcacag ggctgtgtgt acagacaagg cacatttctg 157560 tgaggggctg tgagtgacac cagggctgac gcacgaggct tcccttgggg ttcacagtac 157620 tgccagatcg aggctgcatg etectetece ccattcacae ecececetec tgtgctggag 157680 attgccaggc tgtggctgta aaaccgggcc ttgcctcttg actgtccaga gcatttcctc 157740 tgtagcttcc ctctaattgg gcattaatta ggcattcgtt aatggatcct taaaataatt 157800 157860 attttcggat gtgtccagcc tgtggtcggg taataggcct atgctcatta tggaagccgc ctcattatgg acgattgtca ttacctgcct ttttccaggg tcacagctgc cccaagtggc 157920 ccagcaggcg cgtcaggaag atggggacag gctccaggcc tacgggcgcc caccctgaag 157980 ggccaggcag ccacgaccta tgtcgcctca gttggcctct tgccccttct tttccagctt 158040 158100 gttcagctgg gactcttggg agagccaggg cccctggggg aatatgagct gagctgaatc 158160 ttettgetge tagetgtget cagageaagt ggaaggagea gggaeettet gaccaggett cccacttggg gtcccaggcc cagggactgc ccaggccccg gcagagtagg ttgccacctt 158220 gacttctgac gcccccccc cattcccaac agaaacagca tcgtaagttg acagctccca 158280 getgttggga gttatggget eccagagagt ggeagetget tetegteet gtaatcacce 158340 ggcttcagct agaatgtttc tagcacataa aaatcatcgc atataattta gtttttgcat 158400 158460 aattgggttc agttgtgatt tcagagcaat tatgacctca gcagcagggg tggcacagca 158520 taggaccet ttetgggeeg ggeeatgeec tgeaggeect etgeagtget ttetgeecae cggcccttag acagcatgca ggctataacc atctctgcct caatttcctg ctccaaaacg 158580 158640 tgtctagatg ttactctgtc gatcttcctc ctcagcatcc tgggtgtggc ctccagcctg ccagcetetg tectagggat cetgtgetge agagggagge acagteggag ggaggggage 158700 ctgccctgtg ccaccagcac tcacactggc tgcacagtcc acagacccac agetccaacc 158760 158820 tecetgettg gettgeacce tetettecag gaaggecatt ettgecagaa cettteccaa cggtcccctg ggaaagcctg gactctaggt tcaaggacat tcatgatgct tgccccacat 158880 158940 tttatgctgg atgagacaca gcagagcctt cttcactggg gggtcctgtg aaaatgaaag cttttcttcc ccggcctgca gctgcaggca ggtaggggtt gcagtgggct tatcactaat 159000 accattcgac atttgtacag ctcatcggag tttacagagg gcttttgttg taccctcaac 159060 ttcccctgtg ttctcccacc tactgtggct gctctgtctc tgtgcacccc aaaagaatct 159120 ggaagtccct tggggagatt accccctta cataggggcc tccaaggaat acaggctaca 159180 gctctattta ggaaaaaaa aatcaaactg aaccaaacct caggtgtgga cttagtaacc 159240 agtttataaa cataccgtgg caagtggagg aggcaggcgg cagaacggca tgaaggtagg 159300 actggggttt tecetetaaa agggeaatgg ggggacaaag ggaetetage caagacetga tgeagaacea ggeteagtte eeetgttate teaaggetat cateactagg aggeetaagg 159360 159420 159480 caatggacca caaggacctt gtccttgtag gacagtcact tcctgcagtg aagtgctctt ctggaagcat actaatagga tgtaggctca ggacagctgg tctctgtcct ttagtatttt 159540 tecacatgee agggatgtta acettecaag ectecatete ttetaatggg gggggggtgt 159600 tgaggggctc agccactctg catccatgtc tttgaaagcc agtggtatta ctccaggacc 159660 ctgagcaagc tgtcctagtc agccctggcc acttctggac tccttgcctg agtcagtagg 159720

tgccaatcct aggattgtca ccagcaggtt tcttcctagg gaggcaagca ctgtatcacc 159780 atggcgcctt ctatgccccc tctatgaggc ccttgggagc cccgcccac tgattgcctg 159840 attaatgtac caacaatgag gatggagcct ttgccatgca ttttaacatt gcaaattagc 159900 aggaatccaa gtctctgtgg aggggccctg cacctcttct gccagactca tcaagcgcct 159960 160020 cttgggcagg gctgccttct acttgagggg gcggaaggga gaagacccag ttccactctc cttcccctcc aggaggtgcc cttcatcgtg ttctgcttcg ttactctcaa gcctccggcc 160080 teccaegeae gigagetece aaggggetet acageeteeg teatteette ticcatteat 160140 acttgccccc tagtchagga gagccatgga agacagtgtg ggaagggctt gacaatgagc 160200 160260 atcatgcccc atttgcatat gcggtggcaa taccctggtg ggtaccagga gagtataggg gaaattaaga gaggggccta aggaaagcct ctgctatccc tgggctacca gtcagcattg 160320 cttggtcact gatcccctct gtaacaccag cccttctgca acctgccaga gtttttgacc 160380 tttgaactag ggctgagaag ggtctgctct gttcagctgc cttggctggg aggggaatct 160440 geteagacet cagcacacac teaacagaag geatgeaage aagggageta geagtggeet 160500 tgggtcagct ggcaagccc aaactcttcc tgccaagctg agcatgaaaa gccacctcac 160560 catggtccca tgggaccaga cctggtagga taggtggcaa ggctaaggca gcggaatagc 160620 atgtgcaaag gcactggggt gggaaagggc ctgtgcttct caccccctct aatggtgcag 160680 agectecaag gaatactgta aceteagete agetgggete gggtggeeag agagettgge 160740 160800 accagaacca gcatcaacag ggcctgtctg ctaaacccag acctcacaag ccagtttagt aggggccctg tagcaccctg gccaccagaa ctaacgagga agatctgacg ctgggaatat gtctttaatg aaaagccctt ccggaagcca catttgcaca gaagaaaatg aggtgcccag 160860 160920 160980 agcatcagtg ggctggttgc agctggagaa cacagcaggg ggacaggtcc taccaagcta ccctgccttc aggctggggc tctagccagc tccctgatgc ctggagtagg taaagcagcc 161040 tcgaaatggg ctgggtcagc tttttcaggc tccaaagggt caggacagct gctgcagctt 161100 agcacccaag ggggctgccc ctctacccct aagtagaggc atccccatgg cccctgggca 161160 ggtcagtggg tctctctgaa gctttgtagg ctgcttcttg gccatgtagc caatctctct 161220 ggccttcagt cctcctccc tgcccccagc ctggccagct gctcttctct gagcaatcga 161280 161340 ctggggctgc tggcgcctca ggccacttgg cacttgtgcc acttgtgttc taaacacagg 161400 ctccttcctg gctcggccct gaagacaaga aagctggcca gggaacagct gggctcccat 161460 ctcagcctcc actgctgtgc agagcggccg gcagcctcct atccatggct gtgagtagaa 161520 cagggctgtg gagccagagg cctaagttga atcctggctg ctccttttaa tgcttgcagg 161580 agectegttt testeacetg caaaatgggg cagteattgg aageteagee agtectecag 161640 cccacagata ctggtaccca cctgcccttc ccacatctcc atctgtctaa ctgaaaccat 161700 161760 ccaaaccaag etettetett ceteteegge etecteegtt cacaacttet ccatettggg taaagatggt ccctttacat cagctgcctg ggaggaacac ctcagaatca ccgtggctca 161820 ctctggggaa attctgctgg ctagatttta gaatgtatcc agtatctatc cacttatcat 161880 actegetatt getaceatte acceagtage etectggatg ceeteceee ecceegeaa 161940 gccctgcctc ctcaccccta cacctccttc aacaggaact agggtagtcc agggaaagtg 162000 agtcaggaag ggctgctcct tagtctgcat cctccagagt gcccatctaa ctagaagctg 162060 ccccaggtct ttctcccagc ccagaggccc tgcctctccc tggctacaca gaccttgctg 162120 cogtocotoc cacatgocag cootcagoot cootcotgoo titgtocatg otgttocato 162180 162240 tacctggacc ggttcccagt gtgtctgcag ggctgcttcc cagagaagcc actcttgagc agegatttgc aaggagette ttteetggga cattttacte tacageaege gacetettgg 162300 acagcacgac ataagtcact tgtttccttt atgtccgctg ccactttgtt ctgatgagtg 162360 tgctccctgc acacagtagg tgctcattaa cagttctggg ggagggaatt accttctcaa 162420 gtctctggag aattgaatga tgacactcag gaagccctag gctcaagcct ggggcctgga 162480 162540 tcatagtagg tgctcgataa atgttggttg taattagtcc tgggagactc agagccttca ggagaacaga cacctgaact tggctcacat caagactcct taggcccatc aaggaagtga 162600 ccgtttgttg gatgagcact ctgagaagga cccaatacca gtcctttcct gggcaagggg 162660 162720 aaatagactg ggactgggga gtttcccaag gtatgggatt ttcagcacta aactggaata atgctaaaga aaaaaaaag ttagtcactc taaaaggggc caggaccaaa acctttcaaa 162780 cagaaatgtc tgggtttatg aagagaggaa gccagatatg gtggggcaca tctttaatcc aggtgcttgg gaggcaaaga cagatggagc tctgtgagtt tgaggccagc ctattctaca 162840 162900 162960 taaaaatctt agtgggggag cagtcaagga ggaaacacac acacacacac acacacacac 163020 acacacaca acgttagtat aatatcatac tatggetetg tgeetgeagt ecaggaatga 163080 gggctgaact cagagtgtta gtgtgtgcta gtggatattt gagctctgta tttatgtgca 163140 tgtctgtgta gatgtgtacc tgaggtgttt atgtgtacac aggtgttggc ctgttgcata 163200 163260 tggatggaga catggttgtg tttgctaggc atttgcatgt gtctgagttc atgcacataa actcacatct acctctggag actgagagtg acaacccagg gcccttttat cctgcagcac 163320 cccaggccca gcaccccgac ccagcatccc aggcccagca ctccagaccc agcaccccag 163380 gcccagcatc ccacgcccag catcccaggc ccagcaccc agacccagca tcccaggccc 163440 163500 agcaccccag acccagcacc ccaggcccag catcccagge ccagcaccce gacccagcat cccaggccca gcaccccagg tccaagcact caatgcccag caccccgacc cagcatccca 163560

aacccaacac	cccaggccca	gcatccaagg	cccagcatcc	cagggacagc	accccaggcc	163620
an mant acces	aacccaacat	cccagggaca	gcaccccagg	cccagcatte	caggiccage	163680
atcccadda	cadcacccca	ggcccagtat	cccagggaca	gcaccccayy	cccagcaccc	163740
22626262	accccaddcc	cagtatccca	gggacagcac	cccaggcaca	gcacccaca	163800 163860
+	acatactgaa	gatagggaat -	gtctctgagg	cctcttatct	Lygiculat	163920
teattact	ttcagcacct	actctcctca	cactcggaat	Caaacacccc	gracaggree	163980
tcccagtacc	aggattccc	tcagctgagg	aatgggtage	tctcctgaga	gcaatttggg	164040
gtctggggtt	ggcagcccca tgcccattag	rgctaattgg	acctacage	atatactata	ggggcaggga	164100
cagcacatcc	cctgtatage	totatattaa	gcccgcaggg	caagctatga	cccatqccag	164160
tggagcctac	ttcacctagg	caactccaga	tgggcacaaa	aatctctcca	ataagggtag	164220
~+~+aaaaa+	agataaggag	agcatagtga	acctaactaa	gcaccigaga	CCCgagcagc	164280
at and against	aattatatca	ctataattcc	agactgccaa	gacatcutgg	Cillactic	164340
andt and ant	aatccaaaat	ccagagetet	taagagagca	gatgctgaga	ggcacttaat	164400
anagget a a	gaccettect	tagacagttt	cttagctttc	Eacticigue	ccigicciag	164460
tatataataa	ccatctdtdc	ctaacagctc	tctqtqqaaa	acatgaggcg	Laigagette	164520
atacttctcc	cadcatccca	tacccacacc	ccagctcact	gtgtgccctc	algitatica	164580
	+>ca++taaa	aaccccaaat.	taaaactata	adtttcccrc	calcugue	164640 164700
tacattttac	caccaccact	aatcctcttc	ctcctcttcc	tcctcttcct	CCLCCCCCCC	164760
+++ctncncn	חחחחחחחחחח	nnnnnnnnn	nnnnnnnnn	nnnnmmm	111111111111111111111111111111111111111	164820
nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnnn	nnnnnnnna	stactatttc	164880
aaattgaact	tacagaggaa	acacaaatga	getgtaatga	ttacctttat	ttttcatatt	164940
ccttgtgatc	agaaagctat	agattaaacc	ccagecettt	tagectetta	gagacctctc	165000
tagtggttct	ggggactgaa	cccaaggaag	tttctcaatc	catatogtag	tatctattca	165060
aggcattgct	tatgctaagc cctataacca	tgacaaaggc	aattototaa	gagtetatet	gaacttctta	165120
tcttaagatg	caaaaacaca	cataaagatt	gtttactgaa	gcagtatttg	caacagtgaa	165180
agcatgtgt	acaacaacaa	aaagtactta	atageteate	agtaggaaaa	agaacaacaa	165240
acaaaaccaa	atttatacta	ttctcattct	atcacacgac	tattaagaag	attaaggtgt	165300
an aantan aa	-acceptaca	gaacaacgca	cacaatqaaa	ttgaatagag	aataaayaaa	165360
2222424242	ctotatttat	otaaaacata	cataaacaca	taaaaayaat	ayaaaacccc	165420
++ mact mt at	atctttdaaa	agaaccagca	gagtgctatg	gtttataaal	gaaaagttt	165480
cccaaaattc	· ctgagttgga	aattcaatac	agagttcata	ctcttaggaa	gtaactaaat	165540
caggaatgct	ctgatctaat	caatggattg	accaactgat	agattaataa	LCLyaayyca	165600
2020tt 0020	. gagggagaa	caaddtdadd	cctaactqqa	ggaagttigt	Caccagagge	165660 165720
atataattaa	, adaddctacc	tcatccttga	tccttccctt	tetecgette	diggergraa	165780
224+2+++2+	· ttgactgatg	taactotcat	cttagaggct	tactggctcc	accayctaac	165840
ctaggcctag	ccctggaage	ttctagcttc	catacaatcu	aattcaagec	tetagetge	165900
cagcctttag	gacttgctgc	tgagatcacc	testeteses	gatgatttta	ttcacaatct	165960
tgattcagto	c ccctgttcc ttggcctctg	gggctcaaac	cttaatctca	aactaactct	agcaatcttt	166020
gtcttttct	tragecters	aactgccctg	. acttattata	tetttactgt	gtctagtttg	166080
tctaatctct	e tgteteette	totacecce:	toccogtaaa	cctacctcct	cctcccctc	166140
L	- +-c+c+ccc+	- ctcadctcta	a ctocactoct	ctccacage	: Clockylate	166200
at at act ac	a ctctcttctc	: cootaccaco	: tatatctccc	: ttacgtagci	t coccitto	166260
at at at tate at a	c ctaaaaatta	r dacadatcci	. attcctqtcae	l acceptance	, gattetteat	166320
+++-+-+	c	: acatcactti	. caagcaggag	tdcctccrc	. acaaaccaac	166380
+++-aa++a	- ++<+++caaa	ttaaaggtg	a otactaaoo	i tatateteti	tttcagccag	166440
+	- astatatact	· aataaqqqt	r adccaactct	agctagaaa	ageneen	166500 166560
teteestaa	· taacadaato	: ttagggttc	a caatacqatq	aaatatcct	g agacayccyy	166620
	~ ~t~~~~~~	tacadadad	t taaggatgt(	r ctcttgagg	L Licagalyyy	166680
aataagcat	t ttcttggga	ttggattag	a gtcattcct	g Egacactgu	g acaaaggact	166740
cgactacat	t ttgccatgc	ttgagactg	t ggagggerge	a gogacygac	t aatacactgg	166800
agtgaattt	t aaggcagcc	a aggetgtgg	c tggactgtt	a coagetacy	t ttagctggat	
ttatattaa	g aattgggaa	aaaaaagca +++++=+=c	y aytayaaay t taactttt:	a tottoctat	g cagaaggagg g accaaaatac	
tttcttcat	a tacaactta	y cicicaldy a aaaatttt	a ctgaactct	t cttcacccc	a gaaccegace	166980
	t agagattat	t cccddaaca	c tcctdaact	c ttcacccca	y aatyctice	10,010
+ ~ + +	c accetagag	t todaaccet	c ccaactaaa	a actqttcca	a gaacacccc	10,100
~~~	.~ cctcctaaa	a caacctcaa	a atgaaccgg	g tacattqcc	a aataatayya	10,100
	.+ + > a++ > ca+	a dattccctt	o ocadaaccc	c ttatecell	y acayaacccc	10.220
	.+ >>>cttata	c tttccctac	c cadctctcc	c cccttqaqt	Liactatata	10.200
3~~~+ 5+~~	- saatttaac	t aateateaa	t totoctota	c accactagg	L graigageer	10/010
cgaccccac	ga gctctggtc	t atgttccat	g tgctttctt	g ctgttgttc	t attaaatctt	167400

gccttctaca ttttgagtac ggtctcagtg tcttcttggg tccgcggctg tcccggggct tgagtgcttg agtgagggtc tcccttcggg ggtctttcat tttggtgcat tggccgggaa 167520 acagegegae cacecagagg tectagaece acttagaggt aaggttettt gttetgtttt 167580 167640 ggtctgatgt ttgtgttctg tttctaagtt tggtgcgatc gcagtttcgg ttttgcggat gctcagtgag accgcgctcc gagagggaac gcggggtgga taaggataga cgtgtccagg 167700 tgtccaccgt ccgttcaccc tgggagacgt cccaggaaaa acaggggagg accagggacg 167760 cctggtggac ccctttggag gccaagagac catttggggt tgcgagatcg tgggtttgag 167820 167880 toccacctog tgcccagttg cgagatogtg ggttcgagtc ccacctogcg ttttgttgcg agaccgtggg ttcaagtccc acctcgcgtt tggtcacgag atcgtgggtt cgagtcccac 167940 ctcgtgcaga gggtctcaat cggccggcct tagaaaggcc atctgattct ttgagttgct 168000 tgtggtcgac gcagagtcgc cgccgtttct ggtttctttt ttgtcttagt ctcgtgtccg 168060 ctcttgttgt gtctactgtt tttctagaaa tgggacaatc tgtgtccact cccctttctc 168120 tgactctgga gcattggaag gaggtgcggg tcagagccca caaccagtcg gtggaagtca 168180 gaaagggtcc gtggcagacc ttttgcgcct ccgagtggcc aacgtttaga gtaggctggc 168240 cacctgaggg tgcttttgac ttgtcactaa tcgctgccgt caggcgaatt gtttttcagg 168300 aggaaggggg tcaccctgat cagatcccct acattgtgac ctggcagaat ctcgtccaat 168360 tcccacctcc gtgggtcaag ccttggaccc caaactcttc gaaactgacg gtcgcggttg 168420 cccagtctga tgcagccgga aagtctggcc catcagcacc ccccaagatc tatccagaqa 168480 ttgacgacet cetetggata gacteecaac etececetta ecceetgeec caacagecae 168540 168600 ctgcagctgc cccaccacag ggaccaatag cgagagggc tcagggaccg gcgggggaga ctcggagtcg ccgaggccga agccccgggg aggaaggggg gccagactca acagttgcct 168660 tgccactcag agcacatgtg agagggccag caccaggacc taatgatctc attcctttac 168720 agtactggcc tttttcctct tctgatttat ataattgaaa aactaaccac cctcccttct 168780 cagaqaaccc ctctqqactt actgggctcc ttgagtcact tatgttctcc catcaaccca 168840 cttgggatga ttgtcagcag cttttgcagg ttcttttac aacagaagaa agaaaaagaa 168900 168960 tcctcataga ggcgagaaaa aatgttctgg gagaggacgg cacacccact gccctcccta acctegtgga egaggettte ceettgaace geeceaactg ggaetacaac accgeggaag gtaggggacg ceteettgte tategeegga etetagtgge aggteteaga ggageegeta 169020 169080 gacggcccac caatttggct aaggtaagag aggtcttgca ggggcagact gaaccaccct 169140 169200 cagtetteet tgagegteta atggaggeat ataggagata cacceetttt gacceettgt cagaggggca gagagccgct gtagccatgg ccttcattgg tcagtccgct cccgacatta 169260 169320 agaaaaagct gcaaaggctg gaggggctcc aagatcatac gctccaagat ttagtaaaag aagcagaaaa agtctatcat aagagggaaa cagaagaaga gaggcaggag agagagaaga 169380 aagaaataga ggagagggaa aatagacggg atcgccgtca ggagagaaat ctgagtaaaa 169440 169500 ttttggccgc agttgtgaat gatagacagt caggaaaagg taaaataggg ctcctgggca acagggcagt gaaaccgcaa ggtggcaaaa agataccact ggaaaaaagac caatgcgcct 169560 attgcaaaga gaaaggacac tgggctagag attgccctaa aaagcgggag cgatccaagg 169620 169680 tcctaaccct agaagatgat tagggaagtc ggggctcaga ccccctccct gagcctaggg taactttgtc cgtggagggg actcccgtca acttcctgat agacaccgga gcagaacatt 169740 169800 cagtactcac taacccccta ggcaagctag gctccaaaaa gaccatggta attggagcca ctggtagtaa attttacccc tggacgacca aacgagctct tcagatagac aaaaatatag 169860 tgacccactc ctttctggtg atacctgagt gccctgctcc cctcttgggg cgcgatctgc 169920 169980 taaccaaact aaaqqctcaa qtccaattta cttcagaagg cccacaagta agctggggaa aggcccctgt tgcctgcctt gtcctcaaca cagaaaaaga gtaccggttg catgaagaac 170040 aacccaaaaa tgcagtctct tcaggttggc taactgcgtt ccccaatgtc tgggcagaac 170100 170160 aagcaggaat ggggttggct aaacaagtgc ctccggttgt ggtagaactt aaagctgatg ccaccccat ttcggtaaaa caatacccca tgagcaagga agctagaaaa ggcatccggc 170220 ctcatatcca gaggttgctg ggccaaggag ttttagtggc ctgtcagtcc ccctggaata 170280 170340 caccacttct gccggttcaa aaaccaggga ccaatgacta tcgcccggta caagacctcc gggaggttaa caaaagggtc ctggacattc accccacagt cccgaacccg tacaatttat 170400 taagctctct cccacctgag agaacatggt atacagtcct agacttaaaa gatgccttct 170460 tttgcctgcg tttgcaccct aagagtcagc tcctgtttgc ttttaaatgg agggacccag 170520 agggcggaca gactggtcaa ctaacttgga ctaggctacc acaggggttc aaaaattccc 170580 170640 ccaccctgtt tgacgaggcc ctccatcggg atcttgcgcc ttttcgcgct cgaaaccctc agettaceet actacagtat gtagatgate tettggtege ggeggeeteg aaggagetgt 170700 gtcaccaggg aactgagagg ctcctcacag aactgagtga cttggggtat cgagtttcgg 170760 ctaaaaaggc acaaatctgt caaactgagg taaccttcct ggggtatacc ctccgagggg 170820 gcaaaagatg gctcacagag gcccggaaaa agactgttat gatgatccca tcgccaacta 170880 ccccacggca ggtacgtgag tttctgggga ctgctggctt ttgtagactc tggattccag 170940 171000 gctttgcaac cctagcagca cctctatatc ctttgactaa ggaaggggtt cctttcaagt 171060 ggaaagaaga acaccaaaga gcttttgagg ctatcaagtc gtctctaatg actgccccca 171120 cgctagcatt accagacttg actaagcctt tcgtcctata tgtggacgag agagcgggtg 171180 tagccagggg agtattgaca caagcactgg gaccctgaaa aagacctgta gcctatttgt caaaaaaatt agateetgtt getagtggat ggeecacatg tetgaaaget attgeageag 171240

	gatcaaagat	actaacaaac	tgacaatggg	acagcaggtg	accgttgtag	171300
tagecetget	cttagaaagt	ateatacaac	agccacctga	cagataagat	gaçaaatqçç	171360
cccccatgc	actatcagag	cctactacta	aataaacata	taacctttgc	accccctacc	171420
cgaatgacac	cagctaccct	teteesteta	acceptostt	ccatcccaat	acatcaatqt	171480
atcctcaacc	tcgctgaaga	aactgggacc	acaaatgacc	tgactgacca	accetggeet	171540
atggacatcc	gttggtacac	aactyggacc	agaagegace	tagagggaa	gcaaaaggct	171600
agagctccca	gttggtacac	ggacggcagc	agetteeega	acactttacc	tgaaggaaca	171660
ggagctgcgg	tggtagacgg	gaaaaaggta	attraggeau	tecanage	taaaqqtaaq	171720
tcggcacaaa	aggctgaact	tatagegett	acacaageee	ccccacacat	ccataggaac	171780
atcgttaata	tctacactga	cageegatat	gettetgeta	acattaaaa	caaagaaaa	171840
atctacaggc	agcgagggct	attgacctcg	gergeraaag	togggatest	caaagaaaaa	171900
attctggccc	tgttagaagc	catacatgca	cctaaaaagg	cayccaccac	acttagtgg	171960
ggccacccaa	aaaggagaaa	acttggtggc	caagggcaac	cgaacggcag	accoagege	172020
aaaacaagtt	gctcaagggg	ccatgatctt	aactgaaaaa	ggtgateege	tagantactt	172020
tgaggatggg	aggtataaca	taaaagagct	atggtagacc	agrigation	anagastas	172140
tttttgaaag	aaaaatagaa	ttaactcccg	aagaaggaat	aaaattigia	aaaggactac	172140
accaattcac	ccacctggga	gttgaaaaaa	tgatgagact	aattaaaaat	tecegatace	
aagtccccaa	cctgaagtca	gtggctcaaa	agattataga	ctcctgcaaa	ccatgtgcat	172260 172320
tractaator	aactaaagco	tacagagaac	ctggaaagag	acaacgggga	gaccatcctg	
gagtgtattg	ggaggtagac	tttactgaag	ttaaacctga	aatgtatggt	aacaagtate	172380
tattaatatt	tatagacacc	ttttcaggat	gggttgaggc	atttcccact	aaaacagaga	172440
ctacccagat	tataaccaaa	aagatccttg	aagaaatcct	gccaagattt	gaaatcccta	172500
addtaatcdd	otecgacaat	ggaccagcct	ttgttgccca	ggtaagtcag	ggcttggcca	172560
ctcaattaaa	categattgg	aaattacact	gtgcttaccg	ccctcaaagc	tcaggacagg	172620
tananaanat	aaataggacc	ttaaaagaga	ccttgactaa	attagccatt	gagaccggca	172680
asseseta	antanctete	cttcctctta	coctcaaaca	cccctggtcg	tttegggete	172740
actccttttg	aagttctgta	tggaggacct	cccccttaa	tggaagctgg	tggaacatta	172800
atttccaact	ctgaccctgt	cttaccctcc	tctttqctta	·ttcatttaaa	ggccctaaaa	172860
ataattaaaa	cccagatttq	ggaccaactg	aaagcagcct	ataccccagg	gaccaccgca	172920
ataccccaca	ggttccgagt	tagagacaaa	gtcttggtca	gacggcatcg	aaccggtagc	172980
cttgagccac	aataaaaaa	accctatttq	gtgttactga	caacccctac	tgcggtaaaa	173040
uttuacuuaa	teacetecta	gatccacgcc	tcccacgtca	agagggccgc	cagtcaagat	173100
daadaaaacc	acdacdacaa	ttagacagta	gcagtcactg	acaatcctct	taagettegt	173160
ctacaccaca	agcaccactc	tagacctagg	gaaccttaac	cctcatgctc	caattcaaca	173220
atectagaaa	gtgcttaatg	aaaaqqaaaa	. cattgtatgg	gcaaccactg	cagtccatcc	173280
cctctggatt	: taataac cta	atctcacqcc	: tgacatctgt	aagttagcgg	caggatecee	173340
caattaggac	· ctctcagate	atactgatct	tagcaaccca	cccctgagg	agcggtgtgt	173400
cccaaatggg	atagggagca	catatgggtg	ı ttcqqqqcag	ttctaccgag	ctaatcttag	173460
agetgeacat	tttatattt	gccctggtca	ı gggtcagagc	aaaaggcttc	aacaaaaatg	173520
caaaaaaaaca	tcagattact	tttgtggtaa	ı atggacatgt	gaaacgacag	gagatgetta	173580
ctagaagccc	: toototaaat	gggacctaat	: cacqqtaaaa	cgaggtagtg	gctatgataa	173640
atcaaacdaa	ggagaaagaa	acccctataa	ı atatcaagag	agtgggtgcg	Cttttaaaaa	173700
cadadcacco	tcaggaccat	gcaaagataa	atactgtaac	: cccctacgta	taaggttcac	173760
caadaacada	aaacaacacc	gtctaagttc	ı qcttaaagga	. aataggtggg	gttggcgagt	173820
atacattcca	a ctaagagate	ctagattcat	: tttcacqatc	: agattgacag	, tgagagaccc	173880
aacaataaca	a ctcataggg	ccaacaaggt	: ccttataaaa	. caggggccc	ccagtcgtac	173940
taactcccc	- aaaggtcccg	actotaccao	, ctccaccaac	: tccacagcc	: aacacagigg	174000
taccetecct	t aggaactaat	actctcctc	ı taaaqcctac	: cttggcttcd	ccaccgcccc	174060
taggaagaga	 gaaccatcta 	gtcagtctag	r tccaaqqaqq	: ttttttagt	: ctaaatagaa	174120
ctaaccctaa	a tatgactcaa	tcatgctgg	t tatgctatgo	ctctagccc	ccttattata	174180
aaggaatag	c tradatrado	r acttataata	a ctacttcaga	a tcattctca	i tgcctttggg	174240
422222C2	a agattaact	: ctagcagcag	r tttcaggaag	agggctttg:	t ctgggccggg	174300
tacctcacc	a taaaqqqqa	: ctctgtaat	c agacccaga	a catccagtc	t agcaaaagcg	174360
atcactate:	t aatacctcc	: ctagacaca	a tataaactt	caataccgg	t ctcactcctt	174420
gtcagtate	t ggcgccccc	aatagttcc	a aagatttct	cattttggt	t cagcttattc	174480
grander ct ct	t gtatgatgat	: aatagttot	t ttttagata	a atttgaaca	t cgggtccgct	174540
raaaaaara	a accortace	ttaacttto	g cagttctat	t aggattggg	a gtagcagctg	174600
yaaaaaydy aagtaggta	c accepteded	gccttaatt	a agacccccc	c. aatactato	a agaactacgt	174660
gagtaggta	ayyaaccyci	tagaactat	a gaacagtct	a taaccaaat	t agaagaatct	174720
ttanette-	e tetecessed	: datactace	a aatagaagg	g aattagact	t attattcctt	174780
2222222	a asctatata	toccttaaa	a gaagaatgt	t atttttata	t tgaccattca	174840
aadadaaga	y gadicigigi	t aactaaact	t adagaacdc	c tagatatac	g taaaagagaa	174900
ggagtaatc	a adyaticia	r atttaaaac	c tootttaat	a agtcccctt	g gctcaccact	174960
ayadadagc	addaagat	g gcccyaaay	t acacttate	c ttttoctta	c ttttgggccc	1/3020
tactete	a claiaycay	t accettes	t agaaaaag	a taaacocao	t ccaggttatg	
egcarcett	a ataayttag	. aycılla	.c ayaaaaayy			

gtactaaggc aacaatatcg ggtccttcag gaggttgaaa actcgctcta agattagagc 175140 tatetectaa aagaagtggg gaatgaagaa taaaaatttt taetgaacte ttetteacce 175200 cagaaccega coccteccat ctagagattg tteceggaac actectgaac tetteaccee 175260 agaatgcatt cctgaactcc tcaccctaga gttcgaaccc tcccaactaa aaactgttcc 175320 tagaacattt ttgagataag ggcctcctaa aacaaccgca aaatgaaccg ggtacattgc 175380 caaataatag gacatgaccc cttagttacg tagattccct tggcagaacc ccttgtcccc 175440 tgacagaacc ccctagtgat gtaaacttgt actttccctg cccagctctc cccccttgag 175500 ttttactata taagootgta aaaaatttgg ctggtcgtcg attotcotct acaccactag 175560 gtgcatgagt ttcgacccca gagctctggt ctatgttcca tgtgctttct tgctgttgtt 175620 ctattaaatc ttgccttcta cattttgagt acggtctcag tgtcttcttg ggtccgcggc 175680 tgtcccgggg cttgagtgct tgagtgaggg tctcccttcg ggggtctttc aaaactactt 175740 cagaggaaaa atgtattctg cctcatgggt tcagggggtt tccctcagca aattcaggga 175800 agacaagatg gaacagctca acctgctggc aggagggtgt gggaaaggac aagtgttcat 175860 tgtgtggtgg acaggaaaca gagagctgcc tacagtctta caggcctacc accactgacc 175920 tacctctgtc cgtcaggccc tacatcttaa aggatctaca gtttattaaa agaacactac 175980 cagataggaa ccaagtatca aaccaccagt ttgtagggga taaaaataca aggaacacat 176040 ctcaatagga gtgtgttcca ggatgtggac aaggagaaca cagttgttta aaagcttaac 176100 gctggccagg agagctgcac acctttaatt ccatcactcg taagagggaa gcaggttcat 176160 ctctgtgagt tcaaggcaag cctgggctat acaattctag attagccaga gctacatcgt 176220 aggageetgt tteaaaacaa acaaaaccaa accataaaaa agcatttetg aggetttggg 176280 tttaatcccc atgacctcaa atagccaaac agctctcctc agtccaaacc aaactgcaaa 176340 attggagcta gtgagatggc tcaacatatg aaagtccttc ccaaaaatat tgacaactgt 176400 agettatete tggggacaca cataatggga gaggaccaat ttetacaagt taccetetga 176460 cctccacaca tatgcctccc acaaataaga aaatatatat aataaaaaga aagaagtcta 176520 176580 cagctgcaca tggtcatgca tgcctataat ccagcactcc agaggctgag gcaggaggat tattagtttg agatcgcata gcaagcagta ggctagacag ggctacatag tgtaaacctg 176640 ccttaaaaca caaaaatcaa ttaagcaaca ataacagtaa caaccacaac aaaaacccaa 176700 aagagtactt tgtagtaagg acaataccaa aaatgttcct ttaaggacag ttctggaatc agcaatagcc ttccgagtgc tcagggatgt ataaatactt agaaaacttc ccctggagaa 176760 176820 atgagcacca gggtacactg ctctcagagc tgcccagaaa gttgtttatc ctggattcat 176880 176940 ttcagccttc ctaactgctc aggcattcag aggtcacttc tgtagtagcc aatgtctaaa aaggetaaac tactgeteag catggetgtg gtacttggea ttateatttt gtgactggtt 177000 ttgtagttat gcagaattca agagttatag catcatgaaa gtttccacca agttcctgat 177060 ccagtcacct cttaaaggtt ggatgcacca agtgcctttg gggtgataaa ttatattcaa 177120 ataatggtat tocaccotaa tocccaaaga ottotggooa totoataatg taaaatgotg 177180 agccatcgca ccagcccatg gccttgaact cttgatggtc ctgtctcagc ctgtgtttgg 177240 177300 attataaatc tgttggtgag gtattccttt gctgataata caagcaaatt cttcaagctt ccatcctaga ctgaagacca gcagctctcc aggagtcctc aatgcagact ggcccagctg 177360 ggacattgag cctcatggac tcagccgcta ctagattcgc aacctattca gacaagccac 177420 tgttggacta cccagacaat actatgtaag ccaatcccat tttaatacac atattcatct 177480 gggtgtgtgg cacacacctc tactcccagc acgcaagagg cagaggcagg cagatctctg 177540 atttcgaggc ctggtctata gagtgaattc caggccagcc agggctacac agagaaaacc 177600 tgtttcaaca aaaccaaaac cgtaaattca ttctatcagc tctatttcct tagagaattc 177660 taatacatgt gggtaccagg ggttgaactc aaagtcttca tgtttacgta gcaagtttcc 177720 ttctgctagc ctagtgaagc tgaggcaggt acagccggtt ctttactgct ccttgcaaat 177780 ggtcctcctg agctttcctt tgagagccta caaagaactc ttttttctt taggtctcca 177840 ggttttggtc ttaagaggtt ctggacttgg atctgtagct gtcatatcac agacattcaa 177900 catctggcaa atgtcttgac aaaggagatc acttgtgttt gctgcagtgt cccttctggc 177960 tgtgagattt tgctcctcac cactgcagga ctgcagatct attctgcctt tttagttgac 178020 titicattcc tgagaactgg ggaaaactga ctitgtattt gggctitgaa titgtccatt tgtcaatcca tcacaccaga cctaaccaac tgccaagagt tctgctgact titgttttct 178080 178140 ctagggtggt cactttgctg ggctcatcct catccttggc ctgcagttta tccccaggaa 178200 agaaaatggc taacgactgc taagaagcag tctttccttc cagaaatttt agtctatcta 178260 gaccttgctg cagtctgaag tctttaaaat gtgtttgtta tggtagaata ttttgagttg 178320 ccttaggagt attgcttgct gtcacctatc atattctatc aggaagcaga cgtcccattt 178380 accaaatgtg aagaaatatg gcatcaatac ccactgcaaa aagtgtaaat aaataataaa 178440 aaaatagatt tattacagag tgcaagggaa aagaaaaaa tcagccagtt tcagaattgt 178500 aactggacaa atgttggtac agttcatgaa gaggttctac aaaatggctg ggggtgggaa 178560 cataatgagt tagtttgctt tttttttct ctttccttcc ctttcctttc cttacaaggt 178620 ctcatgtagt ctatggtctc aaactcacca ctgtaaatca ccttgaactt ctgatccttc 178680 tgcacgctgg caatgtaagc atgtgccacc aggcctggct cacacatttg gtttttcaat 178740 acagaatage tetgtgatga ttaaetteaa teatcaaett gacataaeca agaategtet 178800 gaggaagagt ctcagtgact gggtgggcta agggcatgct cataagggat tatcctgatt 178860 qttaattqac atqqaaaqat caagtccatt gtgagcagca acacgccctg aacagaagtc 178920

ttctgaagta taagaggaga aagcttgatg agagcaagca ggcaagcaag ccaggatcca 178980 cgtgtttatt ctctgtctgt tcttgaccgt agatgtgatg gctgtcttgg cttcctggga 179040 aacatgaact gcaccctgga attgcaaggc aaacaaacct tttcctcttc caagttgctt 179100 179160 tatgctaaga tattttatcg cagcaataga aatgaaactt agaacaggcc cataactgcc agctttggaa ctgaacctaa ggctgttata attcactagg atagggacca ctggaagtga 179220 atctgatttt gatggtaaaa tcatgtgttt gtttctggat atgatagatt tatcaatttg 179280 agactcagaa aagaagttag gacttgaatt ccgttttaga gacattccag agaaaactga 179340 tgtcattgtt ctgaatgtaa gtgcctcagc tgaaaataca aagagtacag ggaagaaagc 179400 ccaggctaga atctgaagga actcctctat tttttgtttg cttgtttgtt tggttggttt 179460 tttgagacag ggtttctctg tgtagccctg actgtcctgg aactcacttt gtagaccagg 179520 ctggcctcga actaagaaat ctgcctgcct ctgcttccca agtgctggga ttaaaggcgt 179580 gtgccaccac accaggctag gaactcgtct attacacatt aacacccctc tttaattaac 179640 tgttcctgcc aatgtaccaa atagtcaatt gattcctgtt tatttaccac atgtttctgt 179700 tagtaaacca gaataactta tctagccaaa gtctgcctat tagccatatt ttcatcagtt 179760 cccaaccatt tttggaattc tgtgagggga atccacagat gctgtagacc gctttagaca 179820 tttttcagct tttttcaagt tgcaggtcat gattcagtgg gtcatgaaat taatttagtg 179880 179940 tgcggtaage agccacacac tcttgcttgg aggcttagtc agtttctggc tctaaacgcc ccaggtttgt ttctctatcc taggcctctc tcttaaattc caaacatagt tagacattac 180000 180060 cattggggca cgtgcaactc aaacacggag tgtgactcct ttccccatct gcggttccca 180120 gatttggcaa tgtcaccctc ctcccttctc cctagggtca gttttacctc tcacactcca 180180 caacacaaca cctctcatct caagaattgc cattagggct ggtgagatgg ctcagaggtt 180240 aagagcaccg actgctcttc tgaaggttct gagttcaaat cccagcaacc acatggtggc 180300 tcacaaccat ctgtaatggg atctgattac ctcttctggt gtgtctgaag acagctacag 180360 180420 atgtacetea gagtecaaat gettetteet eccetgaeta caeteaeget ggeetgagte 180480 cattttctta ttgaggttac tgcttctctg cttctaccct ggctccttct gctgcctatc 180540 180600 cttgacacag cagacaagca gttctttaaa gcagggctca ggaccagtga gactgatcgg ctctggtggc acttcctgcc atgactgatg atctaaggtt aagcctagaa cccacgaggt 180660 agaagcaaag gacctactct ccaaagccgt cctctgacca ccatgtgtaa actgcacatg 180720 tacatgcatg cacatggtac acacacatac acagaagtaa aaagagattt aaattgaaaa 180780 tcattaaaaa gaaaaatcag ggctcagcaa actttccgtg tagaaaacta gagtacttag 180840 180900 gctttgaaag ccaagaagtg gatattaatt atagttattc attatagcag agatttctaa aaccttttga caaaactaaa aaatataaca gagtgtattt tttttgtaat gtaagtttac 180960 181020 taatggcagc agtgggatta gtttcttttt tagattattg ttattatttt tattaattat tagtgttttt gtgtttattc atattccaca gcatgtgtgt ggaattggat ttctgcttcc 181080 acctttgtgt gggtcctaga gattgaactc aagtcatcaa gcttgcacag taggtggtca 181140 ggcttacaca gtaggtggtc aggcttgtat ctttggaagg caagcatttt acttcctgtg 181200 ccagctcact ggccttcttt gtttaaaaaa agaaaaaaa agtccttttt tgtttaatta 181260 gggttcatgg ccagtgctct ttatcttaaa atcaactgca aacttttatc tggtaaaaag 181320 ccatccttag ctgtggtcct aggagaaaaa catacagttg gatggcttta tcctgcaggc 181380 ttagtttgat catctcttt tgaagatata atcagctcac atcacactca agcctctgcc 181440 aacgagtttt ctacttctgt tcaacaaact acccaagctg agcagctcca aacaacagcc 181500 agttatgate etcacagtee ggtgggteag aageetaage gggegtgget acetegetge 181560 tattgcctga ccctgctcgg tgcatccaca ttcacatcct ttcctggtga gtgtggttct 181620 ttgactggtt ttgttccaat ttttagtata tgtgctgctg aaacaatctt tttgcctctg 181680 181740 cctccagact gcagggatta atgttcttga ctgccacaga gcactaatat ttactgaaca tgtgatcatg tggtgctcag cactettgca cccaaggetc ggggaacatg gaggaagagg 181800 gggtggaaag attccaagaa ccagaggaag aagaaagtca gaggtgagac tgcatctcct 181860 agaaatgtca gggacatttc tagacctctg aagtctcaag aacaaggcct gaaagtctta 181920 tttatatagg ttaacctgaa aggggaaaaa attcttacag gggtccaacg ttagacaaag aactctaagc aactaaggaa tgttgggggg ggggtagtct tccccaggga acactcctct 181980 182040 accetteaag ecceacecaa getggttate caaaacaaac tggteagtee tgaagecata 182100 tacgcacaag taacatcata tggatgggca gattgcattt aggaatacac acatacacac 182160 acacaactta aaaagagagg ccatgaattt aagagagagc aaagcaaagt gggaaggggt 182220 182280 182340 nagagagaga gcctattatg tcgttggttg cttctaatca ttagaaaacc actctcttag 182400 getgagteag aactageeta getgagaeac tgtecaccea etgteceaga geaaggeeat 182460 182520 gctgcctcat gctaatcagt tgaggttgtg aaaatagccc tgcagtggtt cctgggcctg 182580 182640 cagctgggcc agagccacta aggggagtct ggtcctttgg agcagagtta acagtcatca 182700 gtgctttttt tttttttta aatgttccct gctttaggct cagtgctgtg cgctacttct aatcettgca ataggetgca agacaggeaa gaatateate eetgttttge eetcaggeaa 182760

attctgaagt ctggcaaatg aaagatgtgg gatttgaaca cagacttgtt tggccaaaga 182820 atteteacte tacttetgee tgtgecacet tecteteatg caeggggagg ggaggggage 182880 ccacctccca tgctcagggg ctaggaagtg gggagaagat ggatgtcctc aaagcagggt 182940 gagaatgaag tagaagccag cttcaaatct aaactaagca atgttttatt tccatttccc 183000 183060 gagaaatgtc aagtgctaca attcagtgga tgtggatgaa acaatcaaaa tgttgaacac 183120 ccccaaacag atacaaacct tcatcaaagt ctcttccaaa ggctgggtct gaaaagagcg 183180 actcatgttc cageccagtt ggeteettet catgtgaget eegactteea aagactgett 183240 gcaccaggag gaaatataat agatgtcctt tttaaggggg gtggggtctg tctgacaacc 183300 teceacagtg actgtggata cageceagtt agtagagtte tegectagea agegtgegge 183360 cctgggcttg agatctagca ccctaaggca tagtggtaca tgcccatgac cacagcactt 183420 gggacgtaga ggcagaagga tcagttcaag gtcagatgag gggtggggag gcattccttt 183480 aatgccagca titgagaggc agaaacagat gaatttgtga gttcaaggcc agcctggtct 183540 acagactgag ttccaagaca gccaaggcta cacagagaaa ccctgtcttg tcaggaaaaa 183600 agatagtggg agagaattca aggttatctt ggactgcata agactttgat tccaaaataa 183660 acaaaaatgg agcatgaatg cttgcaactg tggacaatat tgggttcata catattctgt 183720 tttgtcacct acataccaat tatacaaatc agattcagct gggcccactg gtgcatgttt 183780 gttcccagca tctgggaggt agagatgggc agagctctat gactttaagg ctagcctggt 183840 ctacaaagta agttctagga cagccaaccc tacagagaga tacactactt ctaaatcaat 183900 caatcaatcc atcagtcaat catgggctgg agagatagct cagtgatcaa tagtgccatt 183960 cttccagagg acctgggttt gattcccagc acccacatgg cagctcacag atgtctgtaa ctccaatccc aagggacatg acaacttcta ctggtctctt tggtcaacag gcatgcacgc 184020 184080 agcatacaat atatatatgg gtaaaatgct atatatata aaatcagatt cacaaatcaa 184140 gtacagaaag agatcaacta taatgaaaca accataacac atactgtttt aaaagctacc 184200 184260 tttcctgtct gacatctgac ttcttgcgtg acccagtgcc tccacaatga gacaagcaga tggtgtagtc cctgtgaccc aggattaggc aaccactgcc cctgggaagc cattcctagt 184320 aacaggatca aatcccacag tgctccactg taccccgcca gaggacgtga agcctccctt ccccggctgt ctgtgcagca ccgcccagat gcttggtgtc actgagtgac catcggagcc 184380 184440 caactgagga gtgcctcagt gctcctcagg gcagtgtgca attgaaactt gcatgtgatt tctggaattt gtcatttgat atttccagac tccagctgac cttggataac agcacagagg 184500 184560 gcagaactgc agaggaaaag gggcactact gtgactgtta tcccctgcat gattatagaa 184620 gggtctgtgc tttctcttac aaatcattgc ggcctctctt cacttccctc ctttgaagtc 184680 gaaaaaaata gatgcatcct cacagtacag gatggcaggt acgaggcggg ttccgggact 184740 gaggcaggac tcatcatgca gcctctttcc ctcaactaca ccgccgcccc tgcagagttc 184800 cctctgatca aatcagtttc aggcctggaa agaaacggcc actcaggctg gggatgtggt 184860 tecattagag geetgeatge acgaagetet ggatttgate tteageaegg geataageee 184920 agtatggtag tatctgttta gcatggtgtg gaggtatacc tatctctgca cagggagacc 184980 agaagttcag agttateett geacttacag taagttcaaa getagettgg geaacatgaa 185040 gttttgtctt aacaaaacga aacaagaggg gccggggaga tgcttcgctg tgctgagtca 185100 185160 tttgctgcca agtttgatga cctgagtttg gtcccttgag cttatggtgg aaggagagaa atgacgettg aactecaege acatgecaea geceaegeat gaatgtgtat acacaeae 185220 actaagtgga taaatgttaa aaataaataa atcaaaggaa tggccactca aaatctacca 185280 tcgttgggaa gggaggggaa aaggcaggcg agggagatag ataaccctga tatgaacacg 185340 gaaagagcca gtgtgccacc aaagctgccc agtgtgccac caaagctgcc cagtgtgcca 185400 ccaaagctgc ccagtgtgcc accaaagctg cccagacttg attacagatt tggccaggga 185460 cacaggaggc cagcaggagc agccaggttc cacctcagag gtggagccac aaacctggaa 185520 atgaaacgtc tttccctttc ttcagaccac agcagtgaca gctgtcctgc agagtctgga 185580 185640 gggctggcag ggctcatcca ctctagtgtg cctgtggcca gaacaggcct cagtcacagg tgcttttcca aggtcttagt gtctaattaa ggttagcagc caaattggag agagaagggt 185700 gctggacttt actctgctgt aaggactttg ggcattgttc cattccgtga tcaaatacca 185760 ctggctctgc caaccaccat gtcagtgggt cttcagaggt agaagaactc atccttttt 185820 gagaggttig gtctggtcct tgtctaatgc aaaatgccig gggcaccagg ttaatgtcaa 185880 ctcaaaggca agtgctggtc cagcatgtgt ggaatcctaa gttcaatacc catcagagcc 185940 ccaagcccta gaggacagac atgctttaaa aaaaagtcat gctttaaaaa aattctgttg 186000 agggggctgg agaaatagct cagcagttaa gagcactagc tgctctttca gaggacccag 186060 attecettee taacattite atggtggete aaagetgtet ataatteaag teetagaggg 186120 gaatctgttg ccctctctgg ttttctcagg caccaagaac acatgtggtg caaacataca 186180 cgcaggcaaa acactcatac atatgaaaca ttttttataa acctgctcgg atgtggtggc 186240 teatgecage gatgetetea geacteagat ggeagaggea gggggattit gtgttgagee 186300 cagootgago tatagaatga gatgotgtot caaaaagaaa aaaaaaacaa aaaaaaacaa 186360 aaaacaaaaa caaatctgtg ggcttaatca ttcctagcca gaaggagctg gctccagcaa 186420 caatggatcc ctagagctct gctttgcccc ctggtctgga gagcttgctc tagaaaggaa 186480 186540 ttctccatag accacatttc tattttgggg accactctgg gcctgcacat ggaaaaatgg agagttgagg tttacatggt cattttttt gttgttacag taatgagagc tttgaaatga 186600

tcacaaaagg aaaataggaa aatatgcctc ctaaaaagag ccgaggcaaa ttattatagc 186660 186720 ttatggcaac tgacatttaa aagtaacagg atttgggcaa gtttctttct ccaccctctc 186780 tgcaaagtct tgcaggaact tcatgctaaa attatgcttt aattttaatt agccaaatag qtcataaata tagcttattc ccaaatcctt agaatttcta ccctgcaagg agctgaacta 186900 ctaatqaqqa aatatttcca caaaaaccca cttaccatta agaaccccca tccgatattt 186960 ttctaatata atttatcaat ttaaacacat tgcataatgt gccactctgt agcattccat 187020 taaaatqata aataqcaata gtggtgaggg gtggggggca aaaaccagga gattaaacat 187080 atccaaaqca qtqtaqctat atttaaatac ctcaatccat tgtagaggaa aacacactgt 187140 totcatcogo agatacagto tagactcaga goagoatato ottgactgta agggtattaa 187200 taggacagac gaagggggc aataagaaat gacaggaaac ttcagaagaa ataaaatttc 187260 tattaggett tgttataaga ttacatcaaa geagtteata tgttttaate tggggaggaa 187320 aaaaagcaac tacttggggt ttgcgcctgg gggctgcctc tgtgtactga accagacagt 187380 ttgcataatg aacaattttc attcaatcag gatctcagca gagatagctc ctactcaaag 187440 quacccqqca caqqctcata qtttttatct cccaqctcca cctgctggag aaaccttgta 187500 ttgcagggag agaaagcagt cgggaggcat tgtcctagtg gctgtgtacc taaagttaca 187560 qacctqactt taaacagttt ctctctggag gttgaaaggg gctctgtaag ataccagagt 187620 qqattqctct caaaqactct cggactcctg ttacaggcaa gtaaggtcct agcagatggt 187680 agcatggatc tccggccctt ctcactgctt tcttgaatca gggatttaga aattgctatt 187740 tgcataccag gaggactgaa gtttggctcc cggtgaccag aggacaaggt cattgtttaa 187800 aaccacccaa actcatttcc gacttggttg gtcaaatttt caagtttccc agcagtctaa 187860 qqattcataa aataaqgcag aggcagagaa acggagggtg tgtgtgtgtg tgtgtgtgtg 187920 tacccaaaat ggaactgcat tttcatgcac aatagaaaac ttaaagactg aaccaatcat 187980 tttgqaaaac tqqcacagct gacattggct agaggaagga acggccaggg cgagccagct 188040 188100 gcaccaagac ccagggctga ggcctaatcc gcctttatcc gagggtttag tgaggctccc gccgctcacc aatcccggct ggagccgcag aagagctctc ttcacttggc tcagtcccag 188160 cacagtegea etatgetete eegtggggag geegeteegg gagggggage gacateaage tttgtgaaac tgttttegaa aacetgggat gateatttaa atgtttaaaa tatgeacatg 188220 188280 gtaattcaaa actaattacc ctgagcacat ttgaaacatt tatgccatca tcttggatcc 188340 tgcctactga ttgtgcgctg cagctcactc tggtgtttct ataaactgct tcagcgattt 188400 188460 taacttccag gctaaatcag gcagccacag gcgctgcctc cagccctggg ttggtggaga gaccccatc cctgacttcc aggcgaggag gcggcccgtt tctccagaga gccgtttgtc agggtcttgt agttctggct gccgaattat tgctcttatc cgtgttcata attctcatct 188520 188580 gcattattta atttaggcta gaatgacctc tttccctccc gagtcttcct ccctcattcc 188640 catttectet tetteaatte gtggeeecca ttttetgatt ggteeaaata tatagacaaa 188700 tateettqat eqteceace caettqqeta catetteate tqqqaqeeaa tqtqqtqaqt 188760 tttctgggtt tgcaaggtgg tcaggtccac cagtcatcct aaggtgtgtg agagaggtag 188820 accaacatga gcggcgcaca gccgccatca ctgagagagc acgtgccctg cagctcaggc 188880 acaqqcatqc acacacqqc agacatqtqc acatqcqctt tccccaqcaa accctqcttq 188940 cagagtaatt aggcctaggc agttcctgaa gcaaattcat ttcccccttt tccagaataa 189000 aatgaqttct cttcctttgg gggtgctaaa ccagcatgcc agtggctaga agcctgagat 189060 gggtgatqtq qctqaaacca tttctgcagc caagcctgtg ggcagaagct aaccttgggc 189120 tggggagctg cagtcggaag aggcacaatt ctgggatcaa gaaatgagca ctggtttata 189180 189240 ggtacactcc cagaaataga cagatgaggg ctgcctcctt attagcgctt tgaagatgcc catggcgggt ttttagacat ttaggaatat aaaagtaggt tggattccca cagtcagctg 189300 aagtttgaca gagtgatatt accgggttta actagagcca ttaagagact cttcattatc 189360 ccacaccacc gccacccaag ttatcacatg agccataatg caagagaatt ttcattccat 189420 caacaaqaqa qqqaqccqqt ctatctttqt ccaaaqqaaa tgagcaqccc aqcgtgaaqc 189480 ttgtgaggaa ttgagtgtac aacactccaa taacatcccc tgcaggattg cctctgcgat 189540 ttagtcggtg aagcaggggt aactgcgctc gagcagtctg cctgtgtacc tggcttgcaa 189600 gaacaccago togaggaaca ccaaaaaggo cgattaatga caaaggacac toatagaggo 189660 ccgaattcca cagggcttaa gtattaagcc ccaaagaaat caaggtctag gccattctcc 189720 tggcgctcag caatctcatt tattatttct ctacaaagat ccaacactca atttcccagg 189780 tateceetgt atetgaetea catteteetg etcagtaage cateetggtt tgaaaeggge 189840 189900 ctcccctcct cctgcctatg catgctttgc gtcttcacaa cgacagctgg taatttgcaa gaccccctcc actogactct ctcaccccac atacttggaa ctactccttg gaactacttg 189960 tttatcaagt gttctgttgg tgagccttct cttgcattaa agctgtgaga aggaaccaca 190020 gtttctattt cctttacatt tcttgtagcg tctcacatgg gagacaccca ggttagatat 190080 actgagggtc ctggtagttt tagagttgga gttagatgac ccagcaacat gccttccccc 190140 190200 accacgcacc aagcaaaaat tgcacccacc cttccctcag atgttcctgg catcttataa ctcgcccaaa gccagattta ttgctcctgc tgtaaagtgt atcttctcta agcctcactt 190260 aaaagctacc acttggcaga agatcaagtc agaagtgcag gctagcaggt gacggtgagg 190320 acagggcggg atggggcggg tagggtggag cgaataattg aagctccaag agttaccagc 190380 tcaatattta acctaactgg taatttgctg tgacaattac gccatgaagg gaacgctgcg 190440

actatgcaag aatgttgctc tctaattaag agggctctgc atttcctagt cacccgcact 190500 ttaataacac acagaatgag ccttggctcc gggagctaaa ggttccatta ggagcacggg 190560 cagcatatgg ctgtgcacat aggccgtgag tgatgcagcc cagttaagcc cgctaacacc 190620 ttcaattcgt cctcagatag agcccagaga gcgcggctca ggccctcacg ccacgagccc 190680 190740 catttgactg acaggicatet teeeggaaag cetgegegtg cetacactge aaatggacet getteceaca geeeggettt caaccaggaa ggettggegt gggtetgate etteaagagt 190800 aactttaata aggattttct cacagaaaga aaagtccatg ggaacaaatc ctcctcttaa 190860 gagegtgaga caggaatggg gacacaagcc aacaccccaa ttgctagget aactctgata 190920 190980 tgagacaaaa gaatattaat atcttggcta tgaaggagga tggtgccatc ttctgaattg atgggagttt tgaggcatgg ctaagctggg caaaccattt tcttttttt ctcttcttaa 191040 ttagtggttc atttatggag ggcttgctgc ccggagagcc catcagaaga gagctcgctt 191100 tatggagatg tagcttataa aactactcag attttaaaca aacagtgcag gaggccagag 191160 gtagaagtgg tgggggtggg gtggggcaag agaacaattg catctgcaga aggctagccc 191220 tgcaccccaa gcctatgttt agggttgatc agcttcccga ggcaagccca gaagcctcta 191280 191340 aaattttagg ccaatagaaa tgacctctgc accacggctg actgaagcta taaataagcc tcgagttgag cagtggtgtc aacggagaga gcagaggaaa gtccaatcag agcttcattt 191400 tttttttta aagtccactt gcttgggact cacctgaagg cagggcattg agtagagcct 191460 tggctccctg cagcgagagg ctccagtttt cccaggcacc agcccatcgg ttggttacct 191520 aaccaccgaa agggaactgc acagcacaca agttaaatat aggctgggtt atctgcattt 191580 tacaaqctct gagcaagcta tctgaagaag ctgtcatttt taatgacggc acaaacttcc 191640 aattaccgac tgggtaatcc actagggagc aggtagtttt ggaagaacag ttcaccatta 191700 ttaaaagttt acacaatcac ttttgagttg actataagta tttcacacga ggcaggtggg 191760 attagggact ttttgggtgg tttactcgag gctgcaacca acaatgagtg ttttctcaag 191820 aattatacat tgagatttgt caactgctgg ggagtagtgg agggtcctgg taatgcagaa 191880 aggttatgaa atggccaggt aaggttgggt gcttccaagt ctcaaatata ctcctaaggc 191940 cagetecaag teataagete aaacaagtet teaaggggee tggagagtta agacaaataa 192000 192060 ggatcactta ggctacccac ggacaagcac ttctcataca aggaccggct acctccaaca ccatcttccc aacatggctt ctatgttgct tcaacaacca gggcagggtg aattaggggt 192120 gggtctctcc aatgtggact caaatcatga ctacagcntg gggttttttt ttttttttt 192180 ttttttttt tntttggttt ttcgagacag ggtttctcca tatagccctg gctgtcctgg 192240 aactcacttt gtagaccagg ctggcctcgg actcagaaac ccgcctgcct ctgcctctgc 192300 ctcctgagtg ctggaattaa aggtgtatgc taccacgccc ggccgagtcc gtcttgataa 192360 tgaagttccc agtgacctgg atgtcaactg aagttggatt ttactgtgat gactactgag 192420 192480 tccggctcag aattttgggg ggacaaggta ccttgattta actgggcact acacgactgt aaccccaca ttgggagagg cagaggcaga ggcagaggca gaaagttggt tggaggctag 192540 192600 gcaaggetac acagcaagaa gctgtctcaa aaccaaagac atctttcttg atccaaatcc tgtcggaggg tgtgaggcct tgggggccag aacaaggtgg tcaaggaaga ccactgactc 192660 tgtcctttgc tccattactt aatcagaatc gccatcacag atatagctag gagattttaa 192720 192780 gccttggtgg ctgcaatctg catttaagag ctaagtggga taaactcagg ggtgggccca atgecteet ecceacete ectgeatece tecatttace tgtttecagg gatetgetta 192840 atttacctgc cagcetttgg tgggacacag gettagtgge ttagegetge teggggeace agagacete acagaageac etgaatgtac ttteageget geagageacg caeggeteag 192900 192960 gcccatcaga agaacccagg cttatgctaa ggagccagaa agtagaagca gctggcaaga gtgattcagc cccataaatt tacacatccg tacagccaaa cccacttgaa gtgatccaga 193020 193080 qccactttta ttqaaataga aaagatgcct attctggagt gctaagtggt acaggagggt 193140 193200 gggtatataa gagataatcc catgttgtct ttgatgtggt gctagggaga taacccagga cctcacgcct gcctgcaagg tagccaccaa gccacaccaa caacctctat ttatacacac 193260 actaagtgtg gaggtatgga taaaaaaaaa tgtcccaaga cctcacgaat ctgcaaacat 193320 ggtgcctggt tggtggcacc gtttggggag gcagtggacc atttggtctt gcaggaggaa 193380 gttatgtcac tgggtatggg ctttgagagt ttgtagcttt getceccttc cagttaactc 193440 tgctctcgta aggttcctgc caccatgttt cctctgccat tatggacacc tggtcctcta 193500 gaactgtaag ccacttactc tcaggtctct ttcagtcctg gagtcttatc atagcaatga 193560 aaagtaactt gtgtggcagc cagctaagca agggctgtgg ccgactgctt gggattatgg 193620 ttgtgtctgt ctgtctgtct gtcattccat ttatatagtc ctgagaattg aaccacttta 193680 ccactgacat gtctcagtcc tcttggtatc atatattcac ttaagacaag atctcattaa 193740 gtcattcaga ctggttttga gcttgcaatc ctcctgcctc tgcctcaagg cgataggatc 193800 193860 cctagggtac tcgaccagac tgggagtagc aggttctgtt ctcttagctt tctacagtga 193920 ttgtggatta tttgtgtata aagatetgat ggeeegaeeg acteeettee etttaagtga acatcaacag tatttagcat caacttaata aactcatttg gtaaagccat ctccccacct 193980 cttgaacaaa tgaaaatcaa acagcagtac ctgttctcct agagcagcgg ctctcagcct 194040 teeggeettt taatacagtt eetegtgttg eggtgaceee eeceeece ageegtagaa 194100 194160 ttatitcatt gcttaaccag agttaactgg aagggttaat aataaaacca gtctgggaga ctaaggttac ccaaccacgc taggaaggag aggaaagggc cactcgcaca aacctgtctt 194220 tgagatgaag aacaatcaac ataacaggga cagagcagtc cttgtaacaa gtgcaaagga 194280

gagagagagg ctgagtttct acttctataa ataaaccctt ggcaggcgga tcactaaagg 194340 aacacaagtc aatataaacc tttagacatg gggctgccaa acttcacttt tcgacagtat 194400 attaattatg tagtcaatag ccatgggttt cattagcgta ttaaatacca cgatcaatat 194460 tatttatact tttcgaagac aagccactca gggaaaaaat ggtgggggga ggaggaggaa 194520 caatttgacc ctgtagttca aaaaaagtca gaacagcaca ctagagatta gcaagggttt 194580 aatggaaggc ataaaacact ggaaatatgg acagaaatca gatccctgcc ttcatttttc 194640 tgccttttac aaagagactg gagggaattc agaaactatt taaaataaag gcaaaatgat 194700 tagagecect ecetecete agetgettaa caetggggtt gtggtggaeg caaaataage 194760 attgagetet aagtgataga tgagaateag aacaggaaca gtgtttttga ggcaaaatat 194820 gtccaagaga attcaaagaa ctgtgggcca gaatctactt aggcagtcct ctgggacccg 194880 aatccctcac aggcgttaac agtggaacca atttccaagg cagccctgct ggtgatctga 194940 tttttgagta gggaaatctg ttaaacatcg tcccacgagg gagcccagct ctttcactcc 195000 ccacgggttt ctacatgcag ctgtgctaga tctgctgaag tggccggtga ggaggtgtgg 195060 ggattggttc agcgacctca gaggacattc ttgttcacta gccctcgtgc actggggcga 195120 tgaccgaatg ctgtgagcag gagatatcaa aggccggcta ctggactgaa aactagatca 195180 ccatctctaa cctgcaattt gtcaatctca gacagcaatg aagactgtga ttttctagtc 195240 aacgctttgt aagcaaggtc agatagaggc tccataaaaa ttgttcaggg ttcaggcaga 195300 195360 quatcaaqtq taactcaatc cctatctcct gagattaggg aagggaagga aggctgtgtc tactaaacca gtgagcctca agcaaagcct gtctgttctc agcaaggtga gccacccacc 195420 aaagatgcca acagctaagg gccagggatg tagtgcaggg tgctgtgata tcaacagctg 195480 ggagacagaa acaggaggat caggacttca aggtagtttg ggctataaaa tataagcttg 195540 aagctaccca cttgaagact gtccccaaca aaacaaacaa gctgggtatg gtggtcgatg 195600 cttgtatttc tagtgtatga gacgaaggaa gaaagctcaa gcccgagacc tgcttgggtt 195660 acatagggaa gatggtgcct caaaaacagg acagccgagg agcagacaga cagggcagac 195720 195780 agggtgcatc gatctaaatc cacatacctg gatttaaagt aatatctggg agactggtct gtgagggccg ttccagagat ttaataaaga cccaccctga ctgagtatgg gcaacaccca 195840 tgggtggccc aggggtccag actgaataaa gggaaaatgg gaggaagttc agctggtagt gtttccaagt attaggacca cagcctggcc cctggcatgt gctggccagc tagtctagct 195900 195960 ccagtatcaa gcttcaggcc agcggcaggg cactggacag ttcccacaca cgacacacac 196020 acacacagag cactagcatt cacctcctgg tctcttcttg acaacagata aaatgtaact 196080 qqctqccaca qtqaqaqtcc cctaccttcc tcaccgttaa ggatggtaca aactgtgagc 196140 196200 cagcagcagc catttctcca gtaacttgct ttccacagat actgttatag cactaagaaa agcaactgaa acatggggtg ctgtgacccc ttggcaccac aaagccatgg caagctgaag 196260 tgcacacatc acaggccagg cctgaagatg ctgggggact gcaatgctgc ctggattctg 196320 gcagagatgt gcagcagatg ccaagaggtg ggctgcagca accagagata attaatatga 196380 ttaggaacac actgagcagg catgctcttg ccgaatgaaa agcctcgcag tgtaatgact 196440 196500 gttttcttcc tcgatcacgg tctccacgtt tcagagttgg cttggtgtta ggctgccgcg taaacatcaa tocaaccocg aggggccaga toatcggtgt tootgggctc aatcgccttt 196560 ccttttgtgt tttcattcat ttaaagatgc attccagggt tgcaaacatt agtgagaatc 196620 atctccaggo ctcagtctaa tctctgagto tgtaatgagt taacatcttt ccctagtgaa 196680 tatttattat gaaggetaat taattgettt ceagttacaa gaateettta cagteaaaga 196740 aagtaggatc cacaaagata tactgtttat tcaaacaaag caaaggaaac aaagcttctt 196800 196860 tottaaatto tatttaacat agotttaata aaggtacaca ggtocgcotg gcaaccgaac ggtaactgat gcaaactgaa gccatgctct gtagcagcct ggatgtccca gtgccacctc 196920 tgtctgcagg ctttgtcgga tttactaaga ttctgttatc ttcaaacagg gattgtgtct 196980 caagtaactg accccactat gtggataatg aagtaaatta tgcaatttgg gggtttgctt 197040 ttccccaagg ggacagcaag ccagtgctta tcagccgtcc tcagaggaga caattctgat 197100 taatatcaga gtcatctgac tcagtctatt aaacctatca aaccctgaag gaaggatatt 197160 197220 cagatattaa cgataggcct ttgattaata attctacctt gttgccattc taagcattaa caaccatgca gtaactctgc aaaacagacc ctttgattcc aggcagacgc accctctgaa 197280 cacctgggtt ctcccctact cttctcccc caggaggaac tcaagacaaa aaggtgccac 197340 cactggaaaa gcacactcca ggttacataa tttgcctcat tatccagagt ggggttaatg 197400 197460 acttgtgaca taatttctgt ttgaagataa caaaatttca tgaaatccga caaagccgga 197520 aggcaggagg aggggactgc tgccacacta ccggtggctg agaactggag cggaaggttc acacacagee etetgagete actgtetttg ettateagtg agteceaaga ggggeecaga 197580 tgggttgcca gcctccccta gaggatcttc attgtggagc tgtcccatgg ggcgggaagg 197640 aagccattct atttctgttc ttctctcttc cgttctggcc accagtggta cttgctccca 197700 tcacatgttc ttcctgatgt tcgcgatcag ccgtctgcca tagtctctga agtccacggg 197760 cttcacgtcc atcacagtgg ccttaattcg agattcatcc tttagaaaag agagaagctg 197820 tttgtgagtg gcagagcctg gcgtgcagcg gaagagagaa ctttctttgc ttcagtggct 197880 197940 tcaatgagtc cagcaggaag aaggaaagtt tacaagtctc agagagaaag tgctgtgact tectggagtt gggccagatc ctcttccaca gaccctttcc ccatcctagg tgccctgtgc 198000 tcagacctag catcctcccg gagaagcetc tgtctttcta tgggtgcagt gggggcccag 198060 agcagacagg taactcaccc taaagcatca ctttcatcta gaggagctct gtggtagtag 198120

ggactgaggc ttctgctcca gctctgggca aggttacttc tctgctcttc accattcctq 198180 tccatcccag gaagacagaa aatccctaca ctctcccttg atctacccga ctttctgaca 198240 ccaqcctacc tatgttcatt taatacaaca actaaaatat ctattcacag gcactaagct 198300 qqtqataacq cagaatqcac aaactctgcg gctgcagggg agacggcaga gttcctcctc 198360 cacttqtctc cttqaactaa acagtgtctt tgaggcagaa cagggtgaca cctagggaca 198420 cacaagteta getgggggee tteatgette catgtgetta gtaattaatt actacatgea 198480 ccqctqttta caaqtatqqt taggagcccg actgcctggg ttggcctctc gcctctgcca 198540 ctccatggct ttaggttcag agtcattctc tgcatgcctc tgcctgtctc tccgttggta 198600 aagcttgcaa caacagctcc aacacagaaa gtgctgtgag ggtcgacagt ggatagatgg 198660 ctagatagat ggggcaggac ggactgtcca gtaagcaggg ttcatcatgg ctatgcagct 198720 ctqqacatca qqattaqttt aaacacttgt caggtggggc acttttacca gcacgtgcta 198780 tttgtttaat attctgagtt ttagaaccta aactgtggga aacaagagtc cacacataac 198900 198960 ctcctgctgg ggttacaggc ttgagccacc atgacagctt tagcaatagc tttgtaaatc 199020 cacagtgtca agetggatat gatggcacat gettgcaata etaaceteca aagatteeet 199080 quactogagt tggtgaaata gtccaccagg taaaagagct tgctgcccaa gcctgaatct 199140 gattccctgg tcacatgctt taaggaaaga acttgccgaa gatgtcctct gagtgccacg 199200 tgtaccgatg catgettgca gecaeccaca caeccacaca agtgcaetgt etcaeacagt 199260 gagaacagca agtgaacaaa caaacaagcc ggggggggg ggattgtgac cagaataatt 199320 gaggggggt gtaaagetet tggcaggtgg etggeteetg gtaacactee ataagtgggg 199380 aagttccaca tgtaaggtca tgtgatcgag tacatctggg cctccaacag tccttgnnga 199440 agaaacagat gcagtctgtc atatctaaac cattgttgtc gtatctctgg gtagtctttc 199500 titteteett cetitettt teeteeet teetettta aaaaattatt tatitattat 199560 tatatctaaq tacactgtaq ctgtcttcaa acacaccaga agagggtgtc tgtcagatct cattatggat ggttgtgagc catcatgtgg ttgctgggat ttgaactcag gaccttcaga 199680 agaacagtca gtgctcttaa ccgctgagcc atctctccat cccccaaccc ctttctcttt 199740 tgagttaggt tttgtgtagc cctgggtggc gttaccttaa ctacactggc tttgaacttg 199800 caatqatact ctgcctgatc tgtcttaatc attttgagat agggactcac tacatagcct 199860 ttgctggtct ggaactaaca gagatctgcc tgtttctgcc ttgcaaatgc tgggaataaa 199920 qttatqtacc accacctg gagtttaagg gttttttgtt tgtttgttt tcgagacagg 199980 200040 gtttctctgg gtagtcctgg ctgtcctgga actcgctctg tagaccaggc tggccttgaa ctcagaaatc cgcctgcctc tgcctcccaa gtgctgggat taaaggcgtg tgccaccacg 200100 cccagtttaa gggttitttt tigtttgttt titccigaga cagggtttct cigtgtagct 200160 ctqqatqttc tqqaactcac tctqtagagc aggttagcct tgaactcaga aatctgactg 200220 cctctqcctc ccaagtgctg ggattaaagg cgtgtgccat cactgcccag tgattttttt 200280 ttttttaatg tgtgtatttg tatgggtgtg tgggtgcttg tggaagccag gtgtcagatc 200340 cccagagcgg aagtgttctt aaccgctgaa ccatctctct tccctcttcc ctaactctga 200400 ttttaaaggc accaaactct taggtaggag actatacaca cacacacaca cacacacaca 200460 cacaccegta cacaccegta cacaccacat gaccatgeet gagcacacaa gtggttttat tgetggtetg geetgtgtat gagetggaac caaaacettt gtegggagat cegeagtetg 200520 200580 cagtitgage acaggetete tggtttetgt tetetgteet gtgtegeate ttgactagag 200640 gcagagaagc atctgcaagg ctgtgaccac gctggctggt gctctgccat ctacattttc 200700 aacaggaaat ctcaggagag tatttccttt taagaacgcc agacttttgt gcctgggcca 200760 cttctctact tcccagaaca ttgtgtgcca agtggcaagt tattaaccaa gtgctttgga 200820 aaattaaact ccttggtttg cagagtagca tgggagcatt gagagggtgt atgcctaaag 200880 gcctggttct gctgctggca gagetgacac ttggctaaag ggctggcatt tctgagatga 200940 gcctcactag atccgcgtct cagagtctgc aggagaaatc agagaggga gaaqqtccaq 201000 201060 tggcctgttc aggatgatct tcctctgcat ttaagggcgg ctggtttgcc cacgtagccc 201120 cagaaccaaa cgagcctcgg acgaagcccc ctaaaggcag taggagagac tgagccttgg ctcttcagca ggggtgggga caagagcaag aggcgggatc tcgcccggcc ctttagagac acgtgcggtt gtttccgtgt ctgggagatc acatgacccg catcagctga cccgtcacgg 201180 201240 tggagetcag egetggtget tegegetece egecetgetg egeceeggag egeaggacee 201300 tgcggagggg taagaaaacc cccaggcttt ctttcctttg tcgctggttc gcgcagtcac 201360 201420 ctgcacccta cccccgctc ctcgttcatc ccagtcttcc cggcctggca ccccggaage 201480 cactgcgagg agggccgtgg ccaggctcag ccttgcgctg cccccaggcg gccaggacca aatggcccag gggagcagaa ggcggaaagt ggttcttaca gcagggtccg agggctggtc 201540 cccttcctca ggacctgaca tggaggagct gctccggagc gtggagagag atctgaacat 201600 tgatgcccgg cagctggccc tggcgccggg gggcactcat gtagtggccc tagtgtccac 201660 gcgttggctg gctagtctcc gggagcgccg actgggaccc tgtccccggg ctgagggcct 201720 201780 gggtgaagca gaagtcagga ctttactgca acgttcggta cagaggctgc ccccaggctg gactegagtg gaggtgcatg ggctgcggaa acggagactg tcctacccgc tgggtggagg 201840 cgtgccctti gaggaggggt cctgtagccc tgaaactctc actcggttca tgcaggaggt 201900 201960 ggctgcccag aattaccgga acctgtggcg ccatgcatac cacacttatg gacagcctta

caqccacago actgccccot cagototaco tgccctagao totatacgao aagototoca qaqqqtqtat qqatqcacct tcttgccagt gggtgaatcc atcccatgtc tatcaaatgt 202080 cagggatggg coetgeect eteggggeag coetgeetge coeageettt tgegagetga 202140 202200 ggctttgctg gagtcgcccg agatgctcta tgtggtacac ccttatgtgc aattctccct 202260 tottototto ogtgttotga gggccatgga tgcctgtcac cgccaggggc tggcctgtgg 202320 qqctctqtct ttqcaccaca ttqctqtaga cqaqaaqcta tqcaqtqaqc tccqqctqqa 202380 cctqagcgct tacgagatgc cttccgagga tgaaaaccag gagggctctg aagagaaaaa 202440 tgggacaggc attaagtctg aaaaagaggg ggaagggaga actgagtgtc ccacctgcca 202500 202560 gaaagaactt cggggccttg tgctagactg ggtccatggc cgaatcagca acttccacta 202620 cctcatgcag ctgaatcggt tggcaggtcg acggcagggg gatcccaact atcacccagt gctgccctgg gtggtggact ttaccacacc ttatgggcgc ttccgagacc ttcgtaaatc 202680 caagttccga ctcaacaagg gagataagca attggacttc acctatgaga tgacccggca 202740 qqcatttqtt qcaqqtqqtq caggaagtgg ggagccaccc catgttcctc accacatctc 202800 tgacgtgctc tctgacatca cgtactatgt atacaaggcc cgtcgcacac cgcgctcggt 202860 qctctgtgga catgtccgag cgcagtggga accccacgag tatcctgcca ccatggagcg 202920 gatgcagacc tggacaccgg atgagtgcat acccgagttc tacacggacc cctctatctt 202980 ttgctctatc caccctgaca tgcccgacct ggatgtgccg gcctggtgca gttctaacca 203040 ggaatttgtg gctgcccatc gagccctcct ggagagctgg gaggtgtccc aagacctgca 203100 tcactggatt gatcttacct ttggctacaa actccagggc aaagaagctg tgaaggagaa 203160 gaatgtgtgt ctgcacctgg tggacgctca cacccatctg accagctatg gcgtggtaca 203220 gctatttgat cagccacacc cccaacgcct ggctggatct cctgccctgg cccctgaacc 203280 tocactcatc coccygetgt tggtccagcc tattcgggag gccacaggcc aggaggacat 203340 203400 ttcaggacaa cttataaatg gtgcgggcag gcttgtcgta gaggccactc catgtgagac 203460 tggctggact agagataggc ctgggacagg agaagatgat ttagaacagg ctacagaagc totggattcc atotccctcc ccgggaaagc aggtgaccag ccaggetett cctccagtca 203520 agcatcacct ggcctgttgt ctttttctgc accctcgggg tctcgaccag gccgtaggag 203580 caaagctgcc gggttggacc ctggggaggg tgaagagggc aagattgtcc ttccagaggg 203640 cttcagtccc atacaggcct tggaagagct ggagaaagtg ggtaacttcc tggccaaagg 203700 cctagggagc cagttggagg agcctgaaaa gcctcacgcc cagccacctg tgcacctgca 203760 gagcetette categagaca tgeaggteet gggtgteetg ttggetgaga tggtgtttge 203820 caccagggtc cggatactgc agcctgatgc acctttgtgg gtacgctttg aggctgttcg 203880 gggtctctgc atacgccact ccaaggacat ccccgtgtct ctgcagcctg tgctagacac 203940 actectacag etgageggae ecaaaagtee catggtgteg aagaagggea agetagaeee 204000 204060 cagococtto agotocgtgg toccottoco tocatactto coagoactgo acaagttoat 204120 tcttttatat caggcccggc gtgtggagga tgaggtccag ggtcgggagc tggcgtttgc tctgtggcag cagctgggtg cggtgttaaa tgacatcact cccgagggct tagagatcct 204180 204240 cctgcctttc gtgctgtcgc tcatgtctga ggagcacacg gctgtgtaca cagcctggta 204300 cctatttgaa cccgttgcca aggccctggg ccccaaaaat gccaacaagt acctcctgaa 204360 gcctctcatc ggtgcctatg agagcccctg ccgcctgcat ggccgcttct acctgtacac 204420 204480 cgactgtttt gtggcccagt tggtggtgcg gctgggcttg caggccttcc tcacccacct gctgccccat gtcctccagg tactggctgg ggtggaggct tcccaggagg agggcaaagg 204540 cctggtcggg accactgagg atgaggaaag tgagctcccg gtgtccgggc ctggctcctg 204600 tgcctttggg gaagagattc agatggatgg gcagccggct gcttcctcag gactggggct 204660 cccagactac aggtcgggcg tcagcttcca tgaccaggcc gacctgccgg acacggagga 204720 cttccaagct ggactctacg tggctgaatc tccacagccc caggaggctg aggccgtgag 204780 204840 cctgggccag ctgagtgata agagcagtac cagcgaagcc tcccagggcg aggagagggg tggggatgat ggcggtgccc ctgcggacaa gaacagcgtc aagtcagggg acagcagcca 204900 ggacttgaag cagagcgaag gctctgagga agaggaggag gaggaaggct gtgtggtgtt 204960 ggaggaggac caggaggatg aagtcacggg aacatccgag ctcactctgt ctgacacgat 205020 gctgtccatg gagacggtgg tggctcctgg tgatgggaga gacagagaag aggaagaga 205080 205140 gccgctgaca gagcagacag aaggcaaaga acaaaagatc ctccttggtg agcccgtggg ctgagggggc atgggtcagg tgcttttcct tcaggctctc atatgctggg tgtgggtcca 205200 accagatcca ctgtagcacg cacagccaca gtcagacaca gtgcatggaa tgtggaagtg 205260 205320 ctgtgtgtga gtggaaagtg gggcttagat ttagctttca ggagacagaa agctccttta aaagccatac cttgggctga ggctgggagt ggagttgagt ggtagagcac ttgtctggta 205380 tactcgaggg ccctgggtgt cttatctcta gccccagaag aagtattaag aaataaaagc 205440 aagtggtggt tgagatgtga atggagccag aactggccgg aacagtcggg tggaagtggg 205500 aagagtgttc cagacaggga acagtgtgtg tgtacctctg aggctctcat ggttccatca 205560 gagaggcagg gaaaggctaa aatggttttc ttaagagagt ccagaagggc tgggcttggt 205620 ggtgcaggcc tttaatccca gcactcagga ggcagaggca ggcggatttt tgagttcgag 205680 gccagcctgg tctacaaagt gagttccagg acagccaggg ctatacagag aaaccctgtc 205740 tcgaaaaaaa aaaaaaaaa aaagagtgta gaagggtgga agccagggac aagtctgtac 205800

aagaaggaac ttgggagcat tgccgaaagg atgacctctc tgcaggtcct gcccgaggag 205860 ccagtttctg gggaccttga ccatggctag gtgaatggac ccaggatggg atggtcaggc 205920 205980 ttatctgatg agctcaggac cttttcctgc cctgcagata cagcctgcaa gatggtccgc 206040 tggctgtctg ccaagcttgg ccccacagta gcctctcgcc atgtggcccg gaacctgctg 206100 cgcctgctga catcttgtta tgttggtaag gtctgtggtt agtgctggag accaggttcc 206160 ccaqccaggc ttctgcccat ccttagccct ctctaggcga ctccttccct aacttcccag 206220 cactecetga geagggeetg ggteteacce attaagetgg gttttettgg gtaagtgggg 206280 aagagcccag tattgaatga atagaagcca ccccacagtc tcagaaggcc ggcttccctc 206340 ctgccctcca ctggcttctc aacgctgctg cccttccttg gtagggccca ctcgacagca 206400 gttcaccgtc agcagtgatg acacccctcc actgaatgcc ggcaacatct accagaagag 206460 gecagteeta ggtgaeateg tgteggggee tgtgeteage tgeeteetee acattgeeta 206520 cctgtatgga gaacccgttc tcacctacca gtacctgccc tacatcagct acctggtcag 206580 tecetggtte gtcaaacece ggettggggg tgggggcaag gatccaagga ecagececag 206640 gtettggggg ttccaggagg tctgtggggt gacctgtece tecetcatet attetgtggt 206700 totaggtago cocagggago aactoaaaco coagoogact gaacagoogo aaggaggoog 206760 ggctgctggc agcggtgaca ctgacgcaga aaatcatcgt atacctctct gacacgaccc 206820 tcatggacat tctgccccgc attagccacg aggtcttgct gcctgtgctt ggcttcctca 206880 cctccttcgt cacagggtag gcccctgctg cttgggagag ccacctggct gagggggccc 206940 ccaggaaggg ctaggaagct cagggagaag cagataccgg cctgagtcat ggttctgatg 207000 ttgggggtag tggcacaggt ctttcattcc agcacccaga ggagggcaag tttctgtgag 207060 tctgagacta gcctggtcta cagagagagc tccaggctat ctaaggctcc atagtaagac 207120 tctgacttaa gaaaagagtc gtggttcatt ctgggttgtg ggtgtggctt ggtgatggga 207180 cactttccca gcatgcagga ggagctatgc ttgagttcca gcccttcaga aaaacaaaaa 207240 tgggggctgg aaagaatagc tcagggttta agagcactgg ttgctcttcc agaggatcca 207300 ggttagattc ccagctgcca catggtagct cataaccatc cggcagttct atggaacctg 207360 ccaccctcct tcggtctctg tgggcactgc aaacatgtgc acagacatac atgcaggcag 207420 aaaaaaacacc catacacata aaattagacc aaaaaagttc atgttctctc ctacctgtag 207480 ctctgactaa gctacactgc ttccctgtgc ctcagtttcc tcccctggtc tggactgatc 207540 agecttacat geageteetg ttatttgaag tteetggtaa attggteaag teetteaggg 207600 aagggctggg aactettgca etttgattet aggtteecca gtggggeeca ggeeggaet 207660 gtcctatgcg tgaaaaccat cagtctcatc gcctcatct gcttgcgcat cgggcaggag 207720 atggtccagc agcacctgag tgagccagtg gccaccttct tccaagtctt ctctcatctg 207780 catgagette ggeageaggt aggeaggeag ettetggget gggtgggeca ggeeaggeca 207840 ggccaggcca gggcagtgga cccactgaat ctgtggtctt cctacccgca ggatctgcca 207900 ctggatccta agggctgtac tgagggccag ctgccagagg cgaccttctc tgatgggcag 207960 cgacgaccag tggaccccac cctgctggaa gagctgcaga aggtgttcac cctggaaatg 208020 gcgtacacaa tctacgtacc tttctcctgc ctgttgggta ttgcccatca cgttcctttg 208080 cacagagttg gtgactacat ctcttccctg gggtgggccc cgatgctttc acctccagag 208140 tcagcaatgg aatctttta tttttatttt gacatggggt ctcatttagc ccaggctgac 208200 ctttaactcc agctccttcc agcttccacc gtctcctgtt ggcattgtag tcatgtggca 208260 ttgctcaggc ttcttncatg ttcttatttt taaatgacct gtgtgtgtgt gtgatatctg 208320 tgtgagtgtg gaggtgacag aataacagtt ggggggtcag cagatgcctt gcctgatgag 208380 catctctcta gatccagttt ttggttttgt gggcttttat gtgtgtgttt gtttgtctgt 208440 ttttgtagac agggtctctc tgtgtagcct ggccatcctg gaactcattc agtagaccaa 208500 gctggccttg agctcacaga gattcacctg cctctgcctc ccagtgctgg gattaaaggc 208560 gtgtaccact cctgcctggc tttgtttttg ttaaccacca tcctcctgcc tcagcatctg 208620 cctcccctgt gctgggatta caggtgtgtg ctatcacacc cagctaacag tggatttaaa 208680 cgtaggaatt ttaggatcag agtgaccaga tttggtccta gggcccaatt tccacagtga 208740 ttatctatct tagttaggat ctctgttgaa aatcatggtg gaacatcatt accaaatgca 208800 acttggggag gaaaaggttt attttgtctg acaactctca ggtcaccaag ggaagtcagg 208860 gcaggaactc gaggcagaag ctgaagcaaa agccatggaa gaactctggc ttgttcctca 208920 tggcttgctc agtctggtgt accectccc caccacctc cccacaatgg tttctctgct 208980 tatgcctggc tgtcctagaa ctcactctgt agactaggct ggcctcaaac tcaagagatc 209040 cccctgcctc tgcatctcaa gtgctaagat taaaggcggg tgccatcacc cctgccccag 209100 gggtggcact acceactgta aattggteee tteccatate agttgttaaa taagaaaact 209160 cctccatagg ccaatctggt gggggaattt tctcagttga gggtttctct tctcaaatga 209220 ctgtagctga tgccaaattg ataaaacaaa tctcaaacca ccaccaccaa caacaataaa 209280 accaaacaaa ccaaacaact aaccaagaca gtgacttata aagagaatct gaacattttc 209340 cagcaggaaa ggctcaggag ctggccattc aagtctgggg aacagaatgt aggggaatat 209400 gatggtctcc agaagctacc tgcaaaggaa tgaacagctt gctgggtttt gtggcttccc 209460 ttatgggatg ggcgctgtac tgggcttctc tctgagtagg atgggccacc ctgtagttgg 209520 gaatattttg ctcctacaga attgtaagtt cccagaggca ggacacatct gtcttattct 209580 tcattgtgtg tctgatgcta gaatggtgcc tggcatacac gtgtgtgtct ctatagagac 209640

agcactcatg tctacgtatc gataaaggaa gctgttttgg ggggaggaaa caggcttaca 209700 gacgaqaact taataaccca gagtaqccca gtcagtacct tgccttggct tctgtttt 209760 ctaagctctg ggtagatagc taccttgcca tcttccctga tcttagaact ttccccactc 209820 ccctgtaggt gacatcatcc ggaaaatcat ccccaaccat gagttggtcg gggagctggc 209880 agggetetat etggaaagea tgageeegag etetegaaac eeageeagea tggaaceeae 209940 catggctagt gccggccctg aatgggaccc tcagagtggg agctgtctcc aggacgatgg 210000 ccactcaggg acctttggga gtgtcctggt tggaaatcgc atccagatcc ctgactctca 210060 gccccagagt cctgggccac tgggctccct ctctggagtg ggtagtagcg gaggcctcag 210120 caacaggaat gaagacaacg ccctgaagcg ggagcfgcct cggagtgccc atgggctgag 210180 egggaactgg etggegtaet ggeagtaega gateggtgtg agecageagg atgeeeactt 210240 ccacttecae cagateegee tgeagagett cecagggeae aegggggeeg teaaatgegt 210300 ggccgccttg agcagtgaag acttetttet gagtggcage aaggaccgga etgtgcgct etggccgctg tacaactatg gggacgggae caatgagacg gettecegee teatetatge 210360 210420 ccaqcaccgc aaaagcgtct tctacgtggg ccagcttgag gccccgcagt atgtggtgag 210480 ctgtgatggg gcagtgcacg tctgggaccc cttcacaggt gagcgggccc aggtgaggcc 210540 tgttcgacgg ctgctttact gtgccttagc caggcctctg ggaacgggac ctagtqcgaa 210600 acgtacaatg gcgtattttg acggggaaga ttcagtgagg caggaagaga agaagagtca 210660 ggacttagaa tetgtgggac ecaagtttga atecaetece ecaacttace ageaategge 210720 teagttgetg caggegtetg cettetacet gtaagaacca aaaatttaga agattecacg 210780 agtatggett tggettettg tacgacgtea cetgtegteg ttgtaaagag aagtategag 210840 tggaggaggg tcagggcaga cggaggtcgc agctagttag agcatgctat gtgaagagag 210900 cagactottc togogotoga coettoactt cactotogaa gcagcaagat gagaaagccc 210960 tgagattgtg ttttctgagg gtcactgggg aatgggatgc aggtgtgggg tgagttggag 211020 titgaagtag ccagggctct ttgatagcca ctaagtcccc agatgtgtcc tttttcagga 211080 aagaccette geacagtgga teetteagae ageegggtge eeetgaegge tgtggetgte 211140 atgcctgccc cacaccacag catcaccatg gccagctccg actccactct gcgctttgtg 211200 gactgcagga agccaggctt gcaggtcagg aggggtgcag ttcctgggct actggggttc 211260 totaggtacc agtcaggaaa gacactcagg ggactccacc aggaacgctg cagtgacagg 211320 cagecetgtg tgggtggge getggeaegg atggggettt tetetteegg ggatggagtg 211380 ggagggtcag gcctactggt ttcgtgggcc tgaatggggt gagctgcagt agggtgggtg 211440 gcagtgatgg atggcgacgg gcacttgaac acaatctcct cctatagcat gagttccgac 211500 tgggtggagg gctgaaccct gggcttgttc gctcgttggc cgtcagcccc agtggccgga 211560 gtgttgtggc tggcttctcc tcgggcttca tggtgctcct agatacccgc acgggcctgg 211620 ttctacgagg ctggccagcc catgaagggg acattctaca gatcaaggtg actgactgcc 211680 tgaggtecta teettteatt tetaettagg geetggtetg ggagaggaea ggtttatget 211740 ggtgtccctt ataactactc ggggacattc agtggggtgg gaaaatggcc ctcgtaggcc 211800 agctcaggaa ccagctgcac aggaggcagg ctaggggcag gaatcagggc tagaactgac 211860 cctgatgctc cacagcgatg ttctaatgag taacccttgt ccatatttgt cttgcttgga 211920 ggatcagggg tcacgccctg tccgtgaccc agttcaggtt aaataaagcc aggaggctgt 211980 ttactgcctg gagaccactg agcagagtcc atgcccctg ctgggctgtc ctgatggggg 212040 gcaggaacag gcgcaggcct gcgcatcgtg ttcctgcctc ctatattcaa tcatagacct .212100 cagageteag caggeteteg gaggggagaa atagggetee ttegteggagg attteteect 212160 gcagtgggaa ctctcctccc ccgccgtcca gatggaggtg aaagacaggc actgttgctt 212220 acagggaagg caggetgeec ceagetetat ceaggaceec aggggaeeet gggteteagt 212280 gtetetaaat eccaacatte taagaaagtg teaggatgge tetggggtea teetgggtgt 212340 tagteccage teteggagte ttetetgage accagttett tteetatggg aagtaaggae 212400 atgccaggtg ttctttgaga ggacctgagt ttggttctca gcactgtcta gctctgqctc 212460 cagggggttc aacacccttt atggcttctg tggacacata ttcttatgtg gcctgcacgc 212520 acacacaga acacaaataa aaataaatgt taaaagaaga cagcggcacc ttgtacctca 212580 catgttagta cgattggatg tggcagtgcc tcacagaatc tgtgggactt tatttattta 212640 tttatttttt ggtcttaaaa ttttaaaaga ttggtttagg agtggtggta cacaccatta 212700 ategeaacae teaggageag aggeaggtgg atetetatgg gtttgaggee ageetggtet 212760 acagagcaag tttcagggca gccaaggtta cacagagaaa ctctttctca aaaaataaaa 212820 acaaaatatt taaaagattt acttacttct tatttgagct aggatctccc tattagccct 212880 ggctgtcctg gaactcactg tatagaccag gctggcacct taaactcacg aagatcctcc 212940 tgcttctgcc tcctaagtgc tgagattaaa gtagtgttat accatgcccc actattttct 213000 ttatagattt ggtgttttgc ctgcttgtgt atatatgcac taccttcatg cagtgctaat 213060 aggggtcaga ggcgagtatc agctcttcct ggaactagag ttatggaagg ttgggagtca 213120 CCatgctggg actgggtcat ttgcaagagt tacaagtact tctgagccat ctccagcccc 213180 213240 tttcgagaca gggtttctct acataggcct ggctgtcctg gaactcactc tgtagaccag 213300 getggeeteg aacteagaaa teegeetgee tetggetete agaatactgg aattaaaggt 213360 gtgcgccacc acgcctggct cagaatctgt ttttaaatga gagtaatagt tacaggtttt 213420

ttttgagaca ggtctcactc tgaaccccta ggtggcctgg agcttgctat gtagaacaca ctgactttaa acttgttttc tgagtqctgq atttatgggc ttgtgctatt ttgcccagcc 213600 tctgatggtt gttaataaca atattattta gcttttcttt tggagatagg ctctcactgt 213660 atatcaccca gacagtggct ggtctggaaa tcactgtgta ggccaggctg accttgaatt 213720 cacagagatc tgcctcccga gttcagaaat taaaagcact ctgggatggt tttggagttt 213780 qqtqaqtacc caagcctcca ttgatgctat ctgtccctcc cgctctctgc aggctgtaga 213840 gggcagcgtg ctcatcagct cctcttccga ccattccttg actgtttgga aggagctgga 213900 acagaagccc acgcaccact acaagtcagc gtccgaccca atccacacct ttgacctgta 213960 cggcagcgag gtggtcaccg gcactgtagc caacaagatt ggtgtctgtt ccctgcttqa 214020 gccaccetet caggecacca caaageteag tteegagaae tteegtggea egeteactag 214080 totggotttg otgoccacga aacgocacct cotgotgggo toggacaatg goatcatoog 214140 cctcctggca tagggccagc caggagttgg ctgagggcag ggcgagatga catctctcag 214200 qqcccqctcc tcattcttga tctcgaagcc gattcttcta ggcaagcccc aggctctggc 214260 tacccacaty occtoctote toggattoca capeteetga atetecaaag cettgaagto 214320 qcttcatqaa actcqqqaqa tactqttcct aaccagcaag aattgqgqca aqqaaaqcac 214380 tgtgatecec attgetecec agttetgeet tetggattea catggggaca gggeagetee aggaaatgaa aggagttggg cetttgetea gecagettee tetagecaeg eteteettag 214500 ctctgtttct cccttgggta ggaaactgct cctgtctagg gttctgatgg tactgggact 214560 ccaggctcag gagggctggc caggacctac gactttcagg gcttggtctg gggttttagc 214620 atteatteag ceaggtette agtatgggae cagaaaaaag gggatgtgag aacagggeta 214680 gggaaggggt tatatgggcc cagctggtcc aggaatgaat ccatgccttg ccttggtacc 214740 cctaaccaca qcqtttqtqc cttcaqccqq qqaqqcaqcc cttqqqacca qcatccctaq ggacaggagg cagcgggaat catctctgta tctcgggttc tgcccagggg atgggcagac 214860 tetgecatet ettgagtgtt egtttggaga ageetgagat gtggeceetg etgeettete 214920 actagttgca gtctatgtaa ataaggtcaa taaattcttt ggaagagcca cggagctgag 214980 tgaggctgtg ttgtgttttg ctttgcctag gctgggctca ggcagctctg cctcagcctc 215040 ccaaqqaqct qqqqaactqq tatatqtcac tgtatatqtc actqtqcctq gcttatqqct 215100 tggcttggct ttttttcaga tggtctcaag tgcctcaggt tggccttgat cttgggatga 215160 cettectget tgaaacagag tagtgggett ataggcatga cecaceaggt ceaattttta 215220 ttttttaaag gcattgattt ttatacgtgt atggttgttt tgcccacttg tacatatgca 215280 caccatactt gtgtctggtc cctgcggagg tcagaagagg gcatcgggat cacctggaac 215340 cgaagttaat gaatggttat gagccacatc tcgatgctga agattgaacc tggatccttt gcaagagcag ccagtgttct tacccactga gccatctcta agccccacac ccagcttctt 215400 215460 ttgatacaag gtctggtagc tcaaacttga tatgcagccg aggaggttga cctggtattc 215520 cctacctacc ctcttctctc taccttccaa gtgctgatat tatacatagg catggatagt 215580 catgeccace agtttgeett gatggcacea gagtcaggaa agtecaaace tggtagttge 215640 215700 215760 gctgaagagg tgggaccctg ggagggccgg cctccagctg ggtctctcca gccctcgcct 215820 tggaacctag gctggaggga gccaaccagg atcctggact tgctacagtt aggtgaacag 215880 geteetgeag ceteecette cettgggtag etgtggtggt ggtggtggt gtggtggtgg 215940 215980 tggtggtggt ggtggtggtg gtggggggg gggngnngnt

```
<210> 17
<211> 473
<212> PRT
<213> Mus sp.
```

Trp Leu Gln Ala Trp Arg Val Ala Thr Pro Cys Pro Gly Ala Cys Val 20 25 30

Cys Tyr Asn Glu Pro Lys Val Thr Thr Ser Cys Pro Gln Gln Gly Leu $35 \hspace{1.5cm} 40 \hspace{1.5cm} 45$

Gln Ala Val Pro Thr Gly Ile Pro Ala Ser Ser Gln Arg Ile Phe Leu 50 60

His Gly Asn Arg Ile Ser His Val Pro Ala Ala Ser Phe Gln Ser Cys 65 70 75 80

Arg Asn Leu Thr Ile Leu Trp Leu His Ser Asn Ala Leu Ala Arg Ile Asp Ala Ala Ala Phe Thr Gly Leu Thr Leu Leu Glu Gln Leu Asp Leu 105 Ser Asp Asn Ala Gln Leu His Val Val Asp Pro Thr Thr Phe His Gly 120 Leu Gly His Leu His Thr Leu His Leu Asp Arg Cys Gly Leu Arg Glu Leu Gly Pro Gly Leu Phe Arg Gly Leu Ala Ala Leu Gln Tyr Leu Tyr 150 Leu Gln Asp Asn Asn Leu Gln Ala Leu Pro Asp Asn Thr Phe Arg Asp Leu Gly Asn Leu Thr His Leu Phe Leu His Gly Asn Arg Ile Pro Ser Val Pro Glu His Ala Phe Arg Gly Leu His Ser Leu Asp Arg Leu Leu 200 Leu His Gln Asn His Val Ala Arg Val His Pro His Ala Phe Arg Asp 210 215 Leu Gly Arg Leu Met Thr Leu Tyr Leu Phe Ala Asn Asn Leu Ser Met Leu Pro Ala Glu Val Leu Met Pro Leu Arg Ser Leu Gln Tyr Leu Arg Leu Asn Asp Asn Pro Trp Val Cys Asp Cys Arg Ala Arg Pro Leu Trp Ala Trp Leu Gln Lys Phe Arg Gly Ser Ser Ser Glu Val Pro Cys Asn 280 Leu Pro Gln Arg Leu Ala Asp Arg Asp Leu Lys Arg Leu Ala Ala Ser 295 Asp Leu Glu Gly Cys Ala Val Ala Ser Gly Pro Phe Arg Pro Ile Gln Thr Ser Gln Leu Thr Asp Glu Glu Leu Leu Ser Leu Pro Lys Cys Gln Pro Asp Ala Ala Asp Lys Ala Ser Val Leu Glu Pro Gly Arg Pro 340 Ala Ser Ala Gly Asn Ala Leu Lys Gly Arg Val Pro Pro Gly Asp Thr Pro Pro Gly Asn Gly Ser Gly Pro Arg His Ile Asn Asp Ser Pro Phe Gly Thr Leu Pro Ser Ser Ala Glu Pro Pro Leu Thr Ala Leu Arg Pro Gly Gly Ser Glu Pro Pro Gly Leu Pro Thr Thr Gly Pro Arg Arg 405 Pro Gly Cys Ser Arg Lys Asn Arg Thr Arg Ser His Cys Arg Leu Gly

420

425

430

Gln Ala Gly Ser Gly Ala Ser Gly Thr Gly Asp Ala Glu Gly Ser Gly $435 \hspace{1.5cm} 440 \hspace{1.5cm} 445$

Ala Leu Pro Ala Leu Ala Cys Ser Leu Ala Pro Leu Gly Leu Ala Leu 450 455 460

Val Leu Trp Thr Val Leu Gly Pro Cys 465

INTERNATIONAL SEARCH REPORT

Inte. Ial Application No PCT/US 01/31488

A. CLASSI IPC 7	FICATION OF SUBJECT MATTER C12N15/12 C07K14/705 C07K16/2 A61K38/17	28 C12N15/62	G01N33/68	
According to	o International Patent Classification (IPC) or to both national classific	ation and IPC		
	SEARCHED			
Minimum do	ocumentation searched (classification system followed by classification C12N C07K G01N A61K	on symbols) 		
	tion searched other than minimum documentation to the extent that s			
)	ala base consulted during the international search (name of data ba	se and, where practical, search terr	ms used)	
EPO-In	ternal, BIOSIS, EMBL, WPI Data	·		
С. РОСИМ	ENTS CONSIDERED TO BE RELEVANT			
Category •	Citation of document, with indication, where appropriate, of the rel	evant passages	Relevant to claim No.	
X	DATABASE EMBL NUCLEIC ACIDS 'On 21 January 2000 (2000-01-21) "M. musculus chromosome 11 clone RP23-113D4" retrieved from EMBL Database accession no. AC021768 XP002217414 compare translation product of complementary strand of nt 153209 with aa 21-461 of seq. 4 and aa 1 seq. 14	9-154529	1,2,5-30	
	ner documents are listed in the continuation of box C.	χ Patent family members ar	re listed in annex.	
"A" docume consid "E" eartier of filing d "L" docume which citation "O" docume other r "P" docume later th	nt which may throw doubts on priority claim(s) or is cited to establish the publication date of another n or other special reason (as specified) and referring to an oral disclosure, use, exhibition or	"Y" document of particular relevance	flict with the application but only or theory underlying the ce; the claimed invention reannot be considered to not the document is taken alone ce; the claimed invention we an inventive step when the ne or more other such docugo by obvious to a person skilled apatent family	
	8 October 2002	08/11/2002		
Name and n	nailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Galli, I		

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Interi Inat Application No PCT/US 01/31488

0./0	When a country to country to country to the country	PCT/US 01/31488
Category °	ation) DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
	or a second of the second of t	neevant to Claim No.
X	DATABASE EMBL NUCLEIC ACIDS 'Online! 15 November 1999 (1999-11-15) "Homo sapiens clone RP11-10E2" retrieved from EMBL Database accession no. AC013606 XP002217419 compare aa 168-420 of seq. 2 with the translation product of nt 138578-139331.	1-4,6-30
X	DATABASE EMBL PROTEINS 'Online! 1 May 2000 (2000-05-01) CORBY N.: "New leucine-rich protein" retrieved from EMBL Database accession no. Q9UGS3 XP002217415 compare aa 352-399 with seq. 11,19	1,11,15
A	DATABASE EMBL PROTEINS 'Online! 1 October 2000 (2000-10-01) OSADA N. ET AL.: "Unnamed protein product" retrieved from EMBL Database accession no. Q9N0E3 XP002217416 compare with sequences 2,4,5,11,17,18,19	1-30
A	WO 00 31235 A (CHEN MAIO S ;SCHWAB MARTIN E (CH)) 2 June 2000 (2000-06-02) the whole document	1-30
P,A	WO 01 51520 A (UNIV YALE ;STRITTMATTER STEPHEN M (US)) 19 July 2001 (2001-07-19) NgR1: compare seq. 1,3 with seq. 5,17 of present application, respectively	1-30

Form PCTASA/210 (continuation of second sheet) (July 1992)

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims 1,2,6,7,9-13,15,16,18-30 relate to an extremely large number of possible compounds. It is not possible to determine all the possibilities, as any given X can be any amino acid or even a gap. In fact, the claims contain so many options, variables, possible permutations and provisos that a lack of clarity (and/or conciseness) within the meaning of Article 6 PCT arises to such an extent as to render a meaningful search of the claims impossible. Consequently, the search has been carried out for those parts of the application which do appear to be clear (and/or concise), namely seq. ID 2, 4 and 14.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

International application No. PCT/US 01/31488

INTERNATIONAL SEARCH REPORT

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. X Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
Although claims 27, 29 and, as far as methods in vivo are concerned, claims 20 and 28 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2. X Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
see FURTHER INFORMATION sheet PCT/ISA/210
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
1. As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark on Protest The additional search fees were accompanied by the applicant's protest.
No protest accompanied the payment of additional search fees.

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1998)

INTERNATIONAL SEARCH REPORT

Information on patent family members

Inte tal Application No
PCT/US 01/31488

					-•	
Patent document cited in search report		Publication date		Patent family member(s)	Publication date	
WO 0031235	A	02-06-2000	AU CN CZ EP NO SK WO	1469200 A 1354755 T 20011608 A3 1124846 A2 20012223 A 6222001 ÷3 0031235 A2	13-06-2000 19-06-2002 17-10-2001 22-08-2001 02-07-2001 03-12-2001 02-06-2000	
WO 0151520	A	19-07-2001	AU EP WO US US	2940101 A 1248803 A2 0151520 A2 2002012965 A1 2002077295 A1	24-07-2001 16-10-2002 19-07-2001 31-01-2002 20-06-2002	

Form PCT/ISA/210 (patent family annex) (July 1992)

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record.

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ other.

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.